



# Appendix B

## Technical Memoranda and Reports

### Disclaimer:

Technical memoranda and reports were prepared as independent documents to support the preparation of the Supplemental Draft Environmental Impact Statement (SDEIS) for the Dallas CBD Second Light Rail Alignment (D2 Subway). Information from these documents was incorporated into the SDEIS to provide information on existing conditions, and in some cases, assess potential impacts to the resources. Information contained in the SDEIS is the most current and supersedes information in the technical memoranda and reports.



# **B-11**

## **Hazardous Materials Existing Conditions Technical Memorandum**



# Technical Memorandum

Date: Tuesday, November 12, 2019

Project: GPC6, C-2012668-02, Task Order #39 Dallas CBD Second Light Rail Alignment (D2 Subway)

To: Kay Shelton, Project Manager, DART Capital Planning

From: James Frye, GPC6 Project Manager

Subject: D2 Corridor Hazardous Materials Existing Conditions Technical Memorandum


## 1.0 Introduction

Dallas Area Rapid Transit (DART) tasked HDR Engineering, Inc. (HDR) with providing a screening of hazardous materials issues associated with the D2 Corridor. This report will provide an overview of environmental Hazardous and Regulated Material release sites (Hazmat) present within 300 feet of at-grade sections, and 600 feet of below-grade proposed improvements of the D2 Corridor. This screening level assessment does not conform to the ASTM E1527-13 standard for Phase I Environmental Site Assessments, and is intended to provide an overview of known sites with a regulatory history. Only an American Society for Testing and Materials (ASTM)-conforming Phase I can provide a robust picture of sites that may have existed before regulatory records were reliably kept (around 1990).

### 1.1 Study Area

The D2 Corridor is shown on Figure 1-1. The study area for Hazmat is generally defined as a 300-foot distance from the centerline of the proposed at-grade improvements, and a 600-foot distance from the centerline of the proposed subway components of the project. This assessment will identify known hazardous waste sites for the D2 Corridor, and rank them according to each site's likelihood of having actionable contamination that would affect the project.

Figure 1-1. Project Study Area





## 2.0 LEGAL AND REGULATORY CONTEXT

### 2.1 Regulatory Data Search

Multiple regulatory acts address contaminants and hazardous materials, including the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), the Superfund Amendments and Reauthorization Act (SARA), the Resource Conservation and Recovery Act (RCRA), the Toxic Substances Control Act (TSCA), the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), the Clean Air Act (CAA), and the Clean Water Act (CWA). These, and other regulatory acts are described in the Environmental Data Resources, Inc. (EDR) report, which was generated for this project (Appendix B). Federal, state, and local databases have been developed to keep track of sites which handle, generate, transport, store, or dispose of hazardous and/or regulated materials and wastes, in accordance with applicable environmental laws. An automated search of these regulatory databases, based on geocoded locations of the site's listed address, was conducted by EDR in July 2018 (EDR, 2018). Federal, state, local, and tribal regulatory databases were searched for sites located within the ASTM-specified search distances (as listed in the ASTM E 1527-13 guidance) from the project centerline (EDR, 2018). HDR specified expanded search distances for certain databases that the ASTM requirement includes only target address or 1/8 mile coverage, to include the 300- and 600-foot distances used for this screening report. Also included in the search were sites that have sustained a known release of contaminants to soil or groundwater.

### 2.2 Interviews

In accordance with client direction, no interviews were conducted during this assessment.

## 3.0 METHODOLOGY

The D2 Corridor was evaluated by reviewing available regulatory agency databases and topographic maps, and by performing a limited site reconnaissance. These documents and site visits were intended to serve as an overall environmental screening method for the D2 Corridor, in order to identify sites with potential hazardous waste issues that are known to regulatory authorities. This environmental screening does not consider historical sites, or sites with no recorded regulatory history (but with potential issues). Therefore, it does not constitute an ASTM 1527-13-conforming Phase I Environmental Site Assessment (ESA). In addition, sites may be missed or not considered if they existed prior to modern environmental recordkeeping (generally pre-1990). It is also important to note that this screening report, like the ASTM E 1527-13 Phase I ESA scope, does not include asbestos, mold, radon, indoor air quality, or any of the other "non-scope considerations" listed in the ASTM E 1527-13 standard. Asbestos, as an example, could be a significant issue during any building demolitions for the project, but a separate asbestos assessment protocol exists to manage that issue.



### 3.1 Regulatory Database Review

Listed hazardous materials / hazardous waste release sites were evaluated and ranked, using a described relative risk ranking system, and using an automated regulatory database search product provided by EDR (described in **Section 2.1**). This report addresses sites located within 300 feet of aboveground components of the D2 Corridor, and within 600 feet of proposed sub-surface components. Sites of concern were identified based on their listing in the EDR report, with emphasis placed on certain databases that indicate releases or violations. Databases of particular concern are listed on **Table 3-1**. Many of the sites that were identified during this initial screening were included in a site reconnaissance conducted July 12, 2018. The site reconnaissance was performed to help define the probable risk to the D2 Corridor and subway system. Due to its large size, the EDR Report is presented as an attachment in an electronic format (**Attachment B**).

### 3.2 Site Reconnaissance

The site reconnaissance was conducted on July 12, 2018, and sites were viewed from vantage points on public right-of-way (ROW) (no site access was requested or gained). The site reconnaissance included the proposed project corridor as of July 2018, and sites identified during the initial screening of the EDR report. Sites were identified during the initial screening of the EDR report based on the site's database listing, and its distance from the D2 Corridor (at-grade or subsurface components). Of 1,720 listings identified in the EDR report located within the search radii (multiple listings occurred for many individual addresses or sites), over 50 sites (based on distance from the corridor centerline) were visited during the site reconnaissance to assist in determining the potential for hazardous materials issues that might impact the D2 project. A reconnaissance of the proposed D2 alignment was completed by vehicle and pedestrian survey.

During the site reconnaissance, a Site Data Form was completed for each site where the type of listing, and the distance and direction from the site to the corridor, indicated that a potential existed for hazardous materials or wastes to impact the D2 project. Photographs were taken at these locations. Select site photographs are included in **Attachment A**.

### 3.4 Topography and Aerial Photo Review

Topographic maps provided with the EDR regulatory agency database report were reviewed to locate the potential Hazmat site, and to compare their topographic elevation with the proposed project components (uphill sites were ranked as higher risk than downhill sites). Sites listed in databases of concern were visited during the site reconnaissance to verify the distance of those identified sites from the D2 Corridor, and the presence of other potential Hazmat sites. Historical aerial photos were not reviewed – this step is reserved for an ASTM-conforming Phase I ESA, and can establish sites of concern that may have existed before modern regulatory records began (around 1990).



### 3.5 Risk Ranking

HDR employs a relative risk ranking system that includes several investigative elements to describe “sites of concern” located within a Project Corridor. A site of concern is a site that the investigative process has determined to have sufficient possibility of contamination, which warrants special attention during the (later) ASTM-conforming Phase I investigation. A site of concern may or may not ultimately be classified as a REC (Recognized Environmental Condition, as determined by a full Phase I, and defined in ASTM E 1527-13), yet still may be “of concern” and is therefore highlighted in the report. A site of concern may or may not be carried forward in recommendations for further investigation, depending upon the specific issues associated with the site.

Once the elements of the investigative process were completed, HDR categorized the identified sites using a subjective risk ranking system, classifying the sites as Low Risk, Moderate Risk, High Risk, or (in some instances) Indeterminate Risk. The following paragraphs provide general descriptions of each category.

**Low Risk** sites are those sites that have few indications of potential for release of hazardous materials. On some occasions, sites that have had a hazardous materials issue in the past but have been remediated with approval of the local state environmental agency or the U.S. Environmental Protection Agency (EPA) may qualify as low risk. Examples of Low Risk sites include undeveloped or agricultural property, residential property, or benign commercial properties such as office buildings, warehouses, distribution facilities, or municipal facilities with no listed violation.

**Moderate Risk** sites are those sites that have some indications of possible hazardous materials issues. A Moderate Risk site may appear on a database as having a permit to handle hazardous materials, but has recorded no violations to date. Another way that a site could be interpreted as Moderate Risk would be if the environmental records search indicated no listing, but the site is an auto repair facility with serious surface staining. Examples of Moderate Risk sites include auto repair garages, welding shops, or manufacturing facilities with minor listings in the environmental database.

**High Risk** sites are those sites that have a high potential for releasing hazardous materials to the soil or groundwater, or have a recorded release issue. Examples of High Risk sites include current service stations, bulk fueling terminals, sites listed in environmental databases as having had a release, or a known release that has not been remediated.

**Indeterminate Risk** sites are those which, at the time of report preparation, did not include sufficient information to include a High, Moderate or Low ranking. Indeterminate Risk sites often require additional file review, site reconnaissance, interviews, or historical research to determine the details of any related environmental issues at the site.



When HDR assigns a risk ranking to a site or condition at a site, the risk ranking criteria are reviewed and concurred with by at least one Environmental Professional as defined in ASTM. It is HDR policy to have subjective criteria cross-reviewed for accuracy and adherence to its assessment protocols and internal quality assurance standards. It is worthwhile to note that risk ranking does not directly correspond to whether a site qualifies as a REC; rather, the risk ranking system is intended as a method of categorizing sites on large projects for consideration of common contamination characteristics.

HDR included two of the primary investigative activities included in the ASTM guidance (conforming to EPA's All Appropriate Inquiry (AAI) requirements), namely (1) records review (including historical data sources), and (2) site reconnaissance. No historical source review, interviews or onsite reconnaissance activities were performed, in accordance with direction from the client.

## 4.0 AFFECTED ENVIRONMENT

### 4.1 Findings from Data Review

The downtown Dallas area has been developed for over 100 years, and as such, many sites were identified in the database search. Following the site reconnaissance and a review of the data presented in the EDR report, potential sites were ranked either High Risk, Moderate Risk, Low Risk, or Indeterminate Risk, based on the type of listing, distance to the project corridor, topographic gradient, probable pathway for contaminant migration, status of the site, and the history of releases, spills, or violations. Based on these criteria, sites that are located in the vicinity of the proposed corridor, have documented site activities that could contaminate soil or groundwater, or have a history of violations or contaminated media that have a high potential to impact the site. Other sites without a history of violations or leaks or spills and are located on the adjacent properties or beyond, are typically ranked as a Moderate or Low Risk. Orphan sites were not reviewed, due to the large number of non-locatable sites associated with the downtown Dallas area. Only sites with some indication of issues are ranked. Benign properties like office buildings, schools, and parking lots are not provided with a risk ranking, but are assumed to be Low Risk.

A total of over 1,700 hazardous materials listings were located within the ASTM search radius. The number of sites was decreased based on the nature of each database listing, and their location within the 300- or 600-foot buffer (for at-grade versus below-grade improvements, respectively) of the D2 Corridor. Over 340 potential risk sites had listings from databases included in **Table 3-1**, which were considered databases of concern. Sites were eliminated from further consideration, or ranked as Low Risk, if database listings were from "pointer" databases, air emission sites, or had listings for issues such as paperwork violations that do not necessarily lead to a risk of contaminant release.





The site reconnaissance was conducted July 12, 2018. The proximity of a listed site to the proposed D2 Corridor, surface topography, and the information provided in the EDR database search, helped to determine the site's potential risk. **Table 4-1** includes the Low, Moderate, High, and Indeterminate Risk sites to the D2 Corridor. These sites are shown on **Figure 4-1** and **Figure 4-2**.

Of the 344 sites of concern ranked by this protocol, 10 sites are ranked as High Risk, 17 as Moderate Risk, and 77 as Indeterminate Risk (of the Indeterminate Risk sites, 72 were listed in either the EDR Hist Auto or EDR Hist Cleaners databases). The remainder of the sites were ranked as having Low Risk to impact the project corridor. As discussed earlier, this risk classification is based on the nature of the site contamination, proximity to the project corridor, and groundwater flow direction. It is important to note that this risk ranking would be applicable to the corridor area **ONLY** if the ground is disturbed during construction activities. If subsurface soils will not be disturbed during construction, then these sites would not pose a risk to the project corridor. The approximate location and nature of contamination of the identified High and Moderate Risk sites are discussed below.

Figure 4-1. High and Moderate Hazardous Materials Risk Sites





Figure 4-2. Indeterminate Hazardous Materials Risk Sites





### **High Risk Sites**

Ten sites are rated as a High Risk (Map IDs 83, 87, 131C, 174, 208, 212, 307B, 390A, 450C, and 450D). The locations of these sites are shown in red on **Figure 4-1**.

The **City Lights Property/Dallas Can! Academy**, located at 2601 Live Oak St., Map ID 83, was listed in the Voluntary Cleanup Program (VCP), Groundwater Contamination Cases (GCC), Municipal Settings Designation (MSD), and EDR Hist Auto databases. This site is located approximately 145 feet northeast from the far northeast project terminus. According to the EDR report (EDR, 2018), a developer entered the VCP in 2013, and the site is currently listed as being in the investigative phase, to address soils and groundwater contaminated with volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), heavy metals, chlorinated solvents, and total petroleum hydrocarbons (TPH). The site was listed in the GCC database with the same list of contaminants, and had a municipal setting designation (MSD) in 2015 for the contaminants tetrachloroethylene (PCE), 2-methyl naphthalene, and TPH. Because of information provided in the database report, and the distance and direction of the site from the proposed corridor, this site was ranked as High Risk.

The **Dallas Steam Electric Station (and Tuec North B and Tuec North A)**, located west of Alamo Street at 2727 Flynn Street, Map ID 87, included listings in the VCP, GCC and Activity and Use Limitations (AUL) databases. This site is located approximately 170 feet north of proposed at-grade improvements on the western portion of the corridor. In the late 1990s, this property completed the VCP program for soil and groundwater contamination by TPH, SVOCs, and metals. In 1998, the purchaser agreed to accept nonresidential AULs for the property. The site was listed in the GCC database for historic groundwater contamination between 1994 and 2012, and the contaminants described included TPH and SVOCs. This site was ranked as High Risk because of the information provided in the database report, and the site's distance and direction from the proposed D2 improvements.

The **Glenn E. Underwood** property, located at 2529 Swiss Ave., Map ID 131C, was listed in the Texas Underground Storage Tank (UST) and EDR Hist Auto databases. This facility is located adjacent to the proposed project corridor and was listed as inactive in the UST database for three tanks (4,000 gallon, 6,000 gallon, and 8,000 gallon USTs), which were removed from the ground in 1991. This site was also listed in the EDR Hist Auto database as a gasoline service station between 1966 and 1986. Due to close proximity to the proposed project corridor, this site was ranked as a High Risk.

The **LG Magnolia LP property**, located at 1100 McKinney Ave., Map ID 174, was listed in the AUL, VCP, MSD, and GCC databases. This property is located adjacent to the proposed western tunnel entrance for the project. According to the database report (EDR, 2018), the earliest known date of detected contamination was 2007. The property received a certificate of completion through



the VCP in 2007 for addressing soils and groundwater affected by VOCs, SVOCs, metals, TPH, polychlorinated biphenyls (PCBs), and solvents. During the VCP process, the applicants agreed to accept an AUL, with MSD institutional controls. The site's proximity to the corridor and the nature of the database listings resulted in a High Risk ranking.

**Graphic Engraving**, located at 1012 McKinney Ave., Map ID 208, was located approximately 168 feet southwest of the D2 alignment, near the western tunnel entrance. Graphic Engraving was listed in the VCP, MSD and GCC databases. The facility entered the VCP for soil and groundwater affected by VOCs, heavy metals and TPH. The MSD specifically lists trichloroethylene (TCE) and arsenic. **Graphic Engraving** was also listed as Map ID 212, located at 1911 and 2001 N. Griffin St. These properties are located approximately 60 to 170 feet southwest of the proposed western subway tunnel entrance. This site was listed in the Texas Industrial Hazardous Waste Corrective Action (IHW Corr Action) as inactive, in the VCP with a status of "terminated", and the GCC database with 1995 listed as the earliest date of known contamination. Contaminants included spent solvents and metals (EDR, 2018). Because of the site's proximity to the project corridor, and the nature of the database listings, this site was ranked as High Risk.

**7-Eleven**, located at 1010 Ross Ave. (Map ID 307B), is located adjacent to the proposed D2 Corridor. This retail facility was listed in the UST database, and has a 12,000 gallon UST storing diesel fuel, and a 20,000 gallon UST storing gasoline. Because of the active USTs and proximity to proposed improvements, this site was ranked as High Risk.

**1700 Commerce Street**, Map ID 390A was listed as a leaking petroleum storage tank (LPST) case. This property is just over 50 feet south of the proposed subway. The release at this site resulted in impacts to a designated major or minor aquifer. Final concurrence has been issued, and the case is closed. Closure details were not provided in the EDR report, or on the Texas Commission on Environmental Quality's (TCEQ) website. This site was ranked as High Risk because of distance and direction, coupled with the nature of the database listing.

**The AT&T Telephone Facility** (Map ID 450C) and **Six SBC Plaza** (Map ID 450D), were both located at 1410 Jackson St., approximately 275 feet south-southeast of the proposed D2 Corridor. AT&T was listed in the Tier 2 and GCC database. The EDR report (2018) did not report a list of chemicals stored onsite. Gasoline contamination of the groundwater was known as early as 2006. Six SBC Plaza had listings in the UST, LPST and Tier 2 databases. One active 25,000 gallon UST was reported, and the facility also had one 10,000 gallon UST, which was removed from the ground. Chemicals stored, as reported in the Tier 2 database, included diesel fuel #2 and unleaded gasoline. These sites were ranked as High Risk, because of their close proximity to the proposed project corridor, and the nature of the database listings.



### **Moderate Risk Sites**

Seventeen sites were ranked as a Moderate Risk (Map IDs 93, 127, 132, 137B, 164, 180, 201, 214A, 296A, 328, 350, 380A, 386, 427, 447B, 451F, and 452B). The locations of these sites are depicted in yellow on **Figure 4-1**.

The **Houston Street/UP South Property** (Map ID 93), located north of the Woodall Rogers freeway and McKinney Street, was listed in the VCP database. This site is located approximately 70 feet north of the proposed project area. According to the EDR report, the purchaser of the former railyard/railroad track property completed the VCP in 2000 for soils and groundwater contaminated by TPH, metals and polycyclic aromatic hydrocarbons (PAHs). The contaminated materials were excavated and disposed offsite, and nonresidential institutional controls for the property were implemented. This site was ranked as Moderate Risk because it is located near the proposed at-grade improvement area.

**615 N. Good Latimer Expressway** (Map ID 127), located at 2501, 2507, 2511, and 2519 Swiss Ave. was listed in the VCP database. These sites are located approximately 140 feet west of the proposed D2 Corridor. In 2017, the purchaser of these properties completed the VCP for soils contaminated with arsenic, barium and lead. The property received a certificate of completion in 2017. This site was ranked as a Moderate Risk because of the distance and direction from the corridor.

**The Laws Street Development**, Map IDs 132 and 180, located between 2200 and 2225 Laws Street, was listed in the VCP database. This development is located approximately 200 feet southwest of the D2 alignment, near the at-grade portion of the project. This property received a certificate of completion from the VCP for addressing soils and groundwater contaminated with VOCs, SVOCs, metals and TPH. Because of the distance and direction from the corridor, this site was ranked as Moderate Risk.

**Cemark R990016**, Map ID 137B, located at 2219 Summer St., was listed in the LPST and UST database. This site is located approximately 160 feet northeast from the proposed D2 line, near the site of the Perot Museum. An LPST case was opened in 1990, and case files showed that the release had affected groundwater, with no apparent threats or impacts to receptors. Final concurrence was issued, and the case was closed following cleanup activities. Additionally, this site was listed as inactive in the UST database, with one 10,000 gallon tank that was removed from the ground in 1991. Due to the distance from the corridor, this site was ranked as a Moderate Risk.

**The Missouri Pacific Railroad Co.**, Map ID 164, located at 2606 Gaston Ave., was listed in the LPST and UST databases. This site is located approximately 111 feet northeast of the proposed D2 line, at the far eastern end of the project. Two LPST incidents were reported, one in 1993 with soil contamination only, and the second reported in 1995, where the extent of contamination was



defined and groundwater was not affected. Final concurrence was issued in both of these cases, and the cases were closed. One tank, which was permanently filled in place in 1987, was reported in the UST database. This site was ranked as a Moderate Risk due to distance to the project corridor, and because only soils were impacted (in both cases).

The **property located at 2625 Elm Street**, Map ID 201, was listed in the VCP, MSD and GCC databases. This property is located approximately 170 feet southeast from an existing at-grade portion of the D2 alignment, along the far southeastern fork of the corridor. According to the EDR report, in 2012 the site was in the investigation phase of the VCP, and listed in the GCC database for soils and groundwater contaminated by VOCs, SVOCs, heavy metals, chlorinated solvents, and TPH. The site received a MSD in 2016 for contaminants including TPH, vinyl chloride, and trichlorethane, among others. Due to this site's distance and direction from the corridor, this site was ranked as Moderate Risk.

The **Woodall United Investors Property** (Map ID 214A), located at 1305 Ross Ave. and 704 N. Griffin, was listed in the VCP, MSD and GCC databases. This property is located just over 500 feet northeast from the proposed below-grade portion of the D2 alignment. The purchaser of this property completed the VCP in 2008 for soils and groundwater contaminated with VOCs, SVOCs, and metals. The MSD was certified in 2006 and contaminants listed included benzene and TPH. Due to its distance from the D2 Corridor, this site was ranked as a Moderate Risk.

**CVS Pharmacy #8391** (Map ID 296A), located at 1001 Ross Ave., was listed in the LPST, Resource Conservation and Recovery Act (RCRA), and industrial and hazardous waste (IHW) databases. The CVS is located over 260 feet south-southwest of the project corridor. This site reported a LPST in 2005. The assessment of the LPST case was incomplete, but no apparent threats or impacts to receptors were noted. Final concurrence has been issued and the case is closed. This CVS was also listed as a RCRA conditionally exempt small quantity generator (CESQG) of hazardous waste, and was listed in the IHW database. No violations in either of these databases were reported. Due to the distance and direction from the corridor, this site was ranked as a Moderate Risk.

**The Renaissance Tower Parking Garage**, Map ID 328, located at 1201 Pacific Ave. was listed in the Innocent Owner/Operator Program (IOP), VCP and GCC databases. This parking garage is approximately 450 feet east of the proposed D2 Corridor. Based on the database report, the owners terminated their involvement with the IOP and entered the VCP in 2009 for soils and groundwater affected by VOCs and heavy metals. According to the GCC database, the date of earliest known groundwater contamination was in 2007. Due to this site's distance and direction from the corridor, this site was ranked as Moderate Risk.

**The Elm Building**, Map ID 350, located at 1505 Elm Street, was listed in the VCP and GCC databases. This building is located approximately 550 feet north of the proposed D2 Corridor. According to the database report, the facility was terminated by the VCP and the site was then



listed in the GCC database for groundwater contamination between 1994 and 2015. Solvents were listed as the contaminants of concern. Due to the distance between the site and the corridor, this site was ranked as a Moderate Risk.

**The Joule Hotel**, Map ID 380A, located at 1530 Main St., was listed in the VCP database. This facility is located approximately 174 feet north-northwest of the D2 Corridor. The purchaser of the property completed the VCP in 2007 through the Texas Risk Reduction Program (TRRP). TPH contamination of groundwater was caused by a heating oil UST. Due to distance from the proposed project corridor, this site was ranked as a Moderate Risk.

**Pegasus Plaza** (Map ID 386), located at 100 S. Akard St., was listed in the LPST database. Pegasus Plaza is located approximately one block north of the proposed D2 Corridor (about 230 feet). This site reported an LPST case, where groundwater was not affected. The case has been closed. Due to its distance from the project corridor, this site was ranked as Moderate Risk.

**The Adolphus Hotel**, Map ID 427A, located at 1321 Commerce St., was listed in multiple databases, including the IHW, IHW Corr Action, UST, RCRA-CESQG, Enforcement and Compliance History Online (ECHO), and aboveground storage tank (AST) databases. The Adolphus Hotel is located adjacent to the proposed D2 Corridor. The IHW registration has not been updated since 1992, and the IHW Corr Action listing was inactive as of 2014. The facility was listed as active in the UST database; however, the two USTs listed were marked as permanently filled in place in 1979. The hotel reportedly has one 4,000 gallon AST for diesel fuel. No violations were reported in the RCRA or ECHO databases. This site was ranked as Moderate Risk due to its active status in the UST database.

**Trailways** (Map ID 447B), located at 1500 Jackson St., was listed in the LPST and UST databases. This site is located approximately 310 feet south-southeast of the project corridor. One UST was reported, a 12,000 gallon UST which was permanently filled in place in 1991, and an LPST case was reported in 1992. The LPST resulted in groundwater contamination to a source that was not the only reliable source of water in the vicinity (not a Class 1B groundwater). The database report indicated an incomplete site characterization; however, the case has been closed through the remediation program. Due to its distance and direction from the proposed corridor, this site was ranked as a Moderate Risk.

**Commercial parking lot property** (Map ID 451F), located at 1720 Wood Street, was listed in the AUL, VCP, and GCC databases. This parking lot property is located approximately 525 feet south-southeast of the proposed D2 subway. The property completed the VCP in 2013 for groundwater contaminated by chlorinated solvents. A MSD institutional control was placed on the lot based on information in the AUL database. According to the GCC database, contamination by VOCs, heavy metals, and TPH was discovered in 2011. This site was ranked as a Moderate Risk, due to the site's distance and direction from the corridor.





The **General Services Administration**, Map ID 452B, located at 1100 Commerce St., was listed in the UST and LPST databases. This site was located within 70 feet of the proposed D2 Corridor. The site was listed as inactive in the UST database for a 12,000 gallon UST which was removed from the ground. An LPST case in 1995 resulted in contamination that did not affect groundwater. Final concurrence on the LPST case was issued, and the case is closed. This site was ranked as Moderate Risk because the LPST case did not affect groundwater.

### **Indeterminate Risk Sites**

Indeterminate Risk sites are those where more information is needed to determine whether the site would pose a risk to the project. Seventy-seven sites were considered to be of Indeterminate Risk. Seventy-two of those were listed in the EDR Hist Auto and EDR Hist Cleaner database; these include Map IDs: 97, 125B, 131A, 143, 144, 148, 153A, 153B, 153C, 189, 225, 226, 244, 261, 282, 287, 292, 307A, 311, 312, 325B, 325C, 325D, 325E, 325F, 327, 353, 368, 369, 369b, 371, 379A, 379B, 379C, 383A, 388A, 388B, 390C, 392A, 392C, 397A, 397B, 403A, 403B, 403C, 405A, 405B, 405C, 407B, 407D, 407E, 411A, 411B, 411C, 411D, 414, 417, 421A, 421B, 421C, 421D, 421E, 427B, 427C, 427D, 427F, 427G, 427H, 427I, 441A, 441B, and 454. The additional sites considered to be Indeterminate Risk, but not listed in the EDR Hist Auto or EDR Hist Cleaners databases were Map IDs: 125A, 131B, 168, 444, and 452C. These Indeterminate Risk sites were depicted with blue dots on **Figures 4-2**. More information about these sites is listed in **Table 4-1**.

## **4.2 Findings from Site Reconnaissance of Proposed D2 Corridor**

A reconnaissance of the proposed D2 Corridor was conducted on July 12, 2018. Along with a review of the corridor, sites identified during the regulatory database search were visited, as described above, to determine their potential for affecting the corridor. Since the area is the Dallas Central Business District (CBD), much of the area has been redeveloped from its original use. No large-scale areas of staining, trash dumping or other signs of contamination were noted during the site reconnaissance.

It is important to note that the dense, urban development of the corridor includes extensive utility corridors, with excavations and in some cases, pipes and concrete conduit. Given the presence of multiple release sites including VOCs and SVOCs, the possibility is high for vapor intrusion into utility chases or underground spaces. During an ASTM-conforming Phase I ESA, further analysis of this issue may be performed.

## **4.3 Review of City of Dallas Municipal Setting Designations (MSD)**

The City of Dallas MSD was reviewed in January 2019 (COD, 2019) to identify MSD properties adjacent to the proposed alignment. This official state designation is given to properties within the municipality or its extra-territorial jurisdiction certifying that groundwater at the property is not used as potable water, and is prohibited from future use as potable water because the groundwater is contaminated in excess of applicable protective concentration levels. Several MSD



listings, as listed below, were located within the buffer area of the proposed D2 alignment. These sites were also identified in the database search and discussed in more detail in **Section 4.1**.

- 1012 McKinney Avenue – Identified in the database report as Graphics Engraving (Map ID 208), a High Risk property.
- 1100 McKinney Avenue – Identified in the database report as the LG Magnolia property (Map ID 174), a High Risk property.
- 1714 Wood Street – Identified in the database report as Commercial parking lot property (Map ID 451F), a Moderate Risk property.
- 2627 Live Oak Street – Identified in the database report as City Lights Property / Dallas Can! Academy (Map ID 83), a High Risk property.
- 2625 Elm Street – Identified in the database report as the property at 2625 Elm Street (Map ID 201), a Moderate Risk property.

#### 4.4 Conclusions

The D2 Subway Project proposes to add needed capacity and improve system reliability and passenger service through downtown Dallas. This would be accomplished with a new line extending from Victory Park in the west to Deep Ellum in the east, and would be largely a new alignment subway. The purpose of this report is to provide a screening of potential Hazmat issues and sites that could impact the proposed D2 project.

A search of the regulatory databases for sites that handle, generate, transport, store, or dispose of hazardous and/or regulated materials was conducted by Environmental Data Resources, Inc. (EDR) in July 2018. The EDR report was generated for the study area, and reviewed for those sites located within 300 feet of at-grade portions of the alignment and 600 feet of proposed subway components for potential hazardous materials sites. A total of 10 High Risk, 17 Moderate Risk, and 77 Indeterminate Risk sites were identified (see **Table 4-1**). The High or Moderate Risk sites could affect construction if subsurface soil were to be disturbed. Indeterminate Risk sites require more information to determine potential risk to the proposed project. The vast majority, 72 of 77 total, of the Indeterminate Risk sites were identified in the EDR Hist Auto or EDR Hist Cleaner databases as formerly operating an automobile garage or service station or a dry cleaner within close proximity to the proposed line.

Based solely upon the site reconnaissance, no additional hazardous materials concerns were identified.

#### 4.5 Recommendations

From the limited scope of this investigation, the following recommendations are proposed:

- Additional investigation (in the form of ASTM-conforming Phase I ESAs) is warranted for sites identified as High Risk, Moderate Risk, or Indeterminate Risk.



- Once design progresses, DART or their contractor should determine where subsurface soils will be disturbed during construction, and determine their proximity to High Risk, Moderate Risk, or Indeterminate Risk sites. From this more specific information, investigative efforts (Phase IIs) can be refined to focus on areas within the construction prism that are most likely to intercept contaminated areas. Based upon the results of Phase II sampling and analysis, a Contaminated Media Management Plan may be developed, which would guide appropriate response actions during construction.
- Due to the dozens of former gas stations and drycleaners that have operated in the downtown area, contamination from VOCs, SVOCs, metals, and chlorinated solvents could occur almost anywhere along the project corridor. Therefore, contractors should be prepared to encounter potentially hazardous conditions at any time. Specifically, when working in proximity to High or Moderate risk sites, contractors should have appropriately-trained staff (environmental consulting and remediation expertise) available during all ground-disturbing activities. Proper equipment and processes shall be available to protect workers, the public, and the environment if hazardous materials are encountered.



## 5.0 ACRONYMS AND ABBREVIATIONS

AAI	All Appropriate Inquires
ASTM	American Society for Testing and Materials
AUL	Activity and Use Limitation
CAA	Clean Air Act
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CESQG	Conditionally Exempt Small Quantity Generator
CLI	Closed and Abandoned Landfills
COD	City of Dallas
CORRACTS	RCRA Corrective Action
CWA	Clean Water Act
DART	Dallas Area Rapid Transit
ECHO	EPA Enforcement and Compliance History Online
EDR	Environmental Data Resources, Inc.
ERNS	Emergency Response Notification System
ESA	Environmental Site Assessment
FIFRA	Federal Insecticide, Fungicide and Rodenticide Act
FTTS	FIFRA/TSCA Tracking System
GCC	Groundwater Contamination Cases
Hazmat	Hazardous and Regulated Materials
HMIRS	Hazardous Material Information Resource System
IHW	Industrial Hazardous Waste
IOP	Innocent Owner/Operator Program
LQG	Large Quantity Generator
LPST	Leaking Petroleum Storage Tank
MLTS	Material Licensing Tracking System
MSD	Municipal Setting Designations
NLR	No Longer Regulated
PADS	PCB Activity Database System
RADINFO	Radiation Information Database
RAP	Remedial Action Plan
RCRA	Resource Conservation and Recovery Act
REC	Recognized Environmental Condition
ROW	Right of way
SARA	Superfund Amendments and Reauthorization Act
SEMS	Superfund Enterprise Management System
SQG	Small Quantity Generator
SSTS	Section Seven Tracking System
SWF/LF	Solid Waste Facility/Landfill
SWRCY	Recycling Facilities
TRIS	Toxic Release Inventory System
TSCA	Toxic Substance Control Act



TSDF	Treatment, Storage, and Disposal Facility
VCP	Voluntary Cleanup Program
VOCs	Volatile Organic Compounds



## 6.0 REFERENCES

American Society of Testing Materials (ASTM), E 1527-13, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process.

City of Dallas (COD), 2019. Municipal Setting Designation (MSD). Accessed online <http://gis.dallascityhall.com/municipalsetting/> January 30, 2019.

Environmental Data Resources, Inc. (EDR), 2018. DART D2 - EDR DataMap™ Corridor Study (5352999.5s). Dated July 5, 2018.



## **TABLES**



**Table 3-1  
Environmental Databases Provided by EDR**

<b>Database Name</b> (BOLD TYPE denotes databases of enhanced importance relative to releases)	<b>Database Description</b>	<b>Number of Listings Within the ASTM Search Radius*</b>
<b>SEMS</b>	Tracks hazardous waste sites, potentially hazardous waste sites and remedial activities performed in support of EPA's Superfund Program.	0
<b>SEMS – ARCHIVE</b>	Tracks sites with no further interest under the Federal Superfund Program, based on available information.	1
<b>CORRACTS</b>	Identifies hazardous waste handlers with RCRA corrective action activity.	0
<b>RCRA – TSDF</b>	Selective information from the Resource Conservation and Recovery Act (RCRA) sites. TSDF includes sites which store, treat and or dispose of hazardous waste.	0
<b>RCRA – LQG</b>	Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.	0
<b>RCRA – SQG</b>	Small quantity generators (SQGs) generate between 100 and 1,000 kg of hazardous waste per month.	0
<b>RCRA – CESQG</b>	Conditionally exempt SQGs generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.	9
<b>RCRA NonGen / NLR</b>	Non-generators do not presently generate hazardous waste.	50
<b>ERNS</b>	The Emergency Response Notification System (ERNS) records and stores information on reported releases of oil and hazardous substances.	21
<b>HMIRS</b>	The Hazardous Materials Information Reporting System contains hazardous material spill incidents reported to the Department of Transportation (DOT).	3
<b>BROWNFIELDS</b>	The EPA's listing of Brownfields properties from the Cleanups in My Community program.	1
<b>TSCA</b>	The Toxic Substances Control Act identifies manufacturers and importers of chemicals included on the TSCA Chemical Substance Inventory list.	2
<b>TRIS</b>	The Toxic Chemical Release Inventory System identifies facilities which release toxic chemicals to the air, water and land in reportable quantities.	0
<b>FTTS</b>	This database tracts administrative cases, pesticide enforcement actions and compliance activities.	12
<b>HIST FTTS</b>	This is a historical database which may include some records not included in the newer FTTS database.	11
<b>SSTS</b>	Record of the types and amounts of pesticides, active ingredients and devices being produced, sold or distributed within the past year.	1





**Table 3-1  
Environmental Databases Provided by EDR**

<b>Database Name</b> (BOLD TYPE denotes databases of enhanced importance relative to releases)	<b>Database Description</b>	<b>Number of Listings Within the ASTM Search Radius*</b>
ICIS	The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.	22
<b>PADS</b>	The PCB Activity Database System identifies generators, transporters, commercial storers and/or brokers and disposers of PCBs.	0
MLTS	The Material Licensing Tracking System, maintained by the Nuclear Regulatory Commission, lists sites which possess or use radioactive materials.	5
RADINFO	Information about facilities which are regulated by EPA regulations for radiation and radioactivity.	0
ECHO	Provides integrated compliance and enforcement information.	85
<b>TX IOP</b>	Information on innocent owners or operators whose property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to contamination.	8
<b>TX SWF/LF</b>	Inventory of solid waste disposal facilities or landfills.	0
<b>TX CLI</b>	Closed and abandoned landfills (permitted as well as unauthorized).	0
<b>TX SWRCY</b>	Recycling facilities.	0
<b>TX LPST</b>	An inventory of reported leaking petroleum storage tank incidents.	36
<b>TX UST</b>	Registered underground storage tanks.	74
<b>TX AST</b>	Registered aboveground storage tanks.	11
<b>TX SPILLS</b>	Spills reported to the Emergency Response Division.	28
<b>TX AUL</b>	Sites with activity and use limitations including both engineering controls and institutional controls.	18
<b>TX VCP</b>	The Voluntary Cleanup Program was established to provide administrative, technical and legal incentives to encourage the cleanup of contaminated sites.	58
<b>TX PRIORITYCLEANERS</b>	A listing of dry cleaner related contaminated sites.	1
<b>TX DRYCLEANERS</b>	A listing of dry cleaning facilities.	8
<b>TX BROWNFIELDS</b>	Brownfield site assessments that are being cleaned up under EPA grant monies.	1
<b>TX ENF</b>	A listing of permit violations.	2
<b>TX Ind. Haz Waste</b>	Summary reports reported by waste handlers, generators and shippers.	60
TX TIER 2	A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.	97



**Table 3-1  
Environmental Databases Provided by EDR**

<b>Database Name</b> (BOLD TYPE denotes databases of enhanced importance relative to releases)	<b>Database Description</b>	<b>Number of Listings Within the ASTM Search Radius*</b>
<b>TX MSD</b>	This is an official designation given to properties which certifies the groundwater at the property is not to be used as potable water because the groundwater is contaminated.	9
<b>TX IHW CORR ACTION</b>	Industrial hazardous waste facilities with corrective actions.	7
<b>TX GCC</b>	The Groundwater Contamination Cases database includes status of groundwater monitoring activities, description of groundwater contamination cases reported during the year, and a record of incomplete clean up action.	36
TX ASBESTOS	Listing of asbestos notification site locations.	80
<b>EDR Hist Auto</b>	Listings of potential gas station/filling station/service station sites that were available to EDR researchers.	534
<b>EDR Hist Cleaner</b>	Listings of potential dry cleaner sites that were available to EDR researchers.	199
* This column includes all the listings which were in the EDR database search, including those that were more than our 300 ft. (surrounding proposed at-grade improvements) or 600 ft. (surrounding proposed below-grade improvements) buffer, which was outside the Study Area for the project.		

**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
73	Clark Auto	2625 Live Oak St., Dallas, TX	UST	289' NE	This facility was inactive for two 1,000 gallon gasoline USTs which were removed from the ground in 1998.	Low
83	City Lights Property / Dallas Can! Academy / Carter's Service Station	2601 Live Oak St., Dallas, TX	VCP, GCC, TX MSD, Hist Auto	146' NE	In 2013, a multifamily developer entered the VCP for the property to address soils and groundwater contaminated with VOCs, SVOCs, heavy metals, chlorinated solvents and TPH. The VCP is listed as being in the investigation phase. The GCC database also listed the same contaminants of concern, with a date of earliest known contamination of 2013. This site was listed in the MSD database in 2015 for the contaminants tetrachloroethylene, 2-methyl naphthalene and TPH. This site had violations related to asbestos in schools, and was also identified as a service station in the Hist Auto database listed in 1930.	High
84	Kenniebrew Tailoring Co.	709 N. Central	EDR Hist Cleaners	259' WNW	A clothes cleaner and dyer operating in 1925.	Low
87	Tuec North B and Tuec North A / Dallas Steam Electric	West of Alamo St./ 2727 Flynn St., Dallas, TX	AUL, VCP, GCC	172' N	The Dallas Steam Electric Station completed the VCP in 1996 for soils and groundwater contaminated by TPH and SVOCs. Affected materials were moved offsite to a landfill. In 1999, this facility	High



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					received a certificate of completion from the VCP for excavation and offsite disposal of soils and groundwater affected by petroleum hydrocarbons and metals. The purchaser accepted a non-residential AUL in 1998. This facility was listed in the GCC database for historic groundwater contamination from 1994-2012. TPH and SVOCs were the contaminants described.	
91	Gulf Harbour Commerce	2408 Victory Park Ln., Dallas, TX	Hist Auto	88' N	A gasoline service station in 2010-2014. Google Earth photos for this time period indicate that the site had been redeveloped as a multi-use building.	Low
93	Houston Street / UP South Property	North of Woodall Rodgers/McKinney	TX VCP	70' N	The purchaser of this railyard/railroad track property completed the VCP in 2000, for soils and groundwater contaminated with TPH, metals and PAH. The remedy listed was excavation and disposal, and non-residential institutional controls were implemented.	Moderate, due to at-grade proposed improvement in the area
97	Mack's Service Station	2525 Live Oak	EDR Hist Auto	89' W	This location was listed under multiple names as a gasoline and oil service station/automobile repairer. Years of operation were sporadic between 1930 and 1961.	Indeterminate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
105	Renegade Oil Co. Inc.	1313 River Street, Dallas, TX	Hist Auto	260' NE	A petroleum products facility between 1973 and 1982.	Low
106	Gypsum Supply	2331 Summer Street, Dallas, TX	UST	168' N	Listed as inactive for a 500 gallon UST which was removed from the ground in 1996.	Low
114	JW Campbell & Associates	2616 Swiss Ave., Dallas, TX	UST	200' NE	Listed as inactive for one UST which was permanently filled in place in 1987.	Low
123	American Rug Services	2312 & 2320 Griffin St., Dallas, TX	Hist Cleaner	Adjacent SW	A carpet and rug cleaner and renovating between 1951 and 1961.	Low – proposed at-grade facility, redeveloped area, and gradient is away from the proposed line.
	Cosden Tower Service	2311 Griffin St., Dallas, TX	Hist Auto	Adjacent SW	A gasoline station in 1961.	Low – proposed at-grade facility, redeveloped area, and gradient is away from the proposed line.
125A	Giddings and Wells Paint and Body Shop	2606 Swiss Ave., Dallas, TX	Hist Auto, IHW, RCRA	90' E	A non-generator of waste and a former small quantity generator. No violations were listed in the IHW or RCRA	Indeterminate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
			NonGen/NLR		databases. In the Hist Auto database, this facility was listed as an automobile repairing facility including the years 1930, 1977, 1981, 1986 and 1987.	
125B	Swiss Avenue Garage	2602 Swiss Ave., Dallas, TX	EDR Hist Auto	Adjacent E	This facility was listed under two names for automobile repairing in 1941 and 1946.	Indeterminate
125C	Peaks Garage	2608 Swiss Ave., Dallas, TX	EDR Hist Auto	130' E	Facility was listed as an automobile repairer in 1930, the 1950s and 1960s.	Low
127	615 North Good Latimer Expressway, Dallas, TX	615 N. Good Latimer Expwy., 2501, 2507, 2511, & 2519 Swiss Ave.	VCP	140' W	In 2017, the purchaser of these properties completed the VCP for soils contaminated with arsenic, barium and lead, and received a certificate of completion.	Moderate due to class of contaminants (metals) and distance
131A	Day and Night Ford Service – Dallas Quality Motor	2511 & 2513 Swiss Ave.	EDR Hist Auto	Adjacent	This facility was listed as an automobile repair shop, operating at various times under various names, between 1925 and 1961.	Indeterminate
131B	Earl Scheib Auto Painters	2511 Swiss Ave.	RCRA NonGen/NLR, IHW, ECHO	Adjacent	A non-generator with no violations. Furthermore, no compliance violations were listed in the ECHO database.	Indeterminate
131C	None / Glenn E. Underwood	2519 Swiss Ave.	UST, EDR Hist Auto	Adjacent	Listed as inactive in the UST database for three tanks, a 4,000 gallon, 6,000 gallon, and 8,000 gallon UST which were removed from the ground in 1991. A	High



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					gasoline service station was also reported in the Hist Auto database under various names between 1966 and 1986.	
132	Laws Street Development	2200 Laws Street	VCP	200' SW	In 2006, this development area received a certificate of completion from the VCP for addressing soils and groundwater contaminated with VOCs, SVOCs, metals and TPH.	Moderate due to direction
137A	Fernandez Porfirio	1308 Broom St.	EDR Hist Auto	230' NE	An automobile repairer in 1936.	Low
137B	CEMARK R990016	2219 Summer St.	LPST, UST	260' NE	Cemark was listed as inactive in the UST database for one 10,000 gallon tank that was removed from the ground in 1991. An LPST incident was reported in 1990 in which groundwater was affected, but no apparent threats or impacts to receptors occurred. Final concurrence was issued and the case is closed.	Moderate due to distance.
143	Jackson's Garage / Hawkins St. Garage	506 & 508 N. Hawkins	EDR Hist Auto	65' N	Jackson's Garage was an automobile repairer in 1936. Hawkins St. Garage was an automobile repairer in 1925, 1930, and 1936.	Indeterminate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
144	Jennings Jack Automobile Service Co.	2513 Swiss Ave.	EDR Hist Auto	Adjacent	An automobile repairer in 1930.	Indeterminate
148	Swiss Av. Filling Station / Bob's Garage	2501 & 2505 Swiss Ave.	EDR Hist Auto	Adjacent	Swiss Ave. Filling Station was a gasoline and oil service station for years 1930 and 1936. Bob's Garage was an automobile repairer in 1936.	Indeterminate
150	McMahan Geo	2308 Live Oak	EDR Hist Auto	570' NNW	An automobile repair shop in 1941.	Low due to distance.
	Milner S. Essex Hudson Service	2310 Live Oak	EDR Hist Auto	570' NNW	An automobile repairer operating between 1936 and 1941.	Low due to distance.
	A-One Body and Fender Works	2314 Live Oak	EDR Hist Auto	570' NNW	An automobile repair shop in 1946.	Low due to distance.
152	Joe's Repair Shop	1111 McKinney Ave.	EDR Hist Auto	372' NNE	An automobile repair shop in 1941.	Low
153A	C & R Auto Repair	2504 Swiss Ave.	EDR Hist Auto	115' SE	A general automotive repair shop with operations between 1930 and 2000.	Indeterminate
153B	Swiss Ave. Garage	2506 Swiss Ave.	EDR Hist Auto	115' SE	An automobile garage operating in 1930.	Indeterminate
153C	Clayton Chevrolet Service	2508 & 2510 Swiss Ave.	EDR Hist Auto	115' SE	An automobile repair shop at both of these addresses in 1930. Collins Garage was listed for automobile repairing in 1951.	Indeterminate
162	Aloore, John	2103 Griffin	EDR Hist Cleaners	85' SE	Clothes cleaner and dyers operating in 1925.	Low, due to At-grade





**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
						improvement and direction
164	Missouri Pacific Railroad Co.	2606 Gaston Ave.	LPST, UST	111' NE	This facility was listed as inactive in the UST database for one tank (volume was not reported) which was permanently filled in place in 1987. Two LPST incidents had been reported, the first in 1993 with soil contamination only, and the second reported in 1995 where the extent of contamination was defined and groundwater was not affected. Final concurrence has been issued in both of these cases, and the cases are closed.	Moderate because no groundwater impacts occurred and distance
166	Simpson S.T. & Sons and Your Clothes Correctly Cleaned	408 N. Central Ave.	Hist Cleaners	150' NNW	Clothes pressers, cleaner and repairer in 1941.	Low
168	Swiss Avenue Self Storage	2439 Swiss Ave.	UST	Adjacent	Listed as inactive and reported one 8,000 gallon gasoline UST which was removed from the ground in 1998.	Indeterminate
172	Milner S Hudson Essex Service	2236 Live Oak	EDR Hist Auto	562' NW	An automobile repairer/garage in 1930.	Low distance and database
174	LG Magnolia LP	1100 McKinney Ave.	AUL, VCP, MSD, GCC	Adjacent	This property had soils and groundwater contaminated with VOCs, SVOCs, metals, TPH, PCBs, and solvents. LG Magnolia LP completed the VCP, and	High



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					received a certificate of completion in 2009. The applicants agreed to AUL, with MSD institutional controls. According to the GCC database, the date of earliest known contamination was 2007.	
180	Laws Street Lots (2201 - 2225)	2201, 2213, 2217 & 2221 Laws St.	VCP	210' SW	The applicant received a certificate of completion from the VCP in 2000. Contaminant categories included VOCs, SVOCs and metals affecting soils and groundwater.	Moderate due to distance and direction
181	Beasley Bill Inc. / Dallas Hudson Co.	2200 Live Oak St.	EDR Hist Auto	560' N	This site had various names in the years 1930, 1936, 1941 and 1946, and was listed as gasoline oil service stations, automobile repairing and automobile service.	Low due to distance
183	Cargill W L Garage / Whitlock Bros Office	2525 & 2531 Pacific Ave.	EDR Hist Auto	425' SE	Listed as either automobile repairing or gasoline and oil service stations in 1936, 1941 and 1946.	Low due to distance
186	Ideal Garage / Enos Service Station	2501 & 2505 N Pacific Ave.	EDR Hist Auto	392' SE	Ideal Garage was listed for automobile repairing in 1936. Enos Service Station (Smith Marshall Garage) was listed between the years 1946 and 1977 as a gasoline and oil service station and a general automotive repair shop.	Low due to distance



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
189	Long Super Service Station / Barney Google Garage	2300 & 2305 Swiss Ave.	EDR Hist Auto	47' S	The Barney Google Garage was listed for automobile repairing in 1951, and a gasoline and oil service station was listed at the location of Long Super Service Station in 1930 and 1936.	Indeterminate
194	Alf H. Woodruff	2106 Live Oak	EDR Hist Auto	595' NW	This facility was listed for automobile repairing in 1946.	Low due to distance
197	Edwards & Ballard	910 McKinney Ave.	EDR Hist Auto	267' SW	A gasoline and oil service station in 1941.	Low
	Warehouse	1006 McKinney Ave.	UST	208' SW	Listed as inactive in the database for one 2,000 gallon gasoline UST which was removed from the ground in 1993.	Low
201	2625 Elm Street	2625 Elm St.	VCP, MSD, GCC	168' SE	In 2012, this site was in the investigation phase of the VCP, and was listed in the GCC database for soils and groundwater affected by VOCs, SVOCs, heavy metals, chlorinated solvents, and TPH. In 2016, a MSD was certified for the site for contaminants including TPH, vinyl chloride and trichloroethane, among others.	Moderate due to distance and direction.
203	Not listed	2500 Pacific Ave.	HMIRS	585' SE	Approximately two gallons of corrosive liquids leaked from a carton during unloading. The customer called a response team to handle the cleanup.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
205	Eubanks & Ballard	304 N. Central Ave.	EDR Hist Cleaners	200' SE	Listed as a historical clothes cleaner and dyer for year 1925.	Low
208	Graphics Engraving Facility	1012 McKinney Ave.	VCP, MSD, GCC	168' SW	In 2014 a GCC case was reported for the property. The facility entered the VCP for soil and groundwater affected by VOCs, heavy metals and TPH. The contaminants trichloroethylene and arsenic are listed in the MSD.	High
212	Graphics Engraving	1911 & 2001 N. Griffin St.	TX IHW Corr Action, VCP, GCC	66-112' SW	As of 1995, this facility was listed as inactive in the IHW Corr Action database. The facility entered the VCP in 1995 for soils and groundwater affected by spent solvents and metals. The phase of the VCP is listed as "terminated." The facility is listed in the GCC database with date of earliest known contamination listed as 1995.	High
213	212 N. Good-Latimer, Dallas	212 N. Good-Latimer, Dallas	Spills	200' S	Approximately 100 gallons of diesel fuel spilled in 1993. According to the report, no waterways were affected.	Low
	Dal Worth Shippers Assn.	212 N. Good Latimer Expy.	UST	200' S	Dal Worth Shippers Assn. reported two active USTs for fleet refueling. The capacity of the tanks were not listed, but one was for gasoline and one was for diesel fuel.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
214A	Woodall United Investors Property	1305 Ross Ave. & 704 N. Griffin	VCP, MSD, GCC	506' NE	The purchaser of this property completed the VCP in 2008, for soils and groundwater contaminated with VOCs, SVOCs, and metals. The date of earliest known contamination for the GCC was listed as December 2005, and the MSD certification was listed as December 2006. Contaminants included benzene and TPH.	Moderate due to distance.
214B	Callaway S. Tank Car Service Station No. 1 / American Radiator Service	1313 & 1315 Ross Ave.	EDR Hist Auto	564' NE	Callaway's was listed as a gasoline and oil service station in 1936, and American Radiator Service was listed as an automobile radiator repairer in 1966.	Low due to distance
224	Ireland S Auto Service / Owl Garage	315 & 316 Olive	EDR Hist Auto	458' NW	These facilities were listed as automobile repairers with dates between 1925 and 1951.	Low due to distance
225	Smith & Williams	2211 N. Pacific Ave.	EDR Hist Auto	On alignment	Listed as an automobile repairing station in 1951.	Indeterminate. This lot has been redeveloped as a park; however, the below-grade alignment would surface



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
						at this location.
226	Enos Service Station	2301 N. Pacific Ave.	EDR Hist Auto	27' SE	Listed as a gasoline station.	Indeterminate
229	A Different Tailor	201 N. Hawkins	EDR Hist Cleaner	566' SSE	A clothes presser, cleaner and repairer in 1930.	Low due to distance
234	Fire Station 18	660 N. Griffin St.	UST, LPST	280' NE	The Fire Station is active in the UST database. Three USTs (two 560 gallon gasoline and one 1,000 gallon diesel) were reported as removed from the ground in 1995. The one UST that remains in use is a 500 gallon oil water separator. An LPST case was reported at this site in 1995, where no groundwater impacts occurred and no apparent threats or impacts to receptors. Final concurrence was issued and the case was closed.	Low
235	1900 Griffin St.	1900 Griffin St.	HMIRS	26' SW	An incident involved a load shift while driving, and a container of hydrochloric acid was punctured, releasing approximately 15 gallons of liquid in the truck. The City's hazmat team cleaned up the spill.	Low
239	Verizon Global Networks Dallas	2020 Live Oak St. Ste. 200	AST, Tier 2	500' NW	This facility reported one 4,000 gallon diesel AST that remains in use.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
244	Diamond Alkali Co. of Texas S. Lamar at Lenway Green	1812 Griffin	EDR Hist Auto	On alignment	An automobile repairer in 1946.	Indeterminate
253	Pioneer Steel Rule & Die	1801 Griffin St.	RCRA NonGen/NLR, IHW, ECHO	112' SW	This facility was listed as a non-generator of waste with no violations. No violations were listed in the IHW or ECHO databases.	Low
254	McClellan Auto Repair and Body Co.	2100 N. Pacific Ave.	EDR Hist Auto	194' NW	An automobile repairer from 1936 to 1946.	Low
256	Edwards Frank and Fred Oil Co. Inc. No. 1 / Dunlap Swain Co.	2000 & 2001 N. Pacific Ave.	EDR Hist Auto	370' NW	These facilities were identified as automobile repairers/garages and gasoline and oil service stations. Dates for Edwards Frank and Fred (Tobian Garage and Johnson's Garage) were 1930 and 1946. Dunlap Swain Co. was listed with dates from 1956 to 1966.	Low
261	Cannon Ball Manufacturing Co.	2221 Elm St.	IHW, ECHO	146' E	This facility was initially registered in the IHW database as a generator in 2001, but was then verified as not a generator. No violations were reported.	Low
261	Louis Cleaners	201 N. Central Ave.	EDR Hist Cleaner	195' SE	Cleaner and dyers who potentially operated also under Fosters Bargain Store in 1951.	Low
261	Chambers Tailoring Co.	211 N. Central Ave.	EDR Hist Cleaner	182' SE	A cleaner and dyer in business in 1956.	Indeterminate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
261	The Model Tailors	2308 Elm St.	EDR Hist Cleaners	220' SE	Clothes cleaner and presser operating in 1941.	Low
263	Dunlap Swain Co.	N. Harwood & Pacific	EDR Hist Auto	437' NW	A gasoline and oil service station operating in 1936.	Low
263	Tobian Garage	300 N. Harwood	EDR Hist Auto	429' NW	An automobile garage in 1936.	Low
274	Vacant/ Allison Bros.	500 N. Field	LPST, GCC, EDR Hist Auto	598' E	Allison Bros was listed in the EDR Hist Auto database as a gasoline and oil service station in the year 1941. In 2012, the vacant property was listed in the GCC database for unknown contamination. At the same time, an LPST was reported at the property which resulted in no impacts to groundwater and no apparent threats or impacts to receptors. Final concurrence was issued and the case was closed.	Low due to distance/direc tion
276	Barney L. Gibbs	501-507 N. Field	EDR Hist Auto	535' NE	Between 1951 and 1983, Gibbs Auto Service or Gibbs Barney was listed as a general automotive repair shop.	Low
276	Cook Bert Oldsmobile Service	1217 Patterson Ave.	EDR Hist Auto	487' NE	An automobile repairer in 1956.	Low
281	Fishburn's West End	1200 San Jacinto St. 11	EDR Hist Cleaner	343' /NE	A dry cleaner from 1991-1993.	Low





**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
282	Richman and Goren	2222 Elm St.	EDR Hist Cleaner	160' SE	Clothes presser, cleaners, and repairer in 1930.	Indeterminate
287	Manhattan Tailors .5	2212 Elm St.	EDR Hist Cleaner	60' E	Clothes presser, cleaner and repairer in 1930.	Indeterminate
290	McGill & Clifton Garage	1215 Patterson Ave.	EDR Hist Auto	466' NE	Automotive repair shop under multiple names from 1925 through 1975.	Low
292	Flag Petroleum Inc.	1111 San Jacinto	EDR Hist Auto	125' NE	Gasoline service station listed in 1982.	Indeterminate
296A	CVS Pharmacy #8391	1001 Ross Ave., Ste. 112	RCRA- CESQG, LPST, IHW	264' SSW	As a CESQG, no violations were reported in the database search. An LPST was reported in 2005. The assessment was incomplete, and no apparent impacts to receptors occurred. Final concurrence was issued and the case was closed. No violations were reported in the IHW database.	Moderate
296B	LAWSSROSS	1001 ROSS AVE	UST	264' SSW	Inactive with one tank that was removed from the ground in 1992.	Low
297A	Elm Street Garage	2100 Elm St.	UST, IHW CORR ACTION	301' NW	Inactive in the UST database for three 8,000 gallon USTs (two for gasoline and one for diesel), which were permanently filled in place in 1998. This facility had an inactive status in the IHW CORR ACTION database as of 2002.	Low
297B	Pioneer Cleaners	2000 Elm St.	Drycleaner s	366' NW	An active facility with a drop station registration.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
300	Smith and Williamson Garage / JW Lucas Automotive Service	2211 and 2215 Main St.	EDR Hist Auto	546' SE	These facilities were listed as automobile repairers. Smith and Williamson (also listed as Hille Electric Co and Nisbett S Garage) operated between 1936 and 1941, and JW Lucas Automotive Service operated between 1946 and 1961.	Low
302	Parkmoor	210 N. Harwood	EDR Hist Auto	228' NNW	Automobile oil and gasoline service station and garage in 1925.	Low
305	Majestic Theatre, 5 <sup>th</sup> Floor Renovation	1925 Elm St.	Tx Asbestos	378' NNW	This renovation required notification of abatement work in 2017.	Low
306	Thos Newkirk	103 N. Central Ave.	EDR Hist Cleaner	348' E	This site was identified as a clothes cleaner and dyer operating in 1925.	Low
	Roy Washington	107 N. Central Ave.	EDR Hist Cleaner	350' E	Clothes pressers, cleaners, and repairers, listed in 1930.	Low
	Fambro Cleaners	112 N. Central Ave.	EDR Hist Cleaner	335' E	Clothes pressers, cleaners and repairers, listed in 1941.	Low
307A	Walter S. Clifton Garage	1012 & 1020 Ross Ave.	EDR Hist Auto	127' SSW	Automobile repairing, dated 1951 and 1956.	Indeterminate
307B	7-Eleven 34997	1010 Ross Ave.	UST	79' SSW	Listed with two active USTs. One UST is 20,000 gallons and stores gasoline, and the other is 12,000 gallons and stores diesel fuel.	High
308	Genesis Schools D.B.A. Pegasus Charter Schools	2121 Main St.	TX Asbestos, ECHO, FTTS	165' SE	This facility received an asbestos violation in the FTTS database, and a formal administrative enforcement	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					action in the ICIS database for asbestos in schools. No data was reported in the ECHO database.	
	Central Fire Station Dallas	2111 Main St.	UST	127' E	Listed as inactive for one 5,000 gallon UST which was permanently filled in place in 1983.	Low
309A	A. Rolnick Hat Co.	2016 Elm St.	EDR Hist Cleaner	496' NNW	This hat cleaner and blocker operated in 1930.	Low
309B	Fabrik Cleaner	2000 Elm St.	EDR Hist Cleaner	480' NNW	Listed as Rio Grande Dry Cleaner in 1992-1993, and as Fabrik Cleaner between 2006 and 2012. These facilities were identified as dry cleaning plants, except rugs.	Low
309C	Player's Cleaners	2024 A Elm St.	EDR Hist Cleaner	480' NNW	A clothes presser, cleaner and repairer in 1941.	Low
310	Overstreet Garage and Storage / Thompson Safety Brake Service / Harrison Auto Storage	1207, 1209, 1210, & 1211 Patterson Ave.	EDR Hist Auto	361' NNE	These three facilities were listed as general automotive repair shops or garages. The Overstreet Garage & Storage was listed for years between 1961 and 1983, Thompson Safety & Brake Service was listed as 1936 and Harrison Auto Storage in 1930.	Low
311	Whatley Bros. Garage / Owl Service Station	2101 & 2103 Main St.	EDR Hist Auto	On alignment	These facilities were reported as gasoline, oil, and service stations at these locations between 1925 and 1936.	Indeterminate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
312	CC Lowrey	105 N. Pearl	EDR Hist Cleaner	112' W	Listed under several names at this location between 1930 and 1956 as a clothes cleaner, presser, dyer and repairer.	Indeterminate
313	Richardson Nettles Automobile Service Cadillac / ROOP S Motor Mecca	2204, 2208, and 2210 Main St.	EDR Hist Auto	458-499' E	These facilities were listed as automobile repairers between 1930 and 1936.	Low
318	Dixon's Service Station / Betts Automotive Service / Goswick's Auto Service	400, 401 & 411 N. Field	EDR Hist Auto	538' ENE	Dixon's was listed as a gasoline and oil service station in 1941, and Bett's Automotive Service (listed in 1946) and Goswick's Auto Service (listed between 1946 and 1971) were listed as automotive repair shops.	Low
324	Rackley & Davis	2120 Main St.	EDR Hist Auto	277' E	Rackley and Davis was listed for automobile repairing in 1936.	Low
325A	Channel 4 (KDFW-TV)	400 N. Griffin	Hist FTTS, FTTS	35' E	This facility received a violation in 1989 for PCB use and failure to maintain records.	Low
325B	Cook's Garage	1107 Patterson Ave.	EDR Hist Auto	144' E	This automobile repair shop was listed in 1951.	Indeterminate
325C	E.C. Allen Auto Storage	1109 & 1111 Patterson Ave.	EDR Hist Auto	177' NE	Allen Auto Storage, an automobile garage, was at the site in 1930.	Indeterminate
325D	Queen Garage	1101 & 1103 Patterson Ave.	EDR Hist Auto	45'- 80' NE	This automobile garage was listed as Queen Garage, Kelly's Automotive Service and Gibbs Auto Service. The	Indeterminate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					dates reported were between 1930 and 1946.	
325E	C.H. Siebenhausen	1113 Patterson Ave.	EDR Hist Auto	180' NE	An automobile repair shop was reportedly at this location between 1925 and 1946 under various names including Steve's Garage.	Indeterminate
325F	Steve's Garage	1115 Patterson Ave.	EDR Hist Auto	182' NE	This automobile garage was reported at this location in 1930.	Indeterminate
327	Morris Garage	2110 Main St.	EDR Hist Auto	485' SSE	This garage reportedly operated in 1936.	Low
	Southwestern Blueprint	2108 Main St.	IHW	466' SSE	This facility has an IHW registration as a non-industrial CESQG. No violations were listed in the database report.	Low
	Cunningham's Garage	2106 Main St.	EDR Hist Auto	121' E	This garage reportedly operated in 1936.	Indeterminate
328	Renaissance Tower Parking Garage	1201 Pacific Ave.	IOP, VCP, GCC	450' E	According to the database report, this parking garage had soils and groundwater contaminated with VOCs and chlorinated solvents. The owners terminated their involvement in the IOP and entered and completed the VCP in 2009 for soils and groundwater affected by VOCs and heavy metals. According to the GCC, the date of earliest known contamination was 2007.	Moderate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
332	Howard H. Hill	416 N. Lamar	EDR Hist Auto	443' W	This was listed as a gasoline and oil service station in 1936 and 1941.	Low
	Farrell Motor & Battery Co.	409 N. Lamar	EDR Hist Auto	475' W	This automobile repair shop was reportedly active in 1936.	Low
	Meisel Photochrome	902 Ross Ave.	UST	405' W	Meisel Photochrome was listed as inactive in the UST database for four 500 gallon USTs which were permanently filled in place in 1996.	Low
333	Henly & Sturm Inc.	1701 N. Lamar	EDR Hist Auto	512' NE	A gasoline and oil service station and automobile repair shop operated at this location under two different names in 1930 and 1936.	Low
334	Palace Tailor Shop	1617 Elm St.	EDR Hist Cleaner	561' NE	A reported clothes cleaner, presser and repairer listed in 1930.	Low
335A	Main Street Cleaners	2007 Main St.	EDR Hist Cleaner	289' N	Main Street Cleaners was identified as a clothes cleaners, presser, dyer and repairer with years listed as 1941 and 1956.	Low
335B	Ever-Ready Service Station	2003 Main St.	EDR Hist Auto	288' N	This site was a gasoline and oil service station, reportedly in operation in 1930.	Low
335C	Main Garage Inc.	2001 Main St.	EDR Hist Auto	288' N	An automobile garage operated at this site under two different names in 1930 and 1936.	Low
336	Central Garage	2016 & 2018 Main St.	EDR Hist Auto	200' NW	This automobile garage operated at these addresses in 1930 and 1936.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
336	Texas Shoe Shop	2024 Main St.	EDR Hist Cleaner	164' NW	A clothes presser, cleaner and repairer in 1930.	Low
336	Western Union Telegraph	2030 Main St.	UST	104'NW	Listed as inactive for one 500 gallon UST which was permanently filled in place in 1984.	Low
337A	Former Municipal Building / New College of Law	106 S. Harwood	TX Asbestos	276' N	Notification of asbestos abatement work was in 2017.	Low
337B	Loudermilk G.W. Co.	1935 & 1937 Main St.	EDR Hist Auto	315' N	In 1921, an ambulance service was reportedly located at this address.	Low
337C	Crystal Cleaners and Dyers	115 S Harwood	EDR Hist Cleaner	290' N	Clothes cleaner, presser, repairer, and dyer, with dates between 1930 and 1951.	Low
337D	White Plaza Hotel Valet Service	1931 & 1937 Main St.	EDR Hist Cleaner	314' NW	Operation dates between 1941 and 1951 for this clothes cleaners, presser, repairer and dyer.	Low
340	L.L. Rigby	1301 N. Pacific Ave.	EDR Hist Auto	601' E	An automobile repair shop in 1925.	Low
343	Towncreek Exxon GP. Inc.	1601 Elm St. Ste. 3300	EDR Hist Auto	560' NW	This gasoline service station was listed with dates between 2001 and 2010.	Low
344	Elmo C. Tenison	2113 Commerce	EDR Hist Auto	206' SE	An automobile garage in 1925.	Low
345	Galbraith and Love	2206 Commerce	EDR Hist Auto	448' SE	An automobile garage in 1925.	Low
346	R.L. Grigsby	1612 Elm St.	EDR Hist Cleaner	473' NW	A clothes cleaner and dyer operated in 1925.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
346	Retail Store	1610 Elm St.	TX Asbestos	490' NW	Notification of an asbestos inspection was in 2014.	Low
347	St. Francis Cleaners	1909 Main St.	EDR Hist Cleaner	233' NW	This facility was listed as a clothes cleaner and dyer in 1925.	Low
348	Geo W. Knowles Service	1209 N. Pacific Ave.	EDR Hist Auto	235' W	This gasoline and oil service station was listed with dates of 1941 and 1946.	Low
350	Elm Building	1505 Elm St.	VCP, GCC	550' N	The owners entered the VCP in 1998 for soils and groundwater affected by solvents. No certificate of completion has been received, and the facility has been terminated in the VCP. The facility is listed in the GCC database for historic groundwater contamination from 1994-2015.	Moderate
351	Joske's Department Store	1901 Main St.	RCRA NonGen/N LR, ECHO, UST, IHW	275' NW	This facility is no longer a generator, and no violations were reported in either the RCRA or ECHO databases. Joskes Department Store was listed as inactive in the UST database for one tank of unknown capacity, formerly filled with distillate fuel oil, which was permanently filled in place in 1986. No violations were listed in the IHW, and the facility was listed as a non-industrial CESQG.	Low





**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
351	Not listed	300 S. Saint Paul St.	ERNS	198' NW	This incident occurred when a 4" natural gas line was compromised by worker error. Natural gas was released to the air.	Low
351	Zip Cleaners	104 S. Saint Paul St.	EDR Hist Cleaner	249' NW	Zip Cleaners was listed for years between 1977 and 1986.	Low
352	Teatro Dallas	2204 Commerce St.	TX UST	598' SE	This facility was listed as inactive with two tanks that were removed from the ground in 1997.	Low
353	Dallas Motor Service	2025 & 2027 Commerce	EDR Hist Auto	17-33' NW	This automobile garage operated in 1930.	Indeterminate
354	Dallas Times Herald	1101 Pacific Ave.	RCRA NonGen / NLR, ECHO	8' E	This facility is a handler and not a generator of hazardous waste, no violations were found. No violations were reported in the ECHO database.	Low
355	Bank One Center	1717 Main St.	AST	322' NNW	Bank One Center reported one active AST. The AST is a 1,500 gallon tank containing diesel.	Low
355	Cobb S. Penny Laundry	1800 Main St.	EDR Hist Cleaners	190' NNW	This laundry was listed with the years 1930 and 1936 identified.	Low
355	Mercantile Building	1800 Main St.	TX Asbestos	190' NNW	In 2017, this public building required notification for asbestos abatement work.	Low
355	Big B Shine Parlor	1703 Main St.	EDR Hist Cleaners	304' NNW	Big B Shine Parlor was reportedly in operation as a clothes cleaners and dyers in 1925.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
355	11819 Governor Rd., Dallas, TX	11819 Governor Rd.	TX Spills	257' NNW	In 1995, a spill was reported involving lead and chromium contaminated soil. No quantity was reported nor was it reported if the soil entered any water.	Low
355	Comerica Bank Tower	1717 Main St.	TX Asbestos	322' NNW	In 2017, this public building required notification for asbestos abatement work.	Low
356	T.D. Lacy L.R. Service Station	2118 Commerce	EDR Hist Auto	160' SE	A gasoline and oil service station was at this location under various names between 1925 and 1956.	Low
358	The Luggage Repair Shop	1804 Main St.	EDR Hist Auto	208' NNW	The Luggage Repair Shop was listed as a repair shop in 1951, although the name suggests this was luggage repair.	Low
358	Brooks Luggage and Bag Repair Shop	1813 Main St.	EDR Hist Auto	278' NNW	This was listed as a repair shop although the name suggests the facility would be related to luggage and bag repair.	Low
358	Howard C. Rady	1818 Main St.	EDR Hist Cleaner	209' NNW	This facility was listed as a dry cleaning plant operating in 1969 and 1970.	Low
358	Shaws Restaurant & Coffee Shop	1802 Main St.	EDR Hist Auto	205' NNW	This was listed as an "eating place" and not a service station or garage. Dates provided were 1975 and 1976.	Low
358	St. Francis Cleaners Tailors	1816 Main St.	EDR Hist Cleaner	208' NNW	This clothes cleaner, presser, and repairer was listed with years of 1941 and 1946.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
358	St. Francis Press Shop	1819 Main St.	EDR Hist Cleaner	278' NNW	St. Francis Press Shop was listed as a clothes presser, cleaner and repairer in 1930.	Low
359	2015 Commerce Street	2015 Commerce St.	ERNS	48" N	In 2008, the engine in a portable generator failed and lubricating oil discharged onto the ground and entered the storm drain. According to the report, approximately 10 gallons was leaked. The storm drain box was cleaned, granular and pad absorbents were applied and the area was treated with a bacterial product to break down the oil.	Low
361	Mobile Oil Corporation	1201 Elm St.	EDR Hist Auto	384' ENE	Mobile Oil was reported at this location between 1989 and 2006.	Low
361	Renaissance Tower	1201 Elm St.	TX Asbestos	384' ENE	A complaint was made in 2017 and no inspection date was reported. It appears that full containment abatement for assumed asbestos was recommended.	Low
362	R.S.P. Holding Co. Inc.	1401 Elm St.	RCRA NonGen/N LR, ECHO, IHW, Asbestos	542' NNW	This facility was identified as a handler, not a generator of hazardous waste. No violations were reported in the RCRA, IHW or ECHO databases.	Low
362	The Drever	1401 Elm St.	AST	542' NNW	This facility was listed as inactive in the AST database for three 6,000 gallon	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					ASTs, formerly storing diesel fuel, which are now out of use as of 2016.	
362	Elm Place – Dallas Operations Center	1401 Elm St.	Tier 2	542' NNW	This commercial banking facility reportedly stores 320 lead acid batteries in their UPS room.	Low
363	Not listed	1921 Commerce	ERNS	16' SE	An UST reportedly released a quantity of 1051 pounds of diesel fuel caused by heavy rains. This spill reportedly affected a small creek that leads to the Trinity River, and material was recovered and placed in drums.	Low due to immediate cleanup action taken to address the spill
365	Building	2036 Commerce	TX Asbestos	111' SE	Notification of abatement in 2017 with low priority.	Low
366	Elm Press Shop	1211 Elm St.	EDR Hist Cleaner	530' ENE	A clothes presser, cleaner and repairer reportedly operated at this location between 1941 and 1946.	Low
366	Tarpon Transmission Co.	4665 Renaissance Tower	EDR Hist Auto	499' ENE	Tarpon Transmission was an automobile repairer in 1986.	Low
367	Tower Cleaners / Citicleaners	1324 Elm St.	TX Drycleaner /EDR Hist Cleaner	518' NNW	As of 2016, Tower Cleaners had an active Facility Registration and utilized the solvent perchloroethylene (60 gallons). The facility was active since at least 2004. Citicleaners (Tower Cleaners as of 2012) was listed in the Hist Cleaner database between 2003 and 2014.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
368	Stephens Repair Shop	2024 Commerce St.	EDR Hist Auto	68' SE	This repair shop was listed with operations in 1930.	Indeterminate
369	Dallas Tire Rebuilders	2004 Commerce St.	EDR Hist Auto	51' SE	Dallas Tire Rebuilders was an automobile service station at this location in 1925.	Indeterminate
369	C.P.A. by Skeffllngton	2008 Commerce St.	EDR Hist Cleaner	67' SE	This cleaners and dyer was listed for operations in 1971.	Indeterminate
370	Metropole Cleaners and Hatters	1511 Main St.	EDR Hist Cleaner	305' NNW	In 1925, this facility reportedly operated as a clothes cleaners and dyers.	Low
371	Bell Cleaners	1937 Commerce St.	EDR Hist Cleaner	15' NW	Bell Cleaners, a laundry and drycleaner, operated between 1986 and 2010.	Indeterminate
373	Shamrock Service	1612 Main St.	EDR Hist Auto	209' NNW	Shamrock Service, gasoline service station, was reportedly in operation between 1992 and 1994.	Low
374	Cross Cleaners and Tuxedo Rentals Co.	1108 Elm St.	EDR Hist Cleaner	348' ENE	This dry cleaning facility operated in 1981.	Low
376	McGuire Cleaning & Dyeing Co. Inc. Branches A	1602 Main St.	EDR Hist Cleaner	210' NNW	This cleaners and dyers reportedly operated at this location in 1930.	Low
377	Triple A Oil Co. Inc.	1015 Elm St. Ste. 2006	EDR Hist Auto	114' WNW	Triple A Oil Co, was described as a petroleum bulk station and terminal. The dates listed were between 1991 and 1999.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
377	Southern Cleaners and Laundry Supply Co. Inc.	1007 Elm St.	EDR Hist Clean	119' WNW	The Southern Cleaners and Laundry Supply operated in 1956.	Low
378	Gibbs Printing Company	1803 Commerce St.	RCRA NonGen/ NLR, IHW, ECHO	31' NNW	Identified as a handler that does not presently generate hazardous waste. No violations were noted in the RCRA, IHW or ECHO databases.	Low
379A	Majestic Service Stations	1900 Commerce St.	EDR Hist Auto	3' NNW	This gasoline and oil service station operated in 1930.	Indeterminate
379B	Frank Akin	1920 Commerce St.	EDR Hist Auto	5' SE	An automobile repair shop/garage operated at this location, under different names, between 1936 and 1941.	Indeterminate
379C	Brantley Cleaning & Dyeing	1912 Commerce St.	EDR Hist Cleaner	0' SE	This facility was listed as a clothes presser, cleaners and repairer in 1930.	Indeterminate
380A	Joule Hotel	1530 Main St.	VCP	174' NNW	A heating oil UST caused TPH contamination of groundwater. The purchaser completed the VCP in 2007 through the TRRP.	Moderate
380B	Zenith-Casino Inc.	1516 Main St.	EDR Hist Cleaner	188' NNW	This clothes cleaner, presser and dyer operated between 1925 and 1930.	Low
380C	Former Club Sinn	1520 Main St.	TX Asbestos	192' NNW	A discretionary inspection for asbestos was conducted in 2015.	Low
381	Level 3 Dallas Main	1201 Main St.	Tier 2	349' ENE	This facility passed all validation checks, and chemicals stored on site included sulfuric acid and lead in batteries.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
381	MCI / Level 3 Dallas Main (Multiple telephone/communic ations companies)	1201 Main St.	Tier 2, TX Asbestos	349' ENE	Facilities were listed in the Tier 2 database for storing lead acid batteries, diesel fuel, and sulfuric acid. A notification of asbestos abatement received a high priority in 2017.	Low
383A	Zip Dry Cleaning & Laundry	1914 Commerce St.	EDR Hist Cleaner	96' SE	This facility had operations between 1992 and 1995.	Indeterminate
383B	Office Building	1914 Commerce St.	TX Asbestos	96' SE	An asbestos inspection occurred in 2014.	Low
383C	Statler Hotel	1914 Commerce St.	TX Asbestos	96' SE	An asbestos inspection occurred in 2014.	Low
384	CVS Pharmacy5314	1411 Main St.	RCRA- CESQG, ECHO, IHW	274' NNW	This CVS was reported as a CESQG of a variety of waste streams with no violations listed. No violations were reported in the ECHO database either. CVS was listed as active in the IHW database.	Low
384	B&B Automatic Transmission	1410 Main St.	EDR Hist Auto	231' NNW	This automotive transmission repair shop had operations in 1992.	Low
384	Office Building	1412 Main St.	TX Asbestos	165' NNW	An asbestos inspection occurred in 2015 in response to a complaint, and a notification of abatement was listed in 2017 and 2018.	Low
385	Transporters of Industrial	Exchange Place Ste. 1125	RCRA NonGen/N LR	318' NNW	This facility was listed as a handler of waste, with a historical listing beginning in 1981. No violations were listed.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
385	Skelly Oil Co.	1309 Main St.	EDR Hist Auto	318' NNW	This location was listed under several names with service types including durable goods, carwashes, general automotive repair and gasoline service station. Dates in business were between 1969 and 2012.	Low
385	Davis Building & Adjacent Spaces	1309 Main St.	TX Asbestos	318' NNW	In 2017, a notification of asbestos abatement occurred.	Low
386	Pegasus Plaza	100 S Akard St.	LPST	229' N	An LPST case was reported in 1992, which did not result in groundwater impacts or threats or impacts to receptors. The vertical extent of contamination was defined, and groundwater was not affected. Final concurrence has been issued, and the case is closed.	Moderate
388A	Post Office Garage	1800 Commerce St.	EDR Hist Auto	26' SSE	In business between 1925 and 1936 as a gasoline and oil service station and garage.	Indeterminate
388B	Manhattan Laundry & Dry Cleaning Co.	207 Prather St.	EDR Hist Cleaner	0' NNW	This facility historically operated as a family and commercial laundry between 1966 and 1988.	Indeterminate
390A	1700 Commerce Place	1700 Commerce St.	LPST	54' SSE	An LPST case was reported at this location, which resulted in impacts to a designated major or minor aquifer. Final	High





**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					concurrence has been issued, and the case is closed.	
390B	Hyder Suraiya	1700 Commerce St.	EDR Hist Cleaner	54' SSE	This dry cleaning facility was reportedly in operation between 2000 and 2012.	Low because of the recent listing
390C	Manhattan Laundry & Dry Cleaning Co.	1710 Commerce St.	EDR Hist Cleaner	8' NNW	In operation in 1951 and 1956.	Indeterminate
391	The No. 2 Hatitorium	1208 Main St.	EDR Hist Cleaner	233' NNW	This hat cleaner and blocker was listed in operation in 1930.	Low
391	Zip 60 Minute Cleaners	1212 Main St.	EDR Hist Cleaner	232' NNW	Between 1971 and 1981, dry cleaning and family and commercial laundry operations occurred at this location.	Low
391	AT&T - TXSX00 / TCG Dallas	1 Main Pl.	Tier 2	300' NNW	AT&T and TCG Dallas were identified for sulfuric acid stored onsite.	Low
392A	Expressway General Str. & Clrs.	1417 Commerce St.	EDR Hist Auto	75' NNW	Expressway General was identified as a gasoline service station with operations between 1995 and 1998.	Indeterminate
392B	Ana Cleaners	1505 Commerce St.	TX Drycleaners	75' NNW	This facility was active in FY 2004 with a drop station registration.	Low
392C	Anjul Inc.	1505 Commerce St.	EDR Hist Cleaners	75' NNW	Anjul Inc., a cleaners and garment pressing operation, was in operation between 1997 and 2008.	Indeterminate
394	Former Mercantile Building	1712 Commerce St.	TX Asbestos	54' SSE	This facility received an asbestos inspection in 2015 and 2016.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
396	Aspen Cleaners	1201 Main St.	EDR Hist Cleaner	235' ENE	Aspen Cleaners was listed as a garment pressing and cleaners agents in 1986.	Low
396	Gustavos Tailors	1207 Main St. Ste. C115	EDR Hist Cleaner	283' ENE	Gustavos Tailors was listed for years 1987 to 1989 as a dry cleaning plant.	Low
396	Exxon Mobil Oil Corporation	1201 Main St.	EDR Hist Auto	235' ENE	A gasoline service station operated between 2005 and 2014.	Low
397A	Abraham Geo	1611 Commerce St.	EDR Hist Cleaner	20' NNW	A clothes cleaner and dyer was reported at this location in 1925.	Indeterminate
397B	Victor Hatters & Cleaners	1612 Commerce St.	EDR Hist Cleaner	20' NNW	A hat cleaner and blocker in years 1930 and 1951.	Indeterminate
398	Not Listed	2008 Jackson St.	HMIRS	497' SE	Approximately one gallon of corrosive liquid was spilled when other freight crushed its container. The spill was absorbed and contained.	Low
399	Storage Facility	1401 Commerce St.	TX Asbestos	74' NNW	An asbestos inspection occurred in 2014.	Low
400	Dunlap Swain Service Station	301 S. Harwood St.	EDR Hist Auto	392' SE	In operation in 2010.	Low
402	500 S. Mavis St., Irving	500 S. Mavis St., Irving	TX Spills	254' NNW	Approximately 50 gallons of diesel was released in 1991, and no surface waterways were affected. No information on how the spill occurred, or how the spill was contained, were noted in the listing.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
403A	Heinens Inc.	917 Main St.	EDR Hist Cleaner	69' ENE	Reportedly a clothes cleaner and dyer operated at this location in 1925.	Indeterminate
403B	DTS Standard Transmission	917 Main St.	EDR Hist Auto	69' ENE	An automotive transmission repair shop in 1992.	Indeterminate
403C	Le Beau Presing Parlor	1023 Main St.	EDR Hist Cleaner	131' ENE	Le Beau was listed as a clothes cleaners and dyers that operated in 1925.	Indeterminate
405A	Moore Bros.	209 S. Ervay	EDR Hist Cleaner	83' SSE	A clothes cleaner and dyers in business in 1925 and 1930 (under the name McGuire Cleaning and Dyeing Co.).	Indeterminate
405B	Free Mending Hand Laundry	213 S. Ervay	EDR Hist Cleaner	91' SE	Listed as a laundry operating in 1936.	Indeterminate
405C	J.B. Hatitorium	215 S. Ervay	EDR Hist Cleaner	93' SSE	A hat cleaner and blocker reportedly operated at this site in 1930 and 1961 (as Columbia Mater Hatters).	Indeterminate
406	CVS Pharmacy #7750	901 Main St.	RCRA- CESQG	207' W	CVS Pharmacy was listed as CESQG with a variety of waste streams. No violations were identified in the database report.	Low
406	Bank of America Plaza	901 Main St.	Tier 2	207' W	Stored lead and sulfuric acid in batteries. The facility passed all validation checks.	Low
406	Corporate Care Cleaners	901 Main St., Ste. C114	EDR Hist Cleaner, TX Drycleaner	207' W	A garment presser and cleaner with years listed between 1995 and 2014. This facility had an active drop station registration listed between 2004 and 2006.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
406	Gulf Coast Natural Gas Inc.	901 Main St. Fl. 12	EDR Hist Auto	207' W	Gulf Coast Natural Gas and BA Auto Securitization Corp are both listed. Dated between 2005 and 2014, the facility is reportedly a general automotive repair shop and/or a gasoline service station.	Low
406	TCG Services Inc. - TX1489	901 Main St.	Tier 2	207' W	TCG is part of the AT&T telephone facility and reportedly stores sulfuric acid. The facility passed all validation checks.	Low
406	MCI - DLWTTX, DLBLTX	901 Main St.	Tier 2	207' W	Chemical storage information was not reported in the database listing.	Low
406	AT&T - TX1489	901 Main St.	Tier 2	207' W	AT&T was listed for storing sulfuric acid.	Low
407A	Volga Opal	Volga Opal, Dallas	TX SPILLS	18' SE	A spill of 8 gallons of 20 ppm PCB oil occurred in 1991. According to the listing, none of the oil reached water.	Low
407B	Not listed	1502 Commerce St.	EDR Hist Cleaner	6' NNW	Listed as clothes cleaners and dyers, this facility reportedly operated in 1925.	Indeterminate
407C	2 <sup>nd</sup> Ave. & 25 Reese St.	2 <sup>nd</sup> Ave. & 25 Reese St., Dallas	TX SPILLS	14' NW	Approximately two gallons of mineral oil (6 ppm PCB) was spilled in 1991. According to the database report, the spill did not affect any water.	Low
407D	Laundry Limo	222 Browder St. Apt. 1003	EDR Hist Cleaner	26' SE	This laundry and drycleaner agents operated in 2012.	Indeterminate
407E	Nobby Tailors	206 Browder St.	EDR Hist Cleaner	16' NW	A clothes cleaner and dyer operating in 1925.	Indeterminate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
408	Oriental Oil Co. Inc Supply Stations: No. 1	1901 Jackson St.	EDR Hist Auto	228' SSE	A gasoline and oil service station, under various names, operated at this location between 1925 and 1941.	Low
409A	Dallas Garage	1916 Jackson St.	EDR Hist Auto	271' SSE	An automobile repair shop in business in 1925.	Low
409B	Tomson Auto Park	1920 Jackson St.	EDR Hist Auto	273' SSE	A gasoline and oil service station operated in 1930.	Low
411A	Oriental Laundry Branches	205 S. Akard St.	EDR Hist Cleaner	18' NNW	Several entries for 1930 were in this listing as a dry cleaner, presser, repairer and dyer.	Indeterminate
411B	Bakadolph One Hour Cleaners	209 S. Akard St.	EDR Hist Cleaner	4' NW	This facility was listed as a cleaner and dyer operating in 1956.	Indeterminate
411C	J.C. Clark	213 S. Akard St.	EDR Hist Cleaner	11' NNW	A clothes cleaner and dyer in 1925.	Indeterminate
411D	Anjul Inc.	1409 Commerce St.	EDR Hist Cleaner	15' SSE	A&A Quality Cleaners was also included in this entry. Both facilities were listed as garment pressing and cleaners' agents between 1988 and 1996.	Indeterminate
413	Orchid Cleaners & Laundry	1152 Main St.	EDR Hist Cleaner	206' S	A dry cleaning plant operating between 1992 and 1993.	Low
414	Perfect Hand Laundry & Dry Cleaning Co.	210 S Ervay	EDR Hist Cleaner	154' SSE	The Hist Cleaner database identified this business as a laundry operating in 1941.	Indeterminate
416	Lone Star Gas	301 S. Harwood St.	IHW, TX Asbestos	411' SE	The IHW was last amended in 2004, and was listed as a generator of waste. An	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					asbestos inspection was completed for this facility in 2013.	
417	Diversified Service Corp.	1512 Commerce St.	EDR Hist Auto	67' SSE	A gasoline service station from 1970 to 1971.	Indeterminate
418	Proposed BELO Garden	1014 Main St.	US Brownfields	150' ENE	A former parking lot which housed a variety of businesses since 1892. Contaminated property was cleaned up to become a green space in the CBD.	Low
418	S.F. Goodman	1008 Main St.	EDR Hist Cleaners	153' ENE	Goodman was a clothes presser, cleaner and repairer in 1930. Archibald Hat Co. was also included on this listing as a hat cleaners and blockers in 1951.	Low
418	Archibald Hat Co.	1006 Main St.	EDR Hist Cleaner	153' ENE	Archibald Hat Co. was a hat cleaners and blockers in 1930.	Low
420	Crowell's Garage	1705 Jackson St.	EDR Hist Auto	222 SSE	An automobile repairer in 1930, 1936 and 1941 (under the name YWCA Garage).	Low
420	Staten Auto Co.	1712 & 1714 Jackson	EDR Hist Auto	269' SSE	This automobile garage operated in 1930.	Low
421A	Main Street Cleaners	904 Main St.	EDR Hist Cleaner	75' WSW	A clothes cleaner and dyer was identified at this location in 1925, and in 1951 and 1956 as Weston Cleaning Co.	Indeterminate
421B	Weston Thos A	906 Main St.	EDR Hist Cleaner	75' WSW	A clothes presser, cleaner and repairer in 1930.	Indeterminate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
421C	City Tailors and Hatters	908 Main St.	EDR Hist Cleaner	74' WSW	A hat cleaner and blocker (1930) and also a clothes presser, cleaner and repairer (1930 and 1941).	Indeterminate
421D	Brownie Tailor Shop	910 Main St.	EDR Hist Cleaner	64' WSW	A clothes cleaner and dyer in 1925.	Indeterminate
421E	McGuire Cleaning and Dyeing Co. Inc. Branches	912 Main St.	EDR Hist Cleaner	60' W	A cleaner and dyer operating in 1930.	Indeterminate
425	Guaranty Federal Bank Property Dallas	1802 Jackson St.	TX IHW Corr Action	297' SSE	As of 2003, this facility was listed as inactive.	Low due to distance and direction
426	Long Star Gas Co.	381 S. Harwood	EDR Hist Auto	572' SE	A gasoline service station for years 1986 through 1988.	Low
427A	The Adolphus Hotel	1321 Commerce St.	IHW, IHW Corr Action, UST, RCRA-CESQG, ECHO, TX Asbestos, AST	1' NW	The last amendment on their IHW registration was listed as 1992. The hotel was listed as a small quantity generator of waste. The IHW Corr Action listing was inactive as of 2014. It was listed as active in the UST database; however, the two 3,000 gallon gasoline USTs which were listed were reported as permanently filled in place in 1979. The facility was listed as a CESQG, with no violations in the RCRA or ECHO databases. An asbestos survey was	Moderate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					completed in 2015. The hotel has one 4,000 gallon AST for storing diesel.	
427B	Baker Press Shop	1332 Commerce St.	EDR Hist Cleaner	1' NW	A clothes presser, cleaner and repairer around 1930.	Indeterminate
427C	Lone Star Service Station	1210 Commerce St.	EDR Hist Auto	2' NW	Operated in 1930.	Indeterminate
427D	Nichols Bros. Garage	1314, 1316, 1318 & 1320 Commerce St.	EDR Hist Auto	7' NNW	This automobile garage listed multiple addresses and was likely in operation 1930 to 1936.	Indeterminate
427E	Manor House Apartments	1222 Commerce St.	TX Asbestos	1' NNW	An asbestos inspection occurred in 2013 in response to a complaint and in 2016 in response to a notification.	Low
427F	Flag Petroleum Inc.	1226 Commerce St.	EDR Hist Auto	1' NNW	According to the database listing, Flag Petroleum was a gasoline service station between 1978 and 1980.	Indeterminate
427G	Washington Garage	1310 & 1312 Commerce St.	EDR Hist Auto	13' NNW	An automobile garage that operated in 1930 and 1936.	Indeterminate
427H	Adolphus Garage Dunlap Swain Co. Inc. Owners	1326 Commerce St.	EDR Hist Auto	6' NNW	A garage and gas and oil service station in operation between 1925 and 1956.	Indeterminate
427I	Adolphus Laundry	1313 Commerce St.	EDR Hist Cleaner	3' NNW	This facility was listed as a laundry in 1925.	Indeterminate
428	McClanahan Service Station	300 S. Ervay	EDR Hist Auto	242' SSE	A gasoline and oil service station in 1941 and 1946 (also under Tyler Service Station No. 2 in 1946).	Low





**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
429	City Tailors	906 A Main St.	EDR Hist Cleaner	264' ENE	A clothes cleaners and dyers in 1925.	Low
429	MCI - DLWTTX, DLBLTX	901 Main St. Ste. 2610	Tier 2	275' ENE	This facility was listed in the Tier 2 database, but no information on chemical storage was provided in the database report.	Low
430	Dallas Power & Light	1506 Commerce St.	RCRA NonGen / NLR, ECHO, IHW	136' SSE	No violations were noted in any of the databases and the facility is identified as not a generator of waste.	Low
431	Meadlin's Car Care Center	803 Main St.	EDR Hist Auto	487' ENE	A gasoline service station in 1993.	Low
431	El Centro Community College	801 Main St.	IHW, TX Asbestos, FTTS, RCRA NonGen / NLR, ECHO	528' W	When amended in 2001, this facility identified as a non-industrial CESQG and status changed to a non-generator of waste. A complaint was issued in 2017, but no asbestos inspection date was listed. Facility was listed as a user in the FTTS database with no violations. No violations were reported in the RCRA or ECHO databases.	Low
432	Gray's Laundry	106 S. Lamar	EDR Hist Cleaner	388' WSW	In operation around 1925-1930 as a clothes cleaner and dyer and laundry.	Low
432	Scott W. Thompson	108 S. Lamar	EDR Hist Cleaner	392' WSW	A clothes presser, cleaner and repairer and cleaner and dyer for years 1941 and 1946, respectively.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
432	1815 N. Oak	1815 N. Oak Mineral Wells, TX Abandoned	TX SPILLS	407' WSW	In 1993, an unknown quantity of waste oil was released and reached the drainage for city stormwater. No other data was provided.	Low
433	CVS Pharmacy #2477	208 S. Akard St., Ste. PC008	RCRA- CESQG	119' SSE	This pharmacy was listed as a CESQG of several waste streams. No violations were reported in the RCRA or ECHO databases.	Low
433	One SBC Plaza T44116	208 S. Akard St.	Tier 2	119' SSE	Lead was reported in the Tier 2 database and the facility passed all validation checks.	Low
433	AT&T Whitacre Tower Building	208 S. Akard St.	Tier 2, TX Asbestos	119' SSE	AT&T was listed for sulfuric acid and lead. In 2017 a complaint was made, but the date of an asbestos inspection was not reported.	Low
434	Magnolia Tailors	1601 Jackson St.	EDR Hist Cleaner	223' SSE	A clothes presser, cleaner and repairer in 1930.	Low
435	1200 Main St., Dallas, TX	1200 Main St.	TX SPILLS, ERNS	17' NNW	Roadway Express was responsible for a spill of approximately 25-50 gallons of diesel in 1998. The spill affected stormwater drainage. The fire department responded and deployed absorbents.	Low
436	Roy G. Cantu / Staten Auto Co.	1710 Jackson St.	EDR Hist Cleaner,	344' SSE	Facility was listed in the EDR Hist Auto database as an automobile garage operating in 1925 to 1936 (Staten Auto	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
			EDR Hist Auto		Co and Y S Garage). In 1973, this location (Roy G. Cantu) was reportedly a garment pressing and cleaners' agent.	
436	W.V. Crowell	1708 Jackson St.	EDR Hist Auto	346' SSE	An automobile repairer in business around 1925 to 1930.	Low
437	Ensearch Exploration / Ensearch Processing Company	1817 Wood St.	FTTS, HIST FTTS, IHW, ICIS, ECHO	463' SSE	Ensearch was listed in the FTTS and Hist FTTS database as a manufacturer with a violation in 1995. In 2010, this facility was listed in the IHW database; however, the type of generator was not reported and the results indicate the facility is not a generator, receiver, transporter or transferor of waste. The ICIS database indicated an administrative formal enforcement.	Low due to distance and direction
440	Mo Carroll Cleaning Co.	806 Main St.	EDR Hist Cleaner	600' WSW	Operated in 1925.	Low
441A	ACME Tailor Shop	1203 Commerce St.	EDR Hist Cleaner	5' NNW	A clothes cleaner and dyer in 1925.	Indeterminate
441B	Southland Press Shop	1207 Commerce St.	EDR Hist Cleaner	6' NNW	A cleaner and dyer in 1946.	Indeterminate
442	Magnolia Tailors	1610 Jackson St.	EDR Hist Cleaner	310' SSE	A cleaner and dyer operating in 1951.	Low
442	Magnolia Garage	1602 & 1604 Jackson St.	EDR Hist Auto	291' SSE	An automobile garage in business in 1930.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
442	Harris Auto Service	1600 Jackson St.	EDR Hist Auto	307' SSE	An automobile garage and repair facility under multiple names (Magnolia Garage and Staten Auto Co.) between 1930 and 1951.	Low
442	Parking Company of America	1600 Jackson St.	LPST, UST	307' SSE	An LPST case was reported in 1990. The LPST resulted in soil contamination only and required a full remedial action plan. Final concurrence on the LPST case has been issued and the case is closed. Parking Company of America was listed as inactive in the UST database for tank of unreported quantity, which was removed from the ground in 1990.	Low – soil contamination only and distance and direction of impact
443	Lone Star Energy, Adjacent to Southwest Medical Center	Lone Star Energy, Adjacent to Southwest Medical Center	TX SPILLS	484' SSE	Lone Star Energy was responsible for a spill of approximately 20 gallons of diesel fuel in 1993 but did not affect any water resources.	Low
444	Manor House Apartments	1222 Commerce St.	FTTS, ICIS	45' SSE	A landlord/rental facility which had a violation. The ICIS database indicated the facility received a notice of noncompliance and was issued an administrative informal enforcement.	Indeterminate
445	Two SBC Plaza - T44118	211 S. Akard St.	Tier 2	120' SSE	Storage of sulfuric acid and lead in the battery room.	Low
447A	Jefferson Hotel Auto Storage	1512 Jackson St.	EDR Hist Auto	293' SSE	An automobile garage in 1946.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
447B	Trailways	1500 Jackson St.	LPST, UST, TX Asbestos	310' SSE	This site is inactive in the UST database for one 12,000 gallon diesel UST that was permanently filled in place in 1991. An LPST case reportedly started in 1992 and resulted in impacted groundwater with an incomplete site characterization. Final concurrence has been issued, and the case is closed. The site (now a tattoo parlor) was in the Asbestos database for a routine inspection in 2016.	Moderate
448	Interurban Tailors	311 Browder	EDR Hist Cleaner	276' SSE	A clothes cleaner and dyer operating in 1925.	Low
450A	Walter Nob Auto Storage / Walter Nob Baker Hotel Garage	1410, 1412, 1414, 1416, & 1420 Jackson St.	EDR Hist Auto	267'- 276' SSE	An automobile garage with dates of operation listed as 1930, 1936, 1941, and 1961.	Low
450B	Magnolia Petroleum Co. Automobile Filling Stations	1418 Jackson St.	EDR Hist Auto	264' SSE	An automobile service station in 1930 and listed as Walter Nob Service Station in 1941.	Low
450C	AT&T Telephone Facility	1410 Jackson St.	Tier 2, GCC	276' SSE	This facility reported to the Tier 2 database in 2006, but information on chemicals stored was not reported. This facility was reported in the GCC database for gasoline contamination of groundwater. The date of earliest	High



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					known contamination was listed as March of 2006.	
450D	Six SBC Plaza - T44121	1410 Jackson St.	UST, LPST, Tier 2	276' SSE	This facility is listed as active in the UST database with one 25,000 gallon UST in use. The UST stores both gasoline and diesel. The facility also listed one 10,000 gallon gasoline UST which was removed from the ground in 2005. An LPST case, in which groundwater was affected, was reported in 2005. No apparent threats or impacts to receptors occurred. Final concurrence has been issued and the case is closed. SBC was listed in the Tier 2 database for storing chemicals including diesel fuel #2 and unleaded gasoline. This facility passed all validation checks.	High
451A	Coin Clean Center #2 Inc.	1712 to 1720 Wood St.	EDR Hist Cleaner	524' SSE	This facility was listed as a power laundry, family and commercial under the name Oriental Laundry Co. in 1969 and 1970, and as a dry cleaner (Coin Clean Center #2) in 1971.	Low
451B	Oriental Laundry	1714, 1716, 1718, 1720, 1722, 1724, & 1726 Wood St.	EDR Hist Cleaner	519' SSE	A dry cleaner, cleaner, dyer, presser, repairer, and laundry between 1925 and 1961.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
451C	Lone Star Garage and Storage	1728 Wood St.	EDR Hist Auto	534' SSE	Identified under several names as a garage and automobile repair facility between 1930 and 1946.	Low
451D	Clay C. Scott Garage	1710 Wood St.	EDR Hist Auto	526' SSE	An automobile garage and repair shop was listed at this address as Wood Street Garage (1930 and 1936) and then as Scott Clay Garage in 1946 and 1951.	Low
451E	Wood Street Garage	1712 Wood St.	EDR Hist Auto	525' SSE	A garage operating in 1930.	Low
451F	Commercial Parking Lot Property	1720 Wood St.	AUL, VCP, GCC	525' SSE	This property completed the VCP in 2013 for groundwater contaminated by chlorinated solvents. A MSD institutional control was placed on the lot. The site was listed in the GCC database for earliest known contamination in 2011 and groundwater affected by VOCs, heavy metals and TPH. The site is identified in the AUL database as having an MSD.	Moderate
452A	Earle Cabell FB	1100 Commerce St.	TX Asbestos	68' SSW	A notification of asbestos abatement was made in 2017.	Low
452B	General Services Administration	1100 Commerce St.	LPST, UST, TX Asbestos	68' SSW	Listed as inactive in the UST database for one 12,000 gallon diesel tank for fleet refueling, which was removed from the ground in 1999. According to the database listing, the LPST case	Moderate



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					started in 1995, and the vertical and horizontal extent of contamination was defined and no groundwater impact occurred. Final concurrence has been issued, and the case is closed. In 2017, notification of asbestos abatement was reported.	
452C	Department of the Army	1114 Commerce St.	MLTS	41' SSW	The facility does not store material, redistribute, incinerate or bury radioactive material on site. The last inspection was in 1988.	Indeterminate
453	J.L. Garcia	315 S. Ervay	EDR Hist Cleaner	404' SSE	This facility was identified as a clothes cleaner and dyer operating in 1925.	Low
454	Lone Star Service Station	1208 Commerce St.	EDR Hist Auto	122' SSE	A gasoline and oil service station operating from 1930 to 1946.	Indeterminate
455	St. George Tailor Shop	1015 Commerce St.	EDR Hist Cleaner	200' SSW	A clothes cleaner, presser and repairer in 1930.	Low
459	Five SBC Plaza T44005	301 S. Akard St.	Tier 2, AST, UST	313' SSE	Listed in the Tier 2 database for storing diesel fuel #2; this facility had passed all validation checks. This facility reported one 1,500 gallon AST in use storing diesel fuel and three 20,000 gallon USTs storing diesel fuel, which were in use for emergency power generation. They also reported one 10,000 gallon UST for	Low





**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					diesel, which was removed from the ground in 1999.	
459	Exchange Cleaners	305 S. Akard St.	EDR Hist Cleaner	314' SSE	A clothes cleaner, presser and repairer in 1941.	Low
459	Hunter Storage	1318 Jackson St.	EDR Hist Auto	269' SSE	An automobile garage in 1941.	Low
459	Santa Fe Garage	1323 Jackson St.	EDR Hist Auto	229' SSE	An automobile garage in 1930.	Low
459	Zip 60 Minute Cleaners	303 S. Akard St.	EDR Hist Cleaner	313' SSE	Baker Press Shop was reportedly a clothes cleaner and dyer operating at this location in 1925.	Low
460	Isadore Witebsky	423 S. Ervay St.	EDR Hist Cleaner	567' SSE	This location was listed as a clothes presser, cleaner and repairer in 1930.	Low
460	Ervay Street Garage	405 S. Ervay St.	EDR Hist Auto	499' SSE	With three names (also including Hardy S Garage, Diamond Auto Storage), this facility was reported active between 1930 and 1936.	Low
460	Diamond Auto Storage	407 S. Ervay St.	EDR Hist Auto	508' SSE	An automobile garage in 1930.	Low
460	Corner Service Station	430 S. Ervay St.	EDR Hist Auto	600' SSE	A gasoline and oil service station in 1941.	Low
461	AT&T Three Bell Plaza Building	308 S. Akard St.	TX Asbestos, IHW	361' SSE	In 2017, this facility submitted a notification for abatement work. AT&T at this location was listed as a non-industrial CESQG with a variety of waste	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
					streams from maintenance and renovation to cleaning.	
461	Southwestern Bell Telephone Facility	308 S. Akard St.	ICIS, Tier 2	361' SSE	Southwestern Bell received an administrative formal enforcement action in 1999.	Low
461	Three SBC Plaza	308 S. Akard St.	Tier 2, ECHO	361' SSE	This facility was listed in the Tier 2 database for storing chemicals including lead and sulfuric acid. All validation checks were passed. No violations were identified in the ECHO database.	Low
461	3 Bell Plaza	308 S. Akard St.	UST	361' SSE	This facility was inactive with four 4,800 gallon UST for diesel, which were permanently filled in place in 1997.	Low
461	Southwestern Bell Telephone Company	308 S. Akard St.	RCRA NonGen / NLR	361' SSE	As of 2003, SBC was not a generator of hazardous waste, and they were historically considered a small quantity generator. No violations were identified in the RCRA database.	Low
463	Simons Garage	1300, 1308 & 1310 Jackson St.	EDR Hist Auto	299' SSE	The Baker Hotel Garage/Simons Garage was an automobile garage and repair shop operating between 1930 and 1966.	Low
464	Andy's Garage	1508 Wood St.	EDR Hist Auto	506' SSE	An automobile repairer operating in 1946.	Low
466	Four (4) AT&T Plaza Building – 6 <sup>th</sup> & 9 <sup>th</sup> Floor	311 S. Akard St.	TX Asbestos	407' SSE	In 2017 and 2018, AT&T Plaza issued notifications for abatement work.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
467	Classified Parking Garage	1407 Wood St.	EDR Hist Auto	470' SSE	An automobile repairing facility in 1941.	Low
471	Jackson Street Garage	1018 - 1102 Jackson St.	EDR Hist Auto	269' S-SSW	An automobile garage with dates of operation between 1925 to 1930	Low
471	Santa Fe Auto Storage	1108 Jackson St.	EDR Hist Auto	298' SSE	An automobile garage in business in 1936.	Low
477	Tugwell Automotive Service	1002 Jackson St.	EDR Hist Auto	382' SSW	An automobile repairing facility was identified at this location under two names, Tugwell Automotive Service in 1936 and Warren Malcolm in 1941.	Low
478	Databank Dallas	400 S. Akard St. Stes. 100 & 310	AST	595' SSE	Listed as active for several tanks containing diesel. One 1,800 gallon AST, four 5,000 gallon, two 4,000 gallon and one 3,600 gallon ASTs were listed. Another listing indicated six active ASTs, two 5,000 gallon, two 3,400 gallon and two 3,800 gallon capacity.	Low
478	Dallas Carrier Center	400 S. Akard St.	UST	595' SSE	Listed as an active retail facility; however, the only tank listed was a 7,000 gallon diesel UST which was removed from the ground in 1999.	Low
478	S. Waddell Service Station	1400 Young	EDR Hist Auto	595' SSE	A gasoline and oil service station in 1936.	Low
478	Level 3 - Dallas - DLLSTXLD	400 S Akard – Carrier Central	Tier 2	595' SSE	This facility reported to the Tier 2 database for storing diesel fuel, sulfuric acid and lead.	Low



**Table 4-1  
Hazardous Materials Sites and Risk Ranking\***

Map ID (EDR Site Identification)	Site Name	Address	Databases of Concern	Approximate Distance / Direction of Site from D2	Comments	Risk Level
479	Watson & Caldwell	419 S. Akard St.	EDR Hist Auto	567' S	This automobile repairer had operations between 1936 and 1946.	Low
482	Doc Jackson Garage	1016 & 1100 Jackson St.	EDR Hist Auto	389' S	An automobile garage with dates between 1936 and 1951.	Low
482	MIDW10	1100 Jackson St.	UST	404' SSW	Listed as inactive with two 8,000 gallon USTs removed from the ground in 1990. The contents of the tank were not reported.	Low
487	Wood Street Garage	1200 Wood St.	EDR Hist Auto	509' SSE	An automobile garage in 1925.	Low
492	Vacant Building	1002 Wood St.	TX Asbestos	541' S	In 2017 this facility amended a notification regarding abatement/demolition work.	Low

\*These are sites with listings of concern within 300 feet of the at-grade portions of the D2 Corridor and 600 feet of the below-grade portion of the D2 Corridor.  
Source: EDR, 2018



**ATTACHMENT A**  
**Select Site Photographs**



**Photo 1.** The LG Magnolia property (Map ID 174). View is to the northwest from McKinney Avenue.



**Photo 2.** 7-Eleven (Map ID 307B). View is to the west from N. Griffin and San Jacinto.



**Photo 3.** Former location of Graphics Engraving (Map IDs 208 and 212) is located to the right in this photo. View is to the southeast, from N. Griffin St. and Munger Ave.



**Photo 4.** Earle Cabell Federal Building (General Services Administration) (MapID 452B). View is to the east-northeast, from Commerce Street just west of S. Griffin.



**Photo 5.** Map ID 87 (Dallas Steam Electric Station/Tuec North A & B) is located to the left in this view. The proposed D2 alignment would be along Museum Way. View is to the east, from the intersection of Museum Way and Victory Park.



**Photo 6.** The Adolphus Hotel, Map ID 427A. View to the east-northeast.





**Photo 7.** Pegasus Plaza, Map ID 386. View is to the south, at Main Street and Akard St.



**Photo 8.** The existing LRT on the western portion of the proposed D2 alignment. View is to the north, toward Victory Station.



Photo 9. Existing LRT line, near the eastern project terminus. View is to the southeast along Good Latimer Expressway, just northwest of Florence St.



**ATTACHMENT B**  
**EDR Report - Electronic**

**DART D2**

Dallas, TX 75201

Inquiry Number: 5352999.5s

July 05, 2018

# EDR DataMap™ Corridor Study



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

# EXECUTIVE SUMMARY

## TARGET PROPERTY INFORMATION

### ADDRESS

DALLAS, TX 75201  
DALLAS, TX 75201

## DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records within the requested search area for the following databases:

### FEDERAL RECORDS

NPL	National Priority List
Proposed NPL	Proposed National Priority List Sites
Delisted NPL	National Priority List Deletions
NPL LIENS	Federal Superfund Liens
SEMS	Superfund Enterprise Management System
LIENS 2	CERCLA Lien Information
CORRACTS	Corrective Action Report
RCRA-TSDF	RCRA - Treatment, Storage and Disposal
RCRA-LQG	RCRA - Large Quantity Generators
RCRA-SQG	RCRA - Small Quantity Generators
US ENG CONTROLS	Engineering Controls Sites List
US INST CONTROL	Sites with Institutional Controls
DOT OPS	Incident and Accident Data
US CDL	National Clandestine Laboratory Register
DOD	Department of Defense Sites
FUDS	Formerly Used Defense Sites
LUCIS	Land Use Control Information System
CONSENT	Superfund (CERCLA) Consent Decrees
ROD	Records Of Decision
UMTRA	Uranium Mill Tailings Sites
ODI	Open Dump Inventory
DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations
US MINES	Mines Master Index File
TRIS	Toxic Chemical Release Inventory System
PADS	PCB Activity Database System
RADINFO	Radiation Information Database
RAATS	RCRA Administrative Action Tracking System
RMP	Risk Management Plans
FUELS PROGRAM	EPA Fuels Program Registered Listing
DOCKET HWC	Hazardous Waste Compliance Docket Listing
UXO	Unexploded Ordnance Sites
FUSRAP	Formerly Utilized Sites Remedial Action Program
COAL ASH DOE	Steam-Electric Plant Operation Data
2020 COR ACTION	2020 Corrective Action Program List
PRP	Potentially Responsible Parties

## EXECUTIVE SUMMARY

EPA WATCH LIST.....	EPA WATCH LIST
US FIN ASSUR.....	Financial Assurance Information
PCB TRANSFORMER.....	PCB Transformer Registration Database
US HIST CDL.....	Delisted National Clandestine Laboratory Register
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
IHS OPEN DUMPS.....	Open Dumps on Indian Land
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
FEMA UST.....	Underground Storage Tank Listing
FEDERAL FACILITY.....	Federal Facility Site Information listing

### STATE AND LOCAL RECORDS

TX SHWS.....	State Superfund Registry
TX SWF/LF.....	Permitted Solid Waste Facilities
TX DEBRIS.....	DEBRIS
TX CLI.....	Closed Landfill Inventory
TX UIC.....	Underground Injection Wells Database Listing
TX SWRCY.....	Recycling Facility Listing
TX WASTE MGMT.....	Commercial Hazardous & Solid Waste Management Facilities
TX DEL SHWS.....	Deleted Superfund Registry Sites
TX LIENS.....	Environmental Liens Listing
TX CDL.....	CDL
TX ED AQUIF.....	Edwards Aquifer Permits
TX LEAD.....	LEAD
TX RWS.....	Radioactive Waste Sites
TX HIST LIENS.....	Environmental Liens Listing
TX COAL ASH.....	Coal Ash Disposal Sites

### TRIBAL RECORDS

INDIAN RESERV.....	Indian Reservations
INDIAN ODI.....	Report on the Status of Open Dumps on Indian Lands
INDIAN LUST.....	Leaking Underground Storage Tanks on Indian Land
INDIAN UST.....	Underground Storage Tanks on Indian Land
INDIAN VCP.....	Voluntary Cleanup Priority Listing

### EDR PROPRIETARY RECORDS

EDR MGP.....	EDR Proprietary Manufactured Gas Plants
TX RGA HWS.....	Recovered Government Archive State Hazardous Waste Facilities List

### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## EXECUTIVE SUMMARY

### FEDERAL RECORDS

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 05/18/2018 has revealed that there is 1 SEMS-ARCHIVE site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>CONSOLIDATED CASTING</b>	<b>2425 CAROLINE ST</b>	<b>20</b>	<b>71</b>

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 03/01/2018 has revealed that there are 9 RCRA-CESQG sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
CVS PHARMACY # 10758	2501 N. FIELD ST.	11	19
<b>SUN ENGINE &amp; TRNSMSN</b>	<b>2819 COMMERCE</b>	<b>245</b>	<b>1126</b>
CVS PHARMACY 8391	1001 ROSS AVE STE 11	296	1198
PETRO-HUNT CORP	1601 ELM ST	322	1279
<b>CVS PHARMACY 5314</b>	<b>1411 MAIN ST</b>	<b>384</b>	<b>1525</b>
CVS PHARMACY #7750	901 MAIN ST	406	1578
<b>THE ADOLPHUS</b>	<b>1321 COMMERCE ST</b>	<b>427</b>	<b>1654</b>
CVS PHARMACY #2477	208 S AKARD ST, STE	433	1692
CENTRAL SERVICE CENT	515 PARK AVE	470	1899

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 03/01/2018 has revealed that there are 50 RCRA NonGen / NLR sites within the searched area.



## EXECUTIVE SUMMARY

Site	Address	Map ID	Page
TELENOVA INC	1201 N STEMMONS EXPY	9	15
CONSOLIDATED CASTING	2425 CAROLINE ST	20	71
ETHERIDGE PRINTING C	2709 BRYAN ST	21	78
DIVERSATYPE INTERNAT	880 N CENTRAL EXPY	24	105
BE MAC TRANSPORT COM	1250 SLOCUM	26	124
LUMINANT GENERATION	2707 FLYNN ST	28	136
UNION PACIFIC DALLAS	2224 N HOUSTON STREE	45	221
WEAVER SPRING & BRAK	723 CANTEGRAL ST	52	235
PREMIUM CLEANERS	3011 GASTON AVE	61	261
NEWMAN GRAPHICS CORP	1015 NORTH HAWKINS	62	266
CLASSIC IMPORTS INC	2628 LIVE OAK	72	309
HELMS PRINTING CO IN	2710 SWISS AVE	96	379
GREENFEILD ALFRED J	2700 SWISS AVE	104	421
GIDDINGS WELLS BODY	2606 SWISS AVENUE ST	125	697
EARL SCHEIB AUTO PAI	2511 SWISS AVENUE	131	722
GE GREENWAY ENVIRONM	903 SLOCUM ST	145	775
COLOUR IV INC	905 SLOCUM	145	776
FAIRMONT HOTEL DALLA	1717 N AKARD	146	777
CITY PRINTING CO INC	922 DRAGON ST	147	782
UNITED WASTE MATERIA	301 N CROWDS	156	804
SOUTHWESTERN LITHOPL	325 WICHITA ST	161	812
CRAIGS AUTO CENTERS	2815 MAIN ST	211	989
GRAPHIC ENGRAVING CO	1911 GRIFFIN	212	993
GRAPHIC ENGRAVING CO	2001 N. GRIFFIN	212	997
ANDERSON FISCHER THO	350 N SAINT PAUL ST	223	1046
TEXAS RADIATOR CO	2649 MAIN STREET	227	1053
DAL-TEX WIPERS & SUP	703 MCKINNEY SUITE B	236	1077
DAL-TEX WASTE MATERI	703 MCKINNEY STE A	236	1080
PIONEER STEEL RULE &	1801 GRIFFIN ST	253	1133
CANNON BALL MANUFACT	2221 ELM ST	261	1147
ARCO OIL AND GAS COM	1601 BRYAN ST	272	1168
REDS CLEANERS INC	1320 PATTERSON ST	279	1179
DALLAS GASKET & PACK	2630 COMMERCE ST	291	1191
PETERSON SYSTEM INC	2215 COMMERCE ST	330	1329
DALLAS AREA RAPID TR	1701 N MARKET LB2 ST	342	1360
JOSKES DEPARTMENT ST	1901 MAIN ST	351	1377
DALLAS TIMES HERALD	1101 PACIFIC AVE	354	1391
R S P HOLDING CO INC	1401 ELM ST	362	1442
GIBBS PRINTING COMPA	1803 COMMERCE	378	1467
TRANSPORTERS OF INDU	EXCHANGE PLACE STE 1	385	1537
DALLAS COUNTY COMMUN	701 ELM ST	395	1564
CORGAN ASSOCIATES	501 ELM ST STE 500	415	1611
DALLAS POWER & LIGHT	1506 COMMERCE ST	430	1666
EL CENTRO COLLEGE	801 MAIN ST	431	1674
GEORGE R FREEMAN	111 S LAMAR	432	1677
MISSOURI KANSAS TEXA	701 COMMERCE ST	458	1824
SBC	308 S AKARD ST	461	1865
CITY OF DALLAS	1515 YOUNG ST	475	1997
SHEPPARD PRINTING CO	500 S ERVAY	495	2075
CITY OF DALLAS	1500 MARILLA DR	502	2113

## EXECUTIVE SUMMARY

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 03/19/2018 has revealed that there are 21 ERNS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
Not reported	2500 NORTH HOUSTON S	45	227
Not reported	2500 NORTH HOUSTON S	45	227
Not reported	2200 BRYAN ST	135	750
Not reported	BRYAN ST AT OLIVE	165	822
Not reported	2223 VICTORY AVE.	191	883
Not reported	1445 ROSS AVE	196	930
Not reported	1445 ROSS AVE.	196	941
Not reported	400 N OLIVE	198	950
Not reported	2638 ELM STREET	216	1016
Not reported	1601 BRYAN ST	272	1172
Not reported	400 NORTH HOUSTON	319	1278
Not reported	300 S SAINT PAUL	351	1376
Not reported	2015 COMMERCE STREET	359	1414
Not reported	1921 COMMERCE	363	1455
Not reported	800 PACIFIC	372	1466
Not reported	601 PACIFIC AVE	382	1516
Not reported	1200 MAIN STREET	435	1697
Not reported	1200 MAIN STREET	435	1698
Not reported	1200 MAIN STREET	435	1699
Not reported	500 SOUTH ERVAY	495	2073
Not reported	1500 MARILLA STREET	502	2095

HMIRS: The Hazardous Materials Incident Report System contains hazardous material spill incidents reported to the Department of Transportation. The source of this database is the U.S. EPA.

A review of the HMIRS list, as provided by EDR, and dated 03/26/2018 has revealed that there are 3 HMIRS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
Not reported	2500 PACIFIC AVE	203	969
1900 GRIFFIN ST.	1900 GRIFFIN ST.	235	1074
Not reported	2008 JACKSON ST	398	1569

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 03/19/2018 has revealed that there is 1 US BROWNFIELDS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>PROPOSED BELO GARDEN</b>	<b>1014 MAIN STREET</b>	<b>418</b>	<b>1616</b>

## EXECUTIVE SUMMARY

TSCA: The Toxic Substances Control Act identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. The United States Environmental Protection Agency has no current plan to update and/or re-issue this database.

A review of the TSCA list, as provided by EDR, and dated 12/31/2016 has revealed that there are 2 TSCA sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
MONTICELLO STEAM ELE	1601 BRYAN STREET	272	1172
MARTIN LAKE STEAM EL	1601 BRYAN STREET	272	1172

FTTS: FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act) over the previous five years. To maintain currency, EDR contacts the Agency on a quarterly basis.

A review of the FTTS list, as provided by EDR, has revealed that there are 12 FTTS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>DALLAS CAN! ACADEMY</b> Database: FTTS INSP, Date of Government Version: 04/09/2009	<b>2601 LIVE OAK</b>	<b>83</b>	<b>335</b>
<b>DALLAS ISD-BUSINESS</b> Database: FTTS INSP, Date of Government Version: 04/09/2009	<b>2218 BRYAN</b>	<b>135</b>	<b>750</b>
<b>GENESIS SCHOOLS D.B.</b> Database: FTTS INSP, Date of Government Version: 04/09/2009	<b>2121 MAIN ST</b>	<b>308</b>	<b>1243</b>
<b>TEXAS UTILITIES ELEC</b> Database: FTTS INSP, Date of Government Version: 04/09/2009	<b>1511 BRYAN ST SALVA</b>	<b>316</b>	<b>1255</b>
<b>PLACID OIL CO</b> Database: FTTS INSP, Date of Government Version: 04/09/2009	<b>3900 THANKSGIVING SQ</b>	<b>322</b>	<b>1282</b>
<b>TONKAWA GAS PROCESSI</b> Database: FTTS INSP, Date of Government Version: 04/09/2009	<b>1700 PACIFIC AVENUE</b>	<b>322</b>	<b>1303</b>
CHANNEL 4 KDFW-TV Database: FTTS INSP, Date of Government Version: 04/09/2009	400 N GRIFFIN	325	1317
CHANNEL 4 (KDFW-TV) Database: FTTS, Date of Government Version: 04/09/2009	400 N. GRIFFIN	325	1317
EL CENTRO COMMUNITY Database: FTTS INSP, Date of Government Version: 04/09/2009	801 MAIN ST	431	1673
<b>ENSERCH PROCESSING C</b> Database: FTTS INSP, Date of Government Version: 04/09/2009	<b>1817 WOOD STREET</b>	<b>437</b>	<b>1699</b>
MANOR HOUSE Database: FTTS INSP, Date of Government Version: 04/09/2009	1222 COMMERCE ST	444	1711
<b>DALLAS, CITY OF</b> Database: FTTS INSP, Date of Government Version: 04/09/2009	<b>1500 MARILLA</b>	<b>502</b>	<b>2117</b>

## EXECUTIVE SUMMARY

HIST FTTS: A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

A review of the HIST FTTS list, as provided by EDR, has revealed that there are 11 HIST FTTS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>DALLAS CAN! ACADEMY</b> Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	<b>2601 LIVE OAK</b>	<b>83</b>	<b>335</b>
<b>DALLAS ISD-BUSINESS</b> Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	<b>2218 BRYAN</b>	<b>135</b>	<b>750</b>
<b>GENESIS SCHOOLS D.B.</b> Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	<b>2121 MAIN ST</b>	<b>308</b>	<b>1243</b>
<b>TEXAS UTILITIES ELEC</b> Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	<b>1511 BRYAN ST SALVA</b>	<b>316</b>	<b>1255</b>
<b>PLACID OIL CO</b> Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	<b>3900 THANKSGIVING SQ</b>	<b>322</b>	<b>1282</b>
<b>TONKAWA GAS PROCESSI</b> Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	<b>1700 PACIFIC AVENUE</b>	<b>322</b>	<b>1303</b>
CHANNEL 4 KDFW-TV Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	400 N GRIFFIN	325	1316
CHANNEL 4 (KDFW-TV) Database: HIST FTTS, Date of Government Version: 10/19/2006	400 N. GRIFFIN	325	1317
EL CENTRO COMMUNITY Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	801 MAIN ST	431	1674
<b>ENSERCH PROCESSING C</b> Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	<b>1817 WOOD STREET</b>	<b>437</b>	<b>1699</b>
<b>DALLAS, CITY OF</b> Database: HIST FTTS INSP, Date of Government Version: 10/19/2006	<b>1500 MARILLA</b>	<b>502</b>	<b>2117</b>

SSTS: Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

A review of the SSTS list, as provided by EDR, and dated 12/31/2009 has revealed that there is 1 SSTS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
PECK'S DALLAS WHSE	1103 SLOCUM	66	281

## EXECUTIVE SUMMARY

ICIS: The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

A review of the ICIS list, as provided by EDR, and dated 11/18/2016 has revealed that there are 22 ICIS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>TEXAS CAN</b>	<b>2601 LIVE OAK ST</b>	<b>83</b>	<b>333</b>
<b>ABOVENET COM - TX-23</b>	<b>2323 BRYAN STREET</b>	<b>109</b>	<b>502</b>
HUNT OIL CO	1445 ROSS STE 1400	196	928
<b>TXU ELECTRIC DELIVER</b>	<b>500 N. AKARD STREET</b>	<b>199</b>	<b>964</b>
<b>FINA OIL &amp; CHEM CO</b>	<b>350 N ST PAUL ST</b>	<b>223</b>	<b>1045</b>
<b>W. W. GRAINGER, INC.</b>	<b>2639 MAIN STREET</b>	<b>230</b>	<b>1057</b>
<b>M. L. BEILER TANK BA</b>	<b>325 N SAINT PAUL ST</b>	<b>270</b>	<b>1160</b>
<b>J. B. ANDERSON LEASE</b>	<b>325 N SAINT PAUL ST</b>	<b>270</b>	<b>1161</b>
<b>BROYLES &amp; WOLVERTON</b>	<b>325 N SAINT PAUL ST</b>	<b>270</b>	<b>1162</b>
<b>EDNA TUCKER TANK BAT</b>	<b>325 N SAINT PAUL ST</b>	<b>270</b>	<b>1164</b>
<b>GABLES REPUBLIC TOWE</b>	<b>350 NORTH ERVAY ST.</b>	<b>273</b>	<b>1173</b>
<b>GENESIS SCHOOLS D.B.</b>	<b>2121 MAIN ST</b>	<b>308</b>	<b>1243</b>
<b>HUNT PETROLEUM CORPO</b>	<b>1601 ELM STREET, SUI</b>	<b>322</b>	<b>1283</b>
PETRO-HUNT L.L.C.	3900 THANKSGIVING TO	322	1302
<b>TONKAWA GAS PROCESSI</b>	<b>1700 PACIFIC AVE</b>	<b>322</b>	<b>1304</b>
<b>PACIFIC ENTERPRISES</b>	<b>1700 PACIFIC AVENUE,</b>	<b>322</b>	<b>1306</b>
<b>POST PROPERTY MANAGE</b>	<b>1623 MAIN STREET</b>	<b>364</b>	<b>1456</b>
<b>NISSAN DIESEL AMERIC</b>	<b>901 MAIN ST, STE 430</b>	<b>406</b>	<b>1582</b>
<b>ENSERCH PROCESSING C</b>	<b>1817 WOOD ST</b>	<b>437</b>	<b>1701</b>
<b>MANOR HOUSE APARTMEN</b>	<b>1222 COMMERCE ST.</b>	<b>444</b>	<b>1710</b>
SOUTHWESTERN BELL TE	308 S AKARD	461	1881
CITY OF DALLAS MS4	CITY OF DALLAS CORPO	510	2129

MLTS: The Material Licensing Tracking System is maintained by the Nuclear Regulatory Commission and contains a list fo approximately 8,100 sites which possess or use radioactive materials and are subject to NRC licensing requirements.

A review of the MLTS list, as provided by EDR, and dated 08/30/2016 has revealed that there are 5 MLTS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
ENVIRONMENTAL PROTEC	1445 ROSS AVENUE	196	926
ENVIRONMENTAL PROTEC	1445 ROSS AVENUE, (B	196	929
TEXAS UTILITIES ELEC	400 NORTH OLIVE STRE	198	947
TEXAS UTILITIES ELEC	400 N. OLIVE, L.B. 8	198	947
ARMY, DEPARTMENT OF	1114 COMMERCE ST.	452	1775

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal

## EXECUTIVE SUMMARY

Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 02/21/2018 has revealed that there are 206 FINDS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
CITY OF DALLAS PARK	IN OLD RAILROAD RIGH	1	4
JESEKE CONSTRUCTION	2700 N HOUSTON ST	1	4
MARTINEZ PROPERTY	1600 PAYNE ST	5	9
DALLAS CENTER FOR TH	ON SW OF JACK EVANS	8	15
<b>TELENOVA INC</b>	<b>1201 N STEMMONS EXPY</b>	<b>9</b>	<b>15</b>
<b>CVS PHARMACY # 10758</b>	<b>2501 N. FIELD ST.</b>	<b>11</b>	<b>23</b>
JEFFERSON AT BRYAN P	715 LIBERTY ST	13	44
ANNA	817 N. TEXAS HIGHWAY	15	48
FULLERS CLEANERS	2817 LIVE OAK ST	17	54
UPTOWN CAR WASH	2501 N FIELD ST	19	58
<b>CONSOLIDATED CASTING</b>	<b>2425 CAROLINE ST</b>	<b>20</b>	<b>71</b>
<b>ETHERIDGE PRINTING C</b>	<b>2709 BRYAN ST</b>	<b>21</b>	<b>78</b>
DUNLAP-SWAIN 1	2607 SAN JACINTO ST	23	83
<b>DIVERSATYPE INTERNAT</b>	<b>880 N CENTRAL EXPY</b>	<b>24</b>	<b>105</b>
TXU MAIN ROAD PROPER	2707 FLYNN ST	25	107
<b>BE MAC TRANSPORT COM</b>	<b>1250 SLOCUM</b>	<b>26</b>	<b>124</b>
<b>LUMINANT GENERATION</b>	<b>2707 FLYNN ST</b>	<b>28</b>	<b>136</b>
AKARD PLACE	2301 N AKARD ST	31	161
THE MEADOWS FOUNDATI	2804 LIVE OAK ST	33	165
HH VICTORY HOLDINGS	3090 OLIVE ST	42	215
<b>UNION PACIFIC DALLAS</b>	<b>2224 N HOUSTON STREE</b>	<b>45</b>	<b>222</b>
LAWS STREET LAND VIC	2401 N HOUSTON ST	45	223
BLOCK J VICTORY DEVE	2401 N HOUSTON ST	45	224
CST ENVIRONMENTAL VI	2401 N HOUSTON ST	45	224
LCS VICTORY	2401 N HOUSTON ST	45	225
ANLAND 14 VICTORY DE	2401 N HOUSTON ST	45	225
HOUSTON TRIANGLE ACQ	2401 N HOUSTON ST	45	225
ANLAND BLOCK N VICTO	2401 N HOUSTON ST	45	226
ARENA OPERATING VICT	2401 N HOUSTON ST	45	226
GRANITE UPTOWN	1708 CEDAR SPRINGS R	49	234
TERRACON CONSULTANTS	ON SWC OF OLIVE ST &	51	235
<b>WEAVER SPRING &amp; BRAK</b>	<b>723 CANTEGRAL ST</b>	<b>52</b>	<b>235</b>
BLOCK D	SOUTHEAST CORNER OF	58	244
SEVEN-UP BOTTLING CO	2700 LIVE OAK ST	59	255
<b>PREMIUM CLEANERS</b>	<b>3011 GASTON AVE</b>	<b>61</b>	<b>261</b>
<b>NEWMAN GRAPHICS CORP</b>	<b>1015 NORTH HAWKINS</b>	<b>62</b>	<b>266</b>
THE SHOPS OF HIGHLAN	1720 MCKINNEY AVE ST	64	270
<b>PECK'S PRODUCTS CO</b>	<b>1103 SLOCUM</b>	<b>66</b>	<b>280</b>
<b>CLASSIC IMPORTS INC</b>	<b>2628 LIVE OAK</b>	<b>72</b>	<b>309</b>
CENTEX CONSTRUCTION	2401 VICTORY PARK LN	75	323
<b>TEXAS CAN</b>	<b>2601 LIVE OAK ST</b>	<b>83</b>	<b>333</b>
HILLWOOD URBAN SERVI	ON THE INTX OF I 35	93	360
VICTORY DEVELOPMENT	ON 1 35 & N HOUSTON	93	360
HILL WOOD CONSTRUCTI	ON BTWEEN IH 35 AND	93	362
VICTORY DEVELOPMENT	ON THE INTERSECTION	93	362
HILLWOOD URBAN SEVIC	ON THE INTX OF I-35	93	363
VICTORY PLAZA BUILDI	ON THE INTX OF I-35	93	363
VICTORY PLAZA BUILDI	ON I 35 & N HOUSTON	93	363
<b>HELMS PRINTING CO IN</b>	<b>2710 SWISS AVE</b>	<b>96</b>	<b>379</b>
ST ANDREW KIM CATHOL	2712 SWISS AVE	96	380

## EXECUTIVE SUMMARY

Site	Address	Map ID	Page
<b>GREENFIELD ALFRED J</b>	<b>2700 SWISS AVE</b>	<b>104</b>	<b>421</b>
JEFFERSON NORTH END	1307 RIVER STREET AN	105	425
GLOBAL CROSSING-DALL	2323 BRYAN ST	109	501
GRANDE COMMUNICATION	2323 BRYAN ST STE 23	109	502
<b>ABOVENET COM - TX-23</b>	<b>2323 BRYAN STREET</b>	<b>109</b>	<b>502</b>
NEXTLINK COMMUNICATI	2323 BRYAN ST STE 24	109	509
AMERICAN ELECTRIC PO	1616 WOODALL RODGERS	112	664
<b>WILKES POWER PLANT</b>	<b>1616 WOODALL RODGERS</b>	<b>112</b>	<b>677</b>
GOODYEAR RETREAD PLA	960 DRAGON ST	115	686
TERRA - WACO DISTRIB	601 S CENTRAL EXPY	122	695
<b>GIDDINGS WELLS BODY</b>	<b>2606 SWISS AVENUE ST</b>	<b>125</b>	<b>697</b>
<b>EARL SCHEIB AUTO PAI</b>	<b>2511 SWISS AVENUE</b>	<b>131</b>	<b>722</b>
LAWS STREET DEVELOPM	2200 LAWS ST	132	737
DECKER CORRECTIONS C	899 N STEMMONS FWY	133	737
DALLAS ISD-BUSINESS	2218 BRYAN	135	750
DENTON COUNTY FWSD 8	600 N PEARL ST STE 9	135	754
AUSTIN COMMERCIAL L	ON NWC IH35 & LAMAR	138	767
Not reported	DALLAS	139	767
LAWS STREET LOTS	2201 LAWS ST	141	768
<b>GE GREENWAY ENVIRONM</b>	<b>903 SLOCUM ST</b>	<b>145</b>	<b>774</b>
<b>COLOUR IV INC</b>	<b>905 SLOCUM</b>	<b>145</b>	<b>776</b>
<b>FAIRMONT HOTEL DALLA</b>	<b>1717 N AKARD</b>	<b>146</b>	<b>777</b>
<b>CITY PRINTING CO INC</b>	<b>922 DRAGON ST</b>	<b>147</b>	<b>782</b>
DEEP ELLUNE LOT 3	NEC INDIANA ST AND M	149	786
BROADSTONE AMBROSE T	2901 INDIANA ST	155	803
<b>UNITED WASTE MATERIA</b>	<b>301 N CROWDS</b>	<b>156</b>	<b>804</b>
TJ LAMBRECHT TRINITY	ON W OF TRINITY RIVE	157	806
3 VAUGHAN COMPANY	918 DRAGON ST	158	807
MUSEUM OF NATURE AND	1155 BROOM ST	159	808
<b>SOUTHWESTERN LITHOPL</b>	<b>325 WICHITA ST</b>	<b>161</b>	<b>812</b>
LG MAGNOLIA LP	1100 MCKINNEY	174	851
HCBECK HOUSE OF BLUE	2200 N LAMAR ST	179	861
WHITE SWAN BLDG	2200 N LAMAR ST	179	861
RUDOLPHS MARKET AND	2924 ELM ST	182	865
MANHATTAN CONSTRUCTI	2200 VICTORY AVE	184	866
IXC COMMUNICATIONS	2223 VICTORY AVE	191	876
<b>PIONEER NATURAL RESO</b>	<b>1999 BRYAN STREET.,</b>	<b>192</b>	<b>900</b>
<b>OXY USA WTP LP (POOL</b>	<b>1999 BRYAN STREET.,</b>	<b>192</b>	<b>901</b>
FOUNTAIN PLACE CLEAN	1445 ROSS AVE STE B1	196	928
USEPA REGION 6	1445 ROSS AVE	196	929
<b>HUNT OIL CO</b>	<b>1445 ROSS SUITE 1400</b>	<b>196</b>	<b>940</b>
ADAMS MARK HOTEL	400 OLIVE ST	198	947
RUSSELLS	500 NORTH AKARD SUIT	199	964
<b>TXU ELECTRIC DELIVER</b>	<b>500 N. AKARD STREET</b>	<b>199</b>	<b>964</b>
<b>CRAIGS AUTO CENTERS</b>	<b>2815 MAIN ST</b>	<b>211</b>	<b>989</b>
<b>GRAPHIC ENGRAVING CO</b>	<b>1911 GRIFFIN</b>	<b>212</b>	<b>993</b>
<b>GRAPHIC ENGRAVING CO</b>	<b>2001 N. GRIFFIN</b>	<b>212</b>	<b>997</b>
DAL WORTH SHIPPERS A	212 N GOOD LATIMER E	213	1011
WOODALL UNITED INVES	1305 ROSS AVE	214	1014
CONCRETE BATCH PLANT	444 CONTINENTAL AVE	217	1016
NORTHSTAR ENVIRONMEN	350 N SAINT PAUL ST	223	1030
COMINCO AMERICAN INC	C/O CT CORP SYSTEM 3	223	1030
<b>ANDERSON FISCHEL THO</b>	<b>350 N SAINT PAUL ST</b>	<b>223</b>	<b>1031</b>
<b>FINA OIL &amp; CHEM CO</b>	<b>350 N ST PAUL ST</b>	<b>223</b>	<b>1045</b>
<b>TEXAS RADIATOR CO</b>	<b>2649 MAIN STREET</b>	<b>227</b>	<b>1053</b>
<b>W. W. GRAINGER, INC.</b>	<b>2639 MAIN STREET</b>	<b>230</b>	<b>1057</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
NORTH OF BRYAN & ERV	400 NORTH ERVAY AT B	231	1061
NO 18 FIRE STATION	660 N GRIFFIN ST	234	1073
<b>DAL-TEX WIPERS &amp; SUP</b>	<b>703 MCKINNEY SUITE B</b>	<b>236</b>	<b>1077</b>
<b>DAL-TEX WASTE MATERI</b>	<b>703 MCKINNEY STE A</b>	<b>236</b>	<b>1080</b>
VERIZON GLOBAL NETWO	2020 LIVE OAK ST	239	1100
<b>CONDUIT FOR CSD</b>	<b>FIELD STREET</b>	<b>243</b>	<b>1125</b>
<b>SUN ENGINE &amp; TRNSMSN</b>	<b>2819 COMMERCE</b>	<b>245</b>	<b>1126</b>
<b>PIONEER STEEL RULE &amp;</b>	<b>1801 GRIFFIN ST</b>	<b>253</b>	<b>1133</b>
<b>CANNON BALL MANUFACT</b>	<b>2221 ELM ST</b>	<b>261</b>	<b>1147</b>
<b>M. L. BEILER TANK BA</b>	<b>325 N SAINT PAUL ST</b>	<b>270</b>	<b>1160</b>
<b>J. B. ANDERSON LEASE</b>	<b>325 N SAINT PAUL ST</b>	<b>270</b>	<b>1161</b>
<b>BROYLES &amp; WOLVERTON</b>	<b>325 N SAINT PAUL ST</b>	<b>270</b>	<b>1162</b>
<b>EDNA TUCKER TANK BAT</b>	<b>325 N SAINT PAUL ST</b>	<b>270</b>	<b>1164</b>
<b>ARGO OIL AND GAS COM</b>	<b>1601 BRYAN ST</b>	<b>272</b>	<b>1168</b>
LUMINANT	1601 BRYAN STREET	272	1171
<b>GABLES REPUBLIC TOWE</b>	<b>350 NORTH ERVAY ST.</b>	<b>273</b>	<b>1173</b>
<b>REDS CLEANERS INC</b>	<b>1320 PATTERSON ST</b>	<b>279</b>	<b>1179</b>
<b>DALLAS GASKET &amp; PACK</b>	<b>2630 COMMERCE ST</b>	<b>291</b>	<b>1191</b>
<b>CVS PHARMACY #8391</b>	<b>1001 ROSS AVE, STE 1</b>	<b>296</b>	<b>1205</b>
PIONEER CLEANERS	2000 ELM ST	297	1209
TOWNE CENTRAL	100 N CENTRAL EXPY	306	1225
<b>GENESIS SCHOOLS D.B.</b>	<b>2121 MAIN STREET</b>	<b>308</b>	<b>1247</b>
<b>ON THE BORDER</b>	<b>1801 N. LAMAR</b>	<b>315</b>	<b>1251</b>
TEXAS UTILITIES ELEC	1511 BRYAN ST SALVA	316	1255
<b>PETRO-HUNT L.L.C.</b>	<b>3900 THANKSGIVING TO</b>	<b>322</b>	<b>1282</b>
<b>HUNT PETROLEUM CORPO</b>	<b>1601 ELM STREET, SUI</b>	<b>322</b>	<b>1283</b>
OSSF 1601 ELM ST STE	1601 ELM ST STE 3400	322	1302
BECK HENRY C COMPANY	1700 PACIFIC AVE	322	1303
SOUTHCROSS ENERGY	1700 PACIFIC AVENUE	322	1304
<b>TONKAWA GAS PROCESSI</b>	<b>1700 PACIFIC AVE</b>	<b>322</b>	<b>1304</b>
FIRST CITY CENTER	1700 PACIFIC AVE	322	1305
<b>PACIFIC ENTERPRISES</b>	<b>1700 PACIFIC AVENUE,</b>	<b>322</b>	<b>1306</b>
CHANNEL 4-KDFW-TV (C	400 N. GRIFFIN	325	1316
RENAISSANCE TOWER PA	1201 S PACIFIC AVE	328	1326
<b>PETERSON SYSTEM INC</b>	<b>2215 COMMERCE ST</b>	<b>330</b>	<b>1329</b>
PLACID	UNKNOWN	338	1357
<b>DALLAS AREA RAPID TR</b>	<b>1701 N MARKET LB2 ST</b>	<b>342</b>	<b>1360</b>
<b>LANDRY'S SEAFOOD HOU</b>	<b>306 N. MARKET ST.</b>	<b>349</b>	<b>1369</b>
ELM BUILDING	1505 ELM ST	350	1376
<b>JOSKES DEPARTMENT ST</b>	<b>1901 MAIN ST</b>	<b>351</b>	<b>1377</b>
<b>DALLAS TIMES HERALD</b>	<b>1101 PACIFIC AVE</b>	<b>354</b>	<b>1391</b>
<b>COTTON BELT COMPRESS</b>	<b>2400 COPPELL RD</b>	<b>355</b>	<b>1396</b>
<b>FL RICH GAS SERVICES</b>	<b>1717 MAIN STREET SUI</b>	<b>355</b>	<b>1397</b>
BANK ONE CENTER	1717 MAIN ST	355	1397
DALLAS GAS & FUEL CO	595 ROSS AVE	357	1412
2015 COMMERCE ST. BU	2015 COMMERCE ST.	359	1414
NCNB - ELM PLACE	1401 ELM ST	362	1441
<b>R S P HOLDING CO INC</b>	<b>1401 ELM ST</b>	<b>362</b>	<b>1442</b>
<b>POST PROPERTY MANAGE</b>	<b>1623 MAIN STREET</b>	<b>364</b>	<b>1456</b>
CITY CLEANERS	1324 ELM ST	367	1458
BELL CLEANERS	1937 COMMERCE ST	371	1465
THIRD RAIL LOFTS	1415 MAIN STREET	375	1466
<b>GIBBS PRINTING COMPA</b>	<b>1803 COMMERCE</b>	<b>378</b>	<b>1467</b>
JOULE HOTEL	1530 MAIN ST	380	1473
<b>CVS PHARMACY 5314</b>	<b>1411 MAIN ST</b>	<b>384</b>	<b>1525</b>
ANA CLEANERS	1505 COMMERCE ST	392	1560



## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>DALLAS COUNTY COMMUN</b>	<b>701 ELM ST</b>	<b>395</b>	<b>1564</b>
JG MOORE & CO TWENTY	ON NE CORNER OF PEAR	404	1573
CORPORATE CARE CLEAN	901 MAIN ST STE C114	406	1577
<b>NISSAN DIESEL AMERIC</b>	<b>901 MAIN ST, STE 430</b>	<b>406</b>	<b>1582</b>
<b>CVS PHARMACY #7750</b>	<b>901 MAIN ST</b>	<b>406</b>	<b>1588</b>
<b>CORGAN ASSOCIATES</b>	<b>501 ELM ST STE 500</b>	<b>415</b>	<b>1611</b>
<b>PROPOSED BELO GARDEN</b>	<b>1014 MAIN STREET</b>	<b>418</b>	<b>1616</b>
POLICE STATION	2108 YOUNG ST.	422	1634
PROPOSED BELO GARDEN	NE CORNER OF GRIFFIN	424	1643
<b>THE ADOLPHUS</b>	<b>1321 COMMERCE ST</b>	<b>427</b>	<b>1654</b>
<b>DALLAS POWER &amp; LIGHT</b>	<b>1506 COMMERCE ST</b>	<b>430</b>	<b>1666</b>
<b>EL CENTRO COLLEGE</b>	<b>801 MAIN ST</b>	<b>431</b>	<b>1674</b>
<b>GEORGE R FREEMAN</b>	<b>111 S LAMAR</b>	<b>432</b>	<b>1677</b>
<b>CVS PHARMACY #2477</b>	<b>208 S AKARD ST, STE</b>	<b>433</b>	<b>1697</b>
<b>ENSERCH PROCESSING C</b>	<b>1817 WOOD ST</b>	<b>437</b>	<b>1701</b>
DALLAS COUNTY UNDERG	606 ELM ST	439	1703
<b>MANOR HOUSE APARTMEN</b>	<b>1222 COMMERCE ST.</b>	<b>444</b>	<b>1710</b>
JACKSON SOC T44121	1410 JACKSON ST	450	1759
<b>MISSOURI KANSAS TEXA</b>	<b>701 COMMERCE ST</b>	<b>458</b>	<b>1824</b>
DAILY COMMERCIAL REC	706 MAIN ST	458	1828
SOUTHWESTERN BELL TE	301 S AKARD ST	459	1828
PARKING GARAGE	301 S AKARD ST	459	1834
AT & T 3 SBC PLAZA N	308 S AKARD ST	461	1870
<b>SOUTHWESTERN BELL TE</b>	<b>308 SOUTH AKARD STRE</b>	<b>461</b>	<b>1880</b>
<b>CENTRAL SERVICE CENT</b>	<b>515 PARK AVENUE</b>	<b>470</b>	<b>1898</b>
KENNEDY PARKING GARA	600 COMMERCE ST	472	1988
<b>CITY OF DALLAS MAIN</b>	<b>1515 YOUNG ST</b>	<b>475</b>	<b>1990</b>
DALLAS CARRIER CENTE	400 S AKARD ST	478	2030
CARRIER CENTER DALLA		479	2041
HARWOOD VILLAGE NORT	601 S HARWOOD ST	480	2041
DALLAS SPORTS ARENA	1726 YOUNG ST	483	2058
NW SERVICE CENTER-II	1726 YOUNG ST	483	2058
JEFFERSON AT KESSLER	1726 YOUNG ST	483	2059
RIVER LEVEE	1726 YOUNG ST	483	2059
27 LOTS IN ST. MARY'	1726 YOUNG ST	483	2059
FISHBURN CLEANERS	1726 YOUNG ST	483	2060
AUSTIN STREET BIKE T	1726 YOUNG ST	483	2060
<b>TALLEY RANCH WWTP 1</b>	<b>1.6 MILE NE INTX. SP</b>	<b>483</b>	<b>2060</b>
BENNETT MILLER HOMES	523 S ERVAY ST	484	2061
<b>SHEPPARD PRINTING CO</b>	<b>500 S ERVAY</b>	<b>495</b>	<b>2075</b>
EASTSIDE WATER PLANT	1500 MARILLA ST RM 4	502	2113
<b>CITY OF DALLAS</b>	<b>1500 MARILLA DR</b>	<b>502</b>	<b>2113</b>
CENTRAL BLDG MGMT DI	1500 MARILLA ST	502	2116
DALLAS CONVENTION CE	800 YOUNG STREET	513	2140

ECHO: ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

A review of the ECHO list, as provided by EDR, and dated 02/25/2018 has revealed that there are 85 ECHO sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>TELENOVA INC</b>	<b>1201 N STEMMONS EXPY</b>	<b>9</b>	<b>15</b>

## EXECUTIVE SUMMARY

Site	Address	Map ID	Page
CVS PHARMACY # 10758	2501 N. FIELD ST.	11	23
CONSOLIDATED CASTING	2425 CAROLINE ST	20	71
ETHERIDGE PRINTING C	2709 BRYAN ST	21	78
DIVERSATYPE INTERNAT	880 N CENTRAL EXPY	24	105
BE MAC TRANSPORT COM	1250 SLOCUM	26	124
LUMINANT GENERATION	2707 FLYNN ST	28	136
UNION PACIFIC DALLAS	2224 N HOUSTON STREE	45	222
WEAVER SPRING & BRAK	723 CANTEGRAL ST	52	235
PREMIUM CLEANERS	3011 GASTON AVE	61	261
NEWMAN GRAPHICS CORP	1015 NORTH HAWKINS	62	266
PECK'S PRODUCTS CO	1103 SLOCUM	66	280
CLASSIC IMPORTS INC	2628 LIVE OAK	72	309
TEXAS CAN	2601 LIVE OAK ST	83	333
HELMS PRINTING CO IN	2710 SWISS AVE	96	379
GREENFEILD ALFRED J	2700 SWISS AVE	104	421
ABOVENET COM - TX-23	2323 BRYAN STREET	109	502
WILKES POWER PLANT	1616 WOODALL RODGERS	112	677
GIDDINGS WELLS BODY	2606 SWISS AVENUE ST	125	697
EARL SCHEIB AUTO PAI	2511 SWISS AVENUE	131	722
GE GREENWAY ENVIRONM	903 SLOCUM ST	145	774
COLOUR IV INC	905 SLOCUM	145	776
FAIRMONT HOTEL DALLA	1717 N AKARD	146	777
CITY PRINTING CO INC	922 DRAGON ST	147	782
UNITED WASTE MATERIA	301 N CROWDS	156	804
SOUTHWESTERN LITHOPL	325 WICHITA ST	161	812
PIONEER NATURAL RESO	1999 BRYAN STREET.,	192	900
OXY USA WTP LP (POOL	1999 BRYAN STREET.,	192	901
HUNT OIL CO	1445 ROSS SUITE 1400	196	940
TXU ELECTRIC DELIVER	500 N. AKARD STREET	199	964
CRAIGS AUTO CENTERS	2815 MAIN ST	211	989
GRAPHIC ENGRAVING CO	1911 GRIFFIN	212	993
GRAPHIC ENGRAVING CO	2001 N. GRIFFIN	212	997
ANDERSON FISCHEL THO	350 N SAINT PAUL ST	223	1031
FINA OIL & CHEM CO	350 N ST PAUL ST	223	1045
TEXAS RADIATOR CO	2649 MAIN STREET	227	1053
W. W. GRAINGER, INC.	2639 MAIN STREET	230	1057
DAL-TEX WIPERS & SUP	703 MCKINNEY SUITE B	236	1077
DAL-TEX WASTE MATERI	703 MCKINNEY STE A	236	1080
CONDUIT FOR CSD	FIELD STREET	243	1125
SUN ENGINE & TRNSMSN	2819 COMMERCE	245	1126
PIONEER STEEL RULE &	1801 GRIFFIN ST	253	1133
CANNON BALL MANUFACT	2221 ELM ST	261	1147
M. L. BEILER TANK BA	325 N SAINT PAUL ST	270	1160
J. B. ANDERSON LEASE	325 N SAINT PAUL ST	270	1161
BROYLES & WOLVERTON	325 N SAINT PAUL ST	270	1162
EDNA TUCKER TANK BAT	325 N SAINT PAUL ST	270	1164
ARGO OIL AND GAS COM	1601 BRYAN ST	272	1168
GABLES REPUBLIC TOWE	350 NORTH ERVAY ST.	273	1173
REDS CLEANERS INC	1320 PATTERSON ST	279	1179
DALLAS GASKET & PACK	2630 COMMERCE ST	291	1191
CVS PHARMACY #8391	1001 ROSS AVE, STE 1	296	1205
GENESIS SCHOOLS D.B.	2121 MAIN STREET	308	1247
ON THE BORDER	1801 N. LAMAR	315	1251
PETRO-HUNT L.L.C.	3900 THANKSGIVING TO	322	1282
HUNT PETROLEUM CORPO	1601 ELM STREET, SUI	322	1283
TONKAWA GAS PROCESSI	1700 PACIFIC AVE	322	1304

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<i>PACIFIC ENTERPRISES</i>	<i>1700 PACIFIC AVENUE,</i>	<i>322</i>	<i>1306</i>
<i>PETERSON SYSTEM INC</i>	<i>2215 COMMERCE ST</i>	<i>330</i>	<i>1329</i>
<i>DALLAS AREA RAPID TR</i>	<i>1701 N MARKET LB2 ST</i>	<i>342</i>	<i>1360</i>
<i>LANDRY'S SEAFOOD HOU</i>	<i>306 N. MARKET ST.</i>	<i>349</i>	<i>1369</i>
<i>JOSKES DEPARTMENT ST</i>	<i>1901 MAIN ST</i>	<i>351</i>	<i>1377</i>
<i>DALLAS TIMES HERALD</i>	<i>1101 PACIFIC AVE</i>	<i>354</i>	<i>1391</i>
<i>COTTON BELT COMPRESS</i>	<i>2400 COPPELL RD</i>	<i>355</i>	<i>1396</i>
<i>FL RICH GAS SERVICES</i>	<i>1717 MAIN STREET SUI</i>	<i>355</i>	<i>1397</i>
<i>R S P HOLDING CO INC</i>	<i>1401 ELM ST</i>	<i>362</i>	<i>1442</i>
<i>GIBBS PRINTING COMPA</i>	<i>1803 COMMERCE</i>	<i>378</i>	<i>1467</i>
<i>CVS PHARMACY 5314</i>	<i>1411 MAIN ST</i>	<i>384</i>	<i>1525</i>
<i>DALLAS COUNTY COMMUN</i>	<i>701 ELM ST</i>	<i>395</i>	<i>1564</i>
<i>NISSAN DIESEL AMERIC</i>	<i>901 MAIN ST, STE 430</i>	<i>406</i>	<i>1582</i>
<i>CVS PHARMACY #7750</i>	<i>901 MAIN ST</i>	<i>406</i>	<i>1588</i>
<i>CORGAN ASSOCIATES</i>	<i>501 ELM ST STE 500</i>	<i>415</i>	<i>1611</i>
<i>THE ADOLPHUS</i>	<i>1321 COMMERCE ST</i>	<i>427</i>	<i>1654</i>
<i>DALLAS POWER &amp; LIGHT</i>	<i>1506 COMMERCE ST</i>	<i>430</i>	<i>1666</i>
<i>EL CENTRO COLLEGE</i>	<i>801 MAIN ST</i>	<i>431</i>	<i>1674</i>
<i>GEORGE R FREEMAN</i>	<i>111 S LAMAR</i>	<i>432</i>	<i>1677</i>
<i>CVS PHARMACY #2477</i>	<i>208 S AKARD ST, STE</i>	<i>433</i>	<i>1697</i>
<i>ENSERCH PROCESSING C</i>	<i>1817 WOOD ST</i>	<i>437</i>	<i>1701</i>
<i>MISSOURI KANSAS TEXA</i>	<i>701 COMMERCE ST</i>	<i>458</i>	<i>1824</i>
<i>SOUTHWESTERN BELL TE</i>	<i>308 SOUTH AKARD STRE</i>	<i>461</i>	<i>1880</i>
<i>CENTRAL SERVICE CENT</i>	<i>515 PARK AVENUE</i>	<i>470</i>	<i>1898</i>
<i>CITY OF DALLAS MAIN</i>	<i>1515 YOUNG ST</i>	<i>475</i>	<i>1990</i>
<i>TALLEY RANCH WWTP 1</i>	<i>1.6 MILE NE INTX. SP</i>	<i>483</i>	<i>2060</i>
<i>SHEPPARD PRINTING CO</i>	<i>500 S ERVAY</i>	<i>495</i>	<i>2075</i>
<i>CITY OF DALLAS</i>	<i>1500 MARILLA DR</i>	<i>502</i>	<i>2113</i>

ABANDONED MINES: An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

A review of the ABANDONED MINES list, as provided by EDR, and dated 03/08/2018 has revealed that there is 1 ABANDONED MINES site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
BREMOND STRIP	500 N AKARD STREET S	199	960

US AIRS: The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

A review of the US AIRS list, as provided by EDR, has revealed that there is 1 US AIRS site within

## EXECUTIVE SUMMARY

the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>W. W. GRAINGER, INC.</b>	<b>2639 MAIN STREET</b>	<b>230</b>	<b>1057</b>
Database: US AIRS MINOR, Date of Government Version: 10/12/2016			

LEAD SMELTERS: A listing of former lead smelter site locations.

A review of the LEAD SMELTERS list, as provided by EDR, has revealed that there is 1 LEAD SMELTERS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
COMMERCIAL METALS CO	512 S. AKARD	500	2090
Database: LEAD SMELTER 2, Date of Government Version: 04/05/2001			

### **STATE AND LOCAL RECORDS**

TX IOP: Contains information on all sites that are in the IOP. An IOP is an innocent owner or operator whose property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination.

A review of the TX IOP list, as provided by EDR, and dated 04/02/2018 has revealed that there are 8 TX IOP sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
JEFFERSON @ BRYAN PL IOP ID: 0053	MULTIPLE PARCELS	4	6
<b>MARQUIS AT TEXAS STR</b> IOP ID: 0840	<b>2806 BRYAN ST.</b>	<b>10</b>	<b>17</b>
<b>AKARD PLACE</b> IOP ID: 0357	<b>2301 NORTH AKARD STR</b>	<b>31</b>	<b>161</b>
DALLAS CASA SITE IOP ID: 0864	2708-2724 FLORENCE S	86	340
<b>FORMER ST ANDREW KIM</b> IOP ID: 1061 IOP ID: 0600 IOP ID: 0680 IOP ID: 0792	<b>2712 SWISS AVE</b>	<b>96</b>	<b>381</b>
<b>2400 BRYAN STREET</b> IOP ID: 0994	<b>2400 BRYAN ST</b>	<b>100</b>	<b>419</b>
3 VAUGHAN COMPANY IOP ID: 0125	918 DRAGON STREET	158	807
<b>RENAISSANCE TOWER PA</b> IOP ID: 0649	<b>1201 PACIFIC AVENUE</b>	<b>328</b>	<b>1322</b>

## EXECUTIVE SUMMARY

TX NPDES: Permitted wastewater outfalls.

A review of the TX NPDES list, as provided by EDR, and dated 05/15/2018 has revealed that there is 1 TX NPDES site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
CITY OF DALLAS MS4 AI: WQ0004396000 Facility Id: 1597 EPA Id: TXS000701	THIS PERMIT COVERS A	509	2128

TX LPST: The Leaking Petroleum Storage Tank Incident Reports contain an inventory of reported leaking petroleum storage tank incidents. The data come from the Texas Commission on Environmental Quality's Leaking Petroleum Storage Tank Database.

A review of the TX LPST list, as provided by EDR, and dated 03/08/2018 has revealed that there are 36 TX LPST sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
FORMER WINGTIP COURI Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED LPST Id: 116288 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0003630	910 N CENTRAL EXPY	7	10
<b>CONSOLIDATED FIBERS</b> Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED LPST Id: 113968 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0020849	<b>2722 ALAMO ST</b>	<b>12</b>	<b>28</b>
<b>UPTOWN CAR WASH</b> LPST Id: 119965 CA Status: 6A - FINAL CONCURRENCE ISSUED	<b>2501 N FIELD ST</b>	<b>19</b>	<b>58</b>
<b>BE MAC TRANSPORT COM</b> Status Code: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING LPST Id: 104953 CA Status: 6P - FINAL PENDING WELL PLUG Facility ID: 0017761	<b>1250 SLOCUM</b>	<b>26</b>	<b>124</b>
<b>CORPORATE COMMUNICAT</b> Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED LPST Id: 112073 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0019151	<b>2311 CAROLINE ST</b>	<b>36</b>	<b>167</b>
<b>TXU MAIN ROAD PROPER</b> Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED LPST Id: 107066 LPST Id: 96210 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0028750	<b>2707 FLYNN STREET</b>	<b>40</b>	<b>187</b>
UNION PACIFIC RR MKT Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED	2224 N HOUSTON AVE I	45	223

## EXECUTIVE SUMMARY

LPST Id: 107079			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
<b>CEMARK FRB DALLAS</b>	<b>1402 CEDAR SPRINGS R</b>	<b>65</b>	<b>271</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 96023			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0003041			
<b>LILLEYS AUTOMOTIVE</b>	<b>2411 BRYAN ST</b>	<b>85</b>	<b>336</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 108595			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0006707			
POLLACK PROPERTY	1007 SLOCUM ST	108	454
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 94293			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
<b>MCMURRY DOWNTON CAR</b>	<b>2701 GASTON AVE</b>	<b>126</b>	<b>703</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 110795			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0031354			
<b>CEMARK R990016</b>	<b>2219 SUMMER ST</b>	<b>137</b>	<b>763</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 96025			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0004000			
<b>MISSOURI PACIFIC RAI</b>	<b>2606 GASTON AVE</b>	<b>164</b>	<b>817</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 109942			
LPST Id: 105982			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0007970			
ROCK TENN COMPANY	300 N MALCOLM X BLVD	167	841
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 109144			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0029521			
WHITE SWAN BLDG	2200 N LAMAR ST	179	862
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 103453			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
SOUTHLAND CENTER COR	LIVE OAK & OLIVE	209	988
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 93172			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0049237			
<b>FIRE STATION 18</b>	<b>660 N GRIFFIN ST</b>	<b>234</b>	<b>1062</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 109098			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0031275			
WELLS BRAKE SHOP	2901 COMMERCE ST	241	1123

## EXECUTIVE SUMMARY

Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 109167			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
FORMER L B STRANGE S	2653 COMMERCE ST	262	1149
LPST Id: 120413			
CA Status: 1 - RELEASE DETERMINATION			
ABANDONED PROPERTY P	1310 PATTERSON AVE	274	1175
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 99704			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
<b>VACANT</b>	<b>500 N FIELD ST</b>	<b>274</b>	<b>1176</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 119016			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
<b>CVS PHARMACY 8391</b>	<b>1001 ROSS AVE STE 11</b>	<b>296</b>	<b>1201</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 116739			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0060672			
UNION TOWER	1511 BRYAN ST	316	1255
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 103557			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0039213			
PEGASUS PLAZA	100 S AKARD ST	386	1543
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 105903			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
1700 COMMERCE PLACE	1700 COMMERCE ST	390	1546
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 108741			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
VACANT PARKING LOT	CANTON ST	404	1573
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 108420			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
EL CENTRO COLLEGE	700 ELM ST	412	1608
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 93301			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0002721			
600 BLK ELM ST	620 ELM ST	419	1632
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 116503			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
<b>YOUNG ST GARAGE</b>	<b>2102 YOUNG ST</b>	<b>423</b>	<b>1635</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 102634			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0031237			
<b>PARKING OF AMERICA</b>	<b>1600 JACKSON ST</b>	<b>442</b>	<b>1705</b>

## EXECUTIVE SUMMARY

Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED  
 LPST Id: 98521  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Facility ID: 0050104

<b>TRAILWAYS</b>	<b>1500 JACKSON ST</b>	<b>447</b>	<b>1723</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 102177			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0040584			
SIX SBC PLAZA T44121	1410 JACKSON ST	450	1751
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 116792			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0019147			
<b>GENERAL SERVICES ADM</b>	<b>1100 COMMERCE ST</b>	<b>452</b>	<b>1768</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 109361			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0029470			
<b>CENTRAL SERVICE CENT</b>	<b>515 PARK AVE</b>	<b>470</b>	<b>1910</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 104916			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0026531			
<b>FIRST PRESBYTERIAN C</b>	<b>408 PARK AVE</b>	<b>470</b>	<b>1953</b>
Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED			
LPST Id: 102403			
CA Status: 6A - FINAL CONCURRENCE ISSUED			
Facility ID: 0031333			
LUBBENS PLAZA EAST P	815 YOUNG ST	507	2126
Status Code: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING			
LPST Id: 107700			
CA Status: 6A - FINAL CONCURRENCE ISSUED			

TX UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Texas Commission on Environmental Quality's Petroleum Storage Tank Database.

A review of the TX UST list, as provided by EDR, and dated 03/01/2018 has revealed that there are 74 TX UST sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
JAMAL BAKOO	910 N CENTRAL EXPY	7	10
Facility Status: INACTIVE			
Facility Id: 3630			
Facility Num: 42281			
AI Number: 467299932002062			
<b>CONSOLIDATED FIBERS</b>	<b>2722 ALAMO ST</b>	<b>12</b>	<b>28</b>
Facility Status: INACTIVE			



## EXECUTIVE SUMMARY

Facility Id: 20849 Facility Num: 57753 AI Number: 921127862002139			
<b>UPTOWN CAR WASH</b>	<b>2501 N FIELD ST</b>	<b>19</b>	<b>58</b>
Facility Status: INACTIVE Facility Id: 71384 Facility Num: 108656 AI Number: 313760912002062			
<b>CONSOLIDATED CASTING</b>	<b>2425 CAROLINE ST</b>	<b>20</b>	<b>71</b>
Facility Status: INACTIVE Facility Id: 6743 Facility Num: 45740 AI Number: 507253712002156			
DUNLAP-SWAIN 1	2607 SAN JACINTO ST	23	85
Facility Status: ACTIVE Facility Id: 6945 Facility Num: 46067 AI Number: 302846022002061			
BROWN EXPRESS	1250 SLOCUM ST	26	112
Facility Status: INACTIVE Facility Id: 17761 Facility Num: 55875 AI Number: 35814572002154			
WILLIAMS GARAGE	2727 BRYAN ST	27	128
Facility Status: INACTIVE Facility Id: 67937 Facility Num: 102661 AI Number: 98177532002062			
<b>CORPORATE COMMUNICAT</b>	<b>2311 CAROLINE ST</b>	<b>36</b>	<b>167</b>
Facility Status: INACTIVE Facility Id: 19151 Facility Num: 76291 AI Number: 351246752002062			
FORMER BECK BUILDING	2813 FLORENCE ST	44	216
Facility Status: INACTIVE Facility Id: 68519 Facility Num: 103669 AI Number: 133625842002062			
MEADOWS FOUNDATION	630 TEXAS ST	48	229
Facility Status: INACTIVE Facility Id: 73006 Facility Num: 111181 AI Number: 462644602002086			
SEVEN-UP BOTTLING OF	2700 LIVE OAK ST	59	248
Facility Status: INACTIVE Facility Id: 3138 Facility Num: 41750 AI Number: 34621452002204			
DALLAS STEAM STATION	2707 FLYNN ST	60	256
Facility Status: INACTIVE Facility Id: 28750			

## EXECUTIVE SUMMARY

Facility Num: 92489			
AI Number: 18038542002156			
<b>CEMARK FRB DALLAS</b>	<b>1402 CEDAR SPRINGS R</b>	<b>65</b>	<b>271</b>
Facility Status: INACTIVE			
Facility Id: 3041			
Facility Num: 95247			
AI Number: 148639532002154			
JEFFERSON AT THE NOR	2323 N FIELD ST	67	291
Facility Status: INACTIVE			
Facility Id: 70289			
Facility Num: 106804			
AI Number: 20062942002117			
VACANT LOT	2711 FLORENCE ST	69	298
Facility Status: INACTIVE			
Facility Id: 46353			
Facility Num: 77797			
AI Number: 845619822002152			
CLARK AUTO	2625 LIVE OAK ST	73	313
Facility Status: INACTIVE			
Facility Id: 20158			
Facility Num: 57245			
AI Number: 909451612002118			
PEERLESS INDUSTRIES	711 OAK ST	74	318
Facility Status: INACTIVE			
Facility Id: 4145			
Facility Num: 42860			
AI Number: 825110812002153			
<b>LILLEYS AUTOMOTIVE</b>	<b>2411 BRYAN ST</b>	<b>85</b>	<b>336</b>
Facility Status: INACTIVE			
Facility Id: 6707			
Facility Num: 83705			
AI Number: 925196962002156			
RUCKER PROPERTY	2623 FLORENCE ST	88	348
Facility Status: INACTIVE			
Facility Id: 68587			
Facility Num: 103766			
AI Number: 813431282002062			
BAYLOR FILLING STATI	3100 JUNIUS ST	94	364
Facility Status: INACTIVE			
Facility Id: 243			
Facility Num: 38149			
AI Number: 886606582002117			
S H LYNCH	607 N OAKLAND AVE	98	385
Facility Status: INACTIVE			
Facility Id: 32580			
Facility Id: 65091			
Facility Id: 32287			
Facility Num: 42594			
Facility Num: 96808			
Facility Num: 66112			
AI Number: 157541722002086			
AI Number: 47485942002086			

## EXECUTIVE SUMMARY

AI Number: 782852602002088			
GYP SUM SUPPLY	2331 SUMMER ST	106	425
Facility Status: INACTIVE			
Facility Id: 68516			
Facility Num: 103665			
AI Number: 124753642002204			
<b>ONCOR HEADQUARTERS</b>	<b>1616 WOODALL RODGERS</b>	<b>112</b>	<b>666</b>
Facility Status: ACTIVE			
Facility Id: 66444			
Facility Num: 99667			
AI Number: 804196282002156			
NO 3 FIRE STATION	500 N OAKLAND AVE	113	677
Facility Status: INACTIVE			
Facility Id: 31290			
Facility Num: 38617			
AI Number: 539020662002087			
JW CAMPBELL & ASSOC	2616 SWISS AVE	114	682
Facility Status: INACTIVE			
Facility Id: 40887			
Facility Num: 70577			
AI Number: 313420492002063			
<b>MCMURRY DOWNTON CAR</b>	<b>2701 GASTON AVE</b>	<b>126</b>	<b>703</b>
Facility Status: INACTIVE			
Facility Id: 31354			
Facility Num: 65436			
AI Number: 727433562002062			
NONE	2519 SWISS AVE	131	726
Facility Status: INACTIVE			
Facility Id: 57026			
Facility Num: 86976			
AI Number: 69056462002139			
<b>DECKER JAIL</b>	<b>899 N STEMMONS FWY</b>	<b>133</b>	<b>737</b>
Facility Status: ACTIVE			
Facility Id: 47828			
Facility Num: 65674			
AI Number: 618831022002153			
<b>CEMARK R990016</b>	<b>2219 SUMMER ST</b>	<b>137</b>	<b>763</b>
Facility Status: INACTIVE			
Facility Id: 4000			
Facility Num: 85684			
AI Number: 63826092002138			
BLUE AMERICAN ICE	309 OAKLAND CIR	154	798
Facility Status: INACTIVE			
Facility Id: 249			
Facility Num: 38161			
AI Number: 333632842002088			
<b>MISSOURI PACIFIC RAI</b>	<b>2606 GASTON AVE</b>	<b>164</b>	<b>817</b>
Facility Status: INACTIVE			
Facility Id: 7970			
Facility Num: 47402			
AI Number: 80846402002068			
UNITED PAPER	300 N MALCOLM X BLVD	167	822

## EXECUTIVE SUMMARY

Facility Status: INACTIVE Facility Id: 29521 Facility Id: 46550 Facility Num: 64222 Facility Num: 78013 AI Number: 695730772002156 AI Number: 250315062006290			
SWISS AVENUE SELF ST	2439 SWISS AVE	168	841
Facility Status: INACTIVE Facility Id: 56872 Facility Num: 86668 AI Number: 724717702002152			
SOUTHLAND CTR	LIVE OAK & OLIVE	188	867
Facility Status: INACTIVE Facility Id: 49237 Facility Num: 81016 AI Number: 316218542002139			
DALLAS TERMINAL	2223 VICTORY AVE	191	891
Facility Status: INACTIVE Facility Id: 66651 Facility Num: 100165 AI Number: 734655632002062			
WAREHOUSE	1006 MCKINNEY AVE	197	941
Facility Status: INACTIVE Facility Id: 65275 Facility Num: 97090 AI Number: 926383792003307			
ONE LINCOLN PLAZA	500 N AKARD ST	199	961
Facility Status: INACTIVE Facility Id: 63962 Facility Num: 94897 AI Number: 484662222003073			
DAL WORTH SHIPPERS A	212 N GOOD LATIMER E	213	1005
Facility Status: ACTIVE Facility Id: 16030 Facility Num: 54674 AI Number: 902521662002086			
MEDIPARK GARAGE	2001 LIVE OAK ST	218	1017
Facility Status: INACTIVE Facility Id: 45605 Facility Num: 77160 AI Number: 761123982002062			
<b>FIRE STATION 18</b>	<b>660 N GRIFFIN ST</b>	<b>234</b>	<b>1062</b>
Facility Status: ACTIVE Facility Id: 31275 Facility Num: 38602 AI Number: 453339352002062			
THE BREWERY	703 MCKINNEY AVE	236	1074
Facility Status: INACTIVE Facility Id: 64300 Facility Num: 95398 AI Number: 638294302002117			
TOWER BUILDING	1900 PACIFIC AVE	269	1153

## EXECUTIVE SUMMARY

Facility Status: INACTIVE Facility Id: 66272 Facility Num: 99347 AI Number: 394020382002062			
LAWSROSS Facility Status: INACTIVE Facility Id: 60672 Facility Num: 90358 AI Number: 668852642002061	1001 ROSS AVE	296	1195
ELM STREET GARAGE Facility Status: INACTIVE Facility Id: 46687 Facility Num: 78176 AI Number: 11574402002062	2100 ELM ST	297	1210
7-ELEVEN 34997 Facility Status: ACTIVE Facility Id: 84904 Facility Num: 130018 AI Number: 750353992012205	1010 ROSS AVE	307	1225
CENTRAL FIRE STATION Facility Status: INACTIVE Facility Id: 31234 Facility Num: 38562 AI Number: 987420462002117	2111 MAIN ST	308	1238
UNION TOWER Facility Status: INACTIVE Facility Id: 39213 Facility Num: 92573 AI Number: 309074762002062	1511 BRYAN ST	316	1256
<b>1700 PACIFIC AVENUE</b> Facility Status: ACTIVE Facility Id: 57024 Facility Num: 86978 AI Number: 543753082002150	<b>1700 PACIFIC AVE STE</b>	<b>322</b>	<b>1307</b>
MEISEL PHOTOCHROME Facility Status: INACTIVE Facility Id: 61889 Facility Num: 90392 AI Number: 366192362002062	902 ROSS AVE	332	1333
WESTERN UNION TELEGR Facility Status: INACTIVE Facility Id: 30215 Facility Num: 64730 AI Number: 530858012002138	2030 MAIN ST	336	1345
JOSKES DOWNTOWN DALL Facility Status: INACTIVE Facility Id: 26528 Facility Num: 62369 AI Number: 53757422002149	1901 MAIN ST	351	1379
TEATRO DALLAS Facility Status: INACTIVE	2204 COMMERCE ST	352	1384

## EXECUTIVE SUMMARY

Facility Id: 70317 Facility Num: 106844 AI Number: 337659292002256			
DALLAS MKT YARD	555 ROSS AVE	360	1414
Facility Status: INACTIVE Facility Id: 49114 Facility Id: 49789 Facility Num: 61556 Facility Num: 61562 AI Number: 223111072002062 AI Number: 276700122002086			
INTERSTATE TRINITY B	601 PACIFIC AVE	382	1516
Facility Status: INACTIVE Facility Id: 65073 Facility Num: 96782 AI Number: 517376692002069			
EL CENTRO COLLEGE	700 ELM ST	412	1604
Facility Status: INACTIVE Facility Id: 2721 Facility Num: 41273 AI Number: 198071352002062			
DALLAS COUNTY PARKIN	600 ELM ST	419	1622
Facility Status: INACTIVE Facility Id: 77631 Facility Num: 119462 AI Number: 464524922005290			
<b>YOUNG ST GARAGE</b>	<b>2102 YOUNG ST</b>	<b>423</b>	<b>1635</b>
Facility Status: INACTIVE Facility Id: 31237 Facility Num: 38565 AI Number: 784649732002061			
HOTEL ADOLPHUS	1321 COMMERCE ST	427	1649
Facility Status: ACTIVE Facility Id: 43687 Facility Num: 72294 AI Number: 48632132002152			
<b>PARKING OF AMERICA</b>	<b>1600 JACKSON ST</b>	<b>442</b>	<b>1705</b>
Facility Status: INACTIVE Facility Id: 50104 Facility Num: 81763 AI Number: 180628722002149			
<b>TRAILWAYS</b>	<b>1500 JACKSON ST</b>	<b>447</b>	<b>1723</b>
Facility Status: INACTIVE Facility Id: 40584 Facility Num: 79993 AI Number: 564148652002062			
SIX SBC PLAZA T44121	1410 JACKSON ST	450	1729
Facility Status: ACTIVE Facility Id: 19147 Facility Num: 76287 AI Number: 526108392002156			
<b>GENERAL SERVICES ADM</b>	<b>1100 COMMERCE ST</b>	<b>452</b>	<b>1768</b>

## EXECUTIVE SUMMARY

Facility Status: INACTIVE Facility Id: 29470 Facility Num: 75184 AI Number: 658366342002116			
<b>OLD DALLAS COUNTY JA</b>	<b>509 MAIN ST</b>	<b>456</b>	<b>1778</b>
Facility Status: ACTIVE Facility Id: 31683 Facility Num: 65669 AI Number: 231808712002153			
FIVE SBC PLAZA T4400	301 S AKARD ST	459	1837
Facility Status: ACTIVE Facility Id: 65688 Facility Num: 76834 AI Number: 279838182002155			
3 BELL PLAZA	308 S AKARD ST	461	1856
Facility Status: INACTIVE Facility Id: 19526 Facility Num: 76635 AI Number: 882633832002150			
<b>CENTRAL SERVICE CENT</b>	<b>515 PARK AVE</b>	<b>470</b>	<b>1910</b>
Facility Status: INACTIVE Facility Id: 26531 Facility Num: 92481 AI Number: 53389622002062			
<b>FIRST PRESBYTERIAN C</b>	<b>408 PARK AVE</b>	<b>470</b>	<b>1953</b>
Facility Status: INACTIVE Facility Id: 31333 Facility Num: 65415 AI Number: 318096182002069			
<b>GEORGE ALLEN COURTS</b>	<b>600 COMMERCE ST</b>	<b>472</b>	<b>1967</b>
Facility Status: ACTIVE Facility Id: 31682 Facility Num: 65668 AI Number: 491803862002153			
FIRST PRESBYTERIAN C	1822 YOUNG ST	476	2000
Facility Status: INACTIVE Facility Id: 58660 Facility Num: 65416 AI Number: 633527622002062			
CARRIER CENTER DALLA	400 S AKARD ST STE 1	478	2004
Facility Status: ACTIVE Facility Id: 61935 Facility Num: 92135 AI Number: 112108582002062			
MIDW10	1100 JACKSON ST	482	2052
Facility Status: INACTIVE Facility Id: 50950 Facility Num: 85703 AI Number: 431534892002138			
GSA BUILDING	1301 YOUNG ST	498	2081
Facility Status: INACTIVE			

## EXECUTIVE SUMMARY

Facility Id: 65937 Facility Num: 98350 AI Number: 787683832002061			
GRIFFIN STREET AUTOP	1002 WOOD ST	499	2084
Facility Status: INACTIVE Facility Id: 71055 Facility Num: 108197 AI Number: 964357722002063			
CENTRAL BLDG MGMT DI	1500 MARILLA ST	502	2096
Facility Status: ACTIVE Facility Id: 31230 Facility Num: 38559 AI Number: 997323662002117			

TX AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Texas Commission on Environmental Quality's Petroleum Storage Tank Database.

A review of the TX AST list, as provided by EDR, and dated 03/01/2018 has revealed that there are 11 TX AST sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
FPL FIBERNET DALLAS	2323 BRYAN ST STE 23	109	560
Facility Id: 114936 Facility Id: 122477 Facility Id: 123194 Facility Id: 123287 Facility Id: 123381 Facility Id: 204775282002138 Facility Id: 750590492008122 Facility Id: 647611402009068 Facility Id: 697343412011158 Facility Id: 286367442009033 Facility Id: 75125 Facility Id: 79099 Facility Id: 79518 Facility Id: 79579 Facility Id: 79634 Facility Status: ACTIVE			
SHERATON DALLAS HOTE	400 OLIVE ST	198	948
Facility Id: 97434 Facility Id: 266010292002157 Facility Id: 65463 Facility Status: ACTIVE			
VERIZON GLOBAL NETWO	2020 LIVE OAK ST STE	239	1099
Facility Id: 114356 Facility Id: 863331192002062 Facility Id: 74839 Facility Status: ACTIVE			
FORMER LTV TOWER	1600 PACIFIC AVE	323	1314
Facility Id: 121586			



## EXECUTIVE SUMMARY

Facility Id: 785666642007233			
Facility Id: 78692			
Facility Status: INACTIVE			
BANK ONE CENTER	1717 MAIN ST	355	1403
Facility Id: 78177			
Facility Id: 919052182002150			
Facility Id: 61669			
Facility Status: ACTIVE			
THE DREVER	1401 ELM ST	362	1434
Facility Id: 85877			
Facility Id: 992849062002155			
Facility Id: 56023			
Facility Status: Inactive			
HOTEL ADOLPHUS	1321 COMMERCE ST	427	1663
Facility Id: 72294			
Facility Id: 48632132002152			
Facility Id: 43687			
Facility Status: ACTIVE			
FIVE SBC PLAZA T4400	301 S AKARD ST	459	1836
Facility Id: 76834			
Facility Id: 279838182002155			
Facility Id: 65688			
Facility Status: ACTIVE			
J ERICK JONSSSEN LIBR	1515 YOUNG ST	475	1996
Facility Id: 38632			
Facility Id: 551430242003091			
Facility Id: 50406			
Facility Status: ACTIVE			
DATABANK DALLAS	400 S AKARD ST STE 3	478	2015
Facility Id: 129798			
Facility Id: 92135			
Facility Id: 112441			
Facility Id: 116650			
Facility Id: 476307952011299			
Facility Id: 112108582002062			
Facility Id: 306578082002241			
Facility Id: 780556572005244			
Facility Id: 84734			
Facility Id: 61935			
Facility Id: 73775			
Facility Id: 76035			
Facility Status: ACTIVE			
DATABANK	400 S AKARD ST STE 1	478	2026
Facility Id: 133562			
Facility Id: 874492192016133			
Facility Id: 88447			
Facility Status: ACTIVE			

## EXECUTIVE SUMMARY

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 04/30/2018 has revealed that there is 1 NY MANIFEST site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
USEPA EPA ID: TXD039826474	1445 ROSS AVE(6E - E	196	926

TX SPILLS: The Spills Database comes from the Texas Commission on Environmental Quality.

A review of the TX SPILLS list, as provided by EDR, has revealed that there are 28 TX SPILLS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
309 NORTH OAKLAND DA Database: SPILLS, Date of Government Version: 04/30/2018	309 NORTH OAKLAND DA	154	797
1313 N. HILLCREST, S Database: SPILLS, Date of Government Version: 04/30/2018	1313 N. HILLCREST, S	209	976
TU - MONTICELLO, 6 M Database: SPILLS, Date of Government Version: 04/30/2018	TU - MONTICELLO, 6 M	209	977
308 WASHINGTON, KILL Database: SPILLS, Date of Government Version: 04/30/2018	308 WASHINGTON, KILL	209	978
900 N. F STREET; POL Database: SPILLS, Date of Government Version: 04/30/2018	900 N. F STREET; POL	209	979
MORGAN CREEK POWER P Database: SPILLS, Date of Government Version: 04/30/2018	MORGAN CREEK POWER P	209	980
MOUNTAIN CREEK STEAM Database: SPILLS, Date of Government Version: 04/30/2018	MOUNTAIN CREEK STEAM	209	981
HWY 69, IN FRONT OF Database: SPILLS, Date of Government Version: 04/30/2018	HWY 69, IN FRONT OF	209	982
TRUNK ST AT OAK LANE Database: SPILLS, Date of Government Version: 04/30/2018	TRUNK ST AT OAK LANE	209	983
2301 S. LANCASTER, D Database: SPILLS, Date of Government Version: 04/30/2018	2301 S. LANCASTER, D	209	984
TU ELECTRIC'S MARTIN Database: SPILLS, Date of Government Version: 04/30/2018	TU ELECTRIC'S MARTIN	209	985
MARTIN LAKE STEAM EL Database: SPILLS, Date of Government Version: 04/30/2018	MARTIN LAKE STEAM EL	209	986
3935 LUPTON, DALLAS Database: SPILLS, Date of Government Version: 04/30/2018	3935 LUPTON, DALLAS	209	987
212 N. GOODE-LATEMIE Database: SPILLS, Date of Government Version: 04/30/2018	212 N. GOODE-LATEMIE	213	1010
107 POWELL DR., HUBB Database: SPILLS, Date of Government Version: 04/30/2018	107 POWELL DR., HUBB	294	1194
APPROX. 4 MILES WEST Database: SPILLS, Date of Government Version: 04/30/2018	APPROX. 4 MILES WEST	299	1218

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
14 MILE WEST OF THE Database: SPILLS, Date of Government Version: 04/30/2018	14 MILE WEST OF THE	299	1219
1511 BRYAN ST.,DALLA Database: SPILLS, Date of Government Version: 04/30/2018	1511 BRYAN ST.,DALLA	316	1254
11819 GOVERNOR RD., Database: SPILLS, Date of Government Version: 04/30/2018	11819 GOVERNOR RD.,	355	1395
500 S. MAVIS ST., IR Database: SPILLS, Date of Government Version: 04/30/2018	500 S. MAVIS ST., IR	402	1571
2ND AVE & 25 REESE S Database: SPILLS, Date of Government Version: 04/30/2018	2ND AVE & 25 REESE S	407	1600
VOLGA OPAL, DALLAS Database: SPILLS, Date of Government Version: 04/30/2018	VOLGA OPAL, DALLAS	407	1601
1815 N. OAK MINERAL Database: SPILLS, Date of Government Version: 04/30/2018	1815 N. OAK MINERAL	432	1682
1200 MAIN ST., DALLA Database: SPILLS, Date of Government Version: 04/30/2018	1200 MAIN ST., DALLA	435	1697
LONE STAR ENERY, ADJ Database: SPILLS, Date of Government Version: 04/30/2018	LONE STAR ENERY, ADJ	443	1709
FIRE TRAINING ACADEM Database: SPILLS, Date of Government Version: 04/30/2018	FIRE TRAINING ACADEM	510	2134
2411 VALDERIA, DALLA Database: SPILLS, Date of Government Version: 04/30/2018	2411 VALDERIA, DALLA	510	2135
8900 ALDORA, DALLAS Database: SPILLS, Date of Government Version: 04/30/2018	8900 ALDORA, DALLAS	510	2136

TX AUL: Sites that have institutional controls.

A review of the TX AUL list, as provided by EDR, and dated 04/04/2018 has revealed that there are 18 TX AUL sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>CARGILL PROPERTY</b> Facility Id: 0909	<b>2615 ALAMO STREET/25</b>	<b>12</b>	<b>24</b>
<b>CONSOLIDATED FIBERS</b> Facility Id: 0938	<b>2722 ALAMO ST</b>	<b>12</b>	<b>28</b>
<b>MU PROPERTY</b> Facility Id: 0712	<b>NWC AND SWC HI LINE</b>	<b>14</b>	<b>46</b>
<b>LUNA PROPERTY</b> Facility Id: 0997	<b>SW OF HARRY HINES AN</b>	<b>18</b>	<b>54</b>
<b>TXU TERMINATION PROP</b> Facility Id: 1084	<b>WEST OF WICHITA AND</b>	<b>25</b>	<b>107</b>
<b>BROOMFIELD NORTH PRO</b> Facility Id: 0739	<b>SCW OLIN WELLBORN AN</b>	<b>38</b>	<b>177</b>
<b>MARTINEZ PROPERTY</b>	<b>EAST OF PAYNE ST./NO</b>	<b>38</b>	<b>181</b>

## EXECUTIVE SUMMARY

Facility Id: 1115			
<b>FLYNN STREET PROPERT</b>	<b>SOUTH OF ALAMO AND W</b>	<b>39</b>	<b>183</b>
Facility Id: 0735			
<b>UP NORTH ENTRANCE PR</b>	<b>WEST OF INTERSECTION</b>	<b>39</b>	<b>185</b>
Facility Id: 0740			
<b>TXU MAIN ROAD PROPER</b>	<b>2707 FLYNN STREET</b>	<b>40</b>	<b>187</b>
Facility Id: 1157			
<b>TUEC NORTH B</b>	<b>WEST OF ALAMO STREET</b>	<b>87</b>	<b>340</b>
Facility Id: 0733			
<b>TUEC NORTH A</b>	<b>WEST OF ALAMO STREET</b>	<b>87</b>	<b>342</b>
Facility Id: 0732			
<b>DEEP ELLUM PROJECT</b>	<b>INDIANA STREET AND M</b>	<b>154</b>	<b>792</b>
Facility Id: 1220			
<b>TUEC SOUTH PROPERTY</b>	<b>NORTH OF CONTINENTAL</b>	<b>170</b>	<b>846</b>
Facility Id: 0734			
<b>LG MAGNOLIA LP</b>	<b>1100 MCKINNEY AVENUE</b>	<b>174</b>	<b>852</b>
Facility Id: 2093			
<b>UP SOUTH PROPERTY</b>	<b>NORTH OF CONTINENTAL</b>	<b>191</b>	<b>872</b>
Facility Id: 0743			
<b>STORAGE CHOICE</b>	<b>2409 &amp; 2425 CANTON S</b>	<b>339</b>	<b>1358</b>
Facility Id: 2764			
<b>COMMERCIAL PARKING L</b>	<b>1720 WOOD STREET</b>	<b>451</b>	<b>1762</b>
Facility Id: 2377			

### TX VCP: Voluntary Cleanup Program Sites.

A review of the TX VCP list, as provided by EDR, has revealed that there are 58 TX VCP sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
HOUSTON STREET/UP CE Database: VCP TCEQ, Date of Government Version: 04/02/2018 Facility ID: 0744	SEC FLYNN AND ALAMO	2	4
JEFFERSON @ BRYAN PL Database: VCP TCEQ, Date of Government Version: 04/02/2018 Facility ID: 0813	MULTIPLE PARCELS, SE	4	7
JEFFERSON AT BRYAN P Database: VCP TCEQ, Date of Government Version: 04/02/2018 Facility ID: 0676	5 TRACTS	4	8
<b>CARGILL PROPERTY</b> Database: VCP TCEQ, Date of Government Version: 04/02/2018 Facility ID: 0909	<b>2615 ALAMO STREET/25</b>	<b>12</b>	<b>24</b>
<b>CONSOLIDATED FIBERS</b> Database: VCP TCEQ, Date of Government Version: 04/02/2018 Facility ID: 0938	<b>2722 ALAMO ST</b>	<b>12</b>	<b>28</b>
MU HI LINE DRIVE PRO Database: VCP TCEQ, Date of Government Version: 04/02/2018	HI LINE DRIVE WEST O	14	44

## EXECUTIVE SUMMARY

Facility ID: 0713			
<b>MU PROPERTY</b>	<b>NWC AND SWC HI LINE</b>	<b>14</b>	<b>46</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0712			
<b>LUNA PROPERTY</b>	<b>SW OF HARRY HINES AN</b>	<b>18</b>	<b>54</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0997			
<b>TXU TERMINATION PROP</b>	<b>WEST OF WICHITA AND</b>	<b>25</b>	<b>107</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1084			
<b>CITY LIGHTS II</b>	<b>718 CANTEGRAL ST AND</b>	<b>37</b>	<b>173</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2864			
<b>BROOMFIELD NORTH PRO</b>	<b>SCW OLIN WELLBORN AN</b>	<b>38</b>	<b>177</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0739			
<b>MARTINEZ PROPERTY</b>	<b>EAST OF PAYNE ST./NO</b>	<b>38</b>	<b>181</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1115			
<b>FLYNN STREET PROPERT</b>	<b>SOUTH OF ALAMO AND W</b>	<b>39</b>	<b>183</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0735			
<b>UP NORTH ENTRANCE PR</b>	<b>WEST OF INTERSECTION</b>	<b>39</b>	<b>185</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0740			
<b>TXU MAIN ROAD PROPER</b>	<b>2707 FLYNN STREET</b>	<b>40</b>	<b>187</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1157			
Facility ID: 1294			
Facility ID: 1295			
<b>LAWS STREET PROPERTY</b>	<b>3090 OLIVE STREET ST</b>	<b>42</b>	<b>213</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2540			
<b>LIVE OAK PROPERTY</b>	<b>2720 LIVE OAK ST</b>	<b>46</b>	<b>227</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2813			
PROPOSED VICTORY PAR	3099 OLIVE ST	53	242
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2900			
<b>WICHITA STREET REMNA</b>	<b>ADJACENT TO TU NORTH</b>	<b>58</b>	<b>244</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1263			
COMMERCIAL PROPERTY	3001, 3011, & 3015 G	61	265
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2784			
HOUSTON/WICHITA STRE	NORTH OF LAWS ST/WES	77	328
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0860			
<b>CITY LIGHTS PROPERTY</b>	<b>2601 LIVE OAK ST</b>	<b>83</b>	<b>330</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			

## EXECUTIVE SUMMARY

Facility ID: 2603			
<b>TUEC NORTH B</b>	<b>WEST OF ALAMO STREET</b>	<b>87</b>	<b>340</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0733			
<b>TUEC NORTH A</b>	<b>WEST OF ALAMO STREET</b>	<b>87</b>	<b>342</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0732			
<b>DALLAS STEAM ELECTRI</b>	<b>2727 FLYNN STREET</b>	<b>87</b>	<b>344</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0163			
HOUSTON STREET/UP SO	NORTH OF WOODALL ROG	93	361
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0742			
PARKING LOT "WEST EN	BETWEEN PACIFIC AVE.	111	663
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0928			
<b>AMERICAN ELECTRIC PO</b>	<b>1616 WOODALL ROGERS</b>	<b>112</b>	<b>664</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1777			
<b>FAIRMONT HOTEL DALLA</b>	<b>1717 N AKARD ST</b>	<b>117</b>	<b>687</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2576			
FIELD STREET SITE (R	FIELD STREET @ WOODA	120	692
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0877			
FIELD AND WOODALL SI	FIELD AND WOODALL RO	121	693
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0161			
2012 FIELD STREET PR	1414 WOODALL RODGERS	124	696
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2625			
615 NORTH GOOD LATIM	615 N GOOD LATIMER E	127	718
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2806			
<b>OLD DALLAS HIGH SCHO</b>	<b>2214 BRYAN STREET</b>	<b>130</b>	<b>720</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2517			
LAWS STREET DEVELOPM	2200 LAWS STREET	132	735
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1774			
<b>STORAGE CHOICE</b>	<b>903 SLOCUM ST</b>	<b>145</b>	<b>771</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2807			
<b>DEEP ELLUM PROJECT</b>	<b>INDIANA STREET AND M</b>	<b>154</b>	<b>792</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1220			
<b>WILLIAMSON PROPERTY</b>	<b>INTERSECTION RIVER A</b>	<b>160</b>	<b>808</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1034			
ALPERT CAPITAL/JNC P	NWC FIELD AND BROOM	160	810
Database: VCP TCEQ, Date of Government Version: 04/02/2018			

## EXECUTIVE SUMMARY

Facility ID: 1154			
BROOMFIELD SOUTH PRO	INTERSECTION RIVER A	160	811
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0942			
<b>TUEC SOUTH PROPERTY</b>	<b>NORTH OF CONTINENTAL</b>	<b>170</b>	<b>846</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0734			
<b>LG MAGNOLIA LP</b>	<b>1100 MCKINNEY AVENUE</b>	<b>174</b>	<b>852</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2093			
<b>ADAMS MARK HOTEL</b>	<b>400 OLIVE ST</b>	<b>178</b>	<b>858</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2138			
WHITE SWAN BUILDING	2200 NORTH LAMAR STR	179	862
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1852			
LAWS STREET LOTS (22	2201, 2213, 2217, 22	180	863
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1036			
<b>UP SOUTH PROPERTY</b>	<b>NORTH OF CONTINENTAL</b>	<b>191</b>	<b>872</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0743			
<b>2625 ELM STREET</b>	<b>2625 ELM STREET</b>	<b>201</b>	<b>966</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2488			
<b>GRAPHICS ENGRAVING F</b>	<b>1012 MCKINNEY AVE</b>	<b>208</b>	<b>973</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2696			
<b>GRAPHICS ENGRAVING F</b>	<b>2001 NORTH GRIFFIN S</b>	<b>212</b>	<b>1003</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0033			
<b>WOODALL UNITED INVES</b>	<b>1305 ROSS AND 704 NO</b>	<b>214</b>	<b>1012</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1890			
PACIFIC PLAZA	1901 PACIFIC AVE, 30	223	1050
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2898			
<b>COMMERCE &amp; HENRY</b>	<b>2700, 2712, 2718 COM</b>	<b>286</b>	<b>1187</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2816			
<b>RENAISSANCE TOWER PA</b>	<b>1201 PACIFIC AVENUE</b>	<b>328</b>	<b>1322</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2269			
<b>STORAGE CHOICE</b>	<b>2409 &amp; 2425 CANTON S</b>	<b>339</b>	<b>1358</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2764			
<b>ELM BUILDING</b>	<b>1505 ELM STREET</b>	<b>350</b>	<b>1370</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 0786			
<b>DALLAS GAS AND FUEL</b>	<b>595 ROSS AVENUE</b>	<b>357</b>	<b>1406</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			

## EXECUTIVE SUMMARY

Facility ID: 1914			
Facility ID: 2502			
Joule Hotel	1530 MAIN STREET	380	1472
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 1650			
<b>COMMERCIAL PARKING L</b>	<b>1720 WOOD STREET</b>	<b>451</b>	<b>1762</b>
Database: VCP TCEQ, Date of Government Version: 04/02/2018			
Facility ID: 2377			

TX PRIORITYCLEANERS: A listing of dry cleaner related contaminated sites.

A review of the TX PRIORITYCLEANERS list, as provided by EDR, and dated 03/01/2018 has revealed that there is 1 TX PRIORITYCLEANERS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
FORMER GLO CLEANERS Priority Status: Closed DCRP App Number: DC0080	2815 LIVE OAK ST	22	82

TX DRYCLEANERS: Drycleaner Registration Database Listing.

A review of the TX DRYCLEANERS list, as provided by EDR, and dated 02/02/2018 has revealed that there are 8 TX DRYCLEANERS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
FULLERS CLEANERS AR Number: 24001265 CN Number: CN602487423 RN Number: RN104137138 Site Status: ACTIVE	2817 LIVE OAK ST	17	49
<b>ADAMS MARK HOTEL</b> AR Number: 24002571 AR Number: 24002685 CN Number: CN601277940 CN Number: CN602702292 RN Number: RN102494044 Site Status: ACTIVE	<b>400 OLIVE ST</b>	<b>178</b>	<b>858</b>
<b>FOUNTAIN PLACE</b> AR Number: 24000395 AR Number: 24007355 CN Number: CN602474132 CN Number: CN605070689 RN Number: RN103982427 Site Status: ACTIVE	<b>1445 ROSS AVE.</b>	<b>196</b>	<b>931</b>
PIONEER CLEANERS AR Number: 24005466 CN Number: CN603071374	2000 ELM ST	297	1205



## EXECUTIVE SUMMARY

RN Number: RN105008536			
Site Status: ACTIVE			
TOWER CLEANERS	1324 ELM ST	367	1458
AR Number: 24000395			
AR Number: 24007355			
AR Number: 24001571			
AR Number: 24002970			
CN Number: CN602474132			
CN Number: CN605070689			
CN Number: CN602507436			
CN Number: CN602766677			
RN Number: RN104061718			
Site Status: ACTIVE			
BELL CLEANERS	1937 COMMERCE ST	371	1465
AR Number: 24002276			
CN Number: CN602542912			
RN Number: RN104105788			
Site Status: ACTIVE			
ANA CLEANERS	1505 COMMERCE ST	392	1560
AR Number: 24000468			
CN Number: CN602458713			
RN Number: RN103957957			
Site Status: ACTIVE			
CORPORATE CARE CLEAN	901 MAIN ST STE C114	406	1580
AR Number: 24000438			
CN Number: CN602469678			
RN Number: RN105194658			
Site Status: ACTIVE			

Brownfield site assessments that are being cleaned under EPA grant monies.

A review of the TX BROWNFIELDS list, as provided by EDR, and dated 04/02/2018 has revealed that there is 1 TX BROWNFIELDS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>DALLAS GAS AND FUEL</b>	<b>595 ROSS AVENUE</b>	<b>357</b>	<b>1406</b>
BF Grant Number: G094			

TX ENF: Administrative Orders issued to Municipal Solid Waste, Petroleum Storage Tank and Multi-Media Sites

A review of the TX ENF list, as provided by EDR, and dated 04/18/2018 has revealed that there are 2 TX ENF sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
UPTOWN CAR WASH	2501 N FIELD ST	19	56
Unique TCEQ Ref# of Reg Entity: RN101564193			

## EXECUTIVE SUMMARY

Status of NOV: RESOLVED

Status of NOV: ACTIVE

DUNLAP-SWAIN 1	2607 SAN JACINTO	23	83
Unique TCEQ Ref# of Reg Entity: RN101538296			
Status of NOV: RESOLVED			

TX Ind. Haz Waste: The Industrial and Hazardous Waste Database contains summary reports by waste handlers, generators and shippers in Texas.

A review of the TX Ind. Haz Waste list, as provided by EDR, and dated 03/01/2018 has revealed that there are 60 TX Ind. Haz Waste sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
NEUHOFF BROS PACKERS Registration Number: 30954	2821 ALAMO ST	12	26
<b>ETHERIDGE PRINTING C</b> Registration Number: 76356	<b>2709 BRYAN ST</b>	<b>21</b>	<b>78</b>
DIVERSATYPE INTERNAT Registration Number: 66601	880 N CENTRAL EXPY	24	103
<b>BE MAC TRANSPORT COM</b> Registration Number: 40025	<b>1250 SLOCUM</b>	<b>26</b>	<b>124</b>
<b>CITY LIGHTS II</b> Registration Number: 55315	<b>718 CANTEGRAL ST AND</b>	<b>37</b>	<b>173</b>
<b>TXU MAIN ROAD PROPER</b> Registration Number: 31884	<b>2707 FLYNN STREET</b>	<b>40</b>	<b>187</b>
WEAVER SPRING & BRAK Registration Number: 74492	723 CANTEGRAL ST	52	239
<b>PREMIUM CLEANERS</b> Registration Number: 74775	<b>3011 GASTON AVE</b>	<b>61</b>	<b>261</b>
<b>NEWMAN GRAPHICS CORP</b> Registration Number: 65589	<b>1015 NORTH HAWKINS</b>	<b>62</b>	<b>266</b>
<b>CLASSIC IMPORTS INC</b> Registration Number: 55176	<b>2628 LIVE OAK</b>	<b>72</b>	<b>309</b>
HELMS PRINTING Registration Number: 36983	2710 SWISS AVE	96	377
GREENFEILD ALFRED J Registration Number: 65548	2700 SWISS AVE	104	423
<b>FAIRMONT HOTEL DALLA</b> Registration Number: 73864	<b>1717 N AKARD ST</b>	<b>117</b>	<b>687</b>
<b>GIDDINGS WELLS BODY</b> Registration Number: 73322	<b>2606 SWISS AVENUE ST</b>	<b>125</b>	<b>697</b>
EARL SCHEIB AUTO PAI Registration Number: 66884	2511 SWISS AVE	131	724
<b>STORAGE CHOICE</b> Registration Number: 89441	<b>903 SLOCUM ST</b>	<b>145</b>	<b>771</b>
CITY PRINTING	922 DRAGON ST	147	780

## EXECUTIVE SUMMARY

Registration Number: 65524			
<b>CITY PRINTING CO INC</b>	<b>922 DRAGON ST</b>	<b>147</b>	<b>782</b>
Registration Number: 36452			
<b>UNITED WASTE MATERIA</b>	<b>301 N CROWDS</b>	<b>156</b>	<b>804</b>
Registration Number: 65828			
SOUTHWESTERN LITHOPL	325 WICHITA ST	161	814
Registration Number: 65841			
<b>ROSS TOWER</b>	<b>500 N AKARD STREET</b>	<b>199</b>	<b>951</b>
Registration Number: 88397			
<b>CRAIGS AUTO CENTERS</b>	<b>2815 MAIN ST</b>	<b>211</b>	<b>989</b>
Registration Number: 65891			
<b>GRAPHIC ENGRAVING CO</b>	<b>1911 GRIFFIN</b>	<b>212</b>	<b>993</b>
Registration Number: 65547			
<b>GRAPHIC ENGRAVING</b>	<b>2001 N GRIFFIN ST</b>	<b>212</b>	<b>1000</b>
Registration Number: 38014			
<b>ANDERSON FISCHEL THO</b>	<b>350 N SAINT PAUL ST</b>	<b>223</b>	<b>1046</b>
Registration Number: 81708			
TEXAS RADIATOR	2649 MAIN ST	227	1055
Registration Number: 55245			
DAL-TEX WIPERS & SUP	703 MCKINNEY AVE STE	236	1078
Registration Number: 65692			
<b>DAL-TEX WASTE MATERI</b>	<b>703 MCKINNEY STE A</b>	<b>236</b>	<b>1080</b>
Registration Number: 65323			
DAL-TEX WIPERS	703 MCKINNEY AVE STE	236	1084
Registration Number: 36540			
<b>PIONEER STEEL RULE &amp;</b>	<b>1801 GRIFFIN ST</b>	<b>253</b>	<b>1133</b>
Registration Number: 65762			
CANNON BALL MFG	2221 ELM ST	261	1143
Registration Number: 65678			
CANNON BALL MANUFACT	2221 ELM ST	261	1145
Registration Number: 36343			
REDS CLEANERS	1320 PATTERSON ST	279	1181
Registration Number: 75357			
DALLAS GASKET AND PA	2630 COMMERCE ST	291	1189
Registration Number: 32848			
<b>CVS PHARMACY 8391</b>	<b>1001 ROSS AVE STE 11</b>	<b>296</b>	<b>1201</b>
Registration Number: 96651			
<b>OFFICE BUILDING</b>	<b>1601 ELM ST SUITE 23</b>	<b>322</b>	<b>1298</b>
Registration Number: 67602			
SOUTHWESTERN BLUEPRI	2108 MAIN ST	327	1320
Registration Number: 61897			
PETERSON SYSTEM	2215 COMMERCE ST	330	1330
Registration Number: 65322			
DALLAS AREA RAPID TR	1701 N MARKET ST STE	342	1364
Registration Number: 73704			
JOSKES DEPARTMENT ST	1901 MAIN ST	351	1382

## EXECUTIVE SUMMARY

Registration Number: 68379			
<b>R S P HOLDING CO INC</b>	<b>1401 ELM ST</b>	<b>362</b>	<b>1442</b>
Registration Number: 65276			
<b>GIBBS PRINTING COMPA</b>	<b>1803 COMMERCE</b>	<b>378</b>	<b>1467</b>
Registration Number: 65227			
CVS PHARMACY 5314	1411 MAIN ST	384	1532
Registration Number: 95629			
DALLAS COUNTY COMMUN	701 ELM ST	395	1566
Registration Number: 72583			
CORGAN ASSOCIATES	501 ELM ST STE 500	415	1608
Registration Number: 81653			
<b>LONE STAR GAS</b>	<b>301 S HARWOOD ST</b>	<b>416</b>	<b>1613</b>
Registration Number: 34192			
<b>HOTEL ADOLPHUS</b>	<b>1321 COMMERCE ST</b>	<b>427</b>	<b>1648</b>
Registration Number: 76502			
<b>THE ADOLPHUS HOTEL</b>	<b>1321 COMMERCE ST.</b>	<b>427</b>	<b>1658</b>
Registration Number: 75980			
DALLAS POWER & LIGHT	1506 COMMERCE ST	430	1667
Registration Number: 40078			
<b>EL CENTRO COLLEGE</b>	<b>801 MAIN STREET</b>	<b>431</b>	<b>1669</b>
Registration Number: 72534			
GEORGE R FREEMAN	111 S LAMAR	432	1678
Registration Number: 36843			
GEORGE R FREEMAN	111 S LAMAR	432	1680
Registration Number: 34320			
ENSEARCH EXPLORATION	1817 WOOD ST	437	1700
Registration Number: 38118			
<b>OFFICE BUILDING</b>	<b>701 COMMERCE STREET</b>	<b>458</b>	<b>1820</b>
Registration Number: 40517			
<b>MISSOURI KANSAS TEXA</b>	<b>701 COMMERCE ST</b>	<b>458</b>	<b>1824</b>
Registration Number: 40171			
<b>AT&amp;T THREE BELL PLAZ</b>	<b>308 SOUTH AKARD STRE</b>	<b>461</b>	<b>1883</b>
Registration Number: 86855			
<b>CENTRAL SERVICE CENT</b>	<b>515 PARK AVE</b>	<b>470</b>	<b>1910</b>
Registration Number: 82229			
CITY OF DALLAS MAIN	1515 YOUNG ST	475	1990
Registration Number: 76867			
<b>SHEPPARD PRINTING</b>	<b>500 S ERVAY ST</b>	<b>495</b>	<b>2076</b>
Registration Number: 65783			
CENTRAL BLDG MGMT DI	1500 MARILLA ST	502	2090
Registration Number: 76868			

## EXECUTIVE SUMMARY

TX AIRS: The database lists by company, along with their actual emissions, the Texas Commission on Environmental Quality's air accounts that emit EPA criteria pollutants.

A review of the TX AIRS list, as provided by EDR, and dated 03/21/2018 has revealed that there are 5 TX AIRS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
SERVICE KING PAINT A Permit Num: 79300 Regulated Id: RN105096374 Customer Id: CN601301690	810 S CENTRAL EXPY	34	165
EQUINIX 2323 BRYAN S Permit Num: 138328 Regulated Id: RN108987066 Customer Id: CN603042763	2323 BRYAN ST STE 14	109	599
CONCRETE BATCH PLANT Permit Num: 84187L001 Regulated Id: RN105480537 Customer Id: CN600520019	444 CONTINENTAL AVE	217	1016
COMMERCE STREET PLAN Permit Num: 30067 Regulated Id: RN100789338 Customer Id: CN601272297	1401 COMMERCE ST	399	1570
DEES WAY 41 Permit Num: 54610 Regulated Id: RN101547313 Customer Id: CN600808877	726 N MAIN ST	440	1703

TX MSD: An MSD is an official state designation given to property within a municipality or its extraterritorial jurisdiction that certifies that designated groundwater at the property is not use as potable water, and is prohibited from future use as potable water because that groundwater is contaminated in excess of the applicable potable-water protective concentration level.

A review of the TX MSD list, as provided by EDR, and dated 04/30/2018 has revealed that there are 9 TX MSD sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>LIVE OAK PROPERTY</b> envid: 386 Status: Certified	<b>2720 LIVE OAK ST</b>	<b>46</b>	<b>227</b>
<b>CITY LIGHTS PROPERTY</b> envid: 290 Status: Certified	<b>2601 LIVE OAK ST</b>	<b>83</b>	<b>330</b>
<b>ONCOR HEADQUARTERS</b> envid: 62 Status: Certified	<b>1616 WOODALL RODGERS</b>	<b>112</b>	<b>666</b>
OLD DALLAS HIGH SCHO envid: 250 Status: Certified	2218 BRYAN STREET AN	135	751
<b>LG MAGNOLIA LP</b>	<b>1100 MCKINNEY AVENUE</b>	<b>174</b>	<b>852</b>

## EXECUTIVE SUMMARY

envid: 76 Status: Certified			
<b>ADAMS MARK HOTEL</b>	<b>400 OLIVE ST</b>	<b>178</b>	<b>858</b>
envid: 137 Status: Certified			
<b>2625 ELM STREET</b>	<b>2625 ELM STREET</b>	<b>201</b>	<b>966</b>
envid: 300 Status: Certified			
<b>GRAPHICS ENGRAVING F</b>	<b>1012 MCKINNEY AVE</b>	<b>208</b>	<b>973</b>
envid: 305 Status: Certified			
<b>WOODALL UNITED INVES</b>	<b>1305 ROSS AND 704 NO</b>	<b>214</b>	<b>1012</b>
envid: 26 Status: Certified			

TX TIER 2: A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

A review of the TX TIER 2 list, as provided by EDR, and dated 12/31/2012 has revealed that there are 97 TX TIER 2 sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
AMERICAN AIRLINES CE Facility Id/Name: FATR201293ZJDJ02L7YH	2620 N HOUSTON ST -	30	157
DALLAS 800 NETWORK S Facility Id/Name: 1696790379	940 SLOCUM STREET	108	431
DALLAS 900 NETWORK S Facility Id/Name: 702583234	940 SLOCUM STREET	108	442
DIGITAL BRYAN STREET Facility Id/Name: FATR20128ED94V030XUZ Facility Id/Name: FATR20118ED94V030XUZ Facility Id/Name: FATR201070P2QQ04NDDA	2323 BRYAN STREET	109	454
LEVEL 3 - DALLAS BRY Facility Id/Name: FATR20105NDE2U05FYEV	2323 BRYAN STREET	109	497
DALLAS - 2323 BRYAN, Facility Id/Name: FATR20075NANVN06DSQ8	2323 BRYAN ST, 25TH	109	501
DA4 SWITCH & DATA TX Facility Id/Name: FATR20125GM56602KBW8	2323 BRYAN STREET, 1	109	504
GLOBAL CROSSING - DA Facility Id/Name: FATR2005264M9400GEWQ	"2323 BRYAN STREET,	109	510
TX-23B Facility Id/Name: FATR201181HMAC02UFQ4	2323 BRYAN ST	109	510
DALLAS - 2323 BRYAN Facility Id/Name: FATR20075NANVN060LK5	2323 BRYAN ST, SUITE	109	513
LEVEL 3 - DALLAS - D Facility Id/Name: FATR20125NDE2U05FYEV Facility Id/Name: FATR20115NDE2U05FYEV	2323 BRYAN STREET	109	514
SWITCH & DATA TX FIV	2323 BRYAN STREET, 1	109	526

## EXECUTIVE SUMMARY

Facility Id/Name: FATR20115GM56602KBW8			
AT&T - TXH300	2323 BRYAN ST	109	532
Facility Id/Name: FA20101882ZZXXXXXXXXXX			
SWITCH & DATA TX FIV	2323 BRYAN STREET, 1	109	534
Facility Id/Name: FATR20105GM56602KBW8			
Facility Id/Name: FATR20075GM56602KBW8			
Facility Id/Name: FATR20085GM56602KBW8			
Facility Id/Name: FATR20095GM56602KBW8			
DALLAS TI	2323 BRYAN ST., 25TH	109	545
Facility Id/Name: FATR20085NANVN06DSQ8			
Facility Id/Name: FATR20095NANVN06DSQ8			
QWEST - DALLAS TI	2323 BRYAN ST., 25TH	109	550
Facility Id/Name: FATR20105NANVN06DSQ8			
LEVEL 3 - DALLAS 2	2323 BRYAN STREET, 2	109	554
Facility Id/Name: FATR20082RN3B303NKLL			
Facility Id/Name: FATR20062RN3B303NKLL			
Facility Id/Name: FATR20072RN3B303NKLL			
QWEST - DALLAS - 232	"2323 BRYAN ST., SUI	109	556
Facility Id/Name: FATR20052UM1EG00S84L			
"BROADWING COMMUNICA	"2323 BRYAN ST., SUI	109	556
Facility Id/Name: FATR20052U455X0517PY			
2323 BRYAN ST ZCOLO	2323 BRYAN ST	109	557
Facility Id/Name: FATR201281HMAC02UFQ4			
XO COMMUNICATIONS (T	2323 BRYAN STREET, S	109	568
Facility Id/Name: FATR20102SU1K203Z548			
Facility Id/Name: FATR20082SU1K203Z548			
Facility Id/Name: FATR20092SU1K203Z548			
Facility Id/Name: FATR20122SU1K203Z548			
Facility Id/Name: FATR20072SU1K203Z548			
<i>*Additional key fields are available in the Map Findings section</i>			
NEXTERA FIBERNET - D	2323 BRYAN	109	592
Facility Id/Name: FATR20128EZ7KU002ARS			
Facility Id/Name: FATR20118EZ7KU002ARS			
QWEST - DALLAS - 232	2323 BRYAN ST., SUIT	109	599
Facility Id/Name: FATR20062UM1EG00S84L			
MCI- DAANTX (TXDAANT	2323 BRYAN ST	109	600
Facility Id/Name: FATR2012TXDAANTX			
Facility Id/Name: FATR2011TXDAANTX			
DALLAS TS ON-F	2323 BRYAN ST FLRS 2	109	607
Facility Id/Name: FATR20128CU4AX090Y7F			
Facility Id/Name: FATR20118CU4AX090Y7F			
LEVEL 3 - DALLAS 2	"2323 BRYAN STREET,	109	616
Facility Id/Name: FATR20052RN3B303NKLL			
TCG DALLAS JV - TXH3	2323 BRYAN ST	109	617
Facility Id/Name: FA20081882ZZXXXXXXXXXX			
Facility Id/Name: FA20091882ZZXXXXXXXXXX			
Facility Id/Name: FATR20063SBCIDA01882			
"TALK AMERICA, INC."	"2323 BRYAN STREET,	109	621
Facility Id/Name: FATR200548ZAMP002AKA			
"MCI - DAANTX, DAFDT	"2323 BRYAN STREET,	109	622

## EXECUTIVE SUMMARY

Facility Id/Name: FATR200523GHJX0GN21S			
"XO TEXAS, INC. (TX- Facility Id/Name: FATR20052SU1K203Z548	"2323 BRYAN STREET, 2323 BRYAN ST., SUIT	109	622
NEUTRAL TANDEM - DAL Facility Id/Name: FATR2012868D2E0021XF Facility Id/Name: FATR2011868D2E0021XF	2323 BRYAN ST., SUIT	109	623
GLOBAL CROSSING - DA Facility Id/Name: FATR2008264M9400GEWQ Facility Id/Name: FATR2006264M9400GEWQ Facility Id/Name: FATR2009264M9400GEWQ Facility Id/Name: FATR2007264M9400GEWQ	2323 BRYAN STREET, S	109	628
AT&T CORP Facility Id/Name: FATR20086AY70002Y0KQ Facility Id/Name: FATR20085NDE2U05FYEV Facility Id/Name: FATR20064ZGVCJ002YMJ Facility Id/Name: FATR20053JLWA705QM9Q Facility Id/Name: FATR20095NDE2U05FYEV <i>*Additional key fields are available in the Map Findings section</i>	2323 BRYAN STREET	109	635
MCI - DAANTX, DLCITX Facility Id/Name: FATR201023GHJX0GN21S Facility Id/Name: FATR200823GHJX0GN21S Facility Id/Name: FATR200923GHJX0GN21S Facility Id/Name: FATR200623GHJX0GN21S Facility Id/Name: FATR200723GHJX0GN21S	2323 BRYAN STREET, S	109	655
WINGFOOT COMMERCIAL Facility Id/Name: FATR20064X9PB900PRU2	960 DRAGON ST	115	686
"BROADWING COMMUNICA Facility Id/Name: FATR20052U459S05AK7A	2323 VICTORY AVE.	116	687
MCLEODUSA - DALLAS.T Facility Id/Name: FATR200524D158036D11 Facility Id/Name: FATR200624D158036D11 Facility Id/Name: FATR200724D158036D11	600 PEARL	135	752
<b>WINDSTREAM DALLAS PA</b> Facility Id/Name: FATR2012914QRD036GYG Facility Id/Name: FATR20118C1QVB001WU6	<b>600 N. PEARL SOUTH T</b>	<b>135</b>	<b>755</b>
LEVEL 3 - DALLAS VIC Facility Id/Name: FATR20104YB13D03NYWY	2223 VICTORY AVENUE	191	877
LEVEL 3 - DALLAS - D Facility Id/Name: FATR20124YB13D03NYWY	2223 VICTORY ST	191	880
LEVEL 3 - DALLAS (DL Facility Id/Name: FATR20084YB13D03NYWY Facility Id/Name: FATR20094YB13D03NYWY Facility Id/Name: FATR20064YB13D03NYWY Facility Id/Name: FATR20074YB13D03NYWY	2223 VICTORY AVENUE	191	883
LEVEL 3 - DALLAS - D Facility Id/Name: FATR20114YB13D03NYWY	2223 VICTORY AVENUE	191	888
MCI DALSTX Facility Id/Name: FATR201023GHMS0GWHRM Facility Id/Name: FATR200823GHMS0GWHRM Facility Id/Name: FATR200923GHMS0GWHRM	2001 BRYAN TOWER, 5T	192	902



## EXECUTIVE SUMMARY

Facility Id/Name: FATR200623GHMS0GWHRM			
Facility Id/Name: FATR200723GHMS0GWHRM			
MCI- DALSTX (TXDALST	2001 BRYAN TOWER FL	192	917
Facility Id/Name: FATR2012TXDALSTX			
Facility Id/Name: FATR2011TXDALSTX			
MCI - DALSTX	"2001 BRYAN TOWER, 5	192	924
Facility Id/Name: FATR200523GHMS0GWHRM			
MCI - DLTKTX	350 NORTH SAINT PAUL	223	1031
Facility Id/Name: FATR200523GHCD0G6DSQ			
Facility Id/Name: FATR200623GHCD0G6DSQ			
Facility Id/Name: FATR200723GHCD0G6DSQ			
MCI - DLCFTX	350 NORTH SAINT PAUL	223	1033
Facility Id/Name: FATR201023GHCD0G6DSQ			
Facility Id/Name: FATR200823GHCD0G6DSQ			
Facility Id/Name: FATR200923GHCD0G6DSQ			
MCI- DLCFTX (TXDLCFT	350 N SAINT PAUL ST	223	1038
Facility Id/Name: FATR2012TXDLCFTX			
Facility Id/Name: FATR2011TXDLCFTX			
DALLAS POP	2020 LIVE OAK, SUITE	239	1086
Facility Id/Name: FATR20086CJQU002WKB			
Facility Id/Name: FATR200971SKHG0027B2			
Facility Id/Name: FATR20075NPQ0U002LCB			
DALLAS POP	2020 LIVE OAK	239	1090
Facility Id/Name: FATR20052532LZ081GTC			
Facility Id/Name: FATR20062532LZ081GTC			
MCI- DGNSTX (TXDGNST	2020 LIVE OAK ST GND	239	1091
Facility Id/Name: FATR2012TXDGNSTX			
Facility Id/Name: FATR2011TXDGNSTX			
DELTACOM	2020 LIVE OAK SUITE	239	1101
Facility Id/Name: FATR20064Z13FN002TY5			
NEUTRAL TANDEM DALLA	2020 LIVE OAK ST. SU	239	1101
Facility Id/Name: FATR200653K7Y7002SWT			
LEVEL 3 - DALLAS OAK	2020 LIVE OAK ST	239	1102
Facility Id/Name: FATR20107PA7BW04W0A3			
MCI - DGNSTX	2020 LIVE OAK STREET	239	1105
Facility Id/Name: FATR20104WB7DE022S1V			
Facility Id/Name: FATR20084WB7DE022S1V			
Facility Id/Name: FATR20094WB7DE022S1V			
Facility Id/Name: FATR20064WB7DE022S1V			
Facility Id/Name: FATR20074WB7DE022S1V			
LEVEL 3 - DALLAS - D	2020 LIVE OAK ST	239	1113
Facility Id/Name: FATR20117PA7BW04W0A3			
NEUTRAL TANDEM DALLA	2020 LIVE OAK ST., S	239	1115
Facility Id/Name: FATR201053K7Y7002SWT			
Facility Id/Name: FATR200853K7Y7002SWT			
Facility Id/Name: FATR200953K7Y7002SWT			
Facility Id/Name: FATR200753K7Y7002SWT			
ELM PLACE - DALLAS O	1401 ELM STREET	362	1437
Facility Id/Name: FATR20094YJ81L037PCT			

## EXECUTIVE SUMMARY

Facility Id/Name: FATR20064YJ81L037PCT			
Facility Id/Name: FATR20074YJ81L037PCT			
Facility Id/Name: FATR20084YJ81L037PCT			
DLLSTX1W WILTEL COMM	"1201 MAIN ST, STE C	381	1474
Facility Id/Name: FATR20052V070800T6PC			
<b>MCI- DLBNTX (TXDLBNT</b>	<b>1201 MAIN ST</b>	<b>381</b>	<b>1475</b>
Facility Id/Name: FATR2012TXDLBNTX			
LEVEL 3 - DALLAS TEL	1201 MAIN STREET	381	1483
Facility Id/Name: FATR20082538N3001XLL			
Facility Id/Name: FATR20062538N3001XLL			
Facility Id/Name: FATR20072538N3001XLL			
"MCI - DLBOTX, DLMPT	"1201 MAIN STREET (C	381	1485
Facility Id/Name: FATR200523NHRV019WZM			
LEVEL 3 - DALLAS (DL	1201 MAIN ST, STE C-	381	1486
Facility Id/Name: FATR20082V070800T6PC			
Facility Id/Name: FATR20062V070800T6PC			
Facility Id/Name: FATR20072V070800T6PC			
LEVEL 3 - DALLAS MAI	1201 MAIN ST	381	1487
Facility Id/Name: FATR20102V070800T6PC			
LEVEL 3 - DALLAS - D	1201 MAIN ST	381	1491
Facility Id/Name: FATR20122V070800T6PC			
Facility Id/Name: FATR20112V070800T6PC			
MCI- DLBNTX (TXDLBNT	1201 MAIN ST STE 500	381	1498
Facility Id/Name: FATR2011TXDLBNTX			
MCI DLMPTX, DLBNTX	1201 MAIN STREET (14	381	1504
Facility Id/Name: FATR201023NHRV019WZM			
Facility Id/Name: FATR200823NHRV019WZM			
Facility Id/Name: FATR200923NHRV019WZM			
Facility Id/Name: FATR200623NHRV019WZM			
Facility Id/Name: FATR200723NHRV019WZM			
LEVEL 3 DALLAS MAIN	1201 MAIN ST	381	1513
Facility Id/Name: FATR20092V070800T6PC			
AT&T - TXSX00	1 MAIN PL	391	1547
Facility Id/Name: FA20111884ZZXXXXXXXXXX			
Facility Id/Name: FA20101884ZZXXXXXXXXXX			
TCG DALLAS JV - TXSX	1 MAIN PL	391	1554
Facility Id/Name: FATR20053JLWCX065YP6			
Facility Id/Name: FA20081884ZZXXXXXXXXXX			
Facility Id/Name: FA20091884ZZXXXXXXXXXX			
Facility Id/Name: FATR20063SBCIDA01884			
AT&T - TX1489	901 MAIN ST	406	1574
Facility Id/Name: FA20101886ZZXXXXXXXXXX			
MCI - DLWTTX, DLBLTX	901 MAIN STREET, SU1	406	1581
Facility Id/Name: FATR200623GH8N0FW6E4			
TCG SERVICES INC - T	901 MAIN ST	406	1583
Facility Id/Name: FA20091886ZZXXXXXXXXXX			
Facility Id/Name: FA20081886ZZXXXXXXXXXX			
Facility Id/Name: FATR20063SBCIDA01886			
Facility Id/Name: FATR200548SWWH02NU6Z			
BANK OF AMERICA PLAZ	901 MAIN STREET	406	1589

## EXECUTIVE SUMMARY

Facility Id/Name: FATR20094YJ7VU031Q0J			
Facility Id/Name: FATR20124YJ7VU031Q0J			
Facility Id/Name: FATR20064YJ7VU031Q0J			
Facility Id/Name: FATR20074YJ7VU031Q0J			
Facility Id/Name: FATR20114YJ7VU031Q0J			
<i>*Additional key fields are available in the Map Findings section</i>			
"MCI - DLWTTX, DLBLT	"901 MAIN STREET, SU	429	1665
Facility Id/Name: FATR200523GH8N0FW6E4			
<b>AT&amp;T WHITACRE TOWER</b>	<b>208 SOUTH AKARD STRE</b>	<b>433</b>	<b>1683</b>
Facility Id/Name: FA201041932ZXXXXXXXXXX			
Facility Id/Name: FA201141932ZXXXXXXXXXX			
ONE SBC PLAZA T44116	208 S AKARD ST	433	1694
Facility Id/Name: FA200941932ZXXXXXXXXXX			
TWO SBC PLAZA T44118	211 S. AKARD ST	445	1712
Facility Id/Name: FA200941933ZXXXXXXXXXX			
<b>TWO SBC PLAZA - T441</b>	<b>211 S. AKARD ST</b>	<b>445</b>	<b>1715</b>
Facility Id/Name: FA201041933ZXXXXXXXXXX			
<b>AT&amp;T TELEPHONE FACIL</b>	<b>1410 JACKSON</b>	<b>450</b>	<b>1728</b>
Facility Id/Name: FATR20063SBCIDT44121			
SIX SBC PLAZA - T441	1410 JACKSON ST	450	1752
Facility Id/Name: FA201041934ZXXXXXXXXXX			
Facility Id/Name: FA200941934ZXXXXXXXXXX			
Facility Id/Name: FA200841934ZXXXXXXXXXX			
DALLAS COUNTY - RECO	509 MAIN	456	1794
Facility Id/Name: FATR2008493RTQ00HK5K			
Facility Id/Name: FATR2012493RTQ00HK5K			
Facility Id/Name: FATR2005493RTQ00HK5K			
Facility Id/Name: FATR2006493RTQ00HK5K			
Facility Id/Name: FATR2009493RTQ00HK5K			
<i>*Additional key fields are available in the Map Findings section</i>			
FIVE SBC PLAZA T4400	301 S. AKARD ST	459	1829
Facility Id/Name: FA201041924ZXXXXXXXXXX			
Facility Id/Name: FA200841924ZXXXXXXXXXX			
Facility Id/Name: FA200941924ZXXXXXXXXXX			
SOUTHWESTERN BELL TE	301 S. AKARD	459	1834
Facility Id/Name: FATR20053SBCIDT44005			
Facility Id/Name: FATR20063SBCIDT44005			
THREE SBC PLAZA T442	308 S. AKARD ST	461	1870
Facility Id/Name: FA201041938ZXXXXXXXXXX			
Facility Id/Name: FA200841938ZXXXXXXXXXX			
Facility Id/Name: FA200941938ZXXXXXXXXXX			
Facility Id/Name: FA201141938ZXXXXXXXXXX			
SOUTHWESTERN BELL TE	308 S AKARD	461	1881
Facility Id/Name: FATR20053SBCIDT44205			
Facility Id/Name: FATR20063SBCIDT44205			
GEORGE ALLEN GOVERNMENT	600 COMMERCE	472	1977
Facility Id/Name: FATR20101VL3LC013FQJ			
Facility Id/Name: FATR20081VL3LC013FQJ			
Facility Id/Name: FATR20051VL3LC013FQJ			
Facility Id/Name: FATR20061VL3LC013FQJ			

## EXECUTIVE SUMMARY

Facility Id/Name: FATR20121VL3LC013FQJ

\*Additional key fields are available in the Map Findings section

LEVEL 3 - DALLAS - D	400 S AKARD ST	478	2011
Facility Id/Name: FATR20122V06SD00PDN8			
LEVEL 3 - DALLAS - D	400 S AKARD - CARRIE	478	2022
Facility Id/Name: FATR20112V06SD00PDN8			
LEVEL 3 DALLAS AKARD	400 S AKARD - CARRIE	478	2030
Facility Id/Name: FATR20092V06SD00PDN8			
DLLSTX2W	CARRIER CENTRAL 400	478	2034
Facility Id/Name: FATR20052V06SD00PDN8			
LEVEL 3 - DALLAS AKA	400 S AKARD - CARRIE	478	2035
Facility Id/Name: FATR20102V06SD00PDN8			
LEVEL 3 - DALLAS (DL	CARRIER CENTRAL 400	478	2038
Facility Id/Name: FATR20082V06SD00PDN8			
Facility Id/Name: FATR20072V06SD00PDN8			
DLLSTX2W	CARRIER CENTRAL 400	478	2040
Facility Id/Name: FATR20062V06SD00PDN8			
CITY OF DALLAS - CIT	1500 MARILLA STREET	502	2096
Facility Id/Name: FATR20086AYM7G031H5J			
CITY HALL	1500 MARILLA	502	2116
Facility Id/Name: FATR20075N68Q202E0RP			
Facility Id/Name: FATR20064Z15S101CRB1			
CITY OF DALLAS - CIT	1500 MARILLA	502	2118
Facility Id/Name: FATR20126ZYDBX01L1HD			
Facility Id/Name: FATR20116ZYDBX01L1HD			
Facility Id/Name: FATR20106ZYDBX01L1HD			

TX ASBESTOS: A listing of asbestos notification site locations.

A review of the TX ASBESTOS list, as provided by EDR, and dated 02/27/2018 has revealed that there are 80 TX ASBESTOS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
DALLAS TATTOO AND AR	2712 LIVE OAK STREET	50	234
FORMER ELBOW ROOM BA	3010 GASTON AVE	70	303
TEXAS A & M UNIVERSI	3013 NUSSBAUMER STRE	76	323
TEXAS A&M UNIVERSITY	3013 NUSSBAUMER ST	76	325
<b>DECKER JAIL</b>	<b>899 N STEMMONS FWY</b>	<b>133</b>	<b>737</b>
PLAZA OF AMERICAS	600 N. PERAL ST.	135	753
<b>WINDSTREAM DALLAS PA</b>	<b>600 N. PEARL SOUTH T</b>	<b>135</b>	<b>755</b>
BOTTLED BLONDE VACAN	505 NORTH GOOD LATIM	151	788
ELM STREET TATTOO	2811 ELM STREET	177	857
FUTURE RESTAURANT	2713 ELM ST.	190	871
OFFICE BUILDING	1999 BRYAN STREET	192	899
BRYAN TOWER	2001 BRYAN STREET	192	908
<b>FOUNTAIN PLACE</b>	<b>1445 ROSS AVE.</b>	<b>196</b>	<b>931</b>
<b>ROSS TOWER</b>	<b>500 N AKARD STREET</b>	<b>199</b>	<b>951</b>
VACANT COMMERCIAL BU	2549 ELM ST.	220	1023
UNION BANK BUILDING	2551 ELM STREET	220	1025
2625 MAIN ST.	2625 MAIN ST.	238	1085

## EXECUTIVE SUMMARY

Site	Address	Map ID	Page
FUTURE RESTAURANT	2702 MAIN ST.	240	1121
TABOO TATTOO	2650 MAIN STREET	247	1129
TIGGERS BODY ART GAL	2602 MAIN STREET	257	1140
FORMER MAYFLOWER BLD	411 N. AKARD ST.	260	1142
TWO COMMERCIAL OFFIC	1900 PACIFIC AVE.	269	1152
REPUBLIC CENTER	325 N SAINT PAUL ST	270	1158
REPUBLIC CENTER	325 N SAINT PAUL ST	270	1159
MAJESTIC THEATRE, 5T	1925 ELM ST	305	1221
2121 MAIN STREET	2121 MAIN STREET	308	1245
DEEP ELLUM LIVE BAR	2727 CANTON STREET	317	1273
THE BOMB FACTORY- DE	2727 CANTON	317	1275
OFFICE BUILDING	211 N. ERVAY	320	1278
<b>OFFICE BUILDING</b>	<b>1601 ELM ST SUITE 23</b>	<b>322</b>	<b>1298</b>
<b>1700 PACIFIC AVENUE</b>	<b>1700 PACIFIC AVE STE</b>	<b>322</b>	<b>1307</b>
FORMER MUNICIPLE BUI	106 S. HARWOOD	337	1349
UNT FUTURE COLLEGE O	106 S. HARWOOD	337	1351
FORMER MUNICIPLE BUIL	106 S. HARWOOD	337	1353
RETAIL STORE	1610 ELM ST.	346	1368
MERCANTILE BUILDING	1800 MAIN ST	355	1393
COMERICA BANK TOWER	1717 MAIN ST.	355	1398
RENAISSANCE TOWER	1201 ELM STREET	361	1430
<b>R S P HOLDING CO INC</b>	<b>1401 ELM ST</b>	<b>362</b>	<b>1442</b>
BUILDING	2036 COMMERCE	365	1457
FORMER CLUB SINN	1520 MAIN ST.	380	1473
<b>MCI- DLBNTX (TXDLBNT</b>	<b>1201 MAIN ST</b>	<b>381</b>	<b>1475</b>
OFFICE BUILDING	1914 COMMERCE ST.	383	1520
STATLER HOTEL	1914 COMMERCE ST.	383	1521
OFFICE BUILDING	1412 MAIN STREET	384	1522
DAVIS BUILDING & ADJ	1309 MAIN ST.	385	1540
DAVIS BUILDING	1309 MAIN ST.	385	1542
FORMER MERCANTIE BUI	1712 COMMERCE ST.	394	1562
FORMER MERCANTILE BU	1712 COMMERCE ST.	394	1563
STORAGE FACILITY	1401 COMMERCE ST.	399	1569
<b>LONE STAR GAS</b>	<b>301 S HARWOOD ST</b>	<b>416</b>	<b>1613</b>
MANOR HOUSE APARTMEN	1222 COMMERCE ST.	427	1644
MANOR HOME APARTMENT	1222 COMMERCE ST.	427	1645
<b>THE ADOLPHUS HOTEL</b>	<b>1321 COMMERCE ST.</b>	<b>427</b>	<b>1658</b>
<b>EL CENTRO COLLEGE</b>	<b>801 MAIN STREET</b>	<b>431</b>	<b>1669</b>
<b>AT&amp;T WHITACRE TOWER</b>	<b>208 SOUTH AKARD STRE</b>	<b>433</b>	<b>1683</b>
<b>TWO SBC PLAZA - T441</b>	<b>211 S. AKARD ST</b>	<b>445</b>	<b>1715</b>
<b>TRAILWAYS</b>	<b>1500 JACKSON ST</b>	<b>447</b>	<b>1723</b>
EARLE CABELL FEDERAL	1100 COMMERCE	452	1766
EARL CABELL FB	1100 COMMERCE	452	1767
<b>GENERAL SERVICES ADM</b>	<b>1100 COMMERCE ST</b>	<b>452</b>	<b>1768</b>
DALLAS COUNTY COURTH	509 MAIN	456	1776
<b>OLD DALLAS COUNTY JA</b>	<b>509 MAIN ST</b>	<b>456</b>	<b>1778</b>
DALLAS COUNTY COURTH	509 MAIN	456	1805
FIRST PRESBYTERIAN C	1835 YOUNG	457	1817
FIRST PRESBYTERIAN C	1835 YOUNG	457	1819
<b>OFFICE BUILDING</b>	<b>701 COMMERCE STREET</b>	<b>458</b>	<b>1820</b>
AT&T THREE BELL PLAZ	308 SOUTH AKARD STRE	461	1867
<b>AT&amp;T THREE BELL PLAZ</b>	<b>308 SOUTH AKARD STRE</b>	<b>461</b>	<b>1883</b>
FOUR (4) AT&T PLAZA	311 SOUTH AKARD	466	1889
FOUR AT&T PLAZA BUIL	311 SOUTH AKARD STRE	466	1892
4 AT&T / OFFICE BUIL	311 SOUTH AKARD	466	1894
<b>GEORGE ALLEN COURTS</b>	<b>600 COMMERCE ST</b>	<b>472</b>	<b>1967</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
GEORGE ALLEN BUILDIN	600 COMMERCE	481	2042
VACANT OFFICE/GARAGE	1002 WOOD STREET	492	2065
VACANT BUILDING	1002 WOOD STREET	492	2070
OFFICE BUILDING	500 SOUTH ERVAVY ST.	495	2072
OFFICE BUILDING	500 SOUTH ERVAVY	495	2074
<b>SHEPPARD PRINTING</b>	<b>500 S ERVAVY ST</b>	<b>495</b>	<b>2076</b>
A M SMITH FB	525 S GRIFFIN ST	512	2137

TX GCC: Texas Water Code, Section 26.406 requires the annual report to describe the current status of groundwater monitoring activities conducted or required by each agency at regulated facilities or associated with regulated activities. The report is required to contain a description of each case of groundwater contamination documented during the previous calendar year. Also to be included, is a description of each case of contamination documented during previous periods for which voluntary clean up action was incomplete at the time the preceding report was issued. The report is also required to indicate the status of enforcement action for each listed case.

A review of the TX GCC list, as provided by EDR, and dated 12/31/2016 has revealed that there are 36 TX GCC sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>MARQUIS AT TEXAS STR</b>	<b>2806 BRYAN ST.</b>	<b>10</b>	<b>17</b>
<b>CONSOLIDATED FIBERS</b>	<b>2722 ALAMO ST</b>	<b>12</b>	<b>28</b>
<b>TXU TERMINATION PROP</b>	<b>WEST OF WICHITA AND</b>	<b>25</b>	<b>107</b>
<b>AKARD PLACE</b>	<b>2301 NORTH AKARD STR</b>	<b>31</b>	<b>161</b>
<b>BROOMFIELD NORTH PRO</b>	<b>SCW OLIN WELLBORN AN</b>	<b>38</b>	<b>177</b>
<b>LAWS STREET PROPERTY</b>	<b>3090 OLIVE STREET ST</b>	<b>42</b>	<b>213</b>
<b>LIVE OAK PROPERTY</b>	<b>2720 LIVE OAK ST</b>	<b>46</b>	<b>227</b>
<b>WICHITA STREET REMNA</b>	<b>ADJACENT TO TU NORTH</b>	<b>58</b>	<b>244</b>
TXU MAIN DALLAS PLAN	2707 FLYNN STREET	60	255
<b>CITY LIGHTS PROPERTY</b>	<b>2601 LIVE OAK ST</b>	<b>83</b>	<b>330</b>
<b>DALLAS STEAM ELECTRI</b>	<b>2727 FLYNN STREET</b>	<b>87</b>	<b>344</b>
<b>FORMER ST ANDREW KIM</b>	<b>2712 SWISS AVE</b>	<b>96</b>	<b>381</b>
<b>2400 BRYAN STREET</b>	<b>2400 BRYAN ST</b>	<b>100</b>	<b>419</b>
<b>AMERICAN ELECTRIC PO</b>	<b>1616 WOODALL ROGERS</b>	<b>112</b>	<b>664</b>
<b>FAIRMONT HOTEL DALLA</b>	<b>1717 N AKARD ST</b>	<b>117</b>	<b>687</b>
<b>OLD DALLAS HIGH SCHO</b>	<b>2214 BRYAN STREET</b>	<b>130</b>	<b>720</b>
THE FAIRMONT DALLAS	1717 NORTH AKARD STR	142	769
<b>STORAGE CHOICE</b>	<b>903 SLOCUM ST</b>	<b>145</b>	<b>771</b>
<b>DEEP ELLUM PROJECT</b>	<b>INDIANA STREET AND M</b>	<b>154</b>	<b>792</b>
<b>WILLIAMSON PROPERTY</b>	<b>INTERSECTION RIVER A</b>	<b>160</b>	<b>808</b>
<b>LG MAGNOLIA LP</b>	<b>1100 MCKINNEY AVENUE</b>	<b>174</b>	<b>852</b>
<b>ADAMS MARK HOTEL</b>	<b>400 OLIVE ST</b>	<b>178</b>	<b>858</b>
<b>UP SOUTH PROPERTY</b>	<b>NORTH OF CONTINENTAL</b>	<b>191</b>	<b>872</b>
ADAM'S MARK HOTEL	400 N OLIVE ST	198	950
<b>2625 ELM STREET</b>	<b>2625 ELM STREET</b>	<b>201</b>	<b>966</b>
<b>GRAPHICS ENGRAVING F</b>	<b>1012 MCKINNEY AVE</b>	<b>208</b>	<b>973</b>
<b>GRAPHICS ENGRAVING F</b>	<b>2001 NORTH GRIFFIN S</b>	<b>212</b>	<b>1003</b>
<b>WOODALL UNITED INVES</b>	<b>1305 ROSS AND 704 NO</b>	<b>214</b>	<b>1012</b>
VACANT	500 N FIELD ST	274	1176
<b>COMMERCE &amp; HENRY</b>	<b>2700, 2712, 2718 COM</b>	<b>286</b>	<b>1187</b>
<b>RENAISSANCE TOWER PA</b>	<b>1201 PACIFIC AVENUE</b>	<b>328</b>	<b>1322</b>
<b>ELM BUILDING</b>	<b>1505 ELM STREET</b>	<b>350</b>	<b>1370</b>
DALLAS GAS AND FUEL	NW CORNER OF ROSS AN	357	1404

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>DALLAS GAS AND FUEL</b>	<b>595 ROSS AVENUE</b>	<b>357</b>	<b>1406</b>
<b>AT&amp;T TELEPHONE FACIL</b>	<b>1410 JACKSON</b>	<b>450</b>	<b>1728</b>
<b>COMMERCIAL PARKING L</b>	<b>1720 WOOD STREET</b>	<b>451</b>	<b>1762</b>

TX IHW CORR ACTION: Industrial hazardous waste facilities with corrective actions.

A review of the TX IHW CORR ACTION list, as provided by EDR, and dated 03/23/2018 has revealed that there are 7 TX IHW CORR ACTION sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>TXU MAIN ROAD PROPER</b> RN NUM: RN101330488 Program Id: 31884 Status: INACTIVE	<b>2707 FLYNN STREET</b>	<b>40</b>	<b>187</b>
GRANITE UPTOWN RN NUM: RN105606214 Program Id: T2301 Status: INACTIVE	1708 CEDAR SPRINGS R	49	233
<b>ONCOR HEADQUARTERS</b> RN NUM: RN102468030 Program Id: T3395 Status: ACTIVE	<b>1616 WOODALL RODGERS</b>	<b>112</b>	<b>666</b>
<b>GRAPHIC ENGRAVING</b> RN NUM: RN104430509 Program Id: 38014 Status: INACTIVE	<b>2001 N GRIFFIN ST</b>	<b>212</b>	<b>1000</b>
ELM STREET GARAGE RN NUM: RN101558278 Program Id: T1559 Status: INACTIVE	2100 ELM ST	297	1217
GUARANTY FEDERAL BAN RN NUM: RN104677240 Program Id: T0514 Status: INACTIVE	1802 JACKSON ST	425	1643
<b>HOTEL ADOLPHUS</b> RN NUM: RN100643584 Program Id: T3129 Status: INACTIVE	<b>1321 COMMERCE ST</b>	<b>427</b>	<b>1648</b>

Listing of Sites That Have Received an APAR (Affected Property Assessment Report)

A review of the TX APAR list, as provided by EDR, and dated 01/09/2018 has revealed that there are 13 TX APAR sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>CITY LIGHTS II</b>	<b>718 CANTEGRAL ST AND</b>	<b>37</b>	<b>173</b>

## EXECUTIVE SUMMARY

Comm Id Number: 21443777 Reference Number Text: RN109697268			
<b>TXU MAIN ROAD PROPER</b>	<b>2707 FLYNN STREET</b>	<b>40</b>	<b>187</b>
Comm Id Number: 11116273 Comm Id Number: 12125038 Reference Number Text: RN101626935			
WEAVER SPRING & BRAK	723 CANTEGRAL ST, DA	52	238
Comm Id Number: 17822652 Reference Number Text: RN100587476			
615 NORTH GOOD LATIM	2501 2507 2511 2519	131	733
Comm Id Number: 21181798 Reference Number Text: RN109149229			
FAIRMONT HOTEL DALLA	1717 N AKARD, DALLAS	142	768
Comm Id Number: 18054158 Comm Id Number: 20431145 Reference Number Text: RN100636703			
DEEP ELLUM LOT 3	NEC INDIANA ST AND M	149	787
Comm Id Number: 10533337 Reference Number Text: RN103162665			
TUEC SOUTH PROPERTY	NORTH OF CONTINENTAL	170	848
Comm Id Number: 10034099 Comm Id Number: 11114117 Comm Id Number: 11344505 Reference Number Text: RN101627289			
LCS VICTORY	NW CORNER OF LAWS ST	173	851
Comm Id Number: 16674584 Reference Number Text: RN104493234			
LG MAGNOLIA	SEC MCKINNEY AND N G	193	925
Comm Id Number: 12352531 Reference Number Text: RN105334130			
ADAMS MARK HOTEL		204	970
Comm Id Number: 14724788 Reference Number Text: RN102494044			
GRAPHICS ENGRAVING F	2001 NORTH GRIFFIN S	212	1002
Comm Id Number: 19024947 Reference Number Text: RN101475457			
<b>WOODALL UNITED INVES</b>	<b>1305 ROSS AND 704 NO</b>	<b>214</b>	<b>1012</b>
Comm Id Number: 12138219 Reference Number Text: RN104859939			
HOTEL ADOLPHUS	1321 COMMERCE STREET	427	1664
Comm Id Number: 17771221 Reference Number Text: RN100643584			



## EXECUTIVE SUMMARY

### **EDR PROPRIETARY RECORDS**

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 534 EDR Hist Auto sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
PLANTER BILL AUTOMOT	999 N CENTRAL	3	6
BOLL ST GARAGE	1030 BOLL	6	9
BLACK AND WHITE LINE	1032 BOLL	6	10
TETCO STORES INC	2501 N FIELD ST	11	23
HUNTER S GARAGE	2819 BRYAN	16	48
DUNLAP-SWAIN TIRE CO	2607 SAN JACINTO	23	84
RIP AND JIMMIE GARAG	2700 BRYAN	27	128
RIP AND JIMMIE GARAG	2702 BRYAN	27	128
ALLEN S RADIATOR SER	2710 BRYAN	27	128
LOCCLEAR SERVICE STA	2727 BRYAN	27	136
CARROIL S AUTO BENEW	2520 ROSS AVE	29	157
TEXACO	1131 S STEMMONS	32	164
DALLAS OUALITY MOTOR	2804 LIVE OAK ST	33	165
MC COLLOUGH FRED	1003 BOLL	34	166
TOM S GARAGE COMPLET	1005 BOLL	34	166
B J S PAINT AND BODY	716 CANTEGRAL ST	35	166
GANT LEFFEL L	722 CANTEGRAL	35	167
MINOR S SERVICE STAT	1720 CEDAR SPRINGS	49	234
WEAVER SPRING MFG CO	723 CANTEGRAL ST	52	241
PILAND BROS MOTOR CO	2905 SWISS AVE	54	243
RICHARD S AUTO REPAI	526 LIBERTY	55	243
BILL AND JOES GARAGE	715 CANTEGRAL ST	56	243
ALLEN S RADIATOR SER	1603 CEDAR SPRINGS	57	244
SWISS AVENUE GARAGE	2803 SWISS AVE	63	270
ZEITENERGY LLC	1717 MCKINNEY AVE ST	64	271
AUSTIN WM GULF STATI	1402 CEDAR SPRINGS R	65	280
WHITE AND JACKSON SE	3001 GASTON AVE	68	297
GLORIA GARAGE	2213 CAROLINE	71	308
ALLEN GARAGE	2620 LIVE OAK ST	72	309
MINX TEXACO SERVICE	2929 GASTON AVE	74	322
SALAZAR GARAGE	3009 NUSSBAUMER ST	76	323
AUSTIN WM GULF SERVI	1402 CEDAR SPRINGS	78	329
TRANSMISSION CITY	2913 GASTON AVE	80	329
GOOD AND BRYAN GARAG	2600 BRYAN	82	330
CARTER S SERVICE STA	2601 LIVE OAK	83	335
LEDBETTER HENRY CO*	2411 BRYAN	85	335
JOHNSON FINA SERVICE	2901 GASTON AVE	89	359
ELDER S SERVICE STAT	2500 BRYAN	90	359
GULF HARBOUR COMMERC	2408 VICTORY PARK LN	91	359
MACKS SERVICE STATIO	2525 LIVE OAK	97	385
THOMPSON ANDERSON	2107 ALAMO	99	419

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
BRADEN PAUL SERVICE	2115 N FIELD	101	420
ACE RADIATOR SERVICE	2501 LIVE OAK	102	421
BRYAN AND HAWKINS SE	2420 BRYAN	103	421
RENEGADE OIL CO INC	1313 RIVER STREET	105	425
WALCLRAP BILL SERVIC	2102 N FIELD	107	431
BOOKMAN GARAGE	2916 JUNIUS	110	662
RAULS TEXACO SERVICE	2713 GASTON AVE	118	692
COSDEN TOWER SERVICE	2311 GRIFFIN	123	695
GIDDINGS AND WELLS P	2606 SWISS AVE	125	697
SWISS AVENUE GARAGE	2602 SWISS AVE	125	702
PEAK S GARAGE	2608 SWISS AVE	125	702
MC MURRY AUTO TRUCK	2701 GASTON	126	702
MORGAN AND DAVIS GAR	2719 GASTON AVE	126	718
HARRIS A AND CO SERV	1815 N AKARD	128	719
BRYAN ST GARAGE	2227 BRYAN	129	719
DAY AND NIGHT FORD S	2511 13 SWISS AVE	131	722
DALLAS QUALITY MOTOR	2511 SWISS AVE	131	726
UNDERWOOD GLENN E	2519 SWISS AVE	131	733
EXPRESSWAY TEXACO FI	2421 LIVE OAK	136	763
FERNANDEZ PORFIRIO	1306 BROOM	137	763
FERNANDEZ PORFIRIO	1308 BROOM	137	763
NEEDHAM S AUTOMOTIVE	2621 GASTON AVE	140	768
GARDNER SERVICE STAT	1711 N AKARD	142	770
COATS AND POWELL M C	1715 N AKARD	142	770
JACKSON S GARAGE	506 N HAWKINS	143	770
HAWKINS ST GARAGE	508 N HAWKINS	143	771
JENNINGS JACK AUTOMO	2513 SWISS AVE	144	771
SWISS AV FILLING STA	2501 SWISS AVE	148	786
BOB S GARAGE	2505 SWISS AVE	148	786
MC MAHAN GEO	1 2308 LIVE OAK	150	787
MILNER S HUDSON ESSE	2310 LIVE OAK	150	787
A ONE BODY AND FENDE	2314 LIVE OAK	150	788
JOE S REPAIR SHOP	1111 MCKINNEY AR	152	791
C AND R AUTO REPAIR	2504 SWISS AVE	153	791
SWISS AV GARAGE	2506 SWISS AVE	153	791
CLAYTON CHEVROLET SE	2508 SWISS	153	792
CLAYTON CHEVROLET SE	2510 SWISS	153	792
STANULEY S SERVICE S	1616 ROSS AVE	163	816
MAGNOLIA PETROLEUM C	1700 ROSS AVE	163	816
MARSHALL S AUTO TOP	1704 ROSS AVE	163	816
GENERATOR SERVICE ST	1706 ROSS AVE	163	816
BENEKE A J	1611 ROSS AVE	163	817
AUTRY MOTOR CO	2104 BRYAN	165	821
AUTRY MOTOR CO	2106 BRYAN	165	821
AUTRY MOTOR CO	2108 BRYAN	165	821
ALLIED SERVICE STATI	2110 BRYAN	165	822
SMITH S AUTO PARTS	2927 ELM ST	169	846
HEADINGTON C G	2933 ELM	169	846
B AND B GARAGE	2931 ELM	169	846
DODSON S GARAGE REAR	2915 ELM	171	849
ENGLE ELECTRIC CO	2913 ELM ST	171	850
LOWVRY S ELECTRIC SH	2911 ELM	171	850
GIDDINGS GARAGE	2909 ELM ST	171	850
MILNER S HUDSON ESSE	2236 LIVE OAK	172	850
BENEKE ADOLPH J	607 N AKARD	175	856
ANDREWS TRANSMISSION	2817 ELM ST	177	857

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
BEASLEY BILL INC	2200 LIVE OAK ST	181	865
DALLAS HUDSON CO	2201 LIVE OAK	181	865
CARGILL W L GARAGE	2525 PACIFIC AVE	183	865
WHITLOCK BROS OFFICE	2531 N PACIFIC AVE	183	866
HAGGARD DICK PACKARD	1507 ROSS AVE	185	866
ENOS SERVICE STATION	2505 N PACIFIC AVE	186	866
IDEAL GARAGE	2501 N PACIFIC AVE	186	867
ELM AUTOMOTIVE SERVI	2912 ELM	187	867
OWINGS L C	2916 ELM	187	867
LONG SUPER SERVICE S	2300 SWISS AVE	189	871
BARNEY GOOGLE GARAGE	2305 SWISS AVE	189	871
MAPES HUDSON ESSEX S	416 N HARWOOD	192	899
IRELAND S AUTO LNDRY	418 N HARWOOD	192	901
ROSE WILSON CO	420 N HARWOOD	192	901
WOODRUFF ALF H	2106 LIVE OAK	194	925
PRATHER CADILLAC LA	2115 LIVE OAK	194	925
BASKET CASE THE	2826 ELM ST	195	925
DALLAS MOTOR AND TRA	2814 ELM ST	195	926
GULF COAST COMMUNITY	1445 ROSS AVE STE 14	196	930
EDWARDS AND BALLARD	910 MC KINNEY AVE	197	941
SUN-AGE INC	500 N AKARD ST STE 3	199	951
EDWARDS GARAGE	406 N HARWOOD	200	966
RIKE S MOBIL OIL SERV	1925 BRYAN	202	969
RESTATIRANT REPAIR S	2700 ELM	206	970
BEDELL AUTOMOTIVE SE	2810 MAIN	207	971
PALACE SHOP	2814 MAIN	207	971
STANDARD SPRING AND	2820 MAIN	207	971
STANDARD SPRING AND	2816 MAIN	207	971
MANNING P K	2812 MAIN	207	971
BROWN S CYCLE	2824 MAIN ST	207	972
STANDARD SPRING AND	2818 MAIN	207	972
SOUTH DALLAS GARAGE	815 S OAKLAND AVE	207	972
STANDARD SPRING AND	2822 MAIN	207	972
FULLER J O REPAIR SH	109 N OAKLAND AVE	207	972
MARTIN MOTOR CO	2823 MAIN	207	973
MARTIN MOTOR CO	2825 MAIN	207	973
MOHR CHEVROLET CO	1909 BRYAN	210	989
AUTOMOBILE LAUNDRY	1915 BRYAN	210	989
CALLAWAY S TANK CAR	1313 ROSS	214	1015
AMERICAN RADIATOR SE	1315 ROSS AVE	214	1015
POWELL C A	1401 ROSS AVE	214	1015
NORTON S SERVICE STA	402 N HARWOOD	215	1015
WIZARD POWER CO	2638 ELM ST	216	1016
OWENS HERBERT AULTOM	2009 LIVE OAKS	218	1020
FORSTER S AUTOMOTIVE	2703 MAIN	219	1020
TOP SHOP	2709 MAIN ST	219	1021
LUCUS J W	2711 MAIN	219	1021
DALLAS FENDER SERVIC	2723 MAIN	219	1022
DALLAS FENDER SERVIC	2721 MAIN	219	1022
DALLAS FENDER SERVIC	2719 MAIN	219	1022
AUTOCAR TRUCK AND SE	2701 MAIN	219	1022
MCKENZIE BROS FENDER	2715 MAIN	219	1022
ANDREWS TRANSMISSION	2801 MAIN ST	219	1023
FIX IT SHOP	2533 ELM	220	1023
S AND S AUTO RADIATO	2549 ELM	220	1023
EDWARDS S K	1900 BRYAN	222	1029

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
HOOKS AND UPTON SERV	1916 BRYAN	222	1029
TUNE HUNTER INC	350 N SAINT PAUL ST	223	1050
IRELAND S AUTO SERVI	315 OLIVE	224	1051
OWL GARAGE	316 OLIVE	224	1051
SMITH AND WILLIAMS	2211 N PACIFIC AVE	225	1051
ENOS SERVICE STATION	2301 N PACIFIC AVE	226	1052
TEXAS AUTO RADIATOR	2651 MAIN	227	1052
TEXAS AUTO RADIATOR	2649 MAIN ST	227	1052
SLHEPHERD S GARAGE	2016 LIVE OAK	228	1057
BURKLEY S H	2511 MAIN	232	1061
EVANS SERVICE STATIO	501 N AKARD	233	1061
GOSWRICK AND SON AUT	1609 PATTERSON AVE	233	1062
DEE S GARAGE	2800 MAIN	237	1085
LAMBETH R C AUTO PAI	2708 MAIN	240	1122
CADELL SERVICE STATI	2901 COMMERCE	241	1123
NISBETT S GARAGE	2401 ELM	242	1124
NISBETT S GARAGE	2403 ELM	242	1124
GRIFFIN AND GRIFFIN	108 S HAWKINS	242	1124
LYNN S REPAIR SHOP	110 N HAWKINS	242	1124
DIAMOND ALKALI CO OF	1812 GRIFFIN	244	1125
SCIENTIFIC AUTOMOTIV	2819 COMMERCE ST	245	1125
GARAGE COURTIER	2815 COMMERCE ST	245	1128
CITY CHEVROLET CO	2642 MAIN	247	1128
CITY CHEVROLET CO	2644 MAIN	247	1129
JERNIGANS TEXACO SER	2656 MAIN ST	247	1129
CITY CHEVROLET CO	2650 MAIN	247	1130
CITY CHEVROLET CO	2646 MAIN	247	1130
CITY CHEVROLET CO	2648 MAIN	247	1130
CITY CHEVROLET CO	2652 MAIN	247	1131
CITY CHEVROLET CO	2654 MAIN	247	1131
PALACE SHOP	2813 COMMERCE	248	1131
AKARD SERVICE STATIO	420 N AKARD	249	1131
S F ILY AUTOMOBILE S	418 N AKARD CEDAR SP	249	1131
GERLACH A W	2620 MAIN	251	1132
GARLAND AND LABERTEW	2626 MAIN	251	1132
A-1 AUTO SERVICE	2622 MAIN	251	1133
GARLAND AND LABERTEW	2624 MAIN	251	1133
NELSON AUTO SERVICE	1601 FEDERAL	252	1133
MC CLELLAN AUTO REPA	2100 N PACIFIC AVE	254	1137
HATCH SERVICE STATIO	2513 MAIN	255	1137
LAKE CAOL	2519 MAIN	255	1137
DUNLAP SWAIN CO	2000 PACIFIC AVE	256	1138
EDWARDS FRANK AND FR	2001 N PACIFIC AVE	256	1138
HILLE OTTO A	2600 MAIN	257	1138
EDWARDS ALIGNMENT CO	2604 MAIN ST	257	1138
CHUCK S FORD CHEVROL	2610 MAIN	257	1139
HATCH SERVICE STATIO	2514 MAIN	257	1139
LEE S REO SERVICE	2528 MAIN	257	1139
ACMNIE AUTO TOP AND	2526 MAIN	257	1139
HATCH SERVICE STATIO	2522 MAIN	257	1139
HALL GABBY GARTAGE	2500 MAIN	258	1141
RIEK S GARAGE	2508 MAIN	258	1141
EDWARD S GARAGE	2509 MAIN	258	1141
MILLER S PHIL AUTO P	1701 BRYAN	259	1141
EDWARDS FRANK AND FR	2653 COMMERCE	262	1149
DUNLAP SWAIN CO	N HARWOOD & PACIFIC	263	1150

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
TOBIAN GARAGE	300 N HARWOOD	263	1150
HALL CLAUDE E GRILLE	2707 COMMERCE	264	1150
NELSON KNUTE	1409 PATTERSON AVE	266	1150
FOSTER J C SHORTY	1411 PATTERSON AVE	266	1151
BURTON PICKENS GARAG	1415 PATTERSON AVE	266	1151
LIBERTY GARAGE	2820 COMMERCE	267	1151
MAYFLOWER GARAGE	1408 PATTERSON AVE	268	1151
MAYFLOWER GARAGE	1410 PATTERSON AVE	268	1151
DE LUXE AUTO SERVICE	1906 N PACIFIC AVE	269	1153
TOWER GARAGE	1916 N PACIFIC AVE	269	1153
COOK BERT CADILLAC S	1911 LIVE OAK	269	1157
PREMIER GARAGE	1913 LIVE OAK	269	1157
KNIGHT S MOTOR HOTEL	317 N SAINT PAUL	270	1158
COX INC	319 N SAINT PAUL	270	1158
COX INC	325 N SAINT PAUL	270	1165
COX INC	321 N SAINT PAUL	270	1165
COX INC	323 N SAINT PAUL	270	1165
BAONE R L CO	2400 MAIN	271	1166
LSUCAS AUTO CO	2404 MAIN	271	1166
IDEAL GARAGE	2408 MAIN	271	1166
FISHER O W SERVICE S	2424 MAIN	271	1167
HUMBLE MAIN AND DOVE	2426 MAIN	271	1167
MANNING WIN L	2407 MAIN	271	1167
NISBETT R A	2411 MAIN	271	1167
YOUNG STREET GARAGE	2421 MAIN	271	1167
PATE W W REAR	1609 BRYAN	272	1168
EASTERN ENERGY SP ZO	1601 BRYAN ST	272	1168
AUTO STORAGE CO	1302 PATTERSON AVE	274	1175
ALLISON BROS	500 N FIELD	274	1176
DE LUXE AUTO SERVICE	516 N FIELD	274	1177
HALL WYMAN H	2714 COMMERCE	275	1177
COOK BERT OLDSMOBILE	1217 PATTERSON AVE	276	1177
GIBBS BARNEY L	501-07 NO FIELD	276	1177
EDWARDS FRANK OIL CO	2701 COMMERCE	277	1178
CENTRAL OLDSMOBILE	2312 MAIN	278	1178
JOHNSON S GARAGE	2303 MAIN	278	1178
SHELTON J H	2307 MAIN	278	1178
SHELTON J H	2309 MAIN	278	1178
SHELTON J H	2311 MAIN	278	1179
SHELTON J H	2313 MAIN	278	1179
SHELTON J H	2315 MAIN	278	1179
SHELTON J H	2317 MAIN	278	1179
FEDERAL AUTO STORAGE	1411 FEDERAL	280	1184
CAILRTWRIGHT S SERVI	1419 FEDERAL	280	1184
STLRANGE SERVICE STA	2635 COMMERCE	283	1185
GRILLE MAN THE	2637 COMMERCE	283	1185
DOWNTOWN TEXACO NO 1	2601 COMMERCE	284	1185
DALLAS QUALITY MOTOR	2712 COMMERCE	286	1188
WARD MOTOR REBUILDER	204 HENRY ST	288	1188
MC GILL AND CLIFTON	1215 PATTERSON AVE	290	1189
DALLAS PUMP SERVICE	2630 COMMERCE	291	1191
TRAPHAGAN ELECTRICAL	2626 CONMERCE	291	1193
FLAG PETROLEUM INC	1111 SAN JACINTO	292	1193
MC DONALD W F	2223 MAIN	293	1194
PI FOLLY UNION LIFE	318 N AKARD	295	1195
BETTER BUILT MOTORS	2612 COMMERCE ST	298	1217

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
BEDELL AUTOMOTIVE SE	2616 COMMERCE	298	1217
SOUTHCROSS GULF CAST	1700 PACIFIC AVE	299	1217
SMITH AND WILLIAMSON	2211 MAIN SMITTY	300	1220
LUCAS J W AUTOMOTIVE	2215 MAIN	300	1220
PARKMOOR	210 N HARWOOD	302	1220
JACOBS F L	1709 N PACIFIC AVE	303	1220
MEDICAL ARTS AUTO ST	1713 N PACIFIC AVE	303	1221
GAMBLE STORAGE AND T	300 N AKARD	304	1221
CLIFTON WALTER S GAR	1012 ROSS AVE	307	1238
CLIFTON WALTER S GAR	1020 ROSS AVE	307	1238
THOMPSON S SAFETY BR	1210 PATTERSON	310	1249
OVERSTREET GARAGE AN	1207 PATTERSON AVE	310	1249
OVERSTREET GARAGE AN	1209 PATTERSON	310	1249
HARRISON AUTO STORAG	1211 PATTERSON AVE	310	1250
OWL SERVICE STATION	2103 MAIN	311	1250
WHATLEY BROS GARAGE	2101 MAIN	311	1250
RICHARDSON NETTLES A	2208 MAIN	313	1250
ROOP S MOTOR MECCA	2210 MAIN	313	1251
RICHARDSON NETTLES A	2204 MAIN	313	1251
RICHARDSON NETTLES A	2206 MAIN	313	1251
WHITE WAY GARAGE	1401 N PACIFIC AVE	314	1251
BANK GARAGE THE	1400 N PACIFIC AVE	316	1252
MARLEY S GARAGE INC	1406 N PACIFIC AVE	316	1252
CARTWRIGHT SERVICE	1405 N PACIFIC AVE	316	1253
WHITE WAY GARAGE	1403 N PACIFIC AVE	316	1253
HAMILTON WM	1517 BRYAN	316	1272
BETTS AUTOMOTIVE SER	401 N FIELD	318	1277
GOSWICK S AUTO SERVI	411 N FIELD	318	1277
DIXON S SERVICE STAT	400 N FIELD	318	1277
CAR WASH SYSTEMS INC	211 N ERVAY BLDG STE	320	1279
DORAN CHEVROLET INC	2222 MAIN	321	1279
OAK CREEK MOBILE VIL	1600 PACIFIC AVE STE	323	1314
BILTMORE AUTO STORAG	1612 N PACIFIC AVE	323	1316
RACKLEY AND DAVIS	2120 MAIN	324	1316
QUEEN GRAAGE	1101 PATTERSON AVE	325	1318
QUEEN GRAAGE	1103 PATTERSON AVE	325	1318
COOK S GARAGE	1107 PATTERSON AVE	325	1318
ALLEN E C AUTO STORA	1111 PATTERSON AVE	325	1318
SIEBENHAUSEN C H	1113 PATTERSON AVE	325	1318
STEVE S GARAGE	1115 PATTERSON AVE	325	1319
ALLEN E C AUTO STORA	1109 PATTERSON AVE	325	1319
INDUSTRIAL BLVD TEXA	1636 N MARKET CENTER	326	1319
CUNNINGHAM S GARAGE	2106 MAIN	327	1319
MORRIS GARAGE	2110 MAIN	327	1319
DODD S GARAGE	2400 COMMERCE	329	1327
JOHNSON JOHNSON	2410 COMMERCE	329	1327
RED S STARTER AND GE	2422 COMMERCE	329	1327
KENNARD S BODY SHOP	2428 COMMERCE	329	1327
HARRIS KING	2426 COMMERCE	329	1327
TRINITY BATTERY AND	2309 COMMERCE	330	1328
CREEL AND SINCLAIR	2411 COMMERCE	330	1328
CREEL AND SINCLAIR	2409 COMMERCE	330	1328
MARBLE RAMBO AND SON	2407 COMMERCE	330	1328
DECATUR JACK	2419 COMMERCE	330	1328
CANTON AND HENRY SER	2615 CANTON	331	1333
FARRELL MOTOR AND BA	409 N LAMAR	332	1333

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
HILL HOWARD H	416 N LAMAR	332	1333
HENLEY AND STURM IN	1701 N LAMAR	333	1344
MAIN GARAGE INC	2001 MAIN	335	1344
EVER-READY SERVICE S	2003 MAIN	335	1344
CENTRAL GARAGE	2016 MAIN	336	1348
CENTRAL GARAGE	2018 MAIN	336	1348
LOUDERMILK G W CO	1937 MAIN	337	1357
LOUDERMILK G W CO	1935 MAIN	337	1357
RIGBY L L	1301 N PACIFIC AVE	340	1360
DAY AND NIGHT PARKIN	1307 N PACIFIC AVE	340	1360
DAY AND NIGHT PARKIN	1309 N PACIFIC AVE	340	1360
COX S TEXACO STATION	2501 CANTON	341	1360
TOWNCREEK EXXON GP I	1601 ELM ST STE 3300	343	1367
TENISON ELMO C	2113 COMMERCE	344	1368
GALBRAITH AND LOVE	2206 COMMERCE	345	1368
KNOWLES GEO W SERVIC	1209 N PACIFIC AVE	348	1369
KITTNER MYLES	310 N MARKET	349	1370
TUGGLE G W TEXACO SE	318 N MARKET	349	1370
DALLAS MOTOR SERVICE	2025 COMMERCE	353	1390
DALLAS MOTOR SERVICE	2027 COMMERCE	353	1391
TD LACY L R SERVICE	2118 COMMERCE	356	1404
SHAWS RESTAURANT & C	1802 MAIN	358	1413
LUGGAGE REPAIR SHOP	1804 MAIN	358	1413
BROOKS LUGGAGE AND B	1813 MAIN	358	1413
DRIVER & WHITE INC	555 ROSS	360	1430
MOBIL OIL CORPORATIO	1201 ELM ST	361	1434
TARPON TRANSMISSION	4665 RENAISSANCE TWR	366	1458
STEPHENS REPAIR SHOP	2024 COMMERCE	368	1463
DALLAS TIRE REBUILDE	2004 COMMERCE	369	1464
SHAMROCK SERVICE	1612 MAIN ST	373	1466
TRIPLE A OIL CO INC	1015 ELM ST STE 2006	377	1467
MAJESTIC SERVICE STA	1900 COMMERCE	379	1471
AKIN FRANK	1920 COMMERCE	379	1471
EXPRESS STN 1	601 PACIFIC AVE	382	1516
B&B AUTOMATIC TRANSM	1410 MAIN ST	384	1525
SKELLY OIL CO*	1309 MAIN ST	385	1541
BEDE ULL W W	307 S PEARL	387	1544
POST OFFICE GARAGE	1800 COMMERCE	388	1544
PLAZA GARAGE	801 ELM	389	1545
EXPRESSWAY GENERAL S	1417 COMMERCE ST	392	1559
SANGER BROS GARAGE	709 ELM	393	1561
SANGER BROS GARAGE	713 ELM	393	1561
SANGER BROS GARAGE	715 ELM	393	1561
SANGER BROS GARAGE	711 ELM	393	1561
EXXONMOBIL OIL CORPO	1201 MAIN ST	396	1568
DUNLAP SWAIN SERV ST	301 S HARWOOD ST	400	1571
MIC KENNEY JAMES L	312 S PEARL	401	1571
DTS STANDARD TRANSMI	917 MAIN ST	403	1572
GULF COAST NATURAL G	901 MAIN ST FL 12	406	1588
ORIENTAL OIL CO INC	1901 JACKSON	408	1602
DALLAS GARAGE	1916 JACKSON	409	1603
TOMSON AUTO PARK	1920 JACKSON	409	1603
I DALLAS AUTOMOTIVE	2023 YOUNG	410	1603
JOE S GARAGE	2035 YOUNG	410	1603
DIVERSIFIED SERVICE C	1512 COMMERCE	417	1616
WHITEHEAD S SUPER SE	600 ELM	419	1622

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
CROWELL WV S	1706 JACKSON	420	1632
STATEN AUTO CO	1712 JACKSON	420	1632
STATEN AUTO CO	1714 JACKSON	420	1633
CROWELL S GARAGE	1705 JACKSON	420	1633
JACKSON AND SCOTT GA	2110 YOUNG	422	1634
PICKETS ROBERT GARAG	2112 CANTON ST	422	1634
VENCILL FLOYD GARAGE	2118 CANTON ST	422	1635
BUTCHER R P GARAGE	2124 YOUNG	422	1635
LIBERTY SERVICE STAT	2100 YOUNG	423	1643
LONG STAR GAS CO	381 S HARWOOD	426	1643
LONE STAR SERVICE ST	1210 COMMERCE	427	1644
FLAG PETROLEUM INC	1226 COMMERCE	427	1646
NICHLOLS BROS GARAGE	1314 COMMERCE	427	1646
WASHINGTON GARAGE	1312 COMMERCE	427	1646
WASHINGTON GARAGE	1310 COMMERCE	427	1646
NICHOLS BROS GARAGE	1316 COMMERCE	427	1647
NICHOLS BROS GARAGE	1318 COMMERCE	427	1647
NICHOLS BROS GARAGE	1320 COMMERCE	427	1647
ADOLPHUS GARAGE DUNL	1326 COMMERCE	427	1647
MC CLANAHAN SERVICE	300 S ERVAY	428	1665
MEADLINS CAR CARE CE	803 MAIN ST	431	1676
CROWELL WV S	1708 JACKSON	436	1699
STATEN AUTO CO	1710 JACKSON	436	1699
WEAVER SPRING AND BU	402 N PEARL	438	1702
WALTER N C CO	411 N PEARL	438	1703
WAGNER ELECTRIC CORP	409 N PEARL	438	1703
SAFETY GARAGE	105 S AUSTIN	440	1704
HARRIS AUTO SERVICE	1600 JACKSON	442	1705
MAGNOLIA GARAGE	1602 JACKSON	442	1709
MAGNOLIA GARAGE	1604 JACKSON	442	1709
EDWARDS AND EDWARDS	425 S HARWOOD	446	1722
HILL S SUPER SERVICE	421 S HARWOOD	446	1722
JEFFERSON HOTEL AUTO	1512 JACKSON	447	1727
ORIENTAL OIL CO NO 7	601 MAIN	449	1728
CARROLL MOTOR CO	609 MAIN	449	1728
WALTER NOB HOTEL AUT	1410 JACKSON	450	1758
WALTER NOB AUTO STOR	1412 JACKSON	450	1759
WALTER NOB AUTO STOR	1414 JACKSON	450	1759
WALTER NOB AUTO STOR	1416 JACKSON	450	1759
MAGNOLIA PETROLEUM C	1418 JACKSON	450	1760
WALTER NOB BAKER HOT	1420 JACKSON	450	1760
SCOTT CLAY C GARAGE	1710 WOOD	451	1760
WOOD STREET GARAGE	1712 WOOD	451	1761
LONE STAR GARAGE AND	1728 WOOD	451	1765
LONE STAR SERVICE ST	1208 COMMERCE	454	1776
CALLAHAN AUTO TOP CO	509 MAIN	456	1778
HUNTER STORAGE	1318 JACKSON	459	1855
SANTA FE GARAGE	1323 JACKSON	459	1855
CORNER SERVICE STATI	430 S ERVAY	460	1855
DIAMOND AUTO STORAGE	407 S ERVAY	460	1856
ERVAY STREET GARAGE	405 S ERVAY	460	1856
GIBSON J J CO	2016 CANTON	462	1888
SIMONS GARAGE	1310 JACKSON	463	1888
SIMONS GARAGE	1308 JACKSON	463	1888
ANDY S GARAGE	1508 WOOD	464	1888
SIMONS GARAGE	1300 JACKSON ST	465	1888



## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
CLASSIFIED PARKING G	1407 WOOD	467	1896
LONE STAR RADIATOR W	1815 YOUNG	468	1897
LONE STAR RADIATOR W	1817 YOUNG	468	1897
ELLIS RALPH J SERVIC	221 S MARKET	469	1897
SIMMS OIL CO SERVICE	219 S MARKET	469	1897
RED BALL GARAGE	217 S MARKET	469	1897
BAYNE R L CO	215 S MARKET	469	1898
PLAZA GARAGE AND OIL	709 COMMERCE	469	1898
LONE STAR RADIATOR W	1900 YOUNG	470	1959
JACKSON ST GARAGE	1018 JACKSON ST	471	1959
JACKSON ST GARAGE	1020 JACKSON	471	1959
JACKSON ST GARAGE	1022 JACKSON ST	471	1959
JACKSON ST GARAGE	1024 JACKSON ST	471	1959
JACKSON ST GARAGE	1026 JACKSON ST	471	1960
JACKSON ST GARAGE	1102 JACKSON ST	471	1960
SANTA FE AUTO STORAG	1108 JACKSON	471	1960
JACKSON ST GARAGE	1028 JACKSON ST	471	1960
JACKSON ST GARAGE	1032 JACKSON ST	471	1960
JACKSON ST GARAGE	1030 JACKSON ST	471	1961
JACKSON ST GARAGE	1034 JACKSON ST	471	1961
JACKSON ST GARAGE	1036 JACKSON ST	471	1961
JACKSON ST GARAGE	1038 JACKSON ST	471	1961
JACKSON ST GARAGE	1042 JACKSON ST	471	1961
JACKSON ST GARAGE	1040 JACKSON ST	471	1962
JACKSON ST GARAGE	1044 JACKSON ST	471	1962
JACKSON ST GARAGE	1046 JACKSON ST	471	1962
JACKSON ST GARAGE	1050 JACKSON ST	471	1962
JACKSON ST GARAGE	1048 JACKSON ST	471	1962
JACKSON ST GARAGE	1052 JACKSON ST	471	1963
JACKSON ST GARAGE	1056 JACKSON ST	471	1963
JACKSON ST GARAGE	1054 JACKSON ST	471	1963
JACKSON ST GARAGE	1060 JACKSON ST	471	1963
JACKSON ST GARAGE	1058 JACKSON ST	471	1963
JACKSON ST GARAGE	1062 JACKSON ST	471	1964
JACKSON ST GARAGE	1066 JACKSON ST	471	1964
JACKSON ST GARAGE	1064 JACKSON ST	471	1964
JACKSON ST GARAGE	1068 JACKSON ST	471	1964
JACKSON ST GARAGE	1070 JACKSON ST	471	1964
JACKSON ST GARAGE	1074 JACKSON ST	471	1965
JACKSON ST GARAGE	1072 JACKSON ST	471	1965
JACKSON ST GARAGE	1076 JACKSON ST	471	1965
JACKSON ST GARAGE	1078 JACKSON ST	471	1965
JACKSON ST GARAGE	1080 JACKSON ST	471	1965
JACKSON ST GARAGE	1084 JACKSON ST	471	1966
JACKSON ST GARAGE	1082 JACKSON ST	471	1966
JACKSON ST GARAGE	1086 JACKSON ST	471	1966
JACKSON ST GARAGE	1088 JACKSON ST	471	1966
JACKSON ST GARAGE	1092 JACKSON ST	471	1966
JACKSON ST GARAGE	1090 JACKSON ST	471	1967
JACKSON ST GARAGE	1094 JACKSON ST	471	1967
JACKSON ST GARAGE	1098 JACKSON ST	471	1967
JACKSON ST GARAGE	1096 JACKSON ST	471	1967
SATTERFIELD SERVICE	617 COMMERCE	472	1988
YOUNG ST GARAGE AND	1723 YOUNG	474	1989
YOUNG ST GARAGE AND	1725 YOUNG	474	1989
YOUNG ST GARAGE AND	1721 YOUNG	474	1989

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
TUGWELL AUTOMOTIVE S	1002 JACKSON	477	2003
WADDELL S SERVICE ST	1400 YOUNG	478	2022
WATSON AND CALDWELL	419 S AKARD	479	2040
PICKENS ROBERT AUTO	611 S HARWOOD ST	480	2042
JACKSON ST GARAGE	1100 JACKSON ST	482	2058
JACKSON DOC GARAGE	1016 JACKSON	482	2058
FRY E R	1604 YOUNG	484	2062
EVERYBODY S OIL GAS	YOUNG & S ERVAY	484	2062
MILLER AUTOMOTIVE SE	1701 YOUNG	484	2062
JONES WM R	1703 YOUNG	484	2062
MC CLELLAN AUTO REPA	809 JACKSON	485	2063
WOOD STREET GARAGE	1200 WOOD	487	2063
BAUMAN J W	1507 YOUNG	488	2063
SCHOELLKOPF CO THE I	806 JACKSON	489	2064
WILEOXSON AND HUGGIN	705 JACKSON	490	2064
INTERURBAN AUTO STOR	1417 YOUNG	491	2064
YOUNG AND BROWDER GA	1421 YOUNG	491	2064
YOUNG AND BROWDER GA	1419 YOUNG	491	2064
YOUNG AND BROWDER GA	1423 YOUNG	491	2065
YOUNG AND BROWDER GA	1427 YOUNG	491	2065
YOUNG AND BROWDER GA	1425 YOUNG	491	2065
MIRACLE SAFETY WHEEL	301 S MARKET	493	2072
JEFFERSON GARAGE	605 JACKSON	494	2072
B AND C GARAGE REAR	1408 YOUNG	496	2080
GAS HOUSE THE	1900 CANTON	497	2080
BURKS GARAGE	1303 YOUNG	498	2080
AMERICAN AUTO CO	1313 YOUNG	498	2081
SOUTH AKARD GARAGE	522 S AKARD	500	2089
BUNN JACK SERVICE ST	500 S AKARD	500	2090
VAUGHAN AND MC DANIE	410 S LAMAR	501	2090
PICKENS GARAGE	702 S ERVAY	502	2090
ROBINION AND GREBE	1603 MARILLA	502	2125
ERNIE S SERVICE STAT	1330 YOUNG	503	2125
SIMMS OIL CO SERVICE	1332 YOUNG	503	2125
SHORT H W	1021 YOUNG	504	2125
FRANK AND BUCK SERVI	915 YOUNG	505	2126
MAGNOLIA PETROLEUM C	YOUNG & LAMAR	507	2126
LACY L . SERVICE STA	815 YOUNG	507	2126
YOUNG AND LAMAR GARA	909 YOUNG	507	2127
DOWNTOWN SERVICE STA	901 YOUNG	507	2127
JENSEN FOUNTAIN SERV	519 S AKARD	508	2128
JENSEN FOUNTAIN SERV	521 S AKARD	508	2128
U S SERVICE STATION	1102 YOUNG	511	2137
KEY S GARAGE	1317 MARILLA	514	2140
SANGER BROS GARAGE	1416 MARILLA	515	2140

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and

## EXECUTIVE SUMMARY

operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 199 EDR Hist Cleaner sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
MARTINEZ GILBERT	2322 ALAMO	12	23
GENERAL DYEING CO OF	2512 ALAMO	12	26
PANDORA CLEANERS	2821 LIVE OAK	17	48
FULLERS CLEANERS	2817 LIVE OAK ST	17	48
NATIONAL LAUNDRY MAN	2811 LIVE OAK	22	82
DAY AND NIGHT CLEANI	2815 LIVE OAKS	22	82
GAINES C	830 N CENTRAL AVE	34	166
YBARRA PETER	2215 N AKARD	41	213
NATIONAL CURTAIN LAU	1703 CEDAR SPRINGS	43	216
YBARRA TAILORS	2211 N AKARD	47	229
PREMIUM LAUNDRY & LI	3011 GASTON AVE	61	261
PEERLESS CLEANERS	3007 GASTON AVE	68	297
PEERLESS INDUSTRIES	3009 GASTON AVE	68	297
PARAMOUNT CLEANERS	1025 SLOCUM ST	79	329
PARAMOUNT RUG AND CA	1013 SLOCUM ST	81	330
GAINES TAILORS	2617 BRYAN	82	330
KENNIEBREW TAILORING	709 N CENTRAL	84	335
MARY S CLEANING AND	2417 BRYAN	90	359
RAMOS NICK	1507 MCKINNEY AVE	92	360
AUTOMATIC LAUNDRY CO	961 SLOCUM ST	95	376
CRAIG LEWIS	1402 MCKINNEY AVE	107	431
C S I CLEANING SPECI	2624 SWISS AVE	114	685
COIN CLEAN CENTER #2	909 STEMMONS TOWER E	119	692
WASHINGTON L E	615 N CENTRAL AVE	122	695
AMERICAN RUG SERVICE	2312 GRIFFIN	123	695
AMERICAN RUG SERVICE	2320 GRIFFIN	123	696
ARNOLD S PRESS SHOP	2227 BRYAN	129	720
PONCE BROS CLEANERS	2011 N FIELD ST	134	750
GLO CLEANING SYSTEM	2315 LIVE OAK ST	150	788
ALOORE JOHN	2103 GRIFFIN	162	816
ROMOTSKY BENJ	617 N AKARD	163	817
SIMPSON S T AND SONS	408 N CENTRAL AVE	166	822
GRAVES C L	611 N AKARD	175	856
ELMORE WM E	613 N AKARD	175	856
PALACE CLEANERS AND	606 N AKARD	175	856
MORALES BROS CLEANIN	2005 BRYAN	176	856
GAS APPLIANCE SERVIC	2014 BRYAN	192	924
JONES HENNING CORP	1445 ROSS AVE STE 1B	196	930
EUBANKS AND BALLARD	304 N CENTRAL AVE	205	970
M 1E'CCA CLEANERS	2710 ELM MELBA PRESQ	206	970
DAVIDSOOT CLEANERS	107 N CROWDUS	219	1021
CAPITOL CLEANERS	111 N CROWDUS	219	1021
PEOPLES TAILORING AN	2536 ELM	220	1024
TROY LAUNDRY CO	2523 ELM	220	1025
F AND G CLEANERS	527 N AKARD	221	1029
NU WAY CLEANING DY	1901 BRYAN	222	1030
BERGER PAUL A	2004 LIVE OAK	228	1057
A DIFFERENT TAILOR	201 N HAWKINS	229	1057
PEOPLES CLEANING AND	2421 ELM	242	1124
MARATHON LATINDRY	411 N ERVAY	246	1128
PALACE CLEANERS	413 N ERVAY	246	1128

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
FAMBRO CLEANERS	2420 ELM	250	1132
GREEN LOUIS	405 N AKARD	260	1141
EFESTIDES HARRY	413 N AKARD	260	1143
MODEL TAILORS THE	2308 ELM	261	1143
LOUIS CLEANERS	201 N CENTRAL AVE	261	1143
CHAMBERS TAILORING C	211 N CENTRAL AVE	261	1143
DENTON R B	819 MCKINNEY AVE	265	1150
SUITATORIUM THE	1916 LIVE OAK	269	1156
LE FEVRE E J	1919 LIVE OAK	269	1157
MODERN CLEANERS	1923 LIVE OAK	269	1157
VINES FISHER CLEANIN	315 N SAINT PAUL	270	1157
ONE HOUR CLEANERS	331 N SAINT PAUL	270	1165
MULLER DYE WORKS	333 N SAINT PAUL	270	1166
MEDICAL ARTS CLEANER	1642 BRYAN	272	1168
CLEANERS INCORPORATE	1601 BRYAN	272	1172
RIDDLE CLEANING CO	307 N ERVAY	273	1173
SNOW WHITE CLEANERS	311 N ERVAY	273	1173
WHITE S ONE HOUR CLE	327 N ERVAY ST	273	1173
GILBERT AND SANDLIN	331 N ERVAY	273	1173
RED S ONE HOUR CLEAN	1320 PATTERSON AVE	279	1183
FISHBURNS WEST END	1200 SAN JACINTO ST	281	1185
RICHMAN AND GOREN	2222 ELM	282	1185
AKARD PRESS SHOP	307 N AKARD	285	1186
PETE S HAT WORKS	309 N AKARD	285	1186
HATITORIUM CLEANERS	315 N AKARD	285	1186
SHENANDOAH TAILORING	317 N AKARD	285	1186
GOLDBERG JOS	319 N AKARD	285	1186
MANHATTAN TAILORS .	2212 ELM	287	1188
INDUSTRIAL TOWEL CO	2511 COMMERCE	289	1189
PALACE PRESS SHOP	1647 PACIFIC AVE	301	1220
NEWKIRK THOS	103 N CENTRAL	306	1224
WASHINGTON ROY	107 N CENTRAL AVE	306	1225
FAMBRO CLEANERS	112 N CENTRAL AVE	306	1225
FABRIK CLEANER	2000 ELM ST	309	1248
PLAYER S CLEANERS	2024 A ELM	309	1248
ROLNICK HAT CO A	2016 ELM	309	1249
LOWREY C C	105 N PEARL	312	1250
DO IT-RIGHT LAUNDRY	101 S AKARD	316	1252
J B HATITORIUM	103 N AKARD	316	1252
EMPIRE HAT WORKS AND	115 N AKARD	316	1253
WOOD AND EDWARDS	1507 N PACIFIC AVE	316	1253
WOOD AND EDWARDS	1505 N PACIFIC AVE	316	1253
ZIP SIXTY MINIT CLEA	212 N AKARD ST	316	1272
NORTH ERVAY PRESS SH	208 N ERVAY	320	1279
METROPOLE CLEANERS A	1601 ELM	322	1298
ARCADE CLEANERS	1604 N PACIFIC AVE	323	1315
PALACE TAILOR SHOP	1617 ELM	334	1344
MAIN STREET CLEANERS	2007 MAIN	335	1345
TEXAS SHOE SHOP	2024 MAIN	336	1348
CRYSTAL CLEANERS AND	115 S HARWOOD	337	1349
WHITE PLAZA HOTEL VA	1931 MAIN	337	1357
WHITE PLAZA HOTEL VA	1937 MAIN	337	1357
GRIGSBY R L	1612 ELM	346	1368
ST FRANCIS CLEANERS	1909 MAIN	347	1369
ZIP CLEANERS	104 S SAINT PAUL ST	351	1377
COBB S PENNY LAUNDRY	1800 MAIN	355	1393

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
BIG B SHINE PARLOR	1703 MAIN	355	1397
ST FRANCIS CLEANERS	1816 MAIN	358	1413
RADY HOWARD C	1818 MAIN ST	358	1413
ST FRANCIS PRESS SHO	1819 MAIN	358	1414
ELM PRESS SHOP	1211 ELM	366	1458
CITICLEANERS	1324 ELM ST	367	1463
C P A BY SKEFLLNGTON	2008 COMMERCE ST	369	1464
METROPOLE CLEANERS A	1511 MAIN	370	1464
BELL CLEANERS	1937 COMMERCE ST	371	1464
CROSS CLEANERS AND T	1108 ELM	374	1466
MCGUIRE CLEANING AND	1602 MAIN	376	1467
SOUTHERN CLEANERS AN	1007 ELM	377	1467
BRANTLEY CLEANING AN	1912 COMMERCE	379	1471
ZENITH-CASINO INC	1516 MAIN	380	1471
ZIP DRY CLEANING & L	1914 COMMERCE ST	383	1520
WADE W C	313 S PEARL	387	1544
WADE S BARBER SHOP A	306 S PEARL	387	1544
MANHATTAN LAUNDRY AN	207 PRATHER ST	388	1545
G S W COIN OP SUPPLY	310 N AUSTIN ST	389	1545
SURAIYA HYDER	1700 COMMERCE ST	390	1546
MANHATTAN LAUNDRY AN	1710 COMMERCE	390	1547
HATITORIUM THE NO 2	1208 MAIN	391	1547
ZIP 60 MINUTE CLEANE	1212 MAIN ST	391	1547
ANJUL INC	1505 COMMERCE ST	392	1560
GUSTAVOS TAILORS	1207 MAIN ST STE C11	396	1568
ASPEN CLEANERS	1201 MAIN ST	396	1569
VICTOR HATTERS AND C	1612 COMMERCE	397	1569
ABRAHAM GEO	1611 COMMERCE	397	1569
HEINENS INC	917 MAIN	403	1572
LE BEAU PRESSING PAR	1023 MAIN	403	1572
J B HATITORIUM A	215 S ERVAY	405	1574
FREE MENDING HAND LA	213 S ERVAY	405	1574
MOORE BROS	209 S ERVAY	405	1574
CORPORATE CARE OF AM	901 MAIN ST STE C114	406	1577
LAUNDRY LIMO	222 BROWDER ST APT 1	407	1600
AND	1502 COMMERCE	407	1600
NOBBY TAILORS	206 BROWDER	407	1601
CLARK J C	213 S AKARD	411	1603
BAKADOLPH ONE HOUR C	209 S AKARD	411	1604
ORIENTAL LAUNDRY BRA	205 S AKARD	411	1604
ANJUL INC	1409 COMMERCE ST	411	1604
ORCHID CLNRS & LNDRY	1152 MAIN ST	413	1608
PERFECT HAND LAUNDRY	210 S ERVAY	414	1608
ARCHIBALD HAT CO	1006 MAIN	418	1622
GOODMAN S F A	1008 MAIN	418	1622
MAIN STREET CLEANERS	904 MAIN	421	1633
WESTON THOS A	906 MAIN	421	1633
CITY TAILORS AND HAT	908 MAIN	421	1633
BROWNIE TAILOR SHOP	910 MAIN	421	1634
MCGUIRE CLEANING AND	912 MAIN	421	1634
ADOLPHUS LAUNDRY	1313 COMMERCE	427	1646
BAKER PRESS SHOP	1332 COMMERCE	427	1647
CITY TAILORS	906 A MAIN	429	1665
THOMPSON SCOTT W	108 S LAMAR	432	1682
GRAY S LAUNDRY	106 S LAMAR	432	1682
MAGNOLIA TAILORS	1601 JACKSON	434	1697

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
CANTU ROY G	1710 JACKSON ST	436	1699
ATLAS CLEANERS	408 S PEARL	438	1702
HI TECH DISCOUNT CLE	724 MAIN ST	440	1704
ORIENTAL LAUNDRY BRA	104 S AUSTIN	440	1704
MO CARROLL CLEANING	806 MAIN	440	1704
ACME TAILOR SHOP	1203 COMMERCE	441	1705
SOUTHLAND PRESS SHOP	1207 COMMERCE	441	1705
MAGNOLIA TAILORS	1610 JACKSON	442	1709
INTERURBAN TAILORS	311 BROWDER	448	1727
ORIENTAL LAUNDRY AND	1714 WOOD ST	451	1760
COIN CLEAN CENTER #2	1712-20 WOOD ST	451	1761
ORIENTAL LAUNDRY	1716 WOOD	451	1761
ORIENTAL LAUNDRY	1718 WOOD	451	1761
ORIENTAL LAUNDRY	1720 WOOD	451	1764
ORIENTAL LAUNDRY	1722 WOOD	451	1765
ORIENTAL LAUNDRY	1724 WOOD	451	1765
ORIENTAL LAUNDRY	1726 WOOD	451	1765
GARCIA J L	315 S ERVAY	453	1776
ST GEORGE TAILOR SHO	1015 COMMERCE	455	1776
EXCHANGE CLEANERS	305 S AKARD	459	1855
ZIP 60. MINIT CLEANE	303 S AKARD	459	1855
WITEBSKY ISADORE	423 S ERVAY	460	1856
R AND B CLEANERS 1/	708 COMMERCE ST	469	1898
PLAZA CLEANERS	214 S RECORD	472	1989
R AND B CLEANERS	708 A COMMERCE ST	473	1989
HARMON TAILOR SHOP	617 S HARWOOD	480	2041
DIXIE CLEANERS	609 S HARWOOD	480	2042
GOFF CLEANER	610 COMMERCE	481	2052
ERVAY CLEANERS	533 S ERVAY	484	2061
DAVIS W P CLEANING C	525 S ERVAY	484	2061
CENTURY CLEANING AND	511 S ERVAY	484	2062
WINNING WAY LAUNDRY	422 S AKARD	486	2063
MORNINGSTAR INC	400 S AKARD ST	486	2063
PAPAS P D	520 S AKARD	500	2089
WEST DISINFECTING CO	1200 YOUNG	506	2126
CITY CLEANERS AND BA	519 S AKARD	508	2127

TX RGA LF: The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Texas Commission of Environmental Quality in Texas formerly known as Texas Natural Resources Conservation Commission which changed in 2002.

A review of the TX RGA LF list, as provided by EDR, has revealed that there is 1 TX RGA LF site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
Not reported	2701 GASTON AVE, DAL	126	718

## EXECUTIVE SUMMARY

Please refer to the end of the findings report for unmapped orphan sites due to poor or inadequate address information.

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Total Plotted</u>
<b><u>FEDERAL RECORDS</u></b>	
NPL	0
Proposed NPL	0
Delisted NPL	0
NPL LIENS	0
SEMS	0
SEMS-ARCHIVE	1
LIENS 2	0
CORRACTS	0
RCRA-TSDF	0
RCRA-LQG	0
RCRA-SQG	0
RCRA-CESQG	9
RCRA NonGen / NLR	50
US ENG CONTROLS	0
US INST CONTROL	0
ERNS	21
HMIRS	3
DOT OPS	0
US CDL	0
US BROWNFIELDS	1
DOD	0
FUDS	0
LUCIS	0
CONSENT	0
ROD	0
UMTRA	0
ODI	0
DEBRIS REGION 9	0
US MINES	0
TRIS	0
TSCA	2
FTTS	12
HIST FTTS	11
SSTS	1
ICIS	22
PADS	0
MLTS	5
RADINFO	0
FINDS	206
RAATS	0
RMP	0
ECHO	85
FUELS PROGRAM	0
DOCKET HWC	0
UXO	0
FUSRAP	0
COAL ASH DOE	0
2020 COR ACTION	0



## MAP FINDINGS SUMMARY

<u>Database</u>	<u>Total Plotted</u>
PRP	0
EPA WATCH LIST	0
US FIN ASSUR	0
PCB TRANSFORMER	0
US HIST CDL	0
SCRD DRYCLEANERS	0
IHS OPEN DUMPS	0
ABANDONED MINES	1
COAL ASH EPA	0
FEMA UST	0
FEDERAL FACILITY	0
US AIRS	1
LEAD SMELTERS	1

### STATE AND LOCAL RECORDS

TX SHWS	0
TX IOP	8
TX SWF/LF	0
TX DEBRIS	0
TX CLI	0
TX NPDES	1
TX UIC	0
TX SWRCY	0
TX WASTE MGMT	0
TX LPST	36
TX UST	74
TX DEL SHWS	0
TX LIENS	0
TX AST	11
NY MANIFEST	1
TX SPILLS	28
TX AUL	18
TX VCP	58
TX PRIORITYCLEANERS	1
TX DRYCLEANERS	8
TX BROWNFIELDS	1
TX ENF	2
TX CDL	0
TX Ind. Haz Waste	60
TX ED AQUIF	0
TX AIRS	5
TX MSD	9
TX TIER 2	97
TX ASBESTOS	80
TX LEAD	0
TX RWS	0
TX HIST LIENS	0
TX GCC	36
TX IHW CORR ACTION	7
TX COAL ASH	0

## MAP FINDINGS SUMMARY

<u>Database</u>	<u>Total Plotted</u>
TX APAR	13
<b><u>TRIBAL RECORDS</u></b>	
INDIAN RESERV	0
INDIAN ODI	0
INDIAN LUST	0
INDIAN UST	0
INDIAN VCP	0
<b><u>EDR PROPRIETARY RECORDS</u></b>	
EDR MGP	0
EDR Hist Auto	534
EDR Hist Cleaner	199
TX RGA LF	1
TX RGA HWS	0

### NOTES:

Sites may be listed in more than one database

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>1</b>	<b>CITY OF DALLAS PARK AND RECREATION DEPARTMENT KATY IN OLD RAILROAD RIGHT OF WAY TO AIRLINE RD NEAR US DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1011318893 N/A</b>
----------	---	--------------	---------------------------

FINDS:

Registry ID: 110034406774

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>1</b>	<b>JESEKE CONSTRUCTION KATY TRAIL PHASE II 2700 N HOUSTON ST DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1010768904 N/A</b>
----------	---	--------------	---------------------------

FINDS:

Registry ID: 110033858387

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>2</b>	<b>HOUSTON STREET/UP CENTRAL PROPERTY SEC FLYNN AND ALAMO DALLAS, TX</b>	<b>TX VCP</b>	<b>S109145765 N/A</b>
----------	--	---------------	---------------------------

VCP TCEQ:

Region:	4
Facility ID:	0744
Facility Type:	Railroad Tracks/Railyard
VCP Received:	03/31/1998
PCA Number:	31654
Project Number:	Frew
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	32-47-30 / 96-48-40
Lat/Long (DD):	Not reported
Acres at Site:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOUSTON STREET/UP CENTRAL PROPERTY (Continued)**

**S109145765**

Contaminant Categories:	Petroleum Hydrocarbons
Media Affected:	Soils
Applicant:	Anland 4, L.P.
Applicant Contact Title:	Secretary
Applicant Address:	1845 Woodall Rogers Freeway, Ste 1700
Applicant City,St,Zip:	Dallas, TX 75201
Applicant Phone:	972-788-3000
Applicant Fax:	972-788-3096
Consultant/Attorney:	Hughes & Luce, L.L.P.
Consultant/Attorney Name:	Dwight A. Shupe
Consultant/Attorney Contact Title:	Attorney
Consultant/Attorney Address:	1717 Main Street, Suite 2800
Consultant/Attorney City,St,Zip:	Dallas, TX 75201
Consultant/Attorney Phone:	972-939-5468
Consultant/Attorney Fax:	972-939-6100
TNRCC Solid Waste Registration:	81424
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	TX0000079830
Application Signed By Applicant:	08/14/1998
Standards:	2
TX Risk Reduction Prgm:	Not reported
Institutional Controls:	Nonresidential
Certificate of Completion:	07/14/1999
Remedy Type:	Excavation and Disposal
Risk Reduction or Petroleum Storage Tank:	RRR
Leaking Petroleum Storage Registration Tank:	107079
Cashier Recvd:	03/31/1998
App Accepted?:	Y
Date Accepted:	Not reported
Region?:	Y
Alt VCP Id:	Not reported
Project No.:	316540
Contaminants Identified:	Not reported
OffSite?:	N
Billing Company:	Anland 4, L.P.
Billing c/o Name:	Patti Reimann
Billing Address1:	1845 Woodall Rogers Freeway
Billing Address2:	Suite 1700
Billing City:	Dallas
Billing State:	TX
Billing Zip:	75201
Billing Phone:	972-788-3000
IOP No.:	Not reported
Region COC?:	Y
Region R/W?:	Not reported
Survey?:	Y
Comments:	Not reported
Media:	M
File Location:	CR

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

<b>3</b>	<b>PLANTER BILL AUTOMOTIVE</b> <b>999 N CENTRAL</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009386339 N/A
----------	---	---------------	-------------------

EDR Hist Auto

Year:	Name:	Type:
1973	PLANTER BILL AUTOMOTIVE	General Automotive Repair Shops
1973	FREDS FOREIGN CAR SERVICE	General Automotive Repair Shops
1974	FREDS FOREIGN CAR SERVICE	General Automotive Repair Shops
1974	PLANTER BILL AUTOMOTIVE	General Automotive Repair Shops
1975	PLANTER BILL AUTOMOTIVE	General Automotive Repair Shops
1976	PLANTER BILL AUTOMOTIVE	General Automotive Repair Shops
1977	PLANTER BILL AUTOMOTIVE	AUTOMOBILE REPAIRING
1977	PLANTER BILL AUTOMOTIVE	General Automotive Repair Shops
1978	PLANTER BILL AUTOMOTIVE	General Automotive Repair Shops
1978	ARTHURS MERCEDES-BENZ SERVICE	General Automotive Repair Shops
1979	ARTHURS MERCEDES-BENZ SERVICE	General Automotive Repair Shops
1979	PLANTER BILL AUTOMOTIVE	General Automotive Repair Shops

<b>4</b>	<b>JEFFERSON @ BRYAN PLACE - PHASE II</b> <b>MULTIPLE PARCELS</b> <b>DALLAS, TX 75204</b>	TX IOP	S106620956 N/A
----------	---	--------	-------------------

IOP:

IOP ID:	0053
IOP recvd:	07/28/1998
Region:	04
Phase:	Completed
Interest In Site:	Purchaser
Property Use:	Vacant Tracts/Buildings
Project Manager:	Bell
Lat/Long:	32-47-28 / 96-47-26
Lat/Long (dms):	Not reported
Acres:	4
Media Affected:	Groundwater
LPST Number:	Not reported
VCP ID:	813
Cert Issued:	09/14/1999
Solid Waste Regn Number:	Not reported
EPA TX ID/Cerclis regn Number:	Not reported
Contaminant Categories:	Chlorinated Solvents
Applicant Information:	Jefferson @ Bryan Place - Phase II
Applicant Name:	Tom Scaling
Applicant Title:	Project Manager
Applicant Address:	600 East Los Colinas Blvd, Suite 1800
Applicant City,St,Zip:	Irving, TX 75039
Applicant Phone:	972-444-2158
Applicant Fax:	972-556-3765
Consultant/Attorney:	Locke, Purnell
Consultant/Attorney Name:	Mark T. Story
Consultant/Attorney Title:	Attorney
Consultant/Attorney Address:	2200 Ross Avenue, Suite 2200
Consultant/Attorney City,St,Zip:	Dallas, TX 75201
Consultant/Attorney Phone:	214-740-8590
Consultant/Attorney Fax:	214-740-8800
EDR Link ID:	0053

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**4 JEFFERSON @ BRYAN PLACE PHASE II  
 MULTIPLE PARCELS, SEVERAL UNDEVELOPED  
 DALLAS, TX 75204**

**TX VCP S109145783  
 N/A**

VCP TCEQ:  
 Region: 4  
 Facility ID: 0813  
 Facility Type: Various Properties/Vacant Land  
 VCP Received: 07/28/1998  
 PCA Number: 31723  
 Project Number: Bell  
 Type Lead: Purchaser  
 Phase: Trans/IOP  
 Lat/Long: 32-47-28 / 96-47-26  
 Lat/Long (DD): Not reported  
 Acres at Site: 4  
 Contaminant Categories: Not reported  
 Media Affected: Not reported  
 Applicant: Jefferson at Bryan Place - Phase II, L.P.  
 Applicant Contact Title: Project Manager  
 Applicant Address: 600 East Los Colinas Blvd., Suite 1800  
 Applicant City,St,Zip: Irving, TX 75029  
 Applicant Phone: 972-444-2158  
 Applicant Fax: 972-556-3765  
 Consultant/Attorney: Locke, Purnell, Rain & Harrell  
 Consultant/Attorney Name: Mark T. Story  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 2200 Ross Avenue, Suite 2200  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-740-8590  
 Consultant/Attorney Fax: 214-740-8800  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: 1  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 09/24/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 317230  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Jefferson at Bryan Place - II  
 Billing c/o Name: Tom Scaling  
 Billing Address1: 600 East Los Colinas Boulevard  
 Billing Address2: Suite 1800  
 Billing City: Irving  
 Billing State: TX  
 Billing Zip: 75039  
 Billing Phone: 972-444-2158  
 IOP No.: 53

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JEFFERSON @ BRYAN PLACE PHASE II (Continued)**

**S109145783**

Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

**4**

**JEFFERSON AT BRYAN PLACE  
 5 TRACTS  
 DALLAS, TX 75204**

**TX VCP S105807129  
 N/A**

VCP TCEQ:

Region: 4  
 Facility ID: 0676  
 Facility Type: Vacant Property Previously Developed  
 VCP Received: 12/30/1997  
 PCA Number: 31586  
 Project Number: Bell  
 Type Lead: Purchaser  
 Phase: Trans/IOP  
 Lat/Long: 32-47-28 / 96-47-26  
 Lat/Long (DD): Not reported  
 Acres at Site: 10  
 Contaminant Categories: Not reported  
 Media Affected: Not reported  
 Applicant: Jefferson at Bryan Place, L.P.  
 Applicant Contact Title: Vice President  
 Applicant Address: 606 East Los Colinas Blvd., Suite 1800  
 Applicant City,St,Zip: Irving, TX 75039  
 Applicant Phone: 972-556-6936  
 Applicant Fax: 972-556-3765  
 Consultant/Attorney: Locke, Purnell, Rain & Harrell  
 Consultant/Attorney Name: Mark T. Story  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 2200 Ross Avenue, Suite 2200  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-740-8590  
 Consultant/Attorney Fax: 214-740-8800  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 12/30/1997  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 315860  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Jefferson at Bryan Place

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JEFFERSON AT BRYAN PLACE (Continued)**

**S105807129**

Billing c/o Name: John Santry  
 Billing Address1: 606 East Los Colinas Boulevard  
 Billing Address2: Suite 1800  
 Billing City: Irving  
 Billing State: TX  
 Billing Zip: 75039  
 Billing Phone: 972-556-6936  
 IOP No.: 12  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

**5 MARTINEZ PROPERTY  
 1600 PAYNE ST  
 DALLAS, TX 75201**

**FINDS 1011378719  
 N/A**

**FINDS:**

Registry ID: 110034951318

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**6 BOLL ST GARAGE  
 1030 BOLL  
 DALLAS, TX**

**EDR Hist Auto 1009352129  
 N/A**

**EDR Hist Auto**

Year: Name: Type:  
 1930 BOLL ST GARAGE AUTOMOBILE REPAIRERS



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

6	<b>BLACK AND WHITE LINE GARAGE REAR</b> <b>1032 BOLL</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352177 N/A
---	--	---------------	-------------------

EDR Hist Auto

Year:	Name:	Type:
1936	BLACK AND WHITE LINE GARAGE REA	AUTOMOBILE REPAIRING

---

7	<b>FORMER WINGTIP COURIERS INC</b> <b>910 N CENTRAL EXPY</b> <b>DALLAS, TX 75204</b>	TX LPST	S106863986 N/A
---	--	---------	-------------------

LPST:

Facility ID:	0003630
LPST Id:	116288
Facility Location:	910 N CENTRAL EXPY
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	01/19/2005
Entered Date:	12/07/2004
Priority:	4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED
Program:	1P - PRIVATIZATION CONTRACTOR
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	4.0
<b>Status:</b>	<b>FINAL CONCURRENCE ISSUED, CASE CLOSED</b>
Coordinators Primary:	1P
Coordinators RPR:	RD2
Responsible Party Name:	BAKOO, JAMAL
Responsible Party Contact:	KEITH KOOP
Responsible Party Address:	304 S COTTONWOOD STE D
Responsible Party City,St,Zip:	RICHARDSON, TX 75080
Responsible Party Telephone:	972/231-4600
Reported Date:	10/20/2003
Case Start Date:	12/07/2004

---

7	<b>JAMAL BAKOO</b> <b>910 N CENTRAL EXPY</b> <b>DALLAS, TX 75204</b>	TX UST	U001240475 N/A
---	--	--------	-------------------

UST:

AI Number:	3630
Facility Type:	Not reported
Facility Begin Date:	06/16/1986
Facility Status:	INACTIVE
Additional ID:	467299932002062
Facility Exempt Status:	Y
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75204
Contact Name/Title:	KEITH KOOP,PRES
Contact Organization Name:	JAMAL BAKOO
Contact Mailing Address1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JAMAL BAKOO (Continued)**

**U001240475**

Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	9722314600
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	03/06/1986
Signature Name/Title On Earliest Reg Form:	RONALD WOMACK,VP ADM
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN602526394
Owner Last Name:	BAKOO
Owner First Name:	JAMAL
Owner Middle Name:	Not reported
Owner Type:	IN
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	715514572003352
Additional ID:	467299932002062
AI Number:	3630
Owner Effective Begin Date:	08/31/2003
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1982
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	4000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	8918
Facility ID:	42281
AI Number:	3630
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/31/2003
Empty:	N
Tank Regulatory Status:	EXEMPT NON-USE SINCE 1974
Tank Int Prot (Internal Tank Lining Date):	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JAMAL BAKOO (Continued)**

**U001240475**

Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	04/29/1994
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	4000
UST Comprt ID:	14120
UST ID:	8918
AI Number:	3630
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JAMAL BAKOO (Continued)**

**U001240475**

CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Construction Notification:

NOC ID:	1369
Facility ID:	42281
AI Number:	3630
Application Received Date:	08/21/2003
Scheduled Construction Date:	09/20/2003
UST Improvement:	N
UST Installation:	N
UST Removal:	Y
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	M30821002
Waiver Flag:	N
Late Filing Flag:	N
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JAMAL BAKOO (Continued)**

**U001240475**

Signature Role: Not reported  
 Owner Name At Time Of Construction: Not reported  
 Owner CN At Time Of Construction: Not reported  
 Owner AR At Time Of Construction: 61845  
 General Desc Of Proposed Construction: Not reported

**Contractor, Consultant and Installer:**

Cont/Cons/Installer ID: 1596  
 UST ID: Not reported  
 NOC ID: 1369  
 AI Number: 3630  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP000357  
 Company Name: Not reported  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

**Facility Billing Contacts:**

Contact Organization Name: BAKOO JAMAL  
 Contact Mailing Address (Delivery): 304 S COTTONWOOD DR STE D  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: RICHARDSON, TX 75080 5752  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 42281  
 Additional ID: 467299932002062  
 Princ ID: 715514572003352  
 AI Number: 3630  
 Facility Name: JAMAL BAKOO  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: KEITH KOOP/

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>8</b>	<b>DALLAS CENTER FOR THE PERFORMING ARTS DALLAS ARTS ON SW OF JACK EVANS ST &amp; FLORA ST INTX DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1011343365 N/A</b>
----------	--	--------------	---------------------------

FINDS:

Registry ID: 110034571425

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>9</b>	<b>TELENOVA INC 1201 N STEMMONS EXPY CARROLLTON, TX 75006</b>	<b>RCRA NonGen / NLR FINDS ECHO</b>	<b>1000341335 TXD982559767</b>
----------	---	---	------------------------------------

RCRA NonGen / NLR:

Date form received by agency: 10/26/2006  
 Facility name: TELENOVA INC  
 Facility address: 1201 N STEMMONS EXPY  
 CARROLLTON, TX 75006  
 EPA ID: TXD982559767  
 Mailing address: N STEMMONS EXPY  
 CARROLLTON, TX 75006  
 Contact: MICHEAL MOORE  
 Contact address: N STEMMONS EXPY  
 CARROLLTON, TX 75006  
 Contact country: US  
 Contact telephone: 214-446-1000  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TELENOVA INC  
 Owner/operator address: N STEMMONS EXPY  
 CARROLLTON, TX 75006  
 Owner/operator country: US  
 Owner/operator telephone: 214-446-1000  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/23/2002  
 Owner/Op end date: Not reported  
 Owner/operator name: TELENOVA INC  
 Owner/operator address: N STEMMONS EXPY

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TELENOVA INC (Continued)**

**1000341335**

CARROLLTON, TX 75006

Owner/operator country: US  
 Owner/operator telephone: 214-446-1000  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/23/2002  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: F002

. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 01/23/2002  
 Site name: TELENOVA INC  
 Classification: Not a generator, verified

. Waste code: F002

. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 11/08/1988

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TELENOVA INC (Continued)**

**1000341335**

Site name: MEMOREX-TELEX  
 Classification: Small Quantity Generator  
 . Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005109505

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000341335  
 Registry ID: 110005109505  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005109505>

**10 MARQUIS AT TEXAS STREET  
 2806 BRYAN ST.  
 DALLAS, TX 75204**

**TX IOP S112203188  
 TX GCC N/A**

**IOP:**

IOP ID: 0840  
 IOP recvd: 09/06/2012  
 Region: 04  
 Phase: Completed  
 Interest In Site: Owner  
 Property Use: Commercial Industrial  
 Project Manager: Price  
 Lat/Long: Not reported  
 Lat/Long (dms): 32.79055 / -96.789041  
 Acres: 4.184  
 Media Affected: Groundwater  
 LPST Number: Not reported  
 VCP ID: Not reported  
 Cert Issued: 07/26/2013  
 Solid Waste Regn Number: Not reported  
 EPA TX ID/Cerclis regn Number: Not reported  
 Contaminant Categories: Chlorinated Solvents



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MARQUIS AT TEXAS STREET (Continued)**

**S112203188**

Applicant Information: CWS Texas Street, LP  
 Applicant Name: Jeff Lahr  
 Applicant Title: Development Manager  
 Applicant Address: 9606 N Mopac Expwy Ste 500  
 Applicant City,St,Zip: Austin, TX 78759  
 Applicant Phone: 512-837-3028  
 Applicant Fax: 512-837-5721  
 Consultant/Attorney: 512-837-5721  
 Consultant/Attorney Name: Terracon Scott  
 Consultant/Attorney Title: Kolodziej  
 Consultant/Attorney Address: 8901 Carpenter Frwy Ste. 100  
 Consultant/Attorney City,St,Zip: Dallas, TX 75247  
 Consultant/Attorney Phone: 214-630-1010  
 Consultant/Attorney Fax: 214-630-7070  
 EDR Link ID: 0840

**GCC:**

Division:	REM/VVC
New Cases:	*
File Number:	840
Contamination Description:	CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	10/18/2012
Enforcement Status - Level Of Agency Response:	Not reported
Enforcement Status - Site Activity Status:	2B
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VCIO
New Cases:	Not reported
File Number:	840
Contamination Description:	CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	10/18/2012
Enforcement Status - Level Of Agency Response:	Not reported
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

11 **CVS PHARMACY # 10758**  
**2501 N. FIELD ST.**  
**DALLAS, TX 75201**

**RCRA-CESQG 1019910055**  
**TXR000083956**

RCRA-CESQG:

Date form received by agency: 10/04/2016  
 Facility name: CVS PHARMACY # 10758  
 Facility address: 2501 N. FIELD ST.  
 DALLAS, TX 75201  
 EPA ID: TXR000083956  
 Mailing address: ONE CVS DRIVE  
 WOONSOCKET, RI 02895  
 Contact: NICOLE WILKINSON  
 Contact address: ONE CVS DRIVE  
 WOONSOCKET, RI 02895  
 Contact country: US  
 Contact telephone: 401-770-7132  
 Contact email: NICOLE.WILKINSON@CVSHEALTH.COM  
 EPA Region: 06  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: UPTOWN PROPERTIES INC.  
 Owner/operator address: HANOVER ST.  
 DALLAS, TX 75225  
 Owner/operator country: US  
 Owner/operator telephone: 214-914-3000  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 09/01/2015  
 Owner/Op end date: Not reported

Owner/operator name: CVS PHARMACY INC.  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY # 10758 (Continued)**

**1019910055**

Owner/Op start date: 08/07/2016  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D004  
 . Waste name: ARSENIC

. Waste code: D005  
 . Waste name: BARIUM

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D008  
 . Waste name: LEAD

. Waste code: D009  
 . Waste name: MERCURY

. Waste code: D010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CVS PHARMACY # 10758 (Continued)

1019910055

. Waste name:	SELENIUM
. Waste code:	D011
. Waste name:	SILVER
. Waste code:	D016
. Waste name:	2,4-D
. Waste code:	D018
. Waste name:	BENZENE
. Waste code:	D024
. Waste name:	M-CRESOL
. Waste code:	D027
. Waste name:	1,4-DICHLOROBENZENE
. Waste code:	D035
. Waste name:	METHYL ETHYL KETONE
. Waste code:	D039
. Waste name:	TETRACHLOROETHYLENE
. Waste code:	P001
. Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
. Waste code:	P012
. Waste name:	ARSENIC OXIDE AS2O3
. Waste code:	P075
. Waste name:	NICOTINE, & SALTS
. Waste code:	P188
. Waste name:	BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-
. Waste code:	U002
. Waste name:	ACETONE (I)
. Waste code:	U010
. Waste name:	AZIRINO[2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA,8AALPHA,8BALPHA)]-
. Waste code:	U031
. Waste name:	1-BUTANOL (I)
. Waste code:	U034
. Waste name:	ACETALDEHYDE, TRICHLORO-
. Waste code:	U035
. Waste name:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]-
. Waste code:	U044
. Waste name:	CHLOROFORM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY # 10758 (Continued)**

**1019910055**

. Waste code:	U058
. Waste name:	CYCLOPHOSPHAMIDE
. Waste code:	U059
. Waste name:	DAUNOMYCIN
. Waste code:	U070
. Waste name:	BENZENE, 1,2-DICHLORO-
. Waste code:	U072
. Waste name:	BENZENE, 1,4-DICHLORO-
. Waste code:	U089
. Waste name:	DIETHYLSTILBESTEROL
. Waste code:	U122
. Waste name:	FORMALDEHYDE
. Waste code:	U129
. Waste name:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA,2ALPHA,3BETA,4ALPHA,5ALPHA,6BETA)-
. Waste code:	U132
. Waste name:	HEXACHLOROPHENE
. Waste code:	U150
. Waste name:	MELPHALAN
. Waste code:	U151
. Waste name:	MERCURY
. Waste code:	U154
. Waste name:	METHANOL (I)
. Waste code:	U165
. Waste name:	NAPHTHALENE
. Waste code:	U188
. Waste name:	PHENOL
. Waste code:	U200
. Waste name:	RESERPINE
. Waste code:	U201
. Waste name:	1,3-BENZENEDIOL
. Waste code:	U204
. Waste name:	SELENIOUS ACID
. Waste code:	U205
. Waste name:	SELENIUM SULFIDE
. Waste code:	U206
. Waste name:	GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-, D-
. Waste code:	U210
. Waste name:	ETHENE, TETRACHLORO-

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**CVS PHARMACY # 10758 (Continued)**

**1019910055**

. Waste code: U279  
 . Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE

. Waste code: U411  
 . Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Violation Status: No violations found

---

**11 CVS PHARMACY # 10758  
 2501 N. FIELD ST.  
 DALLAS, TX 75201**

**FINDS 1022288234  
 ECHO N/A**

**FINDS:**

Registry ID: 110069708203

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1022288234  
 Registry ID: 110069708203  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110069708203>

---

**11 TETCO STORES INC  
 2501 N FIELD ST  
 DALLAS, TX 75201**

**EDR Hist Auto 1021782281  
 N/A**

**EDR Hist Auto**

Year:	Name:	Type:
2002	TETCO INC	Gasoline Service Stations, NEC
2003	TETCO STORES INC	Gasoline Service Stations, NEC
2004	TETCO STORES INC	Gasoline Service Stations, NEC

---

**12 MARTINEZ GILBERT  
 2322 ALAMO  
 DALLAS, TX**

**EDR Hist Cleaner 1009339427  
 N/A**

**EDR Hist Cleaner**

Year:	Name:	Type:
1930	MARTINEZ GILBERT	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**12 CARGILL PROPERTY**  
**2615 ALAMO STREET/2525 NORTH FIELD**  
**DALLAS, TX 75201**

**TX AUL S103598029**  
**TX VCP N/A**

**AUL:**

Facility ID:	0909	Facility Type:	Grain Elevator
Phase:	Completed	VCP Received:	01/14/1999
Rules:	RRR	Standards:	2
Pca No.:	31809	Certificate Issued:	07/01/1999
Type Lead:	Developer	Project Manager:	Frew
Lat/Long:	32-47-26 / 96-48-31	Lat/Long (dms):	Not reported
Acres:	2.4	Media Affected:	Soils
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	02/23/1999
Region:	4	Type:	Not reported
Type Remedy:	Excavation of Soil and Sludge		
Contaminant:	TPH, Metals		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 2C, L.P.		
Applicant Name:	Patti Reimann		
Applicant Title:	Secretary		
Applicant Address:	12377 Merit Drive, Suite 1700		
Applicant City,St,Zip:	Dallas, TX 75251		
Applicant Phone:	972-788-3000		
Applicant Fax:	972-788-3096		
Consultant/Attorney:	Hughes & Luce, L.L.P.		
Consultant/Attorney Name:	Dwight Shupe		
Consultant/Attorney Title:	Attorney		
Consultant/Attorney Address:	1717 Main, Suite 2800		
Consultant/Attorney City,St,Zip:	Dallas, TX 75201		
Consultant/Attorney Phone:	214-939-5468		
Consultant/Attorney Fax:	214-939-6100		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		
Inst Control Req?:	Not reported		
Eng Control Req?:	Not reported		
Notes:	Not reported		
Filing Type:	Not reported		
Filing Date:	Not reported		
Filings Sup Tract:	Not reported		
Lien Amt:	Not reported		
Property Description:	Not reported		

**VCP TCEQ:**

Region:	4
Facility ID:	0909
Facility Type:	Grain Elevator
VCP Received:	01/14/1999
PCA Number:	31809
Project Number:	Frew
Type Lead:	Developer
Phase:	Completed
Lat/Long:	32-47-26 / 96-48-31
Lat/Long (DD):	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CARGILL PROPERTY (Continued)**

**S103598029**

Acres at Site: 2.4  
 Contaminant Categories: TPH, Metals  
 Media Affected: Soils  
 Applicant: Anland 2C, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 12377 Merit Drive, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75251  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 02/23/1999  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 07/01/1999  
 Remedy Type: Excavation of Soil and Sludge  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 01/14/1999  
 App Accepted?: Y  
 Date Accepted: 01/28/1999  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 318090  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Hillwood Development Corp.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: FM  
 File Location: CR



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>12</b>	<b>GENERAL DYEING CO OF DALLAS</b>	<b>EDR Hist Cleaner</b>	<b>1009339999</b>
	<b>2512 ALAMO</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:	
1961	GENERAL DYEING CO OF DALLAS	CLEANERS AND DYERS	

<b>12</b>	<b>NEUHOFF BROS PACKERS</b>	<b>TX Ind. Haz Waste</b>	<b>S102738958</b>
	<b>2821 ALAMO ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

Ind. Haz Waste:

Registration Number:	30954
Registration Initial Notification Date:	03/24/1977
Registration Last Amendment Date:	02/14/2001
EPA Identification:	Not reported
Primary NAICS Code:	Not reported
Status Change Date:	19770324
Land Type:	Not reported
Description of Facility Site Location:	Not reported
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	Not reported
TNRCC Region:	Not reported
Company Name:	SANDY-ALEXANDER INC
Contact Name:	HENRY NEUHOFF
Contact Telephone Number:	214-7415531
Mailing Address:	PO BOX 2338
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752212338
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	8514
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20040315
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	PO BOX 2338
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75221 2338
Owner Country:	UNITED STA
Owner Phone Number:	1-214-7415531

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEUHOFF BROS PACKERS (Continued)**

**S102738958**

Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Unknown
Owner Tax Id:	17504603907
Owner Bankruptcy Code:	Not reported
<b>Operator:</b>	
Operator Last Name:	NEUHOFF BROS PACKERS
Operator First Name:	Not reported
Operator Name:	NEUHOFF BROS PACKERS
Operator Mailing Address:	PO BOX 2338
Operator Mailing Address 2:	Not reported
Operator Mailing City,St,Zip:	DALLAS, TX 75221 2338
Operator Country:	UNITED STA
Operator Phone:	1-214-7415531
Operator Fax:	Not reported
Operator Email:	Not reported
Operator Business Type:	Unknown
Operator Tax Id:	17504603907
Operator Bankruptcy Code:	Not reported
<b>Contact:</b>	
Contact Name:	HENRY NEUHOFF
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	PO BOX 2338
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75221 2338
Contact Phone:	1-214-7415531
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	PO BOX 2338
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75221 2338
Contact Phone:	1-214-7415531
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	PO BOX 2338
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75221 2338
Contact Phone:	1-214-7415531
Contact Fax:	Not reported
Contact Email:	Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEUHOFF BROS PACKERS (Continued)**

**S102738958**

Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

12

**CONSOLIDATED FIBERS**  
**2722 ALAMO ST**  
**DALLAS, TX 75201**

**TX LPST U003148874**  
**TX UST N/A**  
**TX AUL**  
**TX VCP**  
**TX GCC**

LPST:

Facility ID: 0020849  
 LPST Id: 113968  
 Facility Location: 2722 ALAMO  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 12/29/1999  
 Entered Date: 01/06/1999  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Groundwater is affected.  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1  
 Coordinators RPR: AEF  
 Responsible Party Name: CAROLINA ST PROP ALLIED VISTA  
 Responsible Party Contact: INA KREBSBACH  
 Responsible Party Address: 4836 MORRIS CT  
 Responsible Party City,St,Zip: WAUNAKEE, WI 53597  
 Responsible Party Telephone: 608/849-1907  
 Reported Date: 12/17/1998  
 Case Start Date: 01/06/1999

UST:

AI Number: 20849  
 Facility Type: INDUST/MFG/CHEM PLANT  
 Facility Begin Date: 09/11/1986  
 Facility Status: INACTIVE  
 Additional ID: 921127862002139  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: RIC MOORE,GEN MGR  
 Contact Organization Name: CONSOLIDATED FIBERS  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2148717501

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	03/26/1986
Signature Name/Title On Earliest Reg Form:	V WALLS,PURCHASING
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600472518
Owner Last Name:	CONSOLIDATED FIBERS INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	685577732001318
Additional ID:	921127862002139
AI Number:	20849
Owner Effective Begin Date:	09/11/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1966
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	53558
Facility ID:	57753
AI Number:	20849
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	10/12/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	01/04/1991
Compartment Records:	
Tank ID:	1
Tank Capacity:	3000
UST Comprt ID:	60149
UST ID:	53558
AI Number:	20849
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	8002
Cert ID:	31317
UST Comprt ID:	101558
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31315
UST Comprt ID:	101560
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31314
UST Comprt ID:	101559
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31316
UST Comprt ID:	101561

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Install Date:	01/01/1978
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	53561
Facility ID:	57753
AI Number:	20849
Tank Id:	4
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1984
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	01/04/1991
<b>Compartment Records:</b>	
Tank ID:	4
Tank Capacity:	2000
UST Comprt ID:	60152
UST ID:	53561
AI Number:	20849
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
<b>More Self Certification:</b>	
Self Cert ID:	8002



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Cert ID:	31317
UST Comprt ID:	101558
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31315
UST Comprt ID:	101560
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31314
UST Comprt ID:	101559
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31316
UST Comprt ID:	101561
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Install Date:	01/01/1978
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	53560
Facility ID:	57753
AI Number:	20849
Tank Id:	3
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	10/12/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	01/04/1991
Compartment Records:	
Tank ID:	3
Tank Capacity:	2000
UST Comprt ID:	60151
UST ID:	53560
AI Number:	20849
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	8002
Cert ID:	31317
UST Comprt ID:	101558
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31315
UST Comprt ID:	101560
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31314
UST Comprt ID:	101559
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A
Self Cert ID:	8002
Cert ID:	31316
UST Comprt ID:	101561
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Install Date:	01/01/1966
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	53559
Facility ID:	57753
Ai Number:	20849
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	10/12/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	01/04/1991
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	3000
UST Comprt ID:	60150
UST ID:	53559
AI Number:	20849
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
<b>More Self Certification:</b>	
Self Cert ID:	8002
Cert ID:	31317
UST Comprt ID:	101558
UST ID:	27944
AI Number:	20849
Tank ID:	6
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Self Cert ID: 8002  
 Cert ID: 31315  
 UST Comprt ID: 101560  
 UST ID: 27944  
 AI Number: 20849  
 Tank ID: 6  
 Compartment ID: A

Self Cert ID: 8002  
 Cert ID: 31314  
 UST Comprt ID: 101559  
 UST ID: 27944  
 AI Number: 20849  
 Tank ID: 6  
 Compartment ID: A

Self Cert ID: 8002  
 Cert ID: 31316  
 UST Comprt ID: 101561  
 UST ID: 27944  
 AI Number: 20849  
 Tank ID: 6  
 Compartment ID: A

**Facility Billing Contacts:**

Contact Organization Name: CONSOLIDATED FIBERS INC  
 Contact Mailing Address (Delivery): PO BOX 4146  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: FORT WORTH, TX 76164 0146  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 57753  
 Additional ID: 921127862002139  
 Princ ID: 685577732001318  
 AI Number: 20849  
 Facility Name: CONSOLIDATED FIBERS  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: RIC MOORE/

**AUL:**

Facility ID:	0938	Facility Type:	Paper Recycling Center
Phase:	Completed	VCP Received:	02/25/1999
Rules:	RRR/PST	Standards:	2/A
Pca No.:	31838	Certificate Issued:	12/22/1999
Type Lead:	Developer	Project Manager:	Frew
Lat/Long:	32-47-35 / 96-48-40	Lat/Long (dms):	Not reported
Acres:	4.3	Media Affected:	Soils/Groundwater
SW No.:	Not reported	LPST No.:	113968
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	04/20/1999

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Region: 4 Type: Not reported  
 Type Remedy: Excavate & Dispose / Pump & Treat  
 Contaminant: TPH, Metals, PAH  
 Inst Controls: Nonresidential  
 BGF Number: Not reported  
 Applicant: Anland 2C, L.P.  
 Applicant Name: Patti Reimann  
 Applicant Title: Secretary  
 Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75251  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight Shupe  
 Consultant/Attorney Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 SUP No: Not reported  
 Multiple Property: Not reported  
 SUP Tract No: Not reported  
 Property Owner: Not reported  
 TRRP Vol#, PG#, CO#, ID#: Not reported  
 Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 0938  
 Facility Type: Paper Recycling Center  
 VCP Received: 02/25/1999  
 PCA Number: 31838  
 Project Number: Frew  
 Type Lead: Developer  
 Phase: Completed  
 Lat/Long: 32-47-35 / 96-48-40  
 Lat/Long (DD): Not reported  
 Acres at Site: 4.3  
 Contaminant Categories: TPH, Metals, PAH  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 2C, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75251  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 04/20/1999  
 Standards: 2/A  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 12/22/1999  
 Remedy Type: Excavate & Dispose / Pump & Treat  
 Risk Reduction or Petroleum Storage Tank: RRR/PST  
 Leaking Petroleum Storage Registration Tank: 113968  
 Cashier Recvd: 02/25/1999  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 318380  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 2C, L.P.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: F  
 File Location: CR

**GCC:**

Division: RMD  
 New Cases: Not reported  
 File Number: 938  
 Contamination Description: TPH, METALS, PAH  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008  
 Agency: TCEQ  
 Section: VC/VCP  
 Year Deleted: 1999  
 Location: Not reported  
 Data Quality 2: Not reported  
 Division: REM



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

New Cases:	Not reported
File Number:	938
Contamination Description:	TPH, METALS, PAH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012
Agency:	TCEQ
Section:	VC
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	938
Contamination Description:	TPH, METALS, PAH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	938
Contamination Description:	TPH, METALS, PAH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	938
Contamination Description:	TPH, METALS, PAH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2015
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	938
Contamination Description:	TPH, METALS, PAH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	Not reported
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2014
Agency:	TCEQ
Section:	VC/IOP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	938
Contamination Description:	TPH, METALS, PAH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	938
Contamination Description:	TPH, METALS, PAH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ
Section:	VC/VCP

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**CONSOLIDATED FIBERS (Continued)**

**U003148874**

Year Deleted:	1999	
Location:	Not reported	
Data Quality 2:	Not reported	
Division:	REM	
New Cases:	Not reported	
File Number:	938	
Contamination Description:	TPH, METALS, PAH	
Date Of Earliest Known Contamination Confirmation:	Not reported	
Enforcement Status - Level Of Agency Response:	0	
Enforcement Status - Site Activity Status:	6C	
Data Quality 1:	Not reported	
Section 5236:	Not reported	
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013	
Agency:	TCEQ	
Section:	VC/VCP	
Year Deleted:	1999	
Location:	Not reported	
Data Quality 2:	Not reported	

---

<b>13</b>	<b>JEFFERSON AT BRYAN PL PHASE II 715 LIBERTY ST DALLAS, TX 75204</b>	<b>FINDS</b>	<b>1010756316 N/A</b>
-----------	---	--------------	---------------------------

**FINDS:**

Registry ID: 110033826448

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

---

<b>14</b>	<b>MU HI LINE DRIVE PROPERTY - NORTH TRACT HI LINE DRIVE WEST OF ALAMO STREET DALLAS, TX</b>	<b>TX VCP</b>	<b>S109145756 N/A</b>
-----------	--	---------------	---------------------------

**VCP TCEQ:**

Region:	4	
Facility ID:	0713	
Facility Type:	Vacant Land/Paved City Street	
VCP Received:	02/24/1998	
PCA Number:	31623	
Project Number:	Frew	
Type Lead:	Purchaser	
Phase:	Completed	
Lat/Long:	32-47-25 / 96-48-40	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MU HI LINE DRIVE PROPERTY - NORTH TRACT (Continued)**

**S109145756**

Lat/Long (DD):	Not reported
Acres at Site:	0.6
Contaminant Categories:	VOCs
Media Affected:	Soils/Groundwater
Applicant:	Anland 5B/6, L.P.
Applicant Contact Title:	Secretary
Applicant Address:	12377 Merit Drive, Suite 1700
Applicant City,St,Zip:	Dallas, TX 75251
Applicant Phone:	972-788-3000
Applicant Fax:	972-788-3096
Consultant/Attorney:	Hughes & Luce, L.L.P.
Consultant/Attorney Name:	Dwight A. Shupe
Consultant/Attorney Contact Title:	Attorney
Consultant/Attorney Address:	1717 Main Street, Suite 2800
Consultant/Attorney City,St,Zip:	Dallas, TX 75201
Consultant/Attorney Phone:	214-939-5468
Consultant/Attorney Fax:	214-939-6100
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	11/13/1998
Standards:	2
TX Risk Reduction Prgm:	Not reported
Institutional Controls:	Nonresidential
Certificate of Completion:	09/23/1999
Remedy Type:	Excavation
Risk Reduction or Petroleum Storage Tank:	RRR
Leaking Petroleum Storage Registration Tank:	Not reported
Cashier Recvd:	02/24/1998
App Accepted?:	Y
Date Accepted:	Not reported
Region?:	Y
Alt VCP Id:	Not reported
Project No.:	316230
Contaminants Identified:	Not reported
OffSite?:	N
Billing Company:	Anland 5B/6, L.P.
Billing c/o Name:	Patti Reimann
Billing Address1:	1845 Woodall Rogers Freeway
Billing Address2:	Suite 1700
Billing City:	Dallas
Billing State:	TX
Billing Zip:	75201
Billing Phone:	972-788-3000
IOP No.:	Not reported
Region COC?:	Y
Region R/W?:	Not reported
Survey?:	Y
Comments:	Not reported
Media:	M
File Location:	CR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**14 MU PROPERTY  
 NWC AND SWC HI LINE DRIVE & ALAMO STREET  
 DALLAS, TX**

**TX AUL S103453116  
 TX VCP N/A**

**AUL:**

Facility ID:	0712	Facility Type:	Meat Packing Plant Now Vacant
Phase:	Completed	VCP Received:	02/24/1998
Rules:	RRR/PST	Standards:	2/A
Pca No.:	31622	Certificate Issued:	09/23/1999
Type Lead:	Purchaser	Project Manager:	Frew
Lat/Long:	32-47-25 / 96-48-40	Lat/Long (dms):	Not reported
Acres:	9	Media Affected:	Soils/Groundwater
SW No.:	Not reported	LPST No.:	099607
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	11/13/1998
Region:	4	Type:	Not reported
Type Remedy:	Excavation/ Pump & Treat		
Contaminant:	Metals, Petroleum Hydrocarbons, MSW		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 5B/6, L.P.		
Applicant Name:	M. Thomas Mason		
Applicant Title:	Secretary		
Applicant Address:	12377 Merit Drive, Suite 1700		
Applicant City,St,Zip:	Dallas, TX 75251		
Applicant Phone:	972-788-3000		
Applicant Fax:	972-788-3096		
Consultant/Attorney:	Hughes & Luce, L.L.P.		
Consultant/Attorney Name:	Dwight A. Shupe		
Consultant/Attorney Title:	Attorney		
Consultant/Attorney Address:	1717 Main Street, Suite 2800		
Consultant/Attorney City,St,Zip:	Dallas, TX 75201		
Consultant/Attorney Phone:	214-939-5468		
Consultant/Attorney Fax:	214-939-6100		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		
Inst Control Req?:	Not reported		
Eng Control Req?:	Not reported		
Notes:	Not reported		
Filing Type:	Not reported		
Filing Date:	Not reported		
Filings Sup Tract:	Not reported		
Lien Amt:	Not reported		
Property Description:	Not reported		

**VCP TCEQ:**

Region:	4
Facility ID:	0712
Facility Type:	Meat Packing Plant Now Vacant
VCP Received:	02/24/1998
PCA Number:	31622
Project Number:	Frew
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	32-47-25 / 96-48-40
Lat/Long (DD):	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MU PROPERTY (Continued)**

**S103453116**

Acres at Site: 9  
 Contaminant Categories: Metals, Petroleum Hydrocarbons, MSW  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 5B/6, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 12377 Merit Drive, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75251  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 11/13/1998  
 Standards: 2/A  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 09/23/1999  
 Remedy Type: Excavation/ Pump & Treat  
 Risk Reduction or Petroleum Storage Tank: RRR/PST  
 Leaking Petroleum Storage Registration Tank: 099607  
 Cashier Recvd: 02/24/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316220  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 5B/6, L.P.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: FM  
 File Location: CR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

15 ANNA FINDS 1007996302  
 817 N. TEXAS HIGHWAY 5 N/A  
 NOT IN A CITY, TX

FINDS:

Registry ID: 110020798136

Environmental Interest/Information System

US EPA Air Quality System (AQS) contains ambient air pollution data collected by EPA, State, Local, and Tribal air pollution control agencies from thousands of monitoring stations.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

16 HUNTER S GARAGE EDR Hist Auto 1009366255  
 2819 BRYAN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1925	HUNTER S GARAGE	AUTOMOBILE REPAIRERS
1930	HUNTER S CADILLAC GARAGE	AUTOMOBILE REPAIRERS

17 PANDORA CLEANERS EDR Hist Cleaner 1009340880  
 2821 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1930	PANDORA CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

17 FULLERS CLEANERS EDR Hist Cleaner 1019992383  
 2817 LIVE OAK ST N/A  
 DALLAS, TX 75204

EDR Hist Cleaner

Year:	Name:	Type:
2006	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC
2007	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC
2008	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC
2009	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC
2010	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC
2011	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC
2012	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC
2013	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC
2014	FULLERS CLEANERS	Drycleaning Plants, Except Rugs, NEC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

17 **FULLERS CLEANERS**  
**2817 LIVE OAK ST**  
**DALLAS, TX 75204**

**TX DRYCLEANERS** **S109361555**  
**N/A**

DRYCLEANERS:

RN Number: RN104137138  
 Region: REGION 04 - DFW METROPLEX  
 CN Number: CN602487423  
 DCR Number: DCR13710  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: PO BOX 1275  
 Bill Addr2: Not reported  
 Bill City/State/Zip: FORNEY, TX 75126 1275  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: Not reported  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2016  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: 4  
 CN Number: CN602487423  
 DCR Number: Not reported  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: 2817 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 5731  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2004  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: Not reported

RN Number: RN104137138  
 Region: 4  
 CN Number: CN602487423  
 DCR Number: Not reported  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: 2817 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 5731  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FULLERS CLEANERS (Continued)**

**S109361555**

Fiscal Year:	FY2005
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	Not reported
RN Number:	RN104137138
Region:	4
CN Number:	CN602487423
DCR Number:	Not reported
AR Number:	24001265
Principal Name:	ANDRADI, JAYANTHI M
Bill Addr1:	2817 LIVE OAK ST
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75204 5731
EMail:	Not reported
Phone Number:	214 8236777
Site Name:	FULLERS CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2006
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN104137138
Region:	4
CN Number:	CN602487423
DCR Number:	Not reported
AR Number:	24001265
Principal Name:	ANDRADI, JAYANTHI M
Bill Addr1:	2817 LIVE OAK ST
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75204 5731
EMail:	Not reported
Phone Number:	214 8236777
Site Name:	FULLERS CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2007
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN104137138
Region:	4
CN Number:	CN602487423
DCR Number:	Not reported
AR Number:	24001265
Principal Name:	ANDRADI, JAYANTHI M
Bill Addr1:	2817 LIVE OAK ST
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75204 5731
EMail:	Not reported
Phone Number:	214 8236777

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FULLERS CLEANERS (Continued)**

**S109361555**

Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2008  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: 4  
 CN Number: CN602487423  
 DCR Number: Not reported  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: 2817 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 5731  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2009  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: 4  
 CN Number: CN602487423  
 DCR Number: Not reported  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: 2817 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 5731  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2010  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: 4  
 CN Number: CN602487423  
 DCR Number: Not reported  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: 2817 LIVE OAK ST  
 Bill Addr2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FULLERS CLEANERS (Continued)**

**S109361555**

Bill City/State/Zip: DALLAS, TX 75204 5731  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2011  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: 4  
 CN Number: CN602487423  
 DCR Number: Not reported  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: 2817 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 5731  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2012  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: 4  
 CN Number: CN602487423  
 DCR Number: Not reported  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: 2817 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 5731  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2013  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: 4  
 CN Number: CN602487423  
 DCR Number: Not reported  
 AR Number: 24001265

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FULLERS CLEANERS (Continued)**

**S109361555**

Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: 2817 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 5731  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: FULLERS CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2014  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: REGION 04 - DFW METROPLEX  
 CN Number: CN602487423  
 DCR Number: DCR13710  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: PO BOX 1275  
 Bill Addr2: Not reported  
 Bill City/State/Zip: FORNEY, TX 75126 1275  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: Not reported  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2015  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104137138  
 Region: REGION 04 - DFW METROPLEX  
 CN Number: CN602487423  
 DCR Number: DCR13710  
 AR Number: 24001265  
 Principal Name: ANDRADI, JAYANTHI M  
 Bill Addr1: PO BOX 1275  
 Bill Addr2: Not reported  
 Bill City/State/Zip: FORNEY, TX 75126 1275  
 EMail: Not reported  
 Phone Number: 214 8236777  
 Site Name: Not reported  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2017  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

<b>17</b>	<b>FULLERS CLEANERS</b>	<b>FINDS</b>	<b>1010769844</b>
	<b>2817 LIVE OAK ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75204</b>		

FINDS:

Registry ID: 110033848521

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>18</b>	<b>LUNA PROPERTY</b>	<b>TX AUL</b>	<b>S104178702</b>
	<b>SW OF HARRY HINES AND NW OF AKARD</b>	<b>TX VCP</b>	<b>N/A</b>
	<b>DALLAS, TX 75202</b>		

AUL:

Facility ID: 0997	Facility Type: Residential Areas
Phase: Completed	VCP Received: 06/24/1999
Rules: RRR	Standards: 2
Pca No.: 31897	Certificate Issued: 12/22/1999
Type Lead: Developer	Project Manager: Frew
Lat/Long: 32-47-24 / 96-48-32	Lat/Long (dms): Not reported
Acres: 0.7919	Media Affected: Soils
SW No.: Not reported	LPST No.: Not reported
RCRIS No.: Not reported	EPA Txd/cerclis: Not reported
C/F/L ?: F	Date/agreement: 09/03/1999
Region: 4	Type: Not reported
Type Remedy: Excavate & Dispose	
Contaminant: PAHs, Lead, Metals	
Inst Controls: Nonresidential	
BGF Number: Not reported	
Applicant: Anland 14, LP	
Applicant Name: Patti Reimann	
Applicant Title: Vice President	
Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700	
Applicant City,St,Zip: Dallas, TX 75201	
Applicant Phone: 214-758-3620	
Applicant Fax: 214-758-3630	
Consultant/Attorney: Hughes & Luce, LLP	
Consultant/Attorney Name: Dwight Shupe	
Consultant/Attorney Title: Attorney	
Consultant/Attorney Address: 1717 Main Street, Suite 2800	
Consultant/Attorney City,St,Zip: Dallas, TX 75201	
Consultant/Attorney Phone: 214-939-5468	
Consultant/Attorney Fax: 214-939-6100	
SUP No: Not reported	
Multiple Property: Not reported	
SUP Tract No: Not reported	
Property Owner: Not reported	
TRRP Vol#, PG#, CO#, ID#: Not reported	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUNA PROPERTY (Continued)**

**S104178702**

Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 0997  
 Facility Type: Residential Areas  
 VCP Received: 06/24/1999  
 PCA Number: 31897  
 Project Number: Frew  
 Type Lead: Developer  
 Phase: Completed  
 Lat/Long: 32-47-24 / 96-48-32  
 Lat/Long (DD): Not reported  
 Acres at Site: 0.7919  
 Contaminant Categories: PAHs, Lead, Metals  
 Media Affected: Soils  
 Applicant: Anland 14, LP  
 Applicant Contact Title: Vice President  
 Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 214-758-3620  
 Applicant Fax: 214-758-3630  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 09/03/1999  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 12/22/1999  
 Remedy Type: Excavate & Dispose  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 06/24/1999  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 318970  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 14, LP  
 Billing c/o Name: Patti Reimann

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUNA PROPERTY (Continued)**

**S104178702**

Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-758-3620  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: M  
 File Location: CR

19

**UPTOWN CAR WASH  
 2501 N FIELD ST  
 DALLAS, TX 75201**

**TX ENF S107639936  
 N/A**

**ENFORCEMENT:**

Unique TCEQ Ref # Of Customer: CN601454671  
 Unique TCEQ Ref # Of Reg. Entity: RN101564193  
 Contact Person For The Reg. Entity: Not reported  
 Owner/operator Of A Regulated Entity: OLIVER, ROBERT  
 Regulated Entity Associated With An NOV: RETAIL  
 Org Title Of The Contact Person: Not reported  
 Mail Address: 2501 N FIELD ST  
 Mail City,St,Zip: DALLAS, TX 75201-1662  
 Investigation Num: Not reported  
 Status Code: Not reported  
 Status Date: Not reported  
 Violation Tracking Num: Not reported  
 Violation Category: Not reported  
 Nov Id: Not reported  
 Role Code: Not reported  
 Date Notice Of Violation Issued: 01/13/2004  
 Description 1: Failure to maintain the Stage II vapor recovery system in proper operating condition, as specified by the manufacturer and/or any applicable CARB Executive Order(s), and free of defects that would impair the effectiveness of the system, including pressure/vacuum relief valves, vapor check valves, or Stage I dry breaks  
 Description 2: Not reported  
 Category Of The NOV: Minor  
 Method Of Notice Issuance: VERBAL  
 TCEQ Prog Area Monitoring Violation: WASTE  
 TCEQ Rule # Cited For The Violation: 115.242(3)(J)  
 Status Of The NOV: RESOLVED  
 Investigation: Not reported  
 Investigation ID: Not reported  
 Regulated Entity ID: Not reported  
 Date of Notice Enforcement: Not reported  
 Rejected: Not reported  
 Type Code: Not reported  
 Date Resolved: Not reported  
 Assessed Amount: Not reported  
 Deferred Amount: Not reported  
 Payable Amount: Not reported  
 Supplemental Env Project Offset Amount: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**S107639936**

Unique TCEQ Ref # Of Customer:	Not reported
Unique TCEQ Ref # Of Reg. Entity:	RN101564193
Contact Person For The Reg. Entity:	Not reported
Owner/operator Of A Regulated Entity:	Not reported
Regulated Entity Associated With An NOV:	RETAIL
Org Title Of The Contact Person:	Not reported
Mail Address:	2501 N FIELD ST
Mail City,St,Zip:	DALLAS, TX 75201-1662
Investigation Num:	Not reported
Status Code:	Not reported
Status Date:	Not reported
Violation Tracking Num:	Not reported
Violation Category:	Not reported
Nov Id:	Not reported
Role Code:	Not reported
Date Notice Of Violation Issued:	07/26/2000
Description 1:	FAILURE TO COMPLY
Description 2:	Not reported
Category Of The NOV:	Moderate
Method Of Notice Issuance:	WRITTEN
TCEQ Prog Area Monitoring Violation:	WASTE
TCEQ Rule # Cited For The Violation:	115.245(2)
Status Of The NOV:	RESOLVED
Investigation:	Not reported
Investigation ID:	Not reported
Regulated Entity ID:	Not reported
Date of Notice Enforcement:	Not reported
Rejected:	Not reported
Type Code:	Not reported
Date Resolved:	Not reported
Assessed Amount:	Not reported
Deferred Amount:	Not reported
Payable Amount:	Not reported
Supplemental Env Project Offset Amount:	Not reported
Unique TCEQ Ref # Of Customer:	CN600828313
Unique TCEQ Ref # Of Reg. Entity:	RN101564193
Contact Person For The Reg. Entity:	Not reported
Owner/operator Of A Regulated Entity:	UPTOWN PROPERTIES INC
Regulated Entity Associated With An NOV:	RETAIL
Org Title Of The Contact Person:	Not reported
Mail Address:	2501 N FIELD ST
Mail City,St,Zip:	DALLAS, TX 75201-1662
Investigation Num:	Not reported
Status Code:	Not reported
Status Date:	Not reported
Violation Tracking Num:	Not reported
Violation Category:	Not reported
Nov Id:	Not reported
Role Code:	Not reported
Date Notice Of Violation Issued:	09/27/2002
Description 1:	FAILURE TO PROVIDE ACCEPTABLE FINANCIAL ASSURANCE.
Description 2:	Not reported
Category Of The NOV:	Major
Method Of Notice Issuance:	WRITTEN
TCEQ Prog Area Monitoring Violation:	WASTE
TCEQ Rule # Cited For The Violation:	37.815(a)[G]



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**S107639936**

Status Of The NOV: ACTIVE  
 Investigation: Not reported  
 Investigation ID: Not reported  
 Regulated Entity ID: Not reported  
 Date of Notice Enforcement: Not reported  
 Rejected: Not reported  
 Type Code: Not reported  
 Date Resolved: Not reported  
 Assessed Amount: Not reported  
 Deferred Amount: Not reported  
 Payable Amount: Not reported  
 Supplemental Env Project Offset Amount: Not reported

**19 UPTOWN CAR WASH  
 2501 N FIELD ST  
 DALLAS, TX 75201**

**FINDS 1011367333  
 N/A**

**FINDS:**

Registry ID: 110034855734

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**19 UPTOWN CAR WASH  
 2501 N FIELD ST  
 DALLAS, TX 75201**

**TX LPST U003419602  
 TX UST N/A**

**LPST:**

Facility ID: Not reported  
 LPST Id: 119965  
 Facility Location: Not reported  
 TCEQ Region# and City: 4  
 Region City: Not reported  
 Reported Date: 07/15/2016  
 Entered Date: 07/14/2016  
 Priority: 4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Not reported  
**Status: Not reported**  
 Coordinators Primary: Not reported  
 Coordinators RPR: Not reported  
 Responsible Party Name: UPTOWN PROPERTIES INC  
 Responsible Party Contact: Not reported  
 Responsible Party Address: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Responsible Party City,St,Zip: Not reported  
 Responsible Party Telephone: Not reported  
 Reported Date: 06/02/2016  
 Case Start Date: 07/15/2016

UST:

AI Number: 71384  
 Facility Type: RETAIL  
 Facility Begin Date: 08/31/1987  
 Facility Status: INACTIVE  
 Additional ID: 313760912002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: SUSAN FLORES,MGR  
 Contact Organization Name: UPTOWN CAR WASH  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2143031515  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 07/27/2015  
 Signature Name/Title On Earliest Reg Form: SUSAN FLORES,LOC MGR  
 Application Received Date On Earliest Reg Form: 08/19/2015  
 Signature Role On Earliest Reg Form: LEGAL AUTH REP OWNER  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: No  
 Facility Not Inspectable: No

Operator:

Princ ID: 282481792013239  
 Additional ID: 313760912002062  
 Ai Number: 71384  
 Operator CN: CN604369751  
 Operator Name: EDDIE E SMITH  
 Operator Effective Begin Date: 07/12/2012  
 Operator Type: IN  
 Operator Role: Not reported  
 Contact Name: /  
 Contact Organization Name: Not reported  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: -  
 Contact Phone Country Code: Not reported  
 Contact Phone Area Code: Not reported  
 Contact Phone Number: Not reported  
 Contact Phone Extension: Not reported  
 Contact Fax Country Code: Not reported  
 Contact Fax Area Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN600828313
Owner Last Name:	UPTOWN PROPERTIES INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	303760902002062
Additional ID:	313760912002062
AI Number:	71384
Owner Effective Begin Date:	06/30/2008
State Tax ID:	17526972082
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Self Certification:	
Self Cert ID:	108656
Cert ID:	256748
AI Number:	71384
Self Certification Date:	07/27/2015
Signature Name/Title:	SUSAN FLORES LOC MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	08/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	108656
Cert ID:	240648
AI Number:	71384
Self Certification Date:	07/24/2014
Signature Name/Title:	SUSAN FLORES MGR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 08/31/2015  
 Reporting Method: P  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 108656  
 Cert ID: 224149  
 AI Number: 71384  
 Self Certification Date: 07/18/2013  
 Signature Name/Title: SUSAN FLORES MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 08/31/2014  
 Reporting Method: P  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: N  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 108656  
 Cert ID: 189030  
 AI Number: 71384  
 Self Certification Date: 07/19/2012  
 Signature Name/Title: SUSAN FLORES LOCATION MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 08/31/2013  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 108656  
 Cert ID: 189029  
 AI Number: 71384  
 Self Certification Date: 06/28/2011  
 Signature Name/Title: EDDIE SMITH MGR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 08/31/2012  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 108656  
 Cert ID: 189028  
 AI Number: 71384  
 Self Certification Date: 07/23/2010  
 Signature Name/Title: SUSAN FLORES LOC MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 08/31/2011  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 108656  
 Cert ID: 189027  
 AI Number: 71384  
 Self Certification Date: 07/17/2009  
 Signature Name/Title: SUSAN FLORES MGR  
 Signature Type Role: OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 08/31/2010  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 108656  
 Cert ID: 189026  
 AI Number: 71384  
 Self Certification Date: 07/23/2008  
 Signature Name/Title: SUSAN FLORES MGR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Signature Type Role:	OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	08/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	108656
Cert ID:	189025
AI Number:	71384
Self Certification Date:	07/27/2007
Signature Name/Title:	SUSAN FLORES MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	08/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	108656
Cert ID:	189024
AI Number:	71384
Self Certification Date:	07/21/2006
Signature Name/Title:	SUSAN GABRIEL FLORES LOCATION MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	08/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	108656
Cert ID:	189023
AI Number:	71384
Self Certification Date:	07/20/2005
Signature Name/Title:	SUSAN FLORES LOCATION MANAGER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	08/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	108656
Cert ID:	189022
AI Number:	71384
Self Certification Date:	07/25/2004
Signature Name/Title:	SUSAN GABRIEL FLORES MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	08/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	108656
Cert ID:	189021
AI Number:	71384
Self Certification Date:	07/22/2003
Signature Name/Title:	SUSAN GABRIEL
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	08/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	108656
Cert ID:	189020
AI Number:	71384
Self Certification Date:	07/24/2002
Signature Name/Title:	SUSAN GABRIEL LOC MGR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**UPTOWN CAR WASH (Continued)**

**U003419602**

Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 08/31/2003  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 108656  
 Cert ID: 189019  
 AI Number: 71384  
 Self Certification Date: 01/15/2001  
 Signature Name/Title: KELLIE MCCAIN MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: INITIAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 08/31/2002  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Tank:  
 Install Date: 12/20/1997  
 Tank Registration Date: 12/18/1998  
 Number of Compartments: 1  
 Tank Capacity: 11627  
 Tank Singlewall: N  
 Tank Doublewall: Y  
 Pipe Type: P  
 UST ID: 188727  
 Facility ID: 108656  
 Ai Number: 71384  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 12/29/2015  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): 04/10/1998  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): Y  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	Y
Installation Signature Date:	10/26/1998
Compartment Records:	
Tank ID:	1
Tank Capacity:	11627
UST Comprt ID:	178454
UST ID:	188727
AI Number:	71384
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

PipingReleaseDetectionMethod(PRDM)(Vapor): N  
 PRDM(Groundwater Monitoring): N  
 PRDM(Monitoring Sec Containment Barrier): N  
 PRDM(InterstitialMonitoring w/in SecWall/Jacket): N  
 PRDM(Mthly Piping Tightness Test)@.2Gph: N  
 PRDM(AnnualPipingTightTest/ElecMon@.1Gph: Y  
 PRDM(TriennialTightTest(Suction/GravityPiping): N  
 PRDM AutoLineLeakDet(3.0 Gph PressPiping): Y  
 PRDM(Sir(StatInv Recon)/Inv Control)): N  
 PRDM(Exempt System Suction): N  
 Spill Overfill Prevention Equip(SOPE): Y  
 SOPE(Spill Cont/Bucket/Sump): Y  
 SOPE(DelShut-Off Valve) ): Y  
 SOPE(FlowRestrictorValue: Y  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: Y  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: Y  
 Piping Release Detection Compliance Flag ): Y  
 Spill/OverfillPreventionCompliance Flag: Y  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: TWO POINT SYSTEM  
 Stage 1 Installation Date: 12/20/1997

Install Date: 12/20/1997  
 Tank Registration Date: 12/18/1998  
 Number of Compartments: 1  
 Tank Capacity: 15540  
 Tank Singlewall: N  
 Tank Doublewall: Y  
 Pipe Type: P  
 UST ID: 188728  
 Facility ID: 108656  
 Ai Number: 71384  
 Tank Id: 2  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 12/29/2015  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): 04/10/1998  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): Y  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): Y  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	Y
Installation Signature Date:	10/26/1998
Compartment Records:	
Tank ID:	2
Tank Capacity:	15540
UST Comprt ID:	178455
UST ID:	188728
AI Number:	71384
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	TWO POINT SYSTEM
Stage 1 Installation Date:	12/20/1997

Contractor, Consultant and Installer:

Cont/Cons/Installer ID:	38759
UST ID:	188727
NOC ID:	Not reported
AI Number:	71384
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000665
Company Name:	Turnkey Construction Co., Inc.
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported

Cont/Cons/Installer ID:	38760
UST ID:	188728
NOC ID:	Not reported
AI Number:	71384
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000665
Company Name:	Turnkey Construction Co., Inc.
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	53917
UST ID:	188728
NOC ID:	Not reported
AI Number:	71384
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP001501
Company Name:	Not reported
Representative Name:	RAFAEL GARZA
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	53916
UST ID:	188727
NOC ID:	Not reported
AI Number:	71384
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP001501
Company Name:	Not reported
Representative Name:	RAFAEL GARZA
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UPTOWN CAR WASH (Continued)**

**U003419602**

Facility Billing Contacts:  
 Contact Organization Name: UPTOWN PROPERTIES INC  
 Contact Mailing Address (Delivery): 5543 CARUTH BLVD  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75209 3529  
 Phone Number/Ext: 214 3031515/0  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 108656  
 Additional ID: 313760912002062  
 Princ ID: 303760902002062  
 AI Number: 71384  
 Facility Name: UPTOWN CAR WASH  
 AR Number: 52858  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: U  
 Contact Name/Title: SUSAN FLORES/

20

**CONSOLIDATED CASTINGS  
 2425 CAROLINE ST  
 DALLAS, TX 75201**

**SEMS-ARCHIVE 1000383911  
 RCRA NonGen / NLR TXD980626071  
 FINDS  
 TX UST  
 ECHO**

SEMS Archive:  
 Site ID: 604240  
 EPA ID: TXD980626071  
 Cong District: 5  
 FIPS Code: 48113  
 FF: N  
 NPL: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:  
 Region: 6  
 Site ID: 604240  
 EPA ID: TXD980626071  
 Site Name: CONSOLIDATED CASTING CORPORATION  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1990-04-12 00:00:00  
 Finish Date: 1990-04-12 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf In-Hse

Region: 6  
 Site ID: 604240  
 EPA ID: TXD980626071  
 Site Name: CONSOLIDATED CASTING CORPORATION  
 NPL: N  
 FF: N  
 OU: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CONSOLIDATED CASTINGS (Continued)**

**1000383911**

Action Code: VS  
 Action Name: ARCH SITE  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 1996-04-10 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf In-Hse

Region: 6  
 Site ID: 604240  
 EPA ID: TXD980626071  
 Site Name: CONSOLIDATED CASTING CORPORATION  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 1995-12-11 00:00:00  
 Qual: N  
 Current Action Lead: EPA Perf

**RCRA NonGen / NLR:**

Date form received by agency: 11/06/1998  
 Facility name: CONSOLIDATED CASTING CORPORATION  
 Facility address: 2425 CAROLINE ST  
 DALLAS, TX 75201  
 EPA ID: TXD980626071  
 Mailing address: PO BOX 29242  
 DALLAS, TX 75229  
 Contact: JOE HULL  
 Contact address: PO BOX 29242  
 DALLAS, TX 75229  
 Contact country: US  
 Contact telephone: 214-241-2161  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: CONSOLIDATED CASTING CORPORATION  
 Owner/operator address: PO BOX 29242  
 DALLAS, TX 75229  
 Owner/operator country: US  
 Owner/operator telephone: 214-241-2161  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 11/06/1998  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CONSOLIDATED CASTINGS (Continued)**

**1000383911**

Owner/operator name: CONSOLIDATED CASTING CORPORATION  
 Owner/operator address: PO BOX 29242  
 DALLAS, TX 75229  
 Owner/operator country: US  
 Owner/operator telephone: 214-241-2161  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 11/06/1998  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Historical Generators:

Date form received by agency: 11/12/1980  
 Site name: CONSOLIDATED CASTING CORPORATION  
 Classification: Not a generator, verified

. Waste code: U075  
 . Waste name: DICHLORODIFLUOROMETHANE

Violation Status: No violations found

FINDS:

Registry ID: 110005077941

Environmental Interest/Information System  
 US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)  
 is an federal online database for Brownfields Grantees to  
 electronically submit data directly to EPA.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CONSOLIDATED CASTINGS (Continued)**

**1000383911**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

UST:

AI Number:	6743
Facility Type:	UNKNOWN
Facility Begin Date:	07/01/1986
Facility Status:	INACTIVE
Additional ID:	507253712002156
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	W CARNES,MAINT MGR
Contact Organization Name:	CONSOLIDATED CASTING CORPORATION
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148719051
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/06/1986
Signature Name/Title On Earliest Reg Form:	J E HULL,SAFETY ADMIN
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN600607352
Owner Last Name:	CONSOLIDATED CASTING CORP
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CONSOLIDATED CASTINGS (Continued)**

**1000383911**

Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 383015522001346  
 Additional ID: 507253712002156  
 AI Number: 6743  
 Owner Effective Begin Date: 07/01/1986  
 State Tax ID: 17527212686  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

**Tank:**

Install Date: 01/01/1978  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 6000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 17290  
 Facility ID: 45740  
 Ai Number: 6743  
 Tank Id: 1  
 Tank Status (Current): PERM FILLED IN PLACE  
 Tank Status Date: 04/30/1986  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): Y  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FaInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED CASTINGS (Continued)**

**1000383911**

TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	07/18/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	23626
UST ID:	17290
AI Number:	6743
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONSOLIDATED CASTINGS (Continued)**

**1000383911**

Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	2717
Cert ID:	12841
UST Comprt ID:	33233
UST ID:	9720
AI Number:	6743
Tank ID:	6
Compartment ID:	A
Self Cert ID:	2717
Cert ID:	12843
UST Comprt ID:	33229
UST ID:	9720
AI Number:	6743
Tank ID:	6
Compartment ID:	A
Self Cert ID:	2717
Cert ID:	12839
UST Comprt ID:	33231
UST ID:	9720
AI Number:	6743
Tank ID:	6
Compartment ID:	A
Self Cert ID:	2717
Cert ID:	12842
UST Comprt ID:	33230
UST ID:	9720
AI Number:	6743
Tank ID:	6
Compartment ID:	A
Self Cert ID:	2717
Cert ID:	12840
UST Comprt ID:	33232
UST ID:	9720
AI Number:	6743
Tank ID:	6
Compartment ID:	A
Facility Billing Contacts:	
Contact Organization Name:	CONSOLIDATED CASTING CORP
Contact Mailing Address (Delivery):	2425 CAROLINE ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	N
Facility ID:	45740

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

**CONSOLIDATED CASTINGS (Continued)**

**1000383911**

Additional ID:	507253712002156
Princ ID:	383015522001346
AI Number:	6743
Facility Name:	CONSOLIDATED CASTING
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

**ECHO:**

Envid:	1000383911
Registry ID:	110005077941
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110005077941">http://echo.epa.gov/detailed-facility-report?fid=110005077941</a>

21

**ETHERIDGE PRINTING COMPANY  
2709 BRYAN ST  
DALLAS, TX 75204**

<b>RCRA NonGen / NLR</b>	<b>1004784067</b>
<b>FINDS</b>	<b>TXD007349301</b>
<b>TX Ind. Haz Waste</b>	
<b>ECHO</b>	

**RCRA NonGen / NLR:**

Date form received by agency:	08/23/2001
Facility name:	ETHERIDGE PRINTING COMPANY
Facility address:	2709 BRYAN ST DALLAS, TX 75204
EPA ID:	TXD007349301
Mailing address:	BRYAN ST DALLAS, TX 75204
Contact:	TIM AMATETH
Contact address:	BRYAN ST DALLAS, TX 75204
Contact country:	US
Contact telephone:	214-827-8151
Contact email:	Not reported
EPA Region:	06
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

**Handler Activities Summary:**

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	D001
. Waste name:	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF

MAP FINDINGS

Map ID  
Direction  
Distance  
Distance (ft.)Site

EDR ID Number  
EPA ID Number

Database(s)

**ETHERIDGE PRINTING COMPANY (Continued)**

**1004784067**

LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D007  
. Waste name: CHROMIUM

Historical Generators:

Date form received by agency: 09/22/1992  
Site name: ETHERIDGE PRINTING  
Classification: Large Quantity Generator

Date form received by agency: 05/23/1990  
Site name: ETHERIDGE PRINTING  
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D000  
. Waste name: Not Defined

. Waste code: D001  
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110005034202

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ETHERIDGE PRINTING COMPANY (Continued)**

**1004784067**

Ind. Haz Waste:

Registration Number:	76356
Registration Initial Notification Date:	08/17/1990
Registration Last Amendment Date:	08/23/2001
EPA Identification:	TXD007349301
Primary NAICS Code:	Not reported
Status Change Date:	19900817
Land Type:	Not reported
Description of Facility Site Location:	2709 Bryan St, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	NON INDUS, SQG
TNRCC Region:	Not reported
Company Name:	CONCERTO ENTERPRISES INC
Contact Name:	TIM AMATETH
Contact Telephone Number:	214-8278151
Mailing Address:	2709 BRYAN ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752045713
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	30678
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20100604
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	2709 BRYAN ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75204 5713
Owner Country:	UNITED STA
Owner Phone Number:	1-214-8278151
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Unknown
Owner Tax Id:	17516608688
Owner Bankruptcy Code:	Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name:	Not reported
Contact Title:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ETHERIDGE PRINTING COMPANY (Continued)**

**1004784067**

Contact Role:	OWNCON
Contact Address:	2709 BRYAN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75204 5713
Contact Phone:	1-214-8278151
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	TIM AMATETH
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	2709 BRYAN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75204 5713
Contact Phone:	1-214-8278151
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Unit:</b>	
Unit No:	001
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	14
Unit Type:	Not reported
Unit Status:	ACTIVE
Unit Regulatory Status:	Not reported
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrial Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	Not reported
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Not reported
Dt Last Changed:	Not reported
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	,
<b>One Time Shipper Records Not Found for this RegNo/Year:</b>	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ETHERIDGE PRINTING COMPANY (Continued)**

**1004784067**

Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

**ECHO:**

Envid: 1004784067  
 Registry ID: 110005034202  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005034202>

**22 NATIONAL LAUNDRY MANAGEMENT CO**  
**2811 LIVE OAK**  
**DALLAS, TX**

**EDR Hist Cleaner 1009340816**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1930	DAY AND NIGHT DRY CLEANING CO	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1941	NATIONAL LAUNDRY MANAGEMENT CO	LAUNDRIES
1941	DAY AND NIGHT CLEANING CO	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	DAY AND NIGHT CLEANING CO INC	CLEANERS AND DYERS

**22 FORMER GLO CLEANERS**  
**2815 LIVE OAK ST**  
**DALLAS, TX**

**TX PRIORITYCLEANERS S121510863**  
**N/A**

**PRIORITY CLEANERS:**

Priority Status:	Closed
DCRP App Number:	DC0080
RN Number:	100931419
Corrective Action Status:	TRRP Remedy Standard A - Residential
Rank Score:	Not reported
Priority:	Not reported
Project Manager:	Not reported

**22 DAY AND NIGHT CLEANING CO INC**  
**2815 LIVE OAKS**  
**DALLAS, TX**

**EDR Hist Cleaner 1009340843**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1956	GLO S DAY AND NIGHT SERVICE	CLEANERS AND DYERS
1975	THOMPSON ENTERPRISES	Drycleaning Plants, Except Rugs
1976	THOMPSON ENTERPRISES	Drycleaning Plants, Except Rugs
1977	THOMPSON ENTERPRISES	Drycleaning Plants, Except Rugs
1978	THOMPSON ENTERPRISES	Drycleaning Plants, Except Rugs
1979	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1980	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1982	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1983	COMMERCIAL VALET SERVICE INC	Garment Pressing And Cleaners' Agents
1983	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1985	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1986	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAY AND NIGHT CLEANING CO INC (Continued)**

**1009340843**

1987	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1988	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1989	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1990	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1991	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1992	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1993	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1994	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1995	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1996	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1997	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1998	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
1999	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs
2000	THOMPSON INVESTMENTS INC	Drycleaning Plants, Except Rugs

23

**DUNLAP-SWAIN 1  
 2607 SAN JACINTO ST  
 DALLAS, TX 75201**

**FINDS 1011310097  
 N/A**

**FINDS:**

Registry ID: 110034285538

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

23

**DUNLAP-SWAIN 1  
 2607 SAN JACINTO  
 DALLAS, TX**

**TX ENF S107639606  
 N/A**

**ENFORCEMENT:**

Unique TCEQ Ref # Of Customer: CN600803381  
 Unique TCEQ Ref # Of Reg. Entity: RN101538296  
 Contact Person For The Reg. Entity: Not reported  
 Owner/operator Of A Regulated Entity: DUNLAP-SWAIN TIRE COMPANY INC  
 Regulated Entity Associated With An NOV: RETAIL  
 Org Title Of The Contact Person: Not reported  
 Mail Address: 2607 SAN JACINTO ST  
 Mail City,St,Zip: DALLAS, TX 75201-2528  
 Investigation Num: Not reported  
 Status Code: Not reported  
 Status Date: Not reported  
 Violation Tracking Num: Not reported  
 Violation Category: Not reported  
 Nov Id: Not reported  
 Role Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DUNLAP-SWAIN 1 (Continued)**

**S107639606**

Date Notice Of Violation Issued: 12/29/2004  
 Description 1: Failure to maintain the Stage II vapor recovery system in proper operating condition, as specified by the manufacturer and/or any applicable CARB Executive Order(s), and free of defects that would impair the effectiveness of the system, including pressure/vacuum relief valves, vapor check valves, or Stage I dry breaks  
 Description 2: On January 20, 2005, this office received a written response from John Niemeyer with Dunlap-Swain. Documentation showed that the leaking drain plug in the regular unleaded spill bucket had been fixed and the loose swivel adapter on the premium unleaded dry break had been tightened.  
 Category Of The NOV: Moderate  
 Method Of Notice Issuance: WRITTEN  
 TCEQ Prog Area Monitoring Violation: WASTE  
 TCEQ Rule # Cited For The Violation: 115.242(3)(J)  
 Status Of The NOV: RESOLVED  
 Investigation: Not reported  
 Investigation ID: Not reported  
 Regulated Entity ID: Not reported  
 Date of Notice Enforcement: Not reported  
 Rejected: Not reported  
 Type Code: Not reported  
 Date Resolved: Not reported  
 Assessed Amount: Not reported  
 Deferred Amount: Not reported  
 Payable Amount: Not reported  
 Supplemental Env Project Offset Amount: Not reported

23

**DUNLAP-SWAIN TIRE CO\***  
**2607 SAN JACINTO**  
**DALLAS, TX 75221**

EDR Hist Auto 1020461900  
 N/A

EDR Hist Auto

Year:	Name:	Type:
1969	DUNLAP-SWAIN TIRE CO*	Tires And Tubes
1970	DUNLAP-SWAIN TIRE CO*	Tires And Tubes
1971	DUNLAP-SWAIN TIRE CO*	Tires And Tubes
1972	DUNLAP-SWAIN TIRE CO*	Tires And Tubes
1973	DUNLAP-SWAIN TIRE CO*	Tires And Tubes
1974	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1975	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1976	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1977	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1978	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1979	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1991	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1992	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1993	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations
1994	DUNLAP-SWAIN TIRE COMPANY INC	Gasoline Service Stations

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

23 **DUNLAP-SWAIN 1 TX UST U001243374**  
**2607 SAN JACINTO ST N/A**  
**DALLAS, TX 75201**

UST:  
 AI Number: 6945  
 Facility Type: RETAIL  
 Facility Begin Date: 07/02/1986  
 Facility Status: ACTIVE  
 Additional ID: 302846022002061  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: Yes  
 Number Of Active UST: 2  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: JOHN NIEMEYER,GEN MGR  
 Contact Organization Name: DUNLAP-SWAIN 1  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2147411234  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 12/28/2017  
 Signature Name/Title On Earliest Reg Form: JOHN NIEMEYER,GENERAL MANAGER  
 Application Received Date On Earliest Reg Form: 12/29/2017  
 Signature Role On Earliest Reg Form: LEGAL AUTH REP OWNER  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: No  
 Facility Not Inspectable: No

Operator:  
 Princ ID: 807650112002061  
 Additional ID: 302846022002061  
 Ai Number: 6945  
 Operator CN: CN600803381  
 Operator Name: DUNLAP-SWAIN TIRE COMPANY INC  
 Operator Effective Begin Date: 07/02/1986  
 Operator Type: CO  
 Operator Role: OPRCON  
 Contact Name: JOHN NIEMEYER/GEN MGR  
 Contact Organization Name: DUNLAPSWAIN TIRE COMPANY INC  
 Contact Mailing Address (Delivery): 2607 SAN JACINTO ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS TX 75201-2528  
 Contact Phone Country Code: 1  
 Contact Phone Area Code: 214  
 Contact Phone Number: 7411234  
 Contact Phone Extension: 0  
 Contact Fax Country Code: Not reported  
 Contact Fax Area Code: Not reported  
 Contact Fax Number: Not reported  
 Contact Fax Extension: Not reported  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Owner:

Owner CN: CN600803381  
 Owner Last Name: DUNLAP-SWAIN TIRE COMPANY INC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): 2607 SAN JACINTO ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: DALLAS  
 Contact Mailing State: TX  
 Contact Mailing Zip: 75201  
 Contact Mailing Zip5: 2528  
 Contact Phone Number/Ext: 1 214 7411234/0  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 807650112002061  
 Additional ID: 302846022002061  
 AI Number: 6945  
 Owner Effective Begin Date: 07/02/1986  
 State Tax ID: 17508453424  
 Contact Role: OWNCON  
 Contact Name/Title: JOHN NIEMEYER/GM  
 Contact Organization Name: DUNLAPSWAIN TIRE COMPANY INC

Self Certification:

Self Cert ID: 46067  
 Cert ID: 296747  
 AI Number: 6945  
 Self Certification Date: 12/28/2017  
 Signature Name/Title: JOHN NIEMEYER GENERAL MANAGER  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 01/31/2019  
 Reporting Method: P  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: N  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 46067  
 Cert ID: 293406  
 AI Number: 6945  
 Self Certification Date: 08/19/2017  
 Signature Name/Title: JOHN NIEMEYER GM  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2018
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	N
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	46067
Cert ID:	25994
AI Number:	6945
Self Certification Date:	12/10/2008
Signature Name/Title:	JOHN NIEMYER GM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	46067
Cert ID:	25993
AI Number:	6945
Self Certification Date:	01/02/2008
Signature Name/Title:	JOHN NIEMEYER GEN MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	46067
Cert ID:	25992
AI Number:	6945
Self Certification Date:	01/02/2007
Signature Name/Title:	JOHN NIEMEYER GENERAL MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	46067
Cert ID:	25991
AI Number:	6945
Self Certification Date:	12/14/2005
Signature Name/Title:	JOHN NIEMEYER GENERAL MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	46067
Cert ID:	25990
AI Number:	6945
Self Certification Date:	12/31/2004
Signature Name/Title:	JOHN NIEMEYER GENERAL MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	46067
Cert ID:	25989
AI Number:	6945
Self Certification Date:	12/15/2003
Signature Name/Title:	JOHN NIEMEYER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	46067
Cert ID:	25988
AI Number:	6945
Self Certification Date:	12/17/2002
Signature Name/Title:	JOHN NIEMEYER GEN MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	46067
Cert ID:	25987
AI Number:	6945
Self Certification Date:	02/01/2002
Signature Name/Title:	MARTY MARTINEZ VP
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2003
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	46067
Cert ID:	25986
AI Number:	6945
Self Certification Date:	01/20/2001
Signature Name/Title:	MARTY MARTINEZ VP
Signature Type Role:	OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2002
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Tank:	
Install Date:	01/01/1982
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	4000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	17943
Facility ID:	46067
Ai Number:	6945
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/08/2010
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	Y
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/14/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	4000
UST Comprt ID:	24895
UST ID:	17943
AI Number:	6945
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	Y
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	TWO POINT SYSTEM
Stage 1 Installation Date:	02/17/1995

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Install Date:	01/01/1982
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	17944
Facility ID:	46067
Ai Number:	6945
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/08/2010
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	Y
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/14/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	8000
UST Comprt ID:	24896
UST ID:	17944
AI Number:	6945
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	TWO POINT SYSTEM
Stage 1 Installation Date:	02/17/1995
Install Date:	01/01/1982
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	4000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	17945

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Facility ID:	46067
Ai Number:	6945
Tank Id:	3
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/08/2010
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	Y
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/14/1990
Compartment Records:	
Tank ID:	3
Tank Capacity:	4000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

UST Comprt ID:	24897
UST ID:	17945
AI Number:	6945
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	Y
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	TWO POINT SYSTEM
Stage 1 Installation Date:	02/17/1995
Install Date:	08/01/1992
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	17946
Facility ID:	46067
AI Number:	6945
Tank Id:	4
Tank Status (Current):	IN USE
Tank Status Date:	08/01/1992
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	Y
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/14/1990
<b>Compartment Records:</b>	
Tank ID:	4
Tank Capacity:	550
UST Comprt ID:	24898
UST ID:	17946
AI Number:	6945
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	Y
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	06/21/2017
Tank Registration Date:	09/18/2017
Number of Compartments:	2
Tank Capacity:	15000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	P
UST ID:	222507
Facility ID:	46067
Ai Number:	6945
Tank Id:	5
Tank Status (Current):	IN USE
Tank Status Date:	06/21/2017
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	Y
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	Y
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	Y
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	Y
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	Y
TCPMeth(Unnecessary Per Corrosion Prot Spec):	Y
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	Y
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	Y
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	Y
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	07/24/2017
Compartment Records:	
Tank ID:	5
Tank Capacity:	10000
UST Comprt ID:	192098
UST ID:	222507
AI Number:	6945
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	Y
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	Y
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	TWO POINT SYSTEM
Stage 1 Installation Date:	07/24/2017
Tank ID:	5
Tank Capacity:	5000
UST Comprt ID:	192099
UST ID:	222507
AI Number:	6945
Compartment ID:	B
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	Y
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	Y
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Compartment Release Det Compliance Flag: Y  
 Piping Release Detection Compliance Flag ): N  
 Spill/OverfillPreventionCompliance Flag: Y  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: TWO POINT SYSTEM  
 Stage 1 Installation Date: 07/24/2017

Construction Notification:

NOC ID: 30807  
 Facility ID: 46067  
 AI Number: 6945  
 Application Received Date: 01/24/2017  
 Scheduled Construction Date: 02/16/2017  
 UST Improvement: N  
 UST Installation: Y  
 UST Removal: N  
 UST Repair: N  
 UST Return To Service: N  
 UST Replacement: N  
 UST Abandonment: N  
 UST Stage I: N  
 AST Installation: N  
 AST Stage I: N  
 Historical Tracking Number: Not reported  
 Waiver Flag: Not reported  
 Late Filing Flag: Y  
 Form Received Date: Not reported  
 Signature Date On Form: Not reported  
 Signature Name On Form: Not reported  
 Signature Company On Form: Not reported  
 Signature Title On Form: Not reported  
 Signature Role: Not reported  
 Owner Name At Time Of Construction: DUNLAP-SWAIN TIRE COMPANY INC  
 Owner CN At Time Of Construction: CN600803381  
 Owner AR At Time Of Construction: 3931  
 General Desc Of Proposed Construction: EXCAVATE AND INSTALL (1) 15K DW 2-COMPARTMENT UST AND DW PIPING TO (2) NEW DISPENSERS.

NOC ID: 2467  
 Facility ID: 46067  
 AI Number: 6945  
 Application Received Date: 06/01/2010  
 Scheduled Construction Date: 06/22/2010  
 UST Improvement: N  
 UST Installation: N  
 UST Removal: Y  
 UST Repair: N  
 UST Return To Service: N  
 UST Replacement: N  
 UST Abandonment: N  
 UST Stage I: N  
 AST Installation: N  
 AST Stage I: N  
 Historical Tracking Number: NONE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Waiver Flag: N  
 Late Filing Flag: Y  
 Form Received Date: Not reported  
 Signature Date On Form: Not reported  
 Signature Name On Form: Not reported  
 Signature Company On Form: Not reported  
 Signature Title On Form: Not reported  
 Signature Role: Not reported  
 Owner Name At Time Of Construction: Not reported  
 Owner CN At Time Of Construction: Not reported  
 Owner AR At Time Of Construction: 3931  
 General Desc Of Proposed Construction: EXCAVATE AND REMOVE (3) UST'S AND RELATED PRODUCT LINES.

Contractor, Consultant and Installer:

Cont/Cons/Installer ID: 2724  
 UST ID: Not reported  
 NOC ID: 2467  
 AI Number: 6945  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP001349  
 Company Name: TRINITY MKT & DIST CO INC  
 Representative Name: CURTIS GRAF  
 Mailing Address (Delivery): 317 STEEPLECHASE  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: IRVING  
 Mailing State: TX  
 Mailing Zip: 75062  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: 214  
 Phone Number: 2122211  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 73052  
 UST ID: Not reported  
 NOC ID: 30807  
 AI Number: 6945  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP001349  
 Company Name: TRINITY MARKETING AND DISTRIBUTING CO INC  
 Representative Name: CURTIS GRAF  
 Mailing Address (Delivery): 317 STEEPLECHASE DR  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: IRVING  
 Mailing State: TX  
 Mailing Zip: 75062  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 0  
 Phone Number Area Code: 972  
 Phone Number: 5797540  
 Phone Number Extension: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Fax Number Country Code:	1
Fax Number Area Code:	972
Fax Number:	7217183
Email Address:	Not reported
Cont/Cons/Installer ID:	75476
UST ID:	222507
NOC ID:	Not reported
AI Number:	6945
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP001349
Company Name:	TRINITY MARKETING AND DISTRIBUTING CO INC
Representative Name:	Not reported
Mailing Address (Delivery):	317 STEEPLECHASE DR
Mailing Address (Internal Delivery):	Not reported
Mailing City:	IRVING
Mailing State:	TX
Mailing Zip:	75062
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	0
Phone Number Area Code:	214
Phone Number:	2122211
Phone Number Extension:	0
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	75475
UST ID:	222507
NOC ID:	Not reported
AI Number:	6945
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP002251
Company Name:	GRAF CURTIS LYNN
Representative Name:	Not reported
Mailing Address (Delivery):	317 STEEPLECHASE DR
Mailing Address (Internal Delivery):	Not reported
Mailing City:	IRVING
Mailing State:	TX
Mailing Zip:	75062
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	214
Phone Number:	2122211
Phone Number Extension:	0
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	2725
UST ID:	Not reported
NOC ID:	2467
AI Number:	6945

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUNLAP-SWAIN 1 (Continued)**

**U001243374**

Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP001349
Company Name:	Not reported
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported

Facility Billing Contacts:	
Contact Organization Name:	DUNLAP-SWAIN TIRE COMPANY INC
Contact Mailing Address (Delivery):	2607 SAN JACINTO ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 2528
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	46067
Additional ID:	302846022002061
Princ ID:	807650112002061
AI Number:	6945
Facility Name:	DUNLAP-SWAIN 1
AR Number:	3931
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	U
Contact Name/Title:	JOHN NIEMEYER/

24

**DIVERSATYPE INTERNATION**  
**880 N CENTRAL EXPY**  
**DALLAS, TX 75204**

**TX Ind. Haz Waste S103606513**  
**N/A**

Ind. Haz Waste:	
Registration Number:	66601
Registration Initial Notification Date:	09/30/1985
Registration Last Amendment Date:	07/27/2001
EPA Identification:	TXD061592770
Primary NAICS Code:	Not reported
Status Change Date:	19850930
Land Type:	PRIVATE
Description of Facility Site Location:	880 N Central Expy, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIVERSATYPE INTERNATION (Continued)**

**S103606513**

Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: DIVERSATYPE INTERNATIONAL INC  
 Contact Name: GEORGE E BRIAN JR  
 Contact Telephone Number: Not reported  
 Mailing Address: 880 N CENTRAL EXPY  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752045745  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 21869  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20100604  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 880 N CENTRAL EXPY  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75204 5745  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17516052952  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 880 N CENTRAL EXPY  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5745  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: GEORGE BRIAN JR  
 Contact Title: ENV MGR  
 Contact Role: PRICONT  
 Contact Address: 880 N CENTRAL EXPY  
 Contact Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIVERSATYPE INTERNATION (Continued)**

**S103606513**

Contact City, St, Zip: DALLAS, TX 75204 5745  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

24

**DIVERSATYPE INTERNATION INC**  
**880 N CENTRAL EXPY**  
**DALLAS, TX 75204**

**RCRA NonGen / NLR 1000217960**  
**FINDS TXD061592770**  
**ECHO**

RCRA NonGen / NLR:

Date form received by agency: 10/26/2006  
 Facility name: DIVERSATYPE INTERNATION INC  
 Facility address: 880 N CENTRAL EXPY  
 DALLAS, TX 75204  
 EPA ID: TXD061592770  
 Mailing address: N CENTRAL EXPY  
 DALLAS, TX 75204  
 Contact: GEORGE E BRIAN JR  
 Contact address: N CENTRAL EXPY  
 DALLAS, TX 75204  
 Contact country: US  
 Contact telephone: 000-000-0000  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Waste code: D002



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIVERSATYPE INTERNATION INC (Continued)**

**1000217960**

. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D011  
 . Waste name: SILVER

Historical Generators:

Date form received by agency: 07/27/2001  
 Site name: DIVERSATYPE INTERNATION INC  
 Classification: Not a generator, verified

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D011  
 . Waste name: SILVER

Date form received by agency: 09/24/1985  
 Site name: DIVERSATYPE INTERNATIONAL INC  
 Classification: Small Quantity Generator

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D011  
 . Waste name: SILVER

Violation Status: No violations found

**FINDS:**

Registry ID: 110005056205

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

**DIVERSATYPE INTERNATION INC (Continued)**

**1000217960**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000217960
Registry ID:	110005056205
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110005056205">http://echo.epa.gov/detailed-facility-report?fid=110005056205</a>

**25 TXU MAIN ROAD PROPERTY  
2707 FLYNN ST  
DALLAS, TX 75201**

**FINDS 1011391290  
N/A**

FINDS:

Registry ID: 110035232209

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**25 TXU TERMINATION PROPERTY  
WEST OF WICHITA AND ALAMO STREETS  
DALLAS, TX 75201**

**TX AUL S104275452  
TX VCP N/A  
TX GCC**

AUL:

Facility ID: 1084	Facility Type: Electric Termination Station
Phase: Completed	VCP Received: 11/23/1999
Rules: RRR	Standards: 2
Pca No.: 33207	Certificate Issued: 02/14/2000
Type Lead: Developer	Project Manager: Frew
Lat/Long: 32-47-23 / 96-48-33	Lat/Long (dms): Not reported
Acres: 0.3565	Media Affected: Soils/Groundwater
SW No.: Not reported	LPST No.: Not reported
RCRIS No.: Not reported	EPA Txd/cerclis: Not reported
C/F/L ?: F	Date/agreement: 12/13/1999
Region: 4	Type: Not reported
Type Remedy: Not reported	
Contaminant: TPH, PAHs	
Inst Controls: Nonresidential	
BGF Number: Not reported	
Applicant: Anland 2C, LP	
Applicant Name: Darcy Anderson	
Applicant Title: Vice President	
Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700	
Applicant City,St,Zip: Dallas, TX 75201	
Applicant Phone: 214-758-3620	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU TERMINATION PROPERTY (Continued)**

**S104275452**

Applicant Fax: 214-758-3630  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 SUP No: Not reported  
 Multiple Property: Not reported  
 SUP Tract No: Not reported  
 Property Owner: Not reported  
 TRRP Vol#, PG#, CO#, ID#: Not reported  
 Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 1084  
 Facility Type: Electric Termination Station  
 VCP Received: 11/23/1999  
 PCA Number: 33207  
 Project Number: Frew  
 Type Lead: Developer  
 Phase: Completed  
 Lat/Long: 32-47-23 / 96-48-33  
 Lat/Long (DD): Not reported  
 Acres at Site: 0.3565  
 Contaminant Categories: TPH, PAHs  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 2C, LP  
 Applicant Contact Title: Vice President  
 Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 214-758-3620  
 Applicant Fax: 214-758-3630  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 12/13/1999  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 02/14/2000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU TERMINATION PROPERTY (Continued)**

**S104275452**

Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 11/23/1999  
 App Accepted?: Y  
 Date Accepted: 12/01/1999  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 332070  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 2C, LP  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-758-3620  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: M  
 File Location: CR

**GCC:**

Division: RMD  
 New Cases: Not reported  
 File Number: 1084  
 Contamination Description: TPH, PAHS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008  
 Agency: TCEQ  
 Section: VC/VCP  
 Year Deleted: 1999  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM  
 New Cases: Not reported  
 File Number: 1084  
 Contamination Description: TPH, PAHS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012  
 Agency: TCEQ

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU TERMINATION PROPERTY (Continued)**

**S104275452**

Section:	VC
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1084
Contamination Description:	TPH, PAHS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1084
Contamination Description:	TPH, PAHS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1084
Contamination Description:	TPH, PAHS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2015
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU TERMINATION PROPERTY (Continued)**

**S104275452**

New Cases:	Not reported
File Number:	1084
Contamination Description:	TPH, PAHS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	Not reported
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2014
Agency:	TCEQ
Section:	VC/IOP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1084
Contamination Description:	TPH, PAHS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1084
Contamination Description:	TPH, PAHS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1084
Contamination Description:	TPH, PAHS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

**TXU TERMINATION PROPERTY (Continued)**

**S104275452**

Data Quality 1:	Not reported	
Section 5236:	Not reported	
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013	
Agency:	TCEQ	
Section:	VC/VCP	
Year Deleted:	1999	
Location:	Not reported	
Data Quality 2:	Not reported	

26

**BROWN EXPRESS  
1250 SLOCUM ST  
DALLAS, TX 75207**

**TX UST U001252775  
N/A**

UST:

AI Number:	17761
Facility Type:	RETAIL
Facility Begin Date:	08/28/1986
Facility Status:	INACTIVE
Additional ID:	35814572002154
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75207
Contact Name/Title:	D SAMPLE,FOREMAN
Contact Organization Name:	BROWN EXPRESS
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147416011
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	04/23/1986
Signature Name/Title On Earliest Reg Form:	J T OBRIEN,TREAS.
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN600135099
Owner Last Name:	WILLIAM MARSH RICE UNIVERSITY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	220479142001222
Additional ID:	35814572002154
AI Number:	17761
Owner Effective Begin Date:	08/30/1993
State Tax ID:	17411096203
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1951
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	45790
Facility ID:	55875
AI Number:	17761
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1995
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	07/26/1993
Compartment Records:	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	53074
UST ID:	45790
AI Number:	17761
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1972
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	45791
Facility ID:	55875
Ai Number:	17761
Tank Id:	5
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1995
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	07/26/1993
Compartment Records:	
Tank ID:	5
Tank Capacity:	2000
UST Comprt ID:	53075
UST ID:	45791
AI Number:	17761
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1951

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	45795
Facility ID:	55875
Ai Number:	17761
Tank Id:	6
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1995
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

Temp Out Of Service Compliance: N  
 Technical Compliance Flag: N  
 Tank Tested Flag: N  
 Installation Signature Date: 07/26/1993

Compartment Records:

Tank ID: 6  
 Tank Capacity: 1000  
 UST Comprt ID: 53079  
 UST ID: 45795  
 AI Number: 17761  
 Compartment ID: A  
 Substance Stored1: USED OIL  
 Substance Stored2: Not reported  
 Substance Stored3: Not reported  
 CompartmentReleaseDetectionMethod(Vapor): N  
 CRDM(GW Monitoring): N  
 CRDM(Monitoring Of Secondary Cont Barrier): N  
 CRDM(Auto Tank Gauge Test/Inv Control): N  
 CRDM(Interstitial Monitoring SecWall/Jacket): N  
 CRDM(Wkly Manual Gauging(Tanks<=1000 G): N  
 CRDM(Mthly Tank Gauging(Emer Gen Tanks): N  
 CRDM(Sir (Stat Inv Reconciliation)/Inv Control): N  
 PipingReleaseDetectionMethod(PRDM)(Vapor): N  
 PRDM(Groundwater Monitoring): N  
 PRDM(Monitoring Sec Containment Barrier): N  
 PRDM(InterstitialMonitoring w/in SecWall/Jacket): N  
 PRDM(Mthly Piping Tightness Test)@.2Gph: N  
 PRDM(AnnualPipingTightTest/ElecMon@.1Gph: N  
 PRDM(TriennialTightTest(Suction/GravityPiping): N  
 PRDM AutoLineLeakDet(3.0 Gph PressPiping): N  
 PRDM(Sir(StatInv Recon)/Inv Control): N  
 PRDM(Exempt System Suction): N  
 Spill Overfill Prevention Equip(SOPE): N  
 SOPE(Spill Cont/Bucket/Sump): N  
 SOPE(DelShut-Off Valve ): N  
 SOPE(FlowRestrictorValue: N  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: N  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: N  
 Piping Release Detection Compliance Flag ): N  
 Spill/OverfillPreventionCompliance Flag: N  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Install Date: 01/01/1973  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 10000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 45793  
 Facility ID: 55875

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

Ai Number:	17761
Tank Id:	3
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1995
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	07/26/1993
<b>Compartment Records:</b>	
Tank ID:	3
Tank Capacity:	10000
UST Comprt ID:	53077

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

UST ID:	45793
AI Number:	17761
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1951
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	45794
Facility ID:	55875
AI Number:	17761
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	09/01/1986
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BROWN EXPRESS (Continued)**

**U001252775**

Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	07/26/1993
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	53078
UST ID:	45794
AI Number:	17761
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

CRDM(Monitoring Of Secondary Cont Barrier): N  
 CRDM(Auto Tank Gauge Test/Inv Control): N  
 CRDM(Interstitial Monitoring SecWall/Jacket): N  
 CRDM(Wkly Manual Gauging(Tanks<=1000 G): N  
 CRDM(Mthly Tank Gauging(Emer Gen Tanks): N  
 CRDM(Sir (Stat Inv Reconciliation)/Inv Control): N  
 PipingReleaseDetectionMethod(PRDM)(Vapor): N  
 PRDM(Groundwater Monitoring): N  
 PRDM(Monitoring Sec Containment Barrier): N  
 PRDM(InterstitialMonitoring w/in SecWall/Jacket): N  
 PRDM(Mthly Piping Tightness Test)@.2Gph: N  
 PRDM(AnnualPipingTightTest/ElecMon@.1Gph: N  
 PRDM(TriennialTightTest(Suction/GravityPiping): N  
 PRDM AutoLineLeakDet(3.0 Gph PressPiping): N  
 PRDM(Sir(StatInv Recon)/Inv Control)): N  
 PRDM(Exempt System Suction): N  
 Spill Overfill Prevention Equip(SOPE): N  
 SOPE(Spill Cont/Bucket/Sump): N  
 SOPE(DelShut-Off Valve ): N  
 SOPE(FlowRestrictorValue): N  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: N  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: N  
 Piping Release Detection Compliance Flag ): N  
 Spill/OverfillPreventionCompliance Flag: N  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Install Date: 01/01/1973  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 10000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 45792  
 Facility ID: 55875  
 Ai Number: 17761  
 Tank Id: 4  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 01/01/1995  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	07/26/1993
Compartment Records:	
Tank ID:	4
Tank Capacity:	10000
UST Comprt ID:	53076
UST ID:	45792
AI Number:	17761
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN EXPRESS (Continued)**

**U001252775**

PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	WILLIAM MARSH RICE UNIVERSITY
Contact Mailing Address (Delivery):	PO BOX 1892
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	HOUSTON, TX 77251 1892
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	55875
Additional ID:	35814572002154
Princ ID:	220479142001222
AI Number:	17761
Facility Name:	BROWN EXPRESS
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

26

**BE MAC TRANSPORT COMPANY INC**  
**1250 SLOCUM**  
**DALLAS, TX 75207**

**RCRA NonGen / NLR 1000294868**  
**FINDS TXD000761049**  
**TX LPST**  
**TX Ind. Haz Waste**  
**ECHO**

RCRA NonGen / NLR:

Date form received by agency:	03/26/2001
Facility name:	BE MAC TRANSPORT COMPANY INC
Facility address:	1250 SLOCUM DALLAS, TX 75207
EPA ID:	TXD000761049
Mailing address:	SLOCUM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BE MAC TRANSPORT COMPANY INC (Continued)**

**1000294868**

DALLAS, TX 75207  
 Contact: BOB MANSKEY  
 Contact address: SLOCUM  
 DALLAS, TX 75207  
 Contact country: US  
 Contact telephone: 214-263-5121  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: BE MAC TRANSPORT COMPANY INC  
 Owner/operator address: SLOCUM  
 DALLAS, TX 75207  
 Owner/operator country: US  
 Owner/operator telephone: 214-263-5121  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 03/26/2001  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 08/18/1980  
 Site name: BE-MAC TRANS CO  
 Classification: Not a generator, verified

Violation Status: No violations found

**FINDS:**

Registry ID: 110005028772

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BE MAC TRANSPORT COMPANY INC (Continued)**

**1000294868**

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

LPST:

Facility ID: 0017761  
 LPST Id: 104953  
 Facility Location: 1250 SLOCUM ST  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 12/18/1997  
 Entered Date: 10/23/1992  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1 - RPR  
 CA Status: 6P - FINAL PENDING WELL PLUG  
 Priority Description: Groundwater is affected.  
**Status: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING**  
 Coordinators Primary: 1/1P/1  
 Coordinators RPR: RPR  
 Responsible Party Name: BROWN EXPRESS INC  
 Responsible Party Contact: FRANK KENNEDY  
 Responsible Party Address: PO BOX 4249  
 Responsible Party City,St,Zip: HIGHLANDS RANCH, CO 80126  
 Responsible Party Telephone: 303/791-1799  
 Reported Date: 10/09/1992  
 Case Start Date: 12/18/1997

Ind. Haz Waste:

Registration Number: 40025  
 Registration Initial Notification Date: 10/15/1982  
 Registration Last Amendment Date: 03/26/2001  
 EPA Identification: TXD000761049  
 Primary NAICS Code: 484110  
 Status Change Date: 19821015  
 Land Type: Not reported  
 Description of Facility Site Location: 1250 Slocum, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: No  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: Yes  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: Not reported  
 TNRCC Region: Not reported  
 Company Name: BE MAC TRANSPORT COMPANY INC  
 Contact Name: BOB MANSKEY

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BE MAC TRANSPORT COMPANY INC (Continued)**

**1000294868**

Contact Telephone Number: 214-2635121  
 Mailing Address: 1250 SLOCUM ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752074016  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 16448  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20031103  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 1250 SLOCUM ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75207 4016  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-2635121  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 13401748705  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: BOB MANSKEY  
 Contact Title: ENV MGR  
 Contact Role: PRICONT  
 Contact Address: 1250 SLOCUM ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 4016  
 Contact Phone: 1-214-2635121  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1250 SLOCUM ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 4016  
 Contact Phone: 1-214-2635121  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 1  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**BE MAC TRANSPORT COMPANY INC (Continued)**

**1000294868**

Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: 04  
 Target TCEQ unique facid for discarded(merged) facility: Not reported  
 Waste Records Not Found for this RegNo/Year:

ECHO:  
 Envid: 1000294868  
 Registry ID: 110005028772  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005028772>

---

<b>27</b>	<b>RIP AND JIMMIE GARAGE</b>	<b>EDR Hist Auto</b>	<b>1009365590</b>
	<b>2700 BRYAN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1951	RIP AND JIMMIE GARAGE	AUTOMOBILE REPAIRING
1961	RIP AND JIMMIE GARAGE	AUTOMOBILE REPAIRING
1969	CLICKS RADIATOR SERVICE	Automotive Repair Shops, NEC
1970	CLICKS RADIATOR SERVICE	Automotive Repair Shops, NEC

---

<b>27</b>	<b>RIP AND JIMMIE GARAGE</b>	<b>EDR Hist Auto</b>	<b>1009365636</b>
	<b>2702 BRYAN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1956	RIP AND JIMMIE GARAGE	AUTOMOBILE REPAIRING

---

<b>27</b>	<b>ALLEN S RADIATOR SERVICE</b>	<b>EDR Hist Auto</b>	<b>1009365717</b>
	<b>2710 BRYAN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1951	ALLEN S RADIATOR SERVICE	RADIATOR REPAIRERS-AUTOMOBILE

---

<b>27</b>	<b>WILLIAMS GARAGE</b>	<b>TX UST</b>	<b>U003039172</b>
	<b>2727 BRYAN ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75204</b>		

UST:

AI Number:	67937
Facility Type:	RETAIL
Facility Begin Date:	12/31/1950
Facility Status:	INACTIVE
Additional ID:	98177532002062
Facility Exempt Status:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMS GARAGE (Continued)**

**U003039172**

Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75204
Contact Name/Title:	,
Contact Organization Name:	Not reported
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	Not reported
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	12/28/1995
Signature Name/Title On Earliest Reg Form:	ROGER SEFZIK,VP
Application Received Date On Earliest Reg Form:	12/29/1995
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600133805
Owner Last Name:	CENTEX DEVELOPMENT COMPANY LP
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	PA
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	958283052001220
Additional ID:	98177532002062
AI Number:	67937
Owner Effective Begin Date:	12/31/1950
State Tax ID:	32039792596
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	12/31/1950
Tank Registration Date:	12/29/1995
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMS GARAGE (Continued)**

**U003039172**

Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	177907
Facility ID:	102661
Ai Number:	67937
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	01/01/1951
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMS GARAGE (Continued)**

**U003039172**

Compartment Records:

Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	176286
UST ID:	177907
AI Number:	67937
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	12/31/1950
Tank Registration Date:	12/29/1995
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	177910
Facility ID:	102661
AI Number:	67937
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	01/01/1951

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMS GARAGE (Continued)**

**U003039172**

Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	176287
UST ID:	177910
AI Number:	67937
Compartment ID:	A
Substance Stored1:	DIESEL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMS GARAGE (Continued)**

**U003039172**

Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	12/31/1950
Tank Registration Date:	12/29/1995
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	177911
Facility ID:	102661
Ai Number:	67937
Tank Id:	3
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	01/01/1951
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMS GARAGE (Continued)**

**U003039172**

Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	3
Tank Capacity:	Not reported
UST Comprt ID:	176288
UST ID:	177911
AI Number:	67937
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMS GARAGE (Continued)**

**U003039172**

CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	CENTEX DEVELOPMENT COMPANY LP
Contact Mailing Address (Delivery):	PO BOX 199000
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75219 9000
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	102661
Additional ID:	98177532002062
Princ ID:	958283052001220
AI Number:	67937
Facility Name:	WILLIAMS GARAGE
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	ROGER SEFZIK/

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>27</b>	<b>LOCCLEAR SERVICE STATION 2727 BRYAN DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009365850 N/A</b>
-----------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1946	TEXAS AND PACIFIC COAL AND OIL	GASOLINE AND OIL SERVICE STATIONS
1951	JO JO SERVICE STATION	GASOLINE STATIONS
1956	BARNETT SERVICE STATION	GASOLINE STATIONS
1961	LOCCLEAR SERVICE STATION	GASOLINE STATIONS
1972	WILLIAMS GARAGE	General Automotive Repair Shops
1973	WILLIAMS GARAGE	General Automotive Repair Shops
1974	WILLIAMS GARAGE	General Automotive Repair Shops
1975	WILLIAMS GARAGE	General Automotive Repair Shops

<b>28</b>	<b>LUMINANT GENERATION COMPANY LLC 2707 FLYNN ST DALLAS, TX 75201</b>	<b>RCRA NonGen / NLR FINDS ECHO</b>	<b>1000279793 TXD000836452</b>
-----------	---	---	------------------------------------

RCRA NonGen / NLR:

Date form received by agency: 06/01/2010  
 Facility name: LUMINANT GENERATION COMPANY LLC  
 Facility address: 2707 FLYNN ST  
 DALLAS, TX 75201  
 EPA ID: TXD000836452  
 Mailing address: N AKARD ST LINCOLN PLAZA FLOOR  
 DALLAS, TX 75201  
 Contact: JEFF JONES  
 Contact address: N AKARD ST LINCOLN PLAZA FLOOR  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: 214-875-8297  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: LUMINANT GENERATION COMPANY LLC  
 Owner/operator address: N AKARD LINCOLN PLAZA 9TH FLOOR  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-875-8297  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 06/01/2010  
 Owner/Op end date: Not reported

Owner/operator name: LUMINANT GENERATION COMPANY LLC  
 Owner/operator address: N AKARD LINCOLN PLAZA 9TH FLOOR  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-875-8297  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 06/01/2010  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D008  
 . Waste name: LEAD



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D018
- . Waste name: BENZENE
  
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
  
- . Waste code: D022
- . Waste name: CHLOROFORM
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: D038
- . Waste name: PYRIDINE
  
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Historical Generators:

Date form received by agency: 04/09/2010  
 Site name: LUMINANT GENERATION COMPANY LLC  
 Classification: Not a generator, verified

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D008

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste name: LEAD
- . Waste code: D009
- . Waste name: MERCURY
- . Waste code: D011
- . Waste name: SILVER
- . Waste code: D018
- . Waste name: BENZENE
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
- . Waste code: D022
- . Waste name: CHLOROFORM
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
- . Waste code: D038
- . Waste name: PYRIDINE
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Date form received by agency: 09/25/2008  
 Site name: LUMINANT GENERATION COMPANY LLC  
 Classification: Not a generator, verified

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D018
- . Waste name: BENZENE
  
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
  
- . Waste code: D022
- . Waste name: CHLOROFORM
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: D038
- . Waste name: PYRIDINE
  
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Date form received by agency: 04/17/2008  
 Site name: TXU GENERATION COMPANY LP  
 Classification: Not a generator, verified

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D018
- . Waste name: BENZENE
  
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
  
- . Waste code: D022
- . Waste name: CHLOROFORM
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: D038
- . Waste name: PYRIDINE
  
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Date form received by agency: 07/03/2007  
 Site name: TXU GENERATION COMPANY LP  
 Classification: Not a generator, verified

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D018
- . Waste name: BENZENE
  
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
  
- . Waste code: D022
- . Waste name: CHLOROFORM
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: D038
- . Waste name: PYRIDINE
  
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Date form received by agency: 11/28/2006  
 Site name: TXU GENERATION COMPANY LP  
 Classification: Not a generator, verified

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D018
- . Waste name: BENZENE
  
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
  
- . Waste code: D022
- . Waste name: CHLOROFORM
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: D038
- . Waste name: PYRIDINE
  
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Date form received by agency: 02/07/2006  
 Site name: TXU GENERATION COMPANY LP  
 Classification: Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSLEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D018
- . Waste name: BENZENE
  
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
  
- . Waste code: D022
- . Waste name: CHLOROFORM
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: D038
- . Waste name: PYRIDINE
  
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Date form received by agency: 11/29/2005  
 Site name: TXU GENERATION COMPANY LP  
 Classification: Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D018
- . Waste name: BENZENE
  
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
  
- . Waste code: D022
- . Waste name: CHLOROFORM
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: D038
- . Waste name: PYRIDINE
  
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Date form received by agency: 09/15/2003  
 Site name: TXU GENERATION COMPANY LP  
 Classification: Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D018
- . Waste name: BENZENE
  
- . Waste code: D019
- . Waste name: CARBON TETRACHLORIDE
  
- . Waste code: D022
- . Waste name: CHLOROFORM
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: D038
- . Waste name: PYRIDINE
  
- . Waste code: D040
- . Waste name: TRICHLOROETHYLENE
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Date form received by agency: 05/19/1995  
 Site name: TU ELECTRIC DALLAS SES  
 Classification: Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSLEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- . Waste code: U013
- . Waste name: Not Defined

Violation Status: No violations found

**FINDS:**

Registry ID: 110005030769

**Environmental Interest/Information System**

CAMDBS (Clean Air Markets Division Business System) is a national information system that supports the implementation of market-based air pollution control programs administered by the Clean Air Markets Division, within the Office of Air and Radiation. These programs include the Acid Rain Program, established by Title IV of the Clean Air Act Amendments of 1990, and regional programs designed reduce the transport of ozone. These emissions trading programs allows regulated facilities (primarily electric utilities) to adopt the most cost-effective strategies to reduce emissions at their units. Units that reduce their emissions below the number of allowances they hold -- each allowance is equivalent to one ton of sulfur dioxide or nitrogen oxides -- may trade allowances with other units in their system, sell them to other utilities on the open market or through EPA auctions, or bank them to cover emissions in future years. CAMDBS functions include registering responsible officials, establishing allowance accounts, reporting hourly emissions data, and transferring allowances between accounts.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUMINANT GENERATION COMPANY LLC (Continued)**

**1000279793**

names, addresses, and telephone numbers of those the TCEQ regulates.  
 It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000279793  
 Registry ID: 110005030769  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005030769>

**29**

**CARROIL S AUTO BENEW  
 2520 ROSS AVE  
 DALLAS, TX**

**EDR Hist Auto**

**1009364843  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1941	CARROIL S AUTO BENEW	AUTOMOBILE LAUNDRIES
1989	ALLIED TRANSMISSION	Automotive Transmission Repair Shops
1995	EUROPEAN AUTOMOTIVE	General Automotive Repair Shops
1996	EUROPEAN AUTOMOTIVE	General Automotive Repair Shops
1999	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2000	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2001	EUROPEAN AUTOMOTIVE	General Automotive Repair Shops
2001	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2002	EUROPEAN AUTOMOTIVE	General Automotive Repair Shops
2002	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2003	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2003	EUROPEAN AUTOMOTIVE	General Automotive Repair Shops
2004	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2005	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2006	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2007	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts
2008	LEONARDS EUROPEAN AUTO SERVICE	Auto And Truck Equipment And Parts

**30**

**AMERICAN AIRLINES CENTER INBUILDING  
 2620 N HOUSTON ST - 2ND FLR PARKING GARAGE  
 DALLAS, TX 75201**

**TX TIER 2**

**S113693496  
 N/A**

TIER 2:

Facility Id: FATR201293ZJDJ02L7YH  
 Facility Name: AMERICAN AIRLINES CENTER INBUILDING  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/15/2013  
 Mailing Address: P.O. Box 97061  
 Mailing City/State/Country: Redmond, WA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 7  
 Number Of Emploeyss On Site: N/A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMERICAN AIRLINES CENTER INBUILDING (Continued)**

**S113693496**

Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Caroline Lammers, EH&S Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: UN  
 Lat/Long Method: UN  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 102026754  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/15/2013  
 Id: 4812  
 Id Type: SIC  
 Description: RADIOTELEPHONE COMMUNICATIONS  
 Last Modified: 2/15/2013  
 Id: 517210  
 Id Type: NAICS  
 Description: Cellular and Other Wireless Telecommunications  
 Last Modified: 2/15/2013

Contact:

Contact Email: ehs.compliance@att.com  
 Contact Mail Address: P.O. Box 97061  
 Contact City/State/Zip: Redmond, WA 98073  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Owner / Operator  
 Contact Name: New Cingular Wireless PCS, LLC  
 Title: EH&S Compliance  
 Modification Date: 2/24/2013

Contact Email: ehs.compliance@att.com  
 Contact Mail Address: P.O. Box 97061  
 Contact City/State/Zip: Redmond, WA 98073  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Owner / Operator  
 Contact Name: New Cingular Wireless PCS, LLC  
 Title: EH&S Compliance  
 Modification Date: 2/24/2013

Contact Email: ehs.compliance@att.com  
 Contact Mail Address: P.O. Box 97061  
 Contact City/State/Zip: Redmond, WA 98073  
 Contact Mail Country: USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMERICAN AIRLINES CENTER INBUILDING (Continued)**

**S113693496**

Contact Type 1:	Owner / Operator
Contact Type 2:	Owner / Operator
Contact Name:	AT&T Mobility, LLC
Title:	EH&S Compliance
Modification Date:	4/4/2011
Contact Email:	Not reported
Contact Mail Address:	P.O. Box 97061
Contact City/State/Zip:	Redmond, WA 98073
Contact Mail Country:	USA
Contact Type 1:	Owner / Operator
Contact Type 2:	Owner / Operator
Contact Name:	AT&T Mobility, LLC
Title:	EH&S Compliance
Modification Date:	3/14/2010
Contact:	
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Type 2:	Emergency Contact
Contact Name:	EHS Hotline
Title:	Hotline Operator
Modification Date:	2/24/2013
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Type 2:	Emergency Contact
Contact Name:	EHS Hotline
Title:	Hotline Operator
Modification Date:	2/24/2013
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Type 2:	Emergency Contact
Contact Name:	EHS Hotline
Title:	Hotline Operator
Modification Date:	4/4/2011
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Type 2:	Emergency Contact
Contact Name:	EHS Hotline
Title:	Hotline Operator
Modification Date:	3/14/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMERICAN AIRLINES CENTER INBUILDING (Continued)**

**S113693496**

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Type 3: Emergency Contact  
 Contact Name: Bobby Peace  
 Title: Manager Operations  
 Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR201293ZJDJ02L7YH  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: CVTR201293ZJDJ02T80T  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100 - 999 pounds  
 Max Daily Amount: 100 - 999 pounds  
 Max Amount In Largest Container: 76  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/22/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201293ZJDJ02U80T  
 Chemical Inventory Record Id: CVTR201293ZJDJ02T80T  
 Amt Of Sub Stored Or Transported: 606  
 Amount Units: Pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 9 strings of 8 batteries various locations 2nd Flr Parking Garage  
 Last Modified: 2/22/2013

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>31</b>	<b>AKARD PLACE</b> <b>2301 N AKARD ST</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1010709560</b> <b>N/A</b>
-----------	---	--------------	---------------------------------

FINDS:

Registry ID: 110033358220

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>31</b>	<b>AKARD PLACE</b> <b>2301 NORTH AKARD STREET</b> <b>DALLAS, TX 75201</b>	<b>TX IOP</b> <b>TX GCC</b>	<b>S105912952</b> <b>N/A</b>
-----------	---	--------------------------------	---------------------------------

IOP:

IOP ID: 0357  
 IOP recvd: 05/05/2003  
 Region: 04  
 Phase: Withdrawal  
 Interest In Site: Owner  
 Property Use: Office Buildings/Garage  
 Project Manager: Schleman  
 Lat/Long: Not reported  
 Lat/Long (dms): 32.78930 / -96.80560  
 Acres: 3.038  
 Media Affected: Soils/Groundwater  
 LPST Number: Not reported  
 VCP ID: Not reported  
 Cert Issued: Not reported  
 Solid Waste Regn Number: Not reported  
 EPA TX ID/Cerclis regn Number: Not reported  
 Contaminant Categories: VOCs  
 Applicant Information: PFP Akard Place, Inc.  
 Applicant Name: John Donahue  
 Applicant Title: Vice President  
 Applicant Address: 2301 North Akard Street, Suite 100  
 Applicant City,St,Zip: Dallas, TX 75201-1705  
 Applicant Phone: 214-253-2140  
 Applicant Fax: 214-253-2141  
 Consultant/Attorney: Pond, Robinson & Associates, Inc.  
 Consultant/Attorney Name: Joe Maulsby  
 Consultant/Attorney Title: Associate  
 Consultant/Attorney Address: 2400 Dallas Parkway, Suite 200  
 Consultant/Attorney City,St,Zip: Plano, TX 75093  
 Consultant/Attorney Phone: 214-732-6400  
 Consultant/Attorney Fax: 214-732-9013  
 EDR Link ID: 0357



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AKARD PLACE (Continued)**

**S105912952**

GCC:

Division: RMD/VCIO  
 New Cases: Not reported  
 File Number: 357  
 Contamination Description: VOCS  
 Date Of Earliest Known Contamination Confirmation: 5/5/2003  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 357  
 Contamination Description: VOCS  
 Date Of Earliest Known Contamination Confirmation: 5/5/2003  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/VCIO  
 New Cases: Not reported  
 File Number: 357  
 Contamination Description: VOCS  
 Date Of Earliest Known Contamination Confirmation: 5/5/2003  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 357  
 Contamination Description: VOCS  
 Date Of Earliest Known Contamination Confirmation: 5/5/2003

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AKARD PLACE (Continued)**

**S105912952**

Enforcement Status - Level Of Agency Response:	Not reported
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VCIO
New Cases:	Not reported
File Number:	357
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	5/5/2003
Enforcement Status - Level Of Agency Response:	Not reported
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VCIO
New Cases:	Not reported
File Number:	357
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	5/5/2003
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VCIO
New Cases:	Not reported
File Number:	357
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	5/5/2003
Enforcement Status - Level Of Agency Response:	Not reported
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AKARD PLACE (Continued)**

**S105912952**

Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 357

Contamination Description: VOCS  
 Date Of Earliest Known Contamination Confirmation: 5/5/2003  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E

Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 357

Contamination Description: VOCS  
 Date Of Earliest Known Contamination Confirmation: 5/5/2003  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E

Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

32

**TEXACO  
 1131 S STEMMONS  
 DALLAS, TX 75207**

**EDR Hist Auto 1021635494  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1999	MOTIVA ENTERPRISES LLC	Gasoline Service Stations, NEC
2000	MOTIVA ENTERPRISES LLC	Gasoline Service Stations, NEC
2001	MOTIVA ENTERPRISES LLC	Gasoline Service Stations, NEC
2008	TEXACO	Gasoline Service Stations, NEC

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>33</b>	<b>THE MEADOWS FOUNDATION</b> <b>2804 LIVE OAK ST</b> <b>DALLAS, TX 75204</b>	<b>FINDS</b>	<b>1011404298</b> <b>N/A</b>
-----------	---	--------------	---------------------------------

FINDS:

Registry ID: 110035393669

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>33</b>	<b>DALLAS OUALITY MOTORS INC</b> <b>2804 LIVE OAK ST</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009366152</b> <b>N/A</b>
-----------	--	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1966	DALLAS QUALITY MOTORS INC	AUTOMOBILE REPAIRING
1969	DALLAS QUALITY MOTORS INC	General Automotive Repair Shops
1970	DALLAS QUALITY MOTORS INC	General Automotive Repair Shops
1971	DALLAS QUALITY MOTORS INC	General Automotive Repair Shops
1972	DALLAS QUALITY MOTORS INC	General Automotive Repair Shops
1973	DALLAS QUALITY MOTORS INC	General Automotive Repair Shops
1974	DALLAS QUALITY MOTORS INC	General Automotive Repair Shops

<b>34</b>	<b>SERVICE KING PAINT AND BODY RICHARDSON</b> <b>810 S CENTRAL EXPY</b> <b>DALLAS (County), TX</b>	<b>TX AIRS</b>	<b>S116580271</b> <b>N/A</b>
-----------	--	----------------	---------------------------------

AIRS:

Permit Num:	79300
Regulated Id:	RN105096374
Permit Type:	PBR
Permit Status:	EFFECTIVE
Permit Issued Date:	11/30/2006
Expiration Date:	Not reported
Customer Id:	CN601301690
Company Name:	SERVICE KING PAINT & BODY LP
Physical Location Desc:	Not reported
Rep Official(RO):	PROJECT SPECIALIST
RO Name:	MR JOHN HALBROOK
RO Delivery Address:	808 S CENTRAL EXPY
RO City/State/Zip:	RICHARDSON, TX 75080
RO Phone:	8778511
RO Ext Num:	0
RO EMail Address:	Not reported
Lat Dec Coord Num:	0

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**SERVICE KING PAINT AND BODY RICHARDSON (Continued)**

**S116580271**

Long Dec Coord Num: 0

<b>34</b>	<b>MC COLLOUGH FRED</b>	<b>EDR Hist Auto</b>	<b>1009351356</b>
	<b>1003 BOLL</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:		Type:
1925	MC COLLOUGH FRED		AUTOMOBILE REPAIRERS
1930	DAVIS AUTO REPAIR SHOP		AUTOMOBILE REPAIRERS

<b>34</b>	<b>TOM S GARAGE COMPLETE AUTOMOTIVE SERVICE ON ALL MA</b>	<b>EDR Hist Auto</b>	<b>1009351400</b>
	<b>1005 BOLL</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:		Type:
1941	TONS S GARAGE		AUTOMOBILE REPAIRING
1941	TOM S GARAGE COMPLETE AUTOMOTIV		AUTOMOBILE GARAGES
1946	TOM S GARAGE		AUTOMOBILE REPAIRING
1951	TOM S GARAGE		AUTOMOBILE REPAIRING

<b>34</b>	<b>GAINES C</b>	<b>EDR Hist Cleaner</b>	<b>1009349689</b>
	<b>830 N CENTRAL AVE</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:		Type:
1925	GAINES C		CLOTHES CLEANERS AND DYERS
1930	GAINES CLARENICE		CLOTHES PRESSERS, CLEANERS AND REPAIRERS

<b>35</b>	<b>B J S PAINT AND BODY SHOP</b>	<b>EDR Hist Auto</b>	<b>1009381388</b>
	<b>716 CANTEGRAL ST</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:		Type:
1977	B J S PAINT AND BODY SHOP		AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

35 GANT LEFFEL L EDR Hist Auto 1009381600  
 722 CANTEGRAL N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1941	GANT LEFFEL L	AUTOMOBILE REPAIRING
1946	GANT LEFFEL L	AUTOMOBILE REPAIRING

36 CORPORATE COMMUNICATION CENTER TX LPST U003166270  
 2311 CAROLINE ST TX UST N/A  
 DALLAS, TX 75201

LPST:

Facility ID:	0019151
LPST Id:	112073
Facility Location:	2311 CAROLINE ST
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	01/16/1997
Entered Date:	01/27/1997
Priority:	4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED
Program:	2 - REGION
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	4.0
<b>Status:</b>	<b>FINAL CONCURRENCE ISSUED, CASE CLOSED</b>
Coordinators Primary:	2
Coordinators RPR:	XYZ
Responsible Party Name:	AKARD PLACE JOINT VENTURE
Responsible Party Contact:	STEPANIE GARNER
Responsible Party Address:	2301 N AKARD STE 300
Responsible Party City,St,Zip:	DALLAS, TX 75201
Responsible Party Telephone:	214/371-2943
Reported Date:	12/31/3000
Case Start Date:	01/27/1997

UST:

AI Number:	19151
Facility Type:	FLEET REFUELING
Facility Begin Date:	01/31/1991
Facility Status:	INACTIVE
Additional ID:	351246752002062
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75201
Contact Name/Title:	,
Contact Organization Name:	CORPORATE COMMUNICATION CENTER
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148712943
Facility Contact Address Deliverable:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CORPORATE COMMUNICATION CENTER (Continued)**

**U003166270**

Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/05/1986
Signature Name/Title On Earliest Reg Form:	GRETCHEN BEAN,ASST STAFF SUPR
Application Received Date On Earliest Reg Form:	05/05/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600815393
Owner Last Name:	CORPORATE COMMUNICATION CENTER INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	360246742002062
Additional ID:	351246752002062
AI Number:	19151
Owner Effective Begin Date:	01/08/1997
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	05/05/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	49821
Facility ID:	76291
Ai Number:	19151
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	10/16/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CORPORATE COMMUNICATION CENTER (Continued)**

**U003166270**

Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/22/1991
Compartment Records:	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	112956
UST ID:	49821
AI Number:	19151
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CORPORATE COMMUNICATION CENTER (Continued)**

**U003166270**

CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	7359
Cert ID:	120068
UST Comprt ID:	346052
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120078
UST Comprt ID:	346040
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120072
UST Comprt ID:	346046
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120069
UST Comprt ID:	346049
UST ID:	110927

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CORPORATE COMMUNICATION CENTER (Continued)**

**U003166270**

AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	298097
UST Comprt ID:	861259
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	279676
UST Comprt ID:	806391
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120070
UST Comprt ID:	346048
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	245230
UST Comprt ID:	704923
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	261904
UST Comprt ID:	754096
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120073
UST Comprt ID:	346045
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120075
UST Comprt ID:	346043
UST ID:	110927
AI Number:	19151

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CORPORATE COMMUNICATION CENTER (Continued)**

**U003166270**

Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120067
UST Comprt ID:	346051
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	229147
UST Comprt ID:	657689
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120076
UST Comprt ID:	346042
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120066
UST Comprt ID:	346050
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120071
UST Comprt ID:	346047
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120077
UST Comprt ID:	346041
UST ID:	110927
AI Number:	19151
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7359
Cert ID:	120074
UST Comprt ID:	346044
UST ID:	110927
AI Number:	19151
Tank ID:	3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CORPORATE COMMUNICATION CENTER (Continued)**

**U003166270**

Compartment ID: A

Facility Billing Contacts:

Contact Organization Name:	CORPORATE COMMUNICATION CENTER INC
Contact Mailing Address (Delivery):	2311 CAROLINE ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 1719
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	N
Facility ID:	76291
Additional ID:	351246752002062
Princ ID:	360246742002062
AI Number:	19151
Facility Name:	CORPORATE COMMUNICATION CENTER
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	STEPHANIE GARNER/

37

**CITY LIGHTS II**  
**718 CANTEGRAL ST AND 2713 LIVE OAK ST**  
**DALLAS, TX 75204**

**TX VCP S102747909**  
**TX Ind. Haz Waste N/A**  
**TX APAR**

VCP TCEQ:

Region:	4
Facility ID:	2864
Facility Type:	VACANT PROPERTY
VCP Received:	01/13/2017
PCA Number:	68158
Project Number:	Abbott
Type Lead:	OWNER
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.789263 / -96.789552
Acres at Site:	1.9
Contaminant Categories:	VOCS, HEAVY METALS, CHLORINATED SOLVENTS, TPH
Media Affected:	SOIL, GROUNDWATER
Applicant:	BISCUIT HOLDINGS LTD
Applicant Contact Title:	PROPERTY MANAGER
Applicant Address:	3811 TURTLE CREEK BLVD STE 1800
Applicant City,St,Zip:	DALLAS, TX 75219
Applicant Phone:	214-770-2888
Applicant Fax:	Not reported
Consultant/Attorney:	MODERN GEOSCIENCES
Consultant/Attorney Name:	KENNETH TRAMM
Consultant/Attorney Contact Title:	CONSULTANT
Consultant/Attorney Address:	5100 THOMPSON TERRACE
Consultant/Attorney City,St,Zip:	COLLEYVILLE, TX 76034
Consultant/Attorney Phone:	682-223-1322
Consultant/Attorney Fax:	682-223-1593
TNRCC Solid Waste Registration:	55315
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY LIGHTS II (Continued)**

**S102747909**

Application Signed By Applicant: Not reported  
 Standards: A  
 TX Risk Reduction Prgm: 1,2,3  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 01/13/2017  
 App Accepted?: Not reported  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 681580  
 Contaminants Identified: PCE, TCE, CIS1,2-DCE, MTBE, TOLUENE, LEAD, MERCURY, ARSENIC, BARIUM, CADMIUM, CHROMIUM, SILVER  
 OffSite?: Not reported  
 Billing Company: GREYSTAR  
 Billing c/o Name: ANDREW ORD  
 Billing Address1: 600 E LAS COLINAS BLVD  
 Billing Address2: STE 2100  
 Billing City: IRVING  
 Billing State: TX  
 Billing Zip: 75039  
 Billing Phone: 972-444-2197  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P  
 File Location: D2-206

**Ind. Haz Waste:**

Registration Number: 55315  
 Registration Initial Notification Date: 08/06/1985  
 Registration Last Amendment Date: 01/24/2006  
 EPA Identification: Not reported  
 Primary NAICS Code: Not reported  
 Status Change Date: 19850806  
 Land Type: Not reported  
 Description of Facility Site Location: 2700 Bryan St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: CITY OF DALLAS  
 Contact Name: GARY GILLENINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY LIGHTS II (Continued)**

**S102747909**

Contact Telephone Number: 214-6703079  
 Mailing Address: 3204 CANTON ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752261620  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 19277  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20060418  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 3204 CANTON ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75226 1620  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-6703079  
 Owner Fax Number: 1-214-6703277  
 Owner Email Address: ggillen@pbw.ci.dallas.tx.us  
 Owner Business Type: Not reported  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: CITY OF DALLAS  
 Operator First Name: Not reported  
 Operator Name: CITY OF DALLAS  
 Operator Mailing Address: 3204 CANTON ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75226 1620  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-6703079  
 Operator Fax: 1-214-6703277  
 Operator Email: ggillen@pbw.ci.dallas.tx.us  
 Operator Business Type: Not reported  
 Operator Tax Id: 17560005088  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: GARY GILLEN  
 Contact Title: SUPERVISOR  
 Contact Role: PRICONT  
 Contact Address: 3204 CANTON ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1620  
 Contact Phone: 1-214-6703079  
 Contact Fax: 1-214-6703277  
 Contact Email: ggillen@pbw.ci.dallas.tx.us

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY LIGHTS II (Continued)**

**S102747909**

Contact Address: 3204 CANTON ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1620  
 Contact Phone: 1-214-6703079  
 Contact Fax: 1-214-6703277  
 Contact Email: ggillen@pbw.ci.dallas.tx.us

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 3204 CANTON ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1620  
 Contact Phone: 1-214-6703079  
 Contact Fax: 1-214-6703277  
 Contact Email: ggillen@pbw.ci.dallas.tx.us

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

APAR:

Comm Id Number: 21443777  
 Comm Type Code: APAR  
 Comm Received Date: 03/14/2017  
 Legal Identifier: 2864  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: CITY LIGHTS II  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: VACANT PROPERTY  
 Reference Number Text: RN109697268  
 Delivery Text: 718 CANTEGRAL ST  
 Physical Location Desc: Not reported  
 Latitude: Not reported  
 Longitude: Not reported

Detail:

Comm Id Number: 21443777  
 Comm Received Date: 3/14/2017  
 Legal Ident Text: 2864  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**38 BROOMFIELD NORTH PROPERTY  
 SCW OLIN WELLBORN AND ALAMO  
 DALLAS, TX**

**TX AUL S103453129  
 TX VCP N/A  
 TX GCC**

AUL:

Facility ID:	0739	Facility Type:	Vacant Tracts of Land with Railroad Tracks
Phase:	Completed	VCP Received:	03/31/1998
Rules:	RRR/PST	Standards:	2/A
Pca No.:	31649	Certificate Issued:	12/20/1999
Type Lead:	Purchaser	Project Manager:	Silkworkth
Lat/Long:	32-47-21 / 96-48-36	Lat/Long (dms):	Not reported
Acres:	1.5	Media Affected:	Soils/Groundwater
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	11/13/1998
Region:	4	Type:	Not reported
Type Remedy:	Excavation & Disposal		
Contaminant:	Petroleum Hydrocarbons		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 10, L.P.		
Applicant Name:	Patti Reimann		
Applicant Title:	Secretary		
Applicant Address:	1845 Woodall Rogers Freeway, Ste 1700		
Applicant City,St,Zip:	Dallas, TX 75201		
Applicant Phone:	972-788-3000		
Applicant Fax:	972-788-3096		
Consultant/Attorney:	Hughes & Luce, L.L.P.		
Consultant/Attorney Name:	Dwight A. Shupe		
Consultant/Attorney Title:	Attorney		
Consultant/Attorney Address:	1717 Main Street, Suite 2800		
Consultant/Attorney City,St,Zip:	Dallas, TX 75201		
Consultant/Attorney Phone:	972-939-5468		
Consultant/Attorney Fax:	972-939-6100		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		
Inst Control Req?:	Not reported		
Eng Control Req?:	Not reported		
Notes:	Not reported		
Filing Type:	Not reported		
Filing Date:	Not reported		
Filings Sup Tract:	Not reported		
Lien Amt:	Not reported		
Property Description:	Not reported		

VCP TCEQ:

Region:	4
Facility ID:	0739
Facility Type:	Vacant Tracts of Land with Railroad Tracks
VCP Received:	03/31/1998
PCA Number:	31649
Project Number:	Silkworkth
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	32-47-21 / 96-48-36
Lat/Long (DD):	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BROOMFIELD NORTH PROPERTY (Continued)**

**S103453129**

Acres at Site: 1.5  
 Contaminant Categories: Petroleum Hydrocarbons  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 10, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 1845 Woodall Rogers Freeway, Ste 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 972-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 11/13/1998  
 Standards: 2/A  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 12/20/1999  
 Remedy Type: Excavation & Disposal  
 Risk Reduction or Petroleum Storage Tank: RRR/PST  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 03/31/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316490  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 10, L.P.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: FM  
 File Location: CR

**GCC:**

Division: REM  
 New Cases: Not reported  
 File Number: 739  
 Contamination Description: PETROLEUM HYDROCARBONS  
 Date Of Earliest Known Contamination Confirmation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROOMFIELD NORTH PROPERTY (Continued)**

**S103453129**

Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012
Agency:	TCEQ
Section:	VC
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	739
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	739
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	739
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2015

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROOMFIELD NORTH PROPERTY (Continued)**

**S103453129**

Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	739
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	Not reported
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2014
Agency:	TCEQ
Section:	VC/IOP
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	739
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	739
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROOMFIELD NORTH PROPERTY (Continued)**

**S103453129**

Division:	RMD
New Cases:	Not reported
File Number:	739
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	739
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2000
Location:	Not reported
Data Quality 2:	Not reported

38

**MARTINEZ PROPERTY  
 EAST OF PAYNE ST./NORTH OF ALAMO ST.  
 DALLAS, TX 75202**

**TX AUL S104411355  
 TX VCP N/A**

AUL:

Facility ID:	1115	Facility Type:	Restaurant, Dance Hall/Bar
Phase:	Completed	VCP Received:	01/18/2000
Rules:	RRR	Standards:	2
Pca No.:	33238	Certificate Issued:	09/01/2000
Type Lead:	Purchaser	Project Manager:	Frew
Lat/Long:	32-47-21 / 96-48-36	Lat/Long (dms):	Not reported
Acres:	0.396	Media Affected:	Soils
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	01/31/2000
Region:	4	Type:	Not reported
Type Remedy:	Not reported		
Contaminant:	Lead, PAHs		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 10, LP		
Applicant Name:	Darcy Anderson		
Applicant Title:	Vice President		
Applicant Address:	1845 Woodall Rogers Freeway, Suite 1700		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MARTINEZ PROPERTY (Continued)**

**S104411355**

Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 214-758-3600  
 Applicant Fax: 214-758-3630  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 SUP No: Not reported  
 Multiple Property: Not reported  
 SUP Tract No: Not reported  
 Property Owner: Not reported  
 TRRP Vol#, PG#, CO#, ID#: Not reported  
 Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 1115  
 Facility Type: Restaurant, Dance Hall/Bar  
 VCP Received: 01/18/2000  
 PCA Number: 33238  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-21 / 96-48-36  
 Lat/Long (DD): Not reported  
 Acres at Site: 0.396  
 Contaminant Categories: Lead, PAHs  
 Media Affected: Soils  
 Applicant: Anland 10, LP  
 Applicant Contact Title: Vice President  
 Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 214-758-3600  
 Applicant Fax: 214-758-3630  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 01/31/2000  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MARTINEZ PROPERTY (Continued)**

**S104411355**

Institutional Controls: Nonresidential  
 Certificate of Completion: 09/01/2000  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 01/18/2000  
 App Accepted?: Y  
 Date Accepted: 01/28/2000  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 332380  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 10, LP  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-758-3600  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: F  
 File Location: CR

39

**FLYNN STREET PROPERTY  
 SOUTH OF ALAMO AND WEST OF PAYNE  
 DALLAS, TX**

**TX AUL S103453126  
 TX VCP N/A**

**AUL:**

Facility ID:	0735	Facility Type:	City of Dallas Flynn Street Right-of-Way
Phase:	Completed	VCP Received:	03/27/1998
Rules:	RRR	Standards:	2
Pca No.:	31645	Certificate Issued:	06/22/1999
Type Lead:	Purchaser	Project Manager:	Frew
Lat/Long:	32-47-21 / 96-48-35	Lat/Long (dms):	Not reported
Acres:	0.5	Media Affected:	Soils
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	08/14/1998
Region:	4	Type:	Not reported
Type Remedy:	Excavation/Off-Site Disposal		
Contaminant:	Petroleum Hydrocarbons, Metals		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 2A, L.P.		
Applicant Name:	Mike Carver		
Applicant Title:	Secretary		
Applicant Address:	5430 LBJ Freeway, Suite 800		
Applicant City,St,Zip:	Dallas, TX 75240		
Applicant Phone:	972-201-2831		
Applicant Fax:	972-788-3096		
Consultant/Attorney:	Hughes & Luce, L.L.P.		
Consultant/Attorney Name:	Dwight A. Shupe		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLYNN STREET PROPERTY (Continued)**

**S103453126**

Consultant/Attorney Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 SUP No: Not reported  
 Multiple Property: Not reported  
 SUP Tract No: Not reported  
 Property Owner: Not reported  
 TRRP Vol#, PG#, CO#, ID#: Not reported  
 Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

VCP TCEQ:

Region: 4  
 Facility ID: 0735  
 Facility Type: City of Dallas Flynn Street Right-of-Way  
 VCP Received: 03/27/1998  
 PCA Number: 31645  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-21 / 96-48-35  
 Lat/Long (DD): Not reported  
 Acres at Site: 0.5  
 Contaminant Categories: Petroleum Hydrocarbons, Metals  
 Media Affected: Soils  
 Applicant: Anland 2A, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 5430 LBJ Freeway, Suite 800  
 Applicant City,St,Zip: Dallas, TX 75240  
 Applicant Phone: 972-201-2831  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 08/14/1998  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 06/22/1999  
 Remedy Type: Excavation/Off-Site Disposal  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLYNN STREET PROPERTY (Continued)**

**S103453126**

Cashier Recvd: 03/27/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316450  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 1A/1C, L.P.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 5430 Lyndon B Johnson Frwy  
 Billing Address2: Suite 800  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75240  
 Billing Phone: 972-201-2800  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: M  
 File Location: CR

39

**UP NORTH ENTRANCE PROPERTY  
 WEST OF INTERSECTION WICHITA AND ALAMO  
 DALLAS, TX**

**TX AUL S103865217  
 TX VCP N/A**

**AUL:**

Facility ID:	0740	Facility Type:	Railroad Tracks/Railyard
Phase:	Completed	VCP Received:	03/31/1998
Rules:	RRR	Standards:	2
Pca No.:	31650	Certificate Issued:	07/14/1999
Type Lead:	Purchaser	Project Manager:	Frew
Lat/Long:	32-47-21 / 96-48-35	Lat/Long (dms):	Not reported
Acres:	3.5	Media Affected:	Soils
SW No.:	81424	LPST No.:	107079
RCRIS No.:	TX0000079830	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	08/14/1998
Region:	4	Type:	Not reported
Type Remedy:	Excavation and Disposal		
Contaminant:	Petroleum Hydrocarbons		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 1A/1C, L.P.		
Applicant Name:	Patti Reimann		
Applicant Title:	Secretary		
Applicant Address:	1845 Woodall Rogers Freeway, Ste 1700		
Applicant City,St,Zip:	Dallas, TX 75201		
Applicant Phone:	972-788-3000		
Applicant Fax:	972-788-3096		
Consultant/Attorney:	Hughes & Luce, L.L.P.		
Consultant/Attorney Name:	Dwight A. Shupe		
Consultant/Attorney Title:	Attorney		
Consultant/Attorney Address:	1717 Main Street, Suite 2800		
Consultant/Attorney City,St,Zip:	Dallas, TX 75201		
Consultant/Attorney Phone:	972-939-5468		
Consultant/Attorney Fax:	972-939-6100		



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UP NORTH ENTRANCE PROPERTY (Continued)**

**S103865217**

SUP No: Not reported  
 Multiple Property: Not reported  
 SUP Tract No: Not reported  
 Property Owner: Not reported  
 TRRP Vol#, PG#, CO#, ID#: Not reported  
 Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 0740  
 Facility Type: Railroad Tracks/Railyard  
 VCP Received: 03/31/1998  
 PCA Number: 31650  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-21 / 96-48-35  
 Lat/Long (DD): Not reported  
 Acres at Site: 3.5  
 Contaminant Categories: Petroleum Hydrocarbons  
 Media Affected: Soils  
 Applicant: Anland 1A/1C, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 1845 Woodall Rogers Freeway, Ste 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 972-939-6100  
 TNRCC Solid Waste Registration: 81424  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: TX0000079830  
 Application Signed By Applicant: 08/14/1998  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 07/14/1999  
 Remedy Type: Excavation and Disposal  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: 107079  
 Cashier Recvd: 03/31/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UP NORTH ENTRANCE PROPERTY (Continued)**

**S103865217**

Project No.: 316500  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 1A/1C, L.P.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: M  
 File Location: CR

40

**TXU MAIN ROAD PROPERTY  
 2707 FLYNN STREET  
 DALLAS, TX 75201**

**TX LPST S103600244**  
**TX AUL N/A**  
**TX VCP**  
**TX Ind. Haz Waste**  
**TX APAR**  
**TX IHW CORR ACTION**

LPST:

Facility ID: 0028750  
 LPST Id: 107066  
 Facility Location: 2707 FLYNN  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 12/08/1994  
 Entered Date: 09/20/1993  
 Priority: 2A - GROUNDWATER OTHER THAN 1B SITE CHARACTERIZATION INCOMPLETE  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: GROUNDWATER OTHER THAN 1B, SITE CHARACTERIZATION INCOMPLETE  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1/2  
 Coordinators RPR: ERN  
 Responsible Party Name: TU ELECTRIC  
 Responsible Party Contact: GERALD JOHNSON  
 Responsible Party Address: 400 N OLIVE STE LB 81  
 Responsible Party City,St,Zip: DALLAS, TX 75201  
 Responsible Party Telephone: 214/812-8476  
 Reported Date: 08/04/1993  
 Case Start Date: 09/20/1993

Facility ID: 0028750  
 LPST Id: 96210  
 Facility Location: 2707 FLYNN ST IHW 34252  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 06/22/1999  
 Entered Date: 07/23/1990  
 Priority: 2C - GROUP 1 GROUNDWATER OFF-SITE MIGRATION UNLIKELY  
 Program: 11 - VCP

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: GROUP 1 GROUNDWATER, OFF-SITE MIGRATION UNLIKELY  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 11/7/1/2  
 Coordinators RPR: RPR  
 Responsible Party Name: TU ELECTRIC  
 Responsible Party Contact: GERALD JOHNSON  
 Responsible Party Address: 400 N OLIVE L B 81  
 Responsible Party City,St,Zip: DALLAS, TX 75201  
 Responsible Party Telephone: 214/812-8476  
 Reported Date: 07/19/1990  
 Case Start Date: 07/23/1990

**AUL:**

Facility ID:	1157	Facility Type:	Electric Plant
Phase:	Completed	VCP Received:	03/13/2000
Rules:	RRR	Standards:	2
Pca No.:	33157	Certificate Issued:	07/18/2000
Type Lead:	Developer	Project Manager:	Frew
Lat/Long:	32-47-23 / 96-48-33	Lat/Long (dms):	Not reported
Acres:	0.91	Media Affected:	Soils
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	04/18/2000
Region:	4	Type:	Not reported
Type Remedy:	Excavation and Removal Off-Site		
Contaminant:	Lead, PAH		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 1A/1C, L.P.		
Applicant Name:	Darcy Anderson		
Applicant Title:	Vice President		
Applicant Address:	1845 Woodall Rodgers Freeway, Suite 1700		
Applicant City,St,Zip:	Dallas, TX 75201		
Applicant Phone:	214-758-3600		
Applicant Fax:	212-758-3630		
Consultant/Attorney:	Hughes & Luce, L.L.P.		
Consultant/Attorney Name:	Dwight Shupe		
Consultant/Attorney Title:	Attorney		
Consultant/Attorney Address:	1717 Main Street, Suite 2800		
Consultant/Attorney City,St,Zip:	Dallas, TX 75201		
Consultant/Attorney Phone:	214-939-6100		
Consultant/Attorney Fax:	214-939-6100		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		
Inst Control Req?:	Not reported		
Eng Control Req?:	Not reported		
Notes:	Not reported		
Filing Type:	Not reported		
Filing Date:	Not reported		
Filings Sup Tract:	Not reported		
Lien Amt:	Not reported		
Property Description:	Not reported		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

VCP TCEQ:

Region: 4  
 Facility ID: 1157  
 Facility Type: Electric Plant  
 VCP Received: 03/13/2000  
 PCA Number: 33157  
 Project Number: Frew  
 Type Lead: Developer  
 Phase: Completed  
 Lat/Long: 32-47-23 / 96-48-33  
 Lat/Long (DD): Not reported  
 Acres at Site: 0.91  
 Contaminant Categories: Lead, PAH  
 Media Affected: Soils  
 Applicant: Anland 1A/1C, L.P.  
 Applicant Contact Title: Vice President  
 Applicant Address: 1845 Woodall Rodgers Freeway, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 214-758-3600  
 Applicant Fax: 212-758-3630  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-6100  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 04/18/2000  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 07/18/2000  
 Remedy Type: Excavation and Removal Off-Site  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 03/13/2000  
 App Accepted?: Y  
 Date Accepted: 04/13/2000  
 Region?: Y  
 Alt VCP Id: 0163  
 Project No.: 331570  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 1A/1C, L.P.  
 Billing c/o Name: Darcy Anderson  
 Billing Address1: 1845 Woodall Rodgers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-758-3630  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Survey?: Y  
 Comments: Not reported  
 Media: F  
 File Location: CR

Region: 4  
 Facility ID: 1294  
 Facility Type: Electric Generating Power Plant  
 VCP Received: 12/29/2000  
 PCA Number: 33394  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-21. / 96-48-34  
 Lat/Long (DD): Not reported  
 Acres at Site: 4.201  
 Contaminant Categories: PAHs, PCBs, Metals, TPH  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 16, LP  
 Applicant Contact Title: Vice President  
 Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 214-758-3600  
 Applicant Fax: 214-758-3630  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: 31884  
 EPA Texas ID/CERCLIS Registration: TXD000836452  
 EPA Registration: Not reported  
 Application Signed By Applicant: 06/04/2001  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 08/22/2007  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 12/29/2000  
 App Accepted?: Y  
 Date Accepted: 02/02/2001  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 333940  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 16, LP  
 Billing c/o Name: Accounts Payable  
 Billing Address1: 5430 Lyndon B Johnson Frwy  
 Billing Address2: Suite 800  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75240

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Billing Phone: 214-758-3600  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

Region: 4  
 Facility ID: 1295  
 Facility Type: Electric Generating Power Plant  
 VCP Received: 12/29/2000  
 PCA Number: 33395  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-20. / 96-48-40  
 Lat/Long (DD): Not reported  
 Acres at Site: 4.168  
 Contaminant Categories: PAHs, PCBs, Metals, TPH  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 16, LP  
 Applicant Contact Title: Vice President  
 Applicant Address: 1845 Woodall Rogers Freeway, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 214-758-3600  
 Applicant Fax: 214-758-3630  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: 31884  
 EPA Texas ID/CERCLIS Registration: TXD000836452  
 EPA Registration: Not reported  
 Application Signed By Applicant: 06/04/2001  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 03/25/2008  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 12/29/2000  
 App Accepted?: Y  
 Date Accepted: 02/02/2001  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 333950  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 16, LP  
 Billing c/o Name: Accounts Payable  
 Billing Address1: 5430 Lyndon B Johnson Frwy

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Billing Address2: Suite 800  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75240  
 Billing Phone: 214-758-3600  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

Ind. Haz Waste:

Registration Number: 31884  
 Registration Initial Notification Date: 10/15/1980  
 Registration Last Amendment Date: 03/02/2010  
 EPA Identification: TXD000836452  
 Primary NAICS Code: Not reported  
 Status Change Date: 19801015  
 Land Type: PRIVATE  
 Description of Facility Site Location: 2707 Flynn St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: Yes  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: TXU GENERATION COMPANY LP  
 Contact Name: JEFF JONES  
 Contact Telephone Number: 214-8758297  
 Mailing Address: 1601 BRYAN ST, ENERGY PLAZA, 27TH FLOOR  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 75201  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 9431  
 Site Owner Tax ID: 752967820  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20100601  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 1601 BRYAN ST, ENERGY PLAZA, 27TH FLOOR  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Owner City,St,Zip: DALLAS, TX 75201  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-8758297  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 17529678207  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: LUMINANT GENERATION COMPANY LLC  
 Operator First Name: Not reported  
 Operator Name: LUMINANT GENERATION COMPANY LLC  
 Operator Mailing Address: 1601 BRYAN ST, ENERGY PLAZA, 27TH FLOOR  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-8758297  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17529678207  
 Operator Bankruptcy Code: Not reported

Contact:  
 Contact Name: JEFF JONES  
 Contact Title: GENERATION ENVIRONMENTAL  
 Contact Role: STEERCNT  
 Contact Address: 1601 BRYAN STREET ENERGY PLAZA  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 3411  
 Contact Phone: 1-214-8128456  
 Contact Fax: Not reported  
 Contact Email: jjones8@txu.com

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1601 BRYAN ST, ENERGY PLAZA, 27TH FLOOR  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201  
 Contact Phone: 1-214-8758297  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1601 BRYAN ST, ENERGY PLAZA, 27TH FLOOR  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201  
 Contact Phone: 1-214-8758297  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: JEFF JONES  
 Contact Title: SOLID WASTE COORDINATOR



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Contact Role:	PRICONT
Contact Address:	1601 BRYAN ST, ENERGY PLAZA, 27TH FLOOR
Contact Address2:	Not reported
Contact City, St, Zip:	DALLAS, TX 75201
Contact Phone:	1-214-8758297
Contact Fax:	Not reported
Contact Email:	jjones8@txu.com
<b>Unit:</b>	
Unit No:	001
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	14
Unit Type:	Not reported
Unit Status:	INACTIVE
Unit Regulatory Status:	Not reported
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurment:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Not reported
Dt Last Changed:	20061120
TNRCC Facility ID:	9431
Unit ID:	001
Unit Description:	Not reported
WasteID:	,
<b>Unit:</b>	
Unit No:	002
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	INACTIVE
Unit Regulatory Status:	Not reported
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurment:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Not reported
Dt Last Changed:	19920722
TNRCC Facility ID:	9431
Unit ID:	002
Unit Description:	Not reported
WasteID:	,
Unit:	
Unit No:	003
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	INACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Not reported
Dt Last Changed:	20061120
TNRCC Facility ID:	9431
Unit ID:	003
Unit Description:	Not reported
WasteID:	,
Unit:	
Unit No:	004
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Unit Status:	INACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrial Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Bin
Dt Last Changed:	20061120
TNRCC Facility ID:	9431
Unit ID:	004
Unit Description:	Bin
WastelD:	,
Unit:	
Unit No:	005
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	INACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrial Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Dumpster(s)
Dt Last Changed:	20061120
TNRCC Facility ID:	9431

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Unit ID:	005
Unit Description:	Dumpster(s)
WasteID:	,
Unit:	
Unit No:	006
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	INACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	ASBESTOS STORAGE AREA.
Dt Last Changed:	20061120
TNRCC Facility ID:	9431
Unit ID:	006
Unit Description:	ASBESTOS STORAGE AREA.
WasteID:	,
One Time Shipper Records Not Found for this RegNo/Year:	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	Not reported
Waste:	
Waste ID:	271022
Waste Description:	Not reported
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	CHCF3192
Waste Code Status:	Not reported
Waste Form:	Not reported
Waste Classification:	2
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 197282  
 Waste Description: Cross-Ties - Railroad Ties. Generating Process: Old weathered, ties are removed  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 37174882  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 187556  
 Waste Description: Construction Debris. Generating Process: Generated during demolition activities  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 37043902  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 182702  
 Waste Description: Mercury contaminated solids - Generated from minor releases of mercury fromon-si  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3553302H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W301  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 182701  
 Waste Description: Class 2 Chemical Solids.; Due to waste minimization, ingredient changes orproces  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 32033192  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: Yes  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 161655  
 Waste Description: Scrap metal including unpunctured aerosol containers generated from variousacti

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3741307H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W307  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 154990  
 Waste Description: NON-HAZARDOUS SOLVENT.; Due to waste minimization, ingredient changes or process

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 38112071  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 133387  
 Waste Description: Empty containers made from metal, wood, plastic, or cardboard which may containh

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 37073081  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 126791  
 Waste Description: Oil trap sediment. Generated when sediment is cleaned out of the bottom of an oi  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 35574892  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: Yes  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: CLASS AUDIT  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 125954  
 Waste Description: plant trash, consisting of class 2 wasteproduced from plant production & officeo  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 39109992  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 125157  
 Waste Description: Used lubricating oil - generated from operation and maintenance activities. Ini  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 38042061  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 117641  
 Waste Description: Lithium Batteries-spent,unusable,or waste lithium batteries generated frommisc.o  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3735309H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W309  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 117640  
 Waste Description: Nickel/Cadmium Batteries-spent,unusable,waste ni-cad batteries generated frommis

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3734309H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W309  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 113060  
 Waste Description: Purge water from site investigations and monitor well sampling related activities

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 38161142  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 113059  
 Waste Description: Petroleum contaminated solids/debris generated from routine maintenance and clean

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 35024891  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 113058  
 Waste Description: Oily debris of soil & drill cuttings from drilling operations. TPH < 500 ppm iso  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 35004892  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101280  
 Waste Description: Ignitable liquids - from disposal of miscellaneous liquids with Flash Point<140d  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3807219H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Primary NAICS Code: 221122  
 EPA Waste Form Code: W219  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101279  
 Waste Description: Lab Packs - generated from disposal of small amounts of miscellaneous Hazardousw

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3715009H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101278  
 Waste Description: Batteries, Lead Acid - from equipment maintenance. Recycled off-site.  
 Waste in

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3714309H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W309  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101277  
 Waste Description: Liquid mercury material/waste from on-site equipment or instruments.  
 Recycled as

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3303117H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W117  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101276  
 Waste Description: Paint Waste, Liquid - unusable or out-of-date product.; Due to waste minimizatio

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3806209H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W209  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101275  
 Waste Description: Solvents, Waste - non-halogenated, from operations and maintenance at facility.I

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 3810203H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	221122
EPA Waste Form Code:	W203
Reason Waste Form No Longer Gen.:	UNKNOWN
EPA Haz Waste:	Not reported
<b>Waste:</b>	
Waste ID:	101274
Waste Description:	Solvents, Waste - mixture of halogenated and non-halogenated, from operations an
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	3805204H
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	H
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	221122
EPA Waste Form Code:	W204
Reason Waste Form No Longer Gen.:	UNKNOWN
EPA Haz Waste:	Not reported
<b>Waste:</b>	
Waste ID:	101273
Waste Description:	Plant Office Refuse - paper, cardboard, linings, wrappings, wood or paper packag
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	39049032
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	2
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101272  
 Waste Description: Supplemental Plant Production Refuse - any small amount of Class 2 waste from pr

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 39019022  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101271  
 Waste Description: Plant Production Refuse - paper, cardboard, linings, wrappings, wood or paper pa

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 39009012  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101269  
 Waste Description: Non-Hazardous Sandblasting Waste; Due to waste minimization, ingredient changes

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 37013892  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101268  
 Waste Description: Metal scrap - from operation and maintenance activities. Sold for recovery.

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 37133072  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101267  
 Waste Description: PCB contaminated debris generated by contamination of various materials with ins

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 35034951  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101266  
 Waste Description: Asbestos Insulation - waste from demolition activities  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 37113111  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101265  
 Waste Description: Non-Hazardous Lab Packs - from disposal of Non-hazardous chemicals.;  
 Due towaste  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 37120091  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101264  
 Waste Description: Tank Bottoms - residue from fuel oil storage. Initially generated 10/80; Due to  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 35044891  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101263  
 Waste Description: Used Ethylene Glycol - from maintenance of vehicles and equipment; Due to waste  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 38032961  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101262  
 Waste Description: Boiler wash - from boiler cleaning operations. Initially generated 10/80; Due to  
 Desc of Waste: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Texas Waste Code: Not reported  
 Texas Waste Code 2: 38021051  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

**APAR:**

Comm Id Number: 11116273  
 Comm Type Code: APAR  
 Comm Received Date: 09/30/2005  
 Legal Identifier: 1294  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: ELECTRICAL GENERATING PLANT  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: UTILITY  
 Reference Number Text: RN101626935  
 Delivery Text: 2707 FLYNN ST  
 Physical Location Desc: Not reported  
 Latitude: 32.78972  
 Longitude: -96.80917

**Detail:**

Comm Id Number: 11116273  
 Comm Received Date: 9/30/2005  
 Legal Ident Text: 1294  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 12125038  
 Comm Type Code: APAR  
 Comm Received Date: 07/03/2007  
 Legal Identifier: 1295  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: ELECTRICAL GENERATING PLANT  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: UTILITY  
 Reference Number Text: RN101626935  
 Delivery Text: 2707 FLYNN ST  
 Physical Location Desc: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

**TXU MAIN ROAD PROPERTY (Continued)**

**S103600244**

Latitude: 32.78972  
 Longitude: -96.80917

Detail:  
 Comm Id Number: 12125038  
 Comm Received Date: 7/3/2007  
 Legal Ident Text: 1295  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

IHW CORR ACTION:  
 Program Id: 31884  
 Location Desc: Not reported  
 RN NUM: RN101330488  
 Status: INACTIVE  
 Status Date: 02/22/2002  
 EDR Link ID: 31884

<b>41</b>	<b>YBARRA PETER</b>	<b>EDR Hist Cleaner</b>	<b>1009339003</b>
	<b>2215 N AKARD</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:	
1930	YBARRA PETER	CLOTHES PRESSERS, CLEANERS AND REPAIRERS	

<b>42</b>	<b>LAWS STREET PROPERTY</b>	<b>TX VCP</b>	<b>S112204708</b>
	<b>3090 OLIVE STREET STE.300</b>	<b>TX GCC</b>	<b>N/A</b>
	<b>DALLAS, TX 75202</b>		

VCP TCEQ:  
 Region: 4  
 Facility ID: 2540  
 Facility Type: Laws Street Property  
 VCP Received: 10/09/2012  
 PCA Number: 34733  
 Project Number: McGlown  
 Type Lead: Owner  
 Phase: Completed  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.785768 / -96.808723  
 Acres at Site: 0.0789  
 Contaminant Categories: VOCs, SVOCs, Heavy Metals, Chlorinated Solvents, TPH  
 Media Affected: Soil, Groundwater  
 Applicant: Laws Street Land LP  
 Applicant Contact Title: Executive Vice President  
 Applicant Address: 3090 Olive St. Ste300  
 Applicant City,St,Zip: Dallas, TX 75202  
 Applicant Phone: 214-303-5523  
 Applicant Fax: 214-303-5525  
 Consultant/Attorney: Terracon Consultants Inc  
 Consultant/Attorney Name: John Sallman  
 Consultant/Attorney Contact Title: Senior Principal

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LAWS STREET PROPERTY (Continued)**

**S112204708**

Consultant/Attorney Address: 2501 East Loop 820 S  
 Consultant/Attorney City,St,Zip: Fort Worth, TX 76118  
 Consultant/Attorney Phone: 817-268-8600  
 Consultant/Attorney Fax: 817-268-8602  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 12/18/2012  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 10/05/2012  
 App Accepted?: Y  
 Date Accepted: 12/18/2012  
 Region?: Y  
 Alt VCP Id: 860  
 Project No.: 347330  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Laws Street Land, LP  
 Billing c/o Name: Ken Reese  
 Billing Address1: 3090 Olive St  
 Billing Address2: Suite 300  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75202  
 Billing Phone: 214-303-5523  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P  
 File Location: D2/211

**GCC:**

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2540  
 Contamination Description: VOCS, METALS  
 Date Of Earliest Known Contamination Confirmation: 12/18/2012  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 3  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION  
 ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LAWS STREET PROPERTY (Continued)**

**S112204708**

Division:	REM/VC
New Cases:	*
File Number:	2540
Contamination Description:	VOCS, METALS
Date Of Earliest Known Contamination Confirmation:	12/18/2012
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	2
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

Division:	REM/VC
New Cases:	Not reported
File Number:	2540
Contamination Description:	VOCS, METALS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

42

**HH VICTORY HOLDINGS VICTORY DEVELOPMENT  
 3090 OLIVE ST  
 DALLAS, TX 75219**

**FINDS 1010737227  
 N/A**

FINDS:

Registry ID: 110033743689

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

43 NATIONAL CURTAIN LAUNDRY EDR Hist Cleaner 1009336994  
 1703 CEDAR SPRINGS N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1951	NATIONAL CURTAIN LAUNDRY	CURTAIN CLEANERS
1956	NATIONAL CURTAIN LAUNDRY CO	LAUNDRIES

44 FORMER BECK BUILDING PROPERTY TX UST U003103403  
 2813 FLORENCE ST N/A  
 DALLAS, TX 75204

UST:

AI Number:	68519
Facility Type:	Not reported
Facility Begin Date:	08/31/1987
Facility Status:	INACTIVE
Additional ID:	133625842002062
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75204
Contact Name/Title:	,
Contact Organization Name:	Not reported
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	Not reported
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/16/1996
Signature Name/Title On Earliest Reg Form:	JACKIE COOPER,
Application Received Date On Earliest Reg Form:	05/20/1996
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN600820054
Owner Last Name:	MEADOWS FOUNDATION INCORPORATED
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER BECK BUILDING PROPERTY (Continued)**

**U003103403**

Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	823431272002062
Additional ID:	133625842002062
AI Number:	68519
Owner Effective Begin Date:	01/24/1996
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	08/31/1987
Tank Registration Date:	05/20/1996
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	180171
Facility ID:	103669
Ai Number:	68519
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/19/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER BECK BUILDING PROPERTY (Continued)**

**U003103403**

TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	12000
UST Comprt ID:	167797
UST ID:	180171
AI Number:	68519
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER BECK BUILDING PROPERTY (Continued)**

**U003103403**

Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/20/1996
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	180172
Facility ID:	103669
Ai Number:	68519
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/19/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	Y
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER BECK BUILDING PROPERTY (Continued)**

**U003103403**

PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	1000
UST Comprt ID:	167798
UST ID:	180172
AI Number:	68519
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

**Facility Billing Contacts:**

Contact Organization Name:

MEADOWS FOUNDATION INC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER BECK BUILDING PROPERTY (Continued)**

**U003103403**

Contact Mailing Address (Delivery):	3003 SWISS AVE
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75204 6049
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	103669
Additional ID:	133625842002062
Princ ID:	823431272002062
AI Number:	68519
Facility Name:	FORMER BECK BUILDING PROPERTY
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	BOB WEISS/

45

**UNION PACIFIC DALLAS MKT RAILYARD  
 2224 N HOUSTON STREET  
 DALLAS, TX 75202**

**RCRA NonGen / NLR 1007209836  
 TX0000079830**

RCRA NonGen / NLR:

Date form received by agency:	09/19/2008
Facility name:	UNION PACIFIC DALLAS MKT RAILYARD
Facility address:	2224 N HOUSTON STREET DALLAS, TX 75202
EPA ID:	TX0000079830
Mailing address:	DODGE STREET OMAHA, NE 68179
Contact:	UNKNOWN UNKNOWN
Contact address:	DODGE STREET OMAHA, NE 68179
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	06
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	UNION PACIFIC DALLAS MKT RAILYARD
Owner/operator address:	UNKNOWN OMAHA, NE 68179
Owner/operator country:	US
Owner/operator telephone:	Not reported
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	09/19/2008
Owner/Op end date:	Not reported
Owner/operator name:	UNION PACIFIC DALLAS MKT RAILYARD
Owner/operator address:	N HOUSTON STREET OMAHA, NE 68179

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**UNION PACIFIC DALLAS MKT RAILYARD (Continued)**

**1007209836**

Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 09/19/2008  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 09/17/1996  
 Site name: UNION PACIFIC DALLAS MKT RAILYARD  
 Classification: Not a generator, verified

Date form received by agency: 12/17/1993  
 Site name: UNION PACIFIC DALLAS MKT RAILROAD  
 Classification: Not a generator, verified

Date form received by agency: 12/06/1993  
 Site name: UNION PACIFIC DALLAS MKT RAILROAD  
 Classification: Not a generator, verified

. Waste code: NONE  
 . Waste name: None

Violation Status: No violations found

45

**UNION PACIFIC DALLAS MKT RAILYARD  
 2224 N HOUSTON STREET  
 DALLAS, TX 75202**

**FINDS 1007255015  
 ECHO N/A**

**FINDS:**

Registry ID: 110017278907

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

---

**UNION PACIFIC DALLAS MKT RAILYARD (Continued)**

**1007255015**

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1007255015
Registry ID:	110017278907
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110017278907">http://echo.epa.gov/detailed-facility-report?fid=110017278907</a>

45

**UNION PACIFIC RR MKT YARD  
2224 N HOUSTON AVE IHW 81424 VCP 1337  
DALLAS, TX**

**TX LPST S103930411  
N/A**

LPST:

Facility ID:	Not reported
LPST Id:	107079
Facility Location:	2224 N HOUSTON AVE IHW 81424 VCP 1337
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	08/17/2000
Entered Date:	09/15/1993
Priority:	2A - GROUNDWATER OTHER THAN 1B SITE CHARACTERIZATION INCOMPLETE
Program:	11 - VCP
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	GROUNDWATER OTHER THAN 1B, SITE CHARACTERIZATION INCOMPLETE
<b>Status:</b>	<b>FINAL CONCURRENCE ISSUED, CASE CLOSED</b>
Coordinators Primary:	11/7/1
Coordinators RPR:	RPR
Responsible Party Name:	UNION PACIFIC RR CO
Responsible Party Contact:	CRAIG DENNY
Responsible Party Address:	24125 ALDINE WESTFIELD RD
Responsible Party City,St,Zip:	SPRING, TX 77373
Responsible Party Telephone:	402/271-3248
Reported Date:	08/06/1993
Case Start Date:	09/15/1993

45

**LAWS STREET LAND VICTORY DEVELOPMENT  
2401 N HOUSTON ST  
DALLAS, TX 75219**

**FINDS 1010759462  
N/A**

FINDS:

Registry ID: 110033918991

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**LAWS STREET LAND VICTORY DEVELOPMENT (Continued)**

**1010759462**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**45      BLOCK J VICTORY DEVELOPMENT  
2401 N HOUSTON ST  
DALLAS, TX 75219**

**FINDS    1010745843  
            N/A**

FINDS:

Registry ID:                      110033516292

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**45      CST ENVIRONMENTAL VICTORY MARKETING CENTER  
2401 N HOUSTON ST  
DALLAS, TX 75219**

**FINDS    1011333382  
            N/A**

FINDS:

Registry ID:                      110034520533

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>45</b>	<b>LCS VICTORY</b> <b>2401 N HOUSTON ST</b> <b>DALLAS, TX 75219</b>	<b>FINDS</b>	<b>1010765622</b> <b>N/A</b>
-----------	---	--------------	---------------------------------

FINDS:

Registry ID: 110034038191

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>45</b>	<b>ANLAND 14 VICTORY DEVELOPMENT</b> <b>2401 N HOUSTON ST</b> <b>DALLAS, TX 75219</b>	<b>FINDS</b>	<b>1010716584</b> <b>N/A</b>
-----------	---	--------------	---------------------------------

FINDS:

Registry ID: 110033418184

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>45</b>	<b>HOUSTON TRIANGLE ACQUISITION</b> <b>2401 N HOUSTON ST</b> <b>DALLAS, TX 75219</b>	<b>FINDS</b>	<b>1010750960</b> <b>N/A</b>
-----------	--	--------------	---------------------------------

FINDS:

Registry ID: 110033987265

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**HOUSTON TRIANGLE ACQUISITION (Continued)**

**1010750960**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**45 ANLAND BLOCK N VICTORY DEVELOPMENT  
2401 N HOUSTON ST  
DALLAS, TX 75219**

**FINDS 1010741811  
N/A**

FINDS:

Registry ID: 110033436271

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**45 ARENA OPERATING VICTORY DEVELOPMENT PARKING LOTS A  
2401 N HOUSTON ST  
DALLAS, TX 75219**

**FINDS 1010718982  
N/A**

FINDS:

Registry ID: 110033547348

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

45  
**2500 NORTH HOUSTON ST.  
 DALLAS, TX 75219**  
 ERNS 2006804859  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

45  
**2500 NORTH HOUSTON ST.  
 DALLAS, TX 75219**  
 ERNS 2006804855  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

46  
**LIVE OAK PROPERTY  
 2720 LIVE OAK ST  
 DALLAS, TX 75204**  
 TX VCP S118719757  
 TX MSD N/A  
 TX GCC

VCP TCEQ:  
 Region: 4  
 Facility ID: 2813  
 Facility Type: VACANT  
 VCP Received: 04/11/2016  
 PCA Number: 68108  
 Project Number: Coulter  
 Type Lead: PURCHASER  
 Phase: Investigation  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.788883 / -96.788419  
 Acres at Site: 0.6327  
 Contaminant Categories: VOCS, HEAVY METALS, CHLORINATED SOLVENTS  
 Media Affected: SOIL, GROUNDWATER  
 Applicant: LIVE OAK TEXAS PARTNERS LLC  
 Applicant Contact Title: MANAGER  
 Applicant Address: 3811 TURTLE CREEK BLVD STE 1800  
 Applicant City,St,Zip: DALLAS, TX 75219  
 Applicant Phone: 214-770-2888  
 Applicant Fax: Not reported  
 Consultant/Attorney: MODERN GEOSCIENCES  
 Consultant/Attorney Name: KENNETH TRAMM  
 Consultant/Attorney Contact Title: PRINCIPAL  
 Consultant/Attorney Address: 5100 THOMPSON TERRACE  
 Consultant/Attorney City,St,Zip: COLLEYVILLE, TX 76034  
 Consultant/Attorney Phone: 682-223-1322  
 Consultant/Attorney Fax: 682-223-1593  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: A  
 TX Risk Reduction Prgm: 1,2,3  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LIVE OAK PROPERTY (Continued)**

**S118719757**

Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 04/11/2016  
 App Accepted?: Y  
 Date Accepted: 05/17/2016  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 681080  
 Contaminants Identified: MTBE, PCE, TCE LEAD, MERCURY  
 OffSite?: Not reported  
 Billing Company: LIVE OAK TEXAS PARTNERS LLC  
 Billing c/o Name: MATTHEW MALOUF  
 Billing Address1: 3811 TURTLE CREEK BLVD  
 Billing Address2: STE 1800  
 Billing City: DALLAS  
 Billing State: TX  
 Billing Zip: 75219  
 Billing Phone: 214-770-2888  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D200-35/CR

**MSD:**

Id: 386  
 Project Manager: Kirk Coulter  
 MSD Certification Number: 378  
 MSD Application Number: MSD AP 378  
 Acres: 1.25899999  
 GW Zone Feet To: 50  
 Feet: 25  
 Contaminants: TETRACHLOROETHYLENE| TRICHLOROETHYLENE| MTBE (METHYL TERT-BUTYL ETHER)  
 Applicant: Live Oak Partners LLC  
 Updated: 04/24/2018  
 Remediation Program PM: Kirk Coulter  
 Application Received Date: 12/08/2017  
 90 Day Deadline: 03/08/2018  
 Status: Certified  
 Precertification Date: Not reported  
 Certification Date: 01/25/2018  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: False  
 HB3030: Not reported  
 Other Program: VCP 2813  
 CN: CN605136282  
 RN: RN109186684

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LIVE OAK PROPERTY (Continued)**

**S118719757**

GCC:

Division:	REM/VC
New Cases:	*
File Number:	2813
Contamination Description:	VOCS, CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	5/17/2016
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	1A
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

47

**YBARRA TAILORS  
 2211 N AKARD  
 DALLAS, TX**

**EDR Hist Cleaner 1009338973  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1951	YBARRA TAILORS	CLEANERS AND DYERS

48

**MEADOWS FOUNDATION  
 630 TEXAS ST  
 DALLAS, TX 75204**

**TX UST U003721462  
 N/A**

UST:

AI Number:	73006
Facility Type:	INDUST/MFG/CHEM PLANT
Facility Begin Date:	08/31/1987
Facility Status:	INACTIVE
Additional ID:	462644602002086
Facility Exempt Status:	Y
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75204
Contact Name/Title:	ROBERT WEISS,
Contact Organization Name:	MEADOWS FOUNDATION
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148269431
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	01/31/2000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEADOWS FOUNDATION (Continued)**

**U003721462**

Signature Name/Title On Earliest Reg Form:	ROBERT WEISS,VP OF ADMIN
Application Received Date On Earliest Reg Form:	02/02/2000
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600820054
Owner Last Name:	MEADOWS FOUNDATION INCORPORATED
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	823431272002062
Additional ID:	462644602002086
AI Number:	73006
Owner Effective Begin Date:	08/31/1987
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	02/02/2000
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	193750
Facility ID:	111181
Ai Number:	73006
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/21/2000
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEADOWS FOUNDATION (Continued)**

**U003721462**

Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	0
UST Comprt ID:	169181
UST ID:	193750
AI Number:	73006
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEADOWS FOUNDATION (Continued)**

**U003721462**

PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Construction Notification:	
NOC ID:	17788
Facility ID:	111181
AI Number:	73006
Application Received Date:	01/13/2000
Scheduled Construction Date:	01/18/2000
UST Improvement:	N
UST Installation:	N
UST Removal:	Y
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	M00113003
Waiver Flag:	N
Late Filing Flag:	N
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported
Signature Role:	Not reported
Owner Name At Time Of Construction:	Not reported
Owner CN At Time Of Construction:	Not reported
Owner AR At Time Of Construction:	40306
General Desc Of Proposed Construction:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEADOWS FOUNDATION (Continued)**

**U003721462**

Contractor, Consultant and Installer:  
 Cont/Cons/Installer ID: 19202  
 UST ID: Not reported  
 NOC ID: 17788  
 AI Number: 73006  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP000989  
 Company Name: Not reported  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Facility Billing Contacts:  
 Contact Organization Name: MEADOWS FOUNDATION INC  
 Contact Mailing Address (Delivery): 3003 SWISS AVE  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75204 6049  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 111181  
 Additional ID: 462644602002086  
 Princ ID: 823431272002062  
 AI Number: 73006  
 Facility Name: MEADOWS FOUNDATION  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: BOB WEISS/

49

**GRANITE UPTOWN  
 1708 CEDAR SPRINGS RD  
 DALLAS, TX 75202**

**TX IHW CORR ACTION S113417016  
 N/A**

IHW CORR ACTION:  
 Program Id: T2301  
 Location Desc: Not reported  
 RN NUM: RN105606214  
 Status: INACTIVE  
 Status Date: 01/08/2009  
 EDR Link ID: T2301



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>49</b>	<b>GRANITE UPTOWN 1708 CEDAR SPRINGS RD DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1011983424 N/A</b>
-----------	--	--------------	---------------------------

FINDS:

Registry ID: 110037924789

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>49</b>	<b>MINOR S SERVICE STATION 1720 CEDAR SPRINGS DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009359389 N/A</b>
-----------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:	
1951	MINOR S SERVICE STATION	GASOLINE STATIONS	

<b>50</b>	<b>DALLAS TATTOO AND ARTS 2712 LIVE OAK STREET DALLAS, TX 75204</b>	<b>TX ASBESTOS</b>	<b>S119142476 N/A</b>
-----------	---	--------------------	---------------------------

ASBESTOS:

Date of inspection:	10/20/2015
Reason for Inspection:	Routine
Violation:	Yes
Complaint Date:	Not reported
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	2
Travel Time:	1
Mileage:	25.7
Reg:	03
Init:	CCG
Seq:	01
Facility Type:	Tattooing
Inspector Name:	Charlotte C. Gray
Date Report Received:	10/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	10/30/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	10/29/2015
Date Rtdn to Inspector Corrections:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TATTOO AND ARTS (Continued)**

**S119142476**

Date Rcvd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

**51 TERRACON CONSULTANTS BLOCK N  
 ON SWC OF OLIVE ST & VICTORY AVE  
 DALLAS, TX 75219**

**FINDS 1011388884  
 N/A**

**FINDS:**

Registry ID: 110034965713

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**52 WEAVER SPRING & BRAKE INC  
 723 CANTEGRAL ST  
 DALLAS, TX 75204**

**RCRA NonGen / NLR 1000430613  
 FINDS TXD982286940  
 ECHO**

**RCRA NonGen / NLR:**

Date form received by agency: 11/02/2006  
 Facility name: WEAVER SPRING & BRAKE INC  
 Facility address: 723 CANTEGRAL ST  
 DALLAS, TX 75204  
 EPA ID: TXD982286940

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WEAVER SPRING & BRAKE INC (Continued)**

**1000430613**

Mailing address: PO BOX 710369  
 DALLAS, TX 75371  
 Contact: ED FLINT  
 Contact address: PO BOX 710369  
 DALLAS, TX 75371  
 Contact country: US  
 Contact telephone: 214-823-8155  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: WEAVER SPRING & BRAKE INC  
 Owner/operator address: PO BOX 710369  
 DALLAS, TX 75371  
 Owner/operator country: US  
 Owner/operator telephone: 214-823-8155  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/26/2001  
 Owner/Op end date: Not reported

Owner/operator name: WEAVER SPRING & BRAKE INC  
 Owner/operator address: PO BOX 710369  
 DALLAS, TX 75371  
 Owner/operator country: US  
 Owner/operator telephone: 214-823-8155  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/26/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WEAVER SPRING & BRAKE INC (Continued)**

**1000430613**

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D018  
 . Waste name: BENZENE

. Waste code: D039  
 . Waste name: TETRACHLOROETHYLENE

Historical Generators:

Date form received by agency: 07/26/2001  
 Site name: WEAVER SPRING & BRAKE INC  
 Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D018  
 . Waste name: BENZENE

. Waste code: D039  
 . Waste name: TETRACHLOROETHYLENE

Date form received by agency: 12/07/1987  
 Site name: WEAVER SPRING & BRAKE  
 Classification: Small Quantity Generator

. Waste code: D000  
 . Waste name: Not Defined

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WEAVER SPRING & BRAKE INC (Continued)**

**1000430613**

THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005102799

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000430613  
 Registry ID: 110005102799  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005102799>

52

**WEAVER SPRING & BRAKE  
 723 CANTEGRAL ST, DALLAS, TX  
 DALLAS, TX 75204**

**TX APAR S116383271  
 N/A**

**APAR:**

Comm Id Number: 17822652  
 Comm Type Code: APAR  
 Comm Received Date: 01/21/2014  
 Legal Identifier: 2603  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: ACTIVE  
 Physical Name: CITY LIGHTS PROPERTY  
 Physical Status: AFFIDAVIT

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WEAVER SPRING & BRAKE (Continued)**

**S116383271**

Physical Attribute Value Text: VACANT PROPERTY  
 Reference Number Text: RN100587476  
 Delivery Text: 723 CANTEGRAL ST  
 Physical Location Desc: Not reported  
 Latitude: 0  
 Longitude: 0

Detail:

Comm Id Number: 17822652  
 Comm Received Date: 1/21/2014  
 Legal Ident Text: 2603  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

52

**WEAVER SPRING & BRAKE  
 723 CANTEGRAL ST  
 DALLAS, TX 75204**

**TX Ind. Haz Waste**

**S103608865  
 N/A**

Ind. Haz Waste:

Registration Number: 74492  
 Registration Initial Notification Date: 11/25/1987  
 Registration Last Amendment Date: 07/26/2001  
 EPA Identification: TXD982286940  
 Primary NAICS Code: 332612  
 Status Change Date: 19871125  
 Land Type: PRIVATE  
 Description of Facility Site Location: 723 Cantegral St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: WEAVER SPRING & BRAKE INC  
 Contact Name: ED FLINT  
 Contact Telephone Number: 214-8238155  
 Mailing Address: PO BOX 710369  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: DALLAS, TX 753710369  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 28871  
 Site Owner Tax ID: 752186189  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20061102  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WEAVER SPRING & BRAKE (Continued)**

**S103608865**

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: PO BOX 710369  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75371 0369  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-8238155  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17521861892  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: WEAVER SPRING & BRAKE INC  
 Operator First Name: Not reported  
 Operator Name: WEAVER SPRING & BRAKE INC  
 Operator Mailing Address: PO BOX 710369  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75371 0369  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-8238155  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17521861892  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: ED FLINT  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: PO BOX 710369  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75371 0369  
 Contact Phone: 1-214-8238155  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: PO BOX 710369  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75371 0369  
 Contact Phone: 1-214-8238155  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: PO BOX 710369  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75371 0369

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WEAVER SPRING & BRAKE (Continued)**

**S103608865**

Contact Phone: 1-214-8238155  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 122196  
 Waste Description: Spent solvent/ parts cleaning  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0501203H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 332612  
 EPA Waste Form Code: W203  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

52

**WEAVER SPRING MFG CO  
 723 CANTEGRAL ST  
 DALLAS, TX**

**EDR Hist Auto 1009381639  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1966	WEAVER SPRING AND BUMPER WORKS	AUTOMOBILE REPAIRING
1977	WEAVER SPRING CO	AUTOMOBILE REPAIRING
1981	WEAVER SPRING MFG CO	AUTOMOBILE REPAIRING
1982	WEAVER SPRING MFG COMPANY INC	Steel Springs, Except Wire
1983	WEAVER SPRING MFG COMPANY INC	Steel Springs, Except Wire
1985	WEAVER SPRING MFG CO*	Steel Springs, Except Wire
1986	WEAVER SPRING MFG CO	AUTOMOBILE REPAIRING
1986	WEAVER SPRING MFG CO*	Steel Springs, Except Wire
1988	WEAVER SPRING & BRAKE INC	Automotive Repair Shops, NEC
1988	WEAVER SPRING & BRAKE INC	Automotive Repair Shops, NEC
1989	WEAVER SPRING & BRAKE INC	Automotive Repair Shops, NEC
1990	WEAVER SPRING & BRAKE INC	Automotive Repair Shops, NEC



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**53 PROPOSED VICTORY PARK MULTI-FAMILY TOWER TX VCP S120802972**  
**3099 OLIVE ST N/A**  
**DALLAS, TX 75219**

VCP TCEQ:

Region: 4  
 Facility ID: 2900  
 Facility Type: PARKING LOT  
 VCP Received: 07/31/2017  
 PCA Number: 68194  
 Project Number: Moore  
 Type Lead: PROSPECTIVE PURCHASER  
 Phase: Investigation  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.78893 / -96.810423  
 Acres at Site: 1.508  
 Contaminant Categories: SVOCS, HEAVY METALS, TPH  
 Media Affected: SOIL, GROUNDWATER  
 Applicant: 3099 OLIVE LLP  
 Applicant Contact Title: DIRECTOR  
 Applicant Address: 609 MAIN ST STE 4400  
 Applicant City,St,Zip: HOUSTON, TX 77002  
 Applicant Phone: 713-237-5793  
 Applicant Fax: Not reported  
 Consultant/Attorney: TERRACON CONSULTANTS INC  
 Consultant/Attorney Name: MARY HELEN NIEMANN  
 Consultant/Attorney Contact Title: SR GEOLOGIST  
 Consultant/Attorney Address: 8901 CARPENTER FWY STE 100  
 Consultant/Attorney City,St,Zip: DALLAS, TX 75247  
 Consultant/Attorney Phone: 214-630-1010  
 Consultant/Attorney Fax: 214-630-7070  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: B  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 07/31/2017  
 App Accepted?: Not reported  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 681940  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: 3099 OLIVE LLP  
 Billing c/o Name: DAVID B HALTOM  
 Billing Address1: 609 MAIN ST  
 Billing Address2: STE 4400  
 Billing City: HOUSTON  
 Billing State: TX  
 Billing Zip: 77002  
 Billing Phone: Not reported  
 IOP No.: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PROPOSED VICTORY PARK MULTI-FAMILY TOWER (Continued)**

**S120802972**

Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P  
 File Location: D2-206

**54 PILAND BROS MOTOR CO  
 2905 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009366595  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	PILAND BROS MOTOR CO	AUTOMOBILE REPAIRERS

**55 RICHARD S AUTO REPAIR AND PAINT SHOP  
 526 LIBERTY  
 DALLAS, TX**

**EDR Hist Auto 1009376513  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1951	RICHARD S AUTO REPAIR AND PAINT	AUTOMOBILE REPAIRING

**56 BILL AND JOES GARAGE  
 715 CANTEGRAL ST  
 DALLAS, TX**

**EDR Hist Auto 1009381363  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1971	STECKS INDEPENDENT VLKSWGN SVC	Not reported
1972	STECKS INDEPENDENT VLKSWGN SV*	Not reported
1973	STECKS INDEPENDENT VLKSWGN SV*	Not reported
1974	CERTIFIED AUTO RESTORATION	Not reported
1975	CERTIFIED AUTO RESTORATION	Not reported
1976	CERTIFIED AUTO RESTORATION	Not reported
1977	CERTIFIED AUTO RESTORATION	Not reported
1978	CERTIFIED AUTO RESTORATION	Not reported
1979	CERTIFIED AUTO RESTORATION	Not reported
1980	CERTIFIED AUTO RESTORATION	Not reported
1981	BILL AND JOES GARAGE	AUTOMOBILE REPAIRING
1982	CERTIFIED AUTO RESTORATION	Not reported
1983	CERTIFIED AUTO RESTORATION	Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

<b>57</b>	<b>ALLEN S RADIATOR SERVICE 1603 CEDAR SPRINGS DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009358422 N/A</b>
-----------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:	
1956	ALLEN S RADIATOR SERVICE		RADIATOR REPAIRERS AUTOMOBILE
1961	ALLEN S RADIATOR SERVICE		AUTOMOBILE RADIATOR REPAIRERS

<b>58</b>	<b>BLOCK D SOUTHEAST CORNER OF OLIVE STREET AND VICTORY AVENUE DALLAS, TX 75219</b>	<b>FINDS</b>	<b>1011959377 N/A</b>
-----------	---	--------------	---------------------------

FINDS:

Registry ID: 110037844438

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>58</b>	<b>WICHITA STREET REMNANT PROPERTY ADJACENT TO TU NORTH A PROPERTY DALLAS, TX</b>	<b>TX VCP TX GCC</b>	<b>S104741058 N/A</b>
-----------	---	--------------------------	---------------------------

VCP TCEQ:

Region:	4
Facility ID:	1263
Facility Type:	Electrical Generating Plant
VCP Received:	09/29/2000
PCA Number:	33363
Project Number:	Frew
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	32-47-19. / 96-48-35
Lat/Long (DD):	Not reported
Acres at Site:	0.041
Contaminant Categories:	TPH
Media Affected:	Soils/Groundwater
Applicant:	Anland 1A/1C, LP
Applicant Contact Title:	Vice President
Applicant Address:	1845 Woodall Rogers Freeway, Suite 1700
Applicant City,St,Zip:	Dallas, TX 75201
Applicant Phone:	214-758-3600
Applicant Fax:	214-758-3630
Consultant/Attorney:	Hughes & Luce, LLP
Consultant/Attorney Name:	Dwight A. Shupe
Consultant/Attorney Contact Title:	Attorney

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WICHITA STREET REMNANT PROPERTY (Continued)**

**S104741058**

Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 12/01/2000  
 Standards: A  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: 04/27/2001  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 09/29/2000  
 App Accepted?: Y  
 Date Accepted: 10/12/2000  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 333630  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 1A/1C, LP  
 Billing c/o Name: Darcy Anderson  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-758-3600  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: F  
 File Location: CR

**GCC:**

Division: RMD  
 New Cases: Not reported  
 File Number: 1263  
 Contamination Description: TPH  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008  
 Agency: TCEQ  
 Section: VC/VCP  
 Year Deleted: 2001  
 Location: Not reported  
 Data Quality 2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WICHITA STREET REMNANT PROPERTY (Continued)**

**S104741058**

Division:	REM
New Cases:	Not reported
File Number:	1263
Contamination Description:	TPH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012
Agency:	TCEQ
Section:	VC
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1263
Contamination Description:	TPH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1263
Contamination Description:	TPH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1263
Contamination Description:	TPH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WICHITA STREET REMNANT PROPERTY (Continued)**

**S104741058**

Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2015
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1263
Contamination Description:	TPH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	Not reported
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2014
Agency:	TCEQ
Section:	VC/IOP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1263
Contamination Description:	TPH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1263
Contamination Description:	TPH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WICHITA STREET REMNANT PROPERTY (Continued)**

**S104741058**

Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1263
Contamination Description:	TPH
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported

59

**SEVEN-UP BOTTLING OF DALLAS  
 2700 LIVE OAK ST  
 DALLAS, TX 75204**

**TX UST U001240045  
 N/A**

UST:

AI Number:	3138
Facility Type:	FLEET REFUELING
Facility Begin Date:	06/12/1986
Facility Status:	INACTIVE
Additional ID:	34621452002204
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75204
Contact Name/Title:	,
Contact Organization Name:	SEVEN-UP BOTTLING COMPANY OF DALLAS
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148234127
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	03/06/1986
Signature Name/Title On Earliest Reg Form:	KYLE KLOPPE,VP
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SEVEN-UP BOTTLING OF DALLAS (Continued)**

**U001240045**

Owner:

Owner CN: CN600455570  
 Owner Last Name: SEVEN-UP BOTTLING COMPANY OF DALLAS INC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 56487242001318  
 Additional ID: 34621452002204  
 AI Number: 3138  
 Owner Effective Begin Date: 06/12/1986  
 State Tax ID: 17505510804  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

Tank:

Install Date: 01/01/1961  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 8000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 7662  
 Facility ID: 41750  
 Ai Number: 3138  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 12/01/1990  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SEVEN-UP BOTTLING OF DALLAS (Continued)**

**U001240045**

Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/08/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	8000
UST Comprt ID:	11208
UST ID:	7662
AI Number:	3138
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SEVEN-UP BOTTLING OF DALLAS (Continued)**

**U001240045**

PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1946
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	7663
Facility ID:	41750
Ai Number:	3138
Tank Id:	4
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	12/01/1950
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SEVEN-UP BOTTLING OF DALLAS (Continued)**

**U001240045**

Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/08/1990
Compartment Records:	
Tank ID:	4
Tank Capacity:	Not reported
UST Comprt ID:	11209
UST ID:	7663
AI Number:	3138
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SEVEN-UP BOTTLING OF DALLAS (Continued)**

**U001240045**

SOPE(Alarm (Set@<=90%) W/3a Or 3b):	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1936
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	7664
Facility ID:	41750
Ai Number:	3138
Tank Id:	3
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	12/01/1950
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SEVEN-UP BOTTLING OF DALLAS (Continued)**

**U001240045**

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/08/1990
Compartment Records:	
Tank ID:	3
Tank Capacity:	Not reported
UST Comprt ID:	11210
UST ID:	7664
AI Number:	3138
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

**SEVEN-UP BOTTLING OF DALLAS (Continued)**

**U001240045**

Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	SEVEN-UP BOTTLING COMPANY OF DALLAS INC
Contact Mailing Address (Delivery):	3855 W BAY CIR
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75214 2926
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	41750
Additional ID:	34621452002204
Princ ID:	56487242001318
AI Number:	3138
Facility Name:	SEVEN-UP BOTTLING OF DALLAS
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	CLARENCE KLOPPER/

<b>59</b>	<b>SEVEN-UP BOTTLING COMPANY OF DALLAS 2700 LIVE OAK ST DALLAS, TX 75204</b>	<b>FINDS</b>	<b>1011412684 N/A</b>
-----------	--	--------------	---------------------------

FINDS:

Registry ID: 110035262658

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>60</b>	<b>TXU MAIN DALLAS PLANT- WEST 2707 FLYNN STREET DALLAS, TX</b>	<b>TX GCC</b>	<b>S104547007 N/A</b>
-----------	---	---------------	---------------------------

GCC:

Division:	RMD/VC
New Cases:	Not reported
File Number:	1295
Contamination Description:	PAHS, PCBS, METALS, TPH
Date Of Earliest Known Contamination Confirmation:	2/2/2001
Enforcement Status - Level Of Agency Response:	6

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TXU MAIN DALLAS PLANT- WEST (Continued)**

**S104547007**

Enforcement Status - Site Activity Status: 6  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

60

**DALLAS STEAM STATION  
 2707 FLYNN ST  
 DALLAS, TX 75201**

**TX UST U001262381  
 N/A**

UST:

AI Number: 28750  
 Facility Type: Not reported  
 Facility Begin Date: 09/01/1990  
 Facility Status: INACTIVE  
 Additional ID: 18038542002156  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: JERRRY CROWFORD, OPERATIONS SUPT.  
 Contact Organization Name: DALLAS STEAM STATION  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2149692120  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 04/26/1986  
 Signature Name/Title On Earliest Reg Form: R L WHITE, MGR. ENV.  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600128490  
 Owner Last Name: TU ELECTRIC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM STATION (Continued)**

**U001262381**

Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	534392472001134
Additional ID:	18038542002156
AI Number:	28750
Owner Effective Begin Date:	09/01/1990
State Tax ID:	17518373554
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	04/01/1975
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	6000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	75592
Facility ID:	92489
Ai Number:	28750
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/03/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM STATION (Continued)**

**U001262381**

TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth( FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/30/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	6000
UST Comprt ID:	145016
UST ID:	75592
AI Number:	28750
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM STATION (Continued)**

**U001262381**

Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1953
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	75593
Facility ID:	92489
Ai Number:	28750
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	07/19/1990
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM STATION (Continued)**

**U001262381**

PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/30/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	1000
UST Comprt ID:	145017
UST ID:	75593
AI Number:	28750
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM STATION (Continued)**

**U001262381**

Facility Billing Contacts:  
 Contact Organization Name: TU ELECTRIC  
 Contact Mailing Address (Delivery): 1601 BRYAN ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75201 3401  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 92489  
 Additional ID: 18038542002156  
 Princ ID: 534392472001134  
 AI Number: 28750  
 Facility Name: DALLAS STEAM STATION  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: JAY TINSLEY/

**61 PREMIUM LAUNDRY & LINEN SUPPLY**  
**3011 GASTON AVE**  
**DALLAS, TX 75226**

**EDR Hist Cleaner 1009341355**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1961	PEERLESS LAUNDRY AND DRY CLEANI	LAUNDRIES
1991	PREMIUM CLEANERS & LAUNDRY INC	Garment Pressing And Cleaners' Agents
1992	PREMIUM LAUNDRY & LINEN SUPPLY	Garment Pressing And Cleaners' Agents
1993	PREMIUM LAUNDRY & LINEN SUPPLY	Garment Pressing And Cleaners' Agents
1994	PREMIUM LAUNDRY & LINEN SUPPLY	Garment Pressing And Cleaners' Agents
1995	PREMIUM LAUNDRY & LINEN SUPPLY	Garment Pressing And Cleaners' Agents

**61 PREMIUM CLEANERS**  
**3011 GASTON AVE**  
**DALLAS, TX 75226**

**RCRA NonGen / NLR 1000300566**  
**FINDS TXD982757650**  
**TX Ind. Haz Waste**  
**ECHO**

RCRA NonGen / NLR:  
 Date form received by agency: 08/23/2001  
 Facility name: PREMIUM CLEANERS  
 Facility address: 3011 GASTON AVE  
 DALLAS, TX 75226  
 EPA ID: TXD982757650  
 Mailing address: GASTON AVE  
 DALLAS, TX 75226  
 Contact: RODNEY ASHMORE JR  
 Contact address: GASTON AVE  
 DALLAS, TX 75226  
 Contact country: US  
 Contact telephone: 214-824-0664  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PREMIUM CLEANERS (Continued)**

**1000300566**

Owner/Operator Summary:

Owner/operator name: PREMIUM CLEANERS  
 Owner/operator address: GASTON AVE  
 DALLAS, TX 75226  
 Owner/operator country: US  
 Owner/operator telephone: 214-824-0664  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Owner/operator name: PREMIUM CLEANERS  
 Owner/operator address: GASTON AVE  
 DALLAS, TX 75226  
 Owner/operator country: US  
 Owner/operator telephone: 214-824-0664  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 05/08/1989  
 Site name: PREMIUM CLNRS  
 Classification: Small Quantity Generator

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PREMIUM CLEANERS (Continued)**

**1000300566**

OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005112369

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**Ind. Haz Waste:**

Registration Number: 74775  
 Registration Initial Notification Date: 05/03/1989  
 Registration Last Amendment Date: 08/23/2001  
 EPA Identification: TXD982757650  
 Primary NAICS Code: Not reported  
 Status Change Date: 19890503  
 Land Type: PRIVATE  
 Description of Facility Site Location: 3011 Gaston Ave, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: PREMIUM CLEANERS  
 Contact Name: RODNEY ASHMORE  
 Contact Telephone Number: 214-8240664  
 Mailing Address: 3011 GASTON AVE  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752261310  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 29139  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20040524

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PREMIUM CLEANERS (Continued)**

**1000300566**

Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 3011 GASTON AVE  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75226 1310  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-8240664  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17527988129  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: PREMIUM CLEANERS  
 Operator First Name: Not reported  
 Operator Name: PREMIUM CLEANERS  
 Operator Mailing Address: 3011 GASTON AVE  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75226 1310  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-8240664  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17527988129  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: RODNEY ASHMORE  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 3011 GASTON AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1310  
 Contact Phone: 1-214-8240664  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 3011 GASTON AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1310  
 Contact Phone: 1-214-8240664  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PREMIUM CLEANERS (Continued)**

**1000300566**

Contact Address: 3011 GASTON AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1310  
 Contact Phone: 1-214-8240664  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

ECHO:

Envid: 1000300566  
 Registry ID: 110005112369  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005112369>

61

**COMMERCIAL PROPERTY**  
**3001, 3011, & 3015 GASTON AVE AND 3014 & 3016 FLOYD ST**  
**DALLAS, TX 75226**

**TX VCP S118419917**  
**N/A**

VCP TCEQ:

Region: 4  
 Facility ID: 2784  
 Facility Type: BANK BUILDING  
 VCP Received: 10/23/2015  
 PCA Number: 34977  
 Project Number: Christiano  
 Type Lead: PROSPECTIVE PURCHASER  
 Phase: Post Closure  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.788584 / -96.783741  
 Acres at Site: 0.684  
 Contaminant Categories: VOCS, CHLORINATED SOLVENTS  
 Media Affected: GROUNDWATER  
 Applicant: BELCLAIRE REALTY LTD  
 Applicant Contact Title: VP  
 Applicant Address: 4011 COMMERCE ST  
 Applicant City,St,Zip: DALLAS, TX 75226  
 Applicant Phone: 214-818-0597  
 Applicant Fax: 214-874-0470  
 Consultant/Attorney: ENVIROPHASE INC  
 Consultant/Attorney Name: KEVIN ALMAGUER  
 Consultant/Attorney Contact Title: GEOLOGIST  
 Consultant/Attorney Address: 703 MCKINNEY AVE STE 332  
 Consultant/Attorney City,St,Zip: DALLAS, TX 75202  
 Consultant/Attorney Phone: 214-303-1099  
 Consultant/Attorney Fax: 214-853-5799  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMMERCIAL PROPERTY (Continued)**

**S118419917**

EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: B  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 09/06/2017  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 10/23/2015  
 App Accepted?: Y  
 Date Accepted: 12/04/2015  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 349770  
 Contaminants Identified: BENZENE, NAPHTHALENE, PCE, TCE, CIS-1,2-DCE  
 OffSite?: Not reported  
 Billing Company: ENVIROPHASE INC  
 Billing c/o Name: RANDALL SCOTT BASS  
 Billing Address1: 703 MCKINNEY AVE  
 Billing Address2: STE 332  
 Billing City: DALLAS  
 Billing State: TX  
 Billing Zip: 75202  
 Billing Phone: 214-303-1099  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D/200-35/CR

62

**NEWMAN GRAPHICS CORP  
 1015 NORTH HAWKINS  
 DALLAS, TX 75201**

**RCRA NonGen / NLR 1000295440  
 FINDS TXD007358831  
 TX Ind. Haz Waste  
 ECHO**

RCRA NonGen / NLR:  
 Date form received by agency: 03/20/1996  
 Facility name: NEWMAN GRAPHICS CORP  
 Facility address: 1015 NORTH HAWKINS  
 DALLAS, TX 75201  
 EPA ID: TXD007358831  
 Mailing address: NORTH HAWKINS  
 DALLAS, TX 75201  
 Contact: BILL NEWMAN  
 Contact address: 1015 NORTH HAWKINS  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: 214-742-8167  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEWMAN GRAPHICS CORP (Continued)**

**1000295440**

Owner/operator name: NEWMAN BILL  
 Owner/operator address: UNKNOWN  
 UNKNOWN, TX 00000  
 Owner/operator country: Not reported  
 Owner/operator telephone: 000-000-0000  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: UNKN  
 . Waste name: UNKN

Historical Generators:

Date form received by agency: 01/08/1996  
 Site name: NEWMAN GRAPHICS CORPORATION  
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005034523

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEWMAN GRAPHICS CORP (Continued)**

**1000295440**

It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number:	65589
Registration Initial Notification Date:	03/20/1996
Registration Last Amendment Date:	01/08/1996
EPA Identification:	TXD007358831
Primary NAICS Code:	Not reported
Status Change Date:	19960320
Land Type:	Not reported
Description of Facility Site Location:	Not reported
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	NON INDUS, CESQG
TNRCC Region:	Not reported
Company Name:	NEWMAN GRAPHICS CORPORATION
Contact Name:	LAYNE NEWMAN
Contact Telephone Number:	214-9691010
Mailing Address:	1015 N HAWKINS ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752012617
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	21047
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20041115
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	1015 N HAWKINS ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75201 2617
Owner Country:	UNITED STA
Owner Phone Number:	1-214-9691010
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Unknown

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEWMAN GRAPHICS CORP (Continued)**

**1000295440**

Owner Tax Id: 17502034204  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: NEWMAN GRAPHICS CORPORATION  
 Operator First Name: Not reported  
 Operator Name: NEWMAN GRAPHICS CORPORATION  
 Operator Mailing Address: 1015 N HAWKINS ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 2617  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-9691010  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17502034204  
 Operator Bankruptcy Code: Not reported

Contact:  
 Contact Name: LAYNE NEWMAN  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 1015 N HAWKINS ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 2617  
 Contact Phone: 1-214-9691010  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1015 N HAWKINS ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 2617  
 Contact Phone: 1-214-9691010  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1015 N HAWKINS ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 2617  
 Contact Phone: 1-214-9691010  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**NEWMAN GRAPHICS CORP (Continued)**

**1000295440**

Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported  
 Waste Records Not Found for this RegNo/Year:

ECHO:  
 Envid: 1000295440  
 Registry ID: 110005034523  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005034523>

**63 SWISS AVENUE GARAGE  
 2803 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009366145  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1966	SWISS AVENUE GARAGE	AUTOMOBILE REPAIRING
1969	FELTS CONWAY CO	General Automotive Repair Shops
1970	FELTS CONWAY CO	General Automotive Repair Shops
1972	SWISS AVENUE GARAGE	General Automotive Repair Shops
1973	SWISS AVENUE GARAGE	General Automotive Repair Shops
1974	SWISS AVENUE GARAGE	General Automotive Repair Shops
1975	SWISS AVENUE GARAGE	General Automotive Repair Shops
1977	SWISS AVENUE GARAGE	AUTOMOBILE REPAIRING

**64 THE SHOPS OF HIGHLAND PARK  
 1720 MCKINNEY AVE STE 1750  
 DALLAS, TX 75202**

**FINDS 1011387531  
 N/A**

FINDS:

Registry ID: 110035070106

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

64 ZEITENERGY LLC EDR Hist Auto 1020337714  
 1717 MCKINNEY AVE STE 700 N/A  
 DALLAS, TX 75202

EDR Hist Auto

Year:	Name:	Type:
2013	ZEITENERGY LLC	Gasoline Service Stations, NEC
2014	STAMPEDE 66	Gasoline Service Stations, NEC
2014	ZEITENERGY LLC	Gasoline Service Stations, NEC

65 CEMARK FRB DALLAS TX LPST U001239968  
 1402 CEDAR SPRINGS RD TX UST N/A  
 DALLAS, TX 75202

LPST:

Facility ID:	0003041
LPST Id:	96023
Facility Location:	1402 CEDAR SPRINGS @ FIELD ST SW CORNER
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	01/21/1999
Entered Date:	07/02/1990
Priority:	4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program:	11 - VCP
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.
<b>Status:</b>	<b>FINAL CONCURRENCE ISSUED, CASE CLOSED</b>
Coordinators Primary:	11
Coordinators RPR:	HJM
Responsible Party Name:	FDIC CO AMRESKO MGMT INC
Responsible Party Contact:	WOODY OGLESBY
Responsible Party Address:	1201 MAIN ST INSP DEPT
Responsible Party City,St,Zip:	DALLAS, TX 75283
Responsible Party Telephone:	214/508-4748
Reported Date:	06/22/1990
Case Start Date:	07/02/1990

UST:

AI Number:	3041
Facility Type:	FLEET REFUELING
Facility Begin Date:	08/31/1989
Facility Status:	INACTIVE
Additional ID:	148639532002154
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	RUBIN RAMIREZ,
Contact Organization Name:	CEMARK FRB DALLAS
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CEMARK FRB DALLAS (Continued)**

**U001239968**

Contact Telephone:	2145086262
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	02/14/1986
Signature Name/Title On Earliest Reg Form:	C K WARRICK,PRES
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN601260581
Owner Last Name:	FDIC LIQ FIRST REPUBLIC BANK
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	156639532002154
Additional ID:	148639532002154
AI Number:	3041
Owner Effective Begin Date:	09/01/1989
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	110
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	7452
Facility ID:	95247
AI Number:	3041
Tank Id:	4
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	07/10/1991
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK FRB DALLAS (Continued)**

**U001239968**

Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/08/1990
Compartment Records:	
Tank ID:	4
Tank Capacity:	110
UST Comprt ID:	158786
UST ID:	7452
AI Number:	3041
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK FRB DALLAS (Continued)**

**U001239968**

CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	3500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	7449
Facility ID:	95247
Ai Number:	3041
Tank Id:	1S
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	07/12/1991
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK FRB DALLAS (Continued)**

**U001239968**

Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/08/1990
Compartment Records:	
Tank ID:	1S
Tank Capacity:	3500
UST Comprt ID:	158783
UST ID:	7449
AI Number:	3041
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK FRB DALLAS (Continued)**

**U001239968**

PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	7450
Facility ID:	95247
Ai Number:	3041
Tank Id:	2U
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	07/12/1991
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK FRB DALLAS (Continued)**

**U001239968**

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/08/1990
Compartment Records:	
Tank ID:	2U
Tank Capacity:	1000
UST Comprt ID:	158784
UST ID:	7450
AI Number:	3041
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK FRB DALLAS (Continued)**

**U001239968**

SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	7451
Facility ID:	95247
Ai Number:	3041
Tank Id:	3R
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	07/11/1991
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK FRB DALLAS (Continued)**

**U001239968**

TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/08/1990
Compartment Records:	
Tank ID:	3R
Tank Capacity:	550
UST Comprt ID:	158785
UST ID:	7451
AI Number:	3041
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK FRB DALLAS (Continued)**

**U001239968**

Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: FDIC LIQ FIRST REPUBLIC BANK  
 Contact Mailing Address (Delivery): 1201 MAIN ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75202 3908  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 95247  
 Additional ID: 148639532002154  
 Princ ID: 156639532002154  
 AI Number: 3041  
 Facility Name: CEMARK FRB DALLAS  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: K HOWELL/

**65 AUSTIN WM GULF STATION  
 1402 CEDAR SPRINGS RD  
 DALLAS, TX**

**EDR Hist Auto 1009356664  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1951 AUSTIN WM GULF STATION GASOLINE STATIONS

**66 PECK'S PRODUCTS CO  
 1103 SLOCUM  
 DALLAS, TX 75207**

**FINDS 1004604357  
 ECHO N/A**

FINDS:

Registry ID: 110002131381

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S PRODUCTS CO (Continued)**

**1004604357**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004604357  
 Registry ID: 110002131381  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002131381>

66

**PECK'S DALLAS WHSE  
 1103 SLOCUM  
 DALLAS, TX 75207**

**SSTS 1005434664  
 N/A**

SSTS:

Product: LEMON PEPCO DC  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000044  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: HOSPI TOL 64  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000052  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: HOSPI TOL 256  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000051  
 Product Type: Repackaged or relabeled  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: HOSPI TOL 128  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000050  
 Product Type: Repackaged or relabeled  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: FREEN  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000043  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: LGC  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000047  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: PGC 6  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000048  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: MGC  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000049  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: PEPCO D C  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000040  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: PEPCOCIDE  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000024  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: PEX O PINE  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00119000041  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: PEX SAN RINSE  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00683600089  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: LIQ PEXCHLOR  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1990  
 Permit: Registered  
 Product Number: 00961620003  
 Product Type: Repackaged or relabeled  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: HOSPI TOL 64  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Product Number: 00119000052  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: HOSPI TOL 256  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00119000051  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: HOSPI TOL 128  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00119000050  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: FREEN  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00119000043  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Product: D C S  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00183900079  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: L G C  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00119000047  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: PEX SAN RINSE  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00683600089  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: PEX O PINE  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00119000041  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Product Use:	All other products
UOM:	Not reported
Market:	Marketed in the United States
Region:	Not reported
Zero product:	Not reported
Pesticide RUP report:	Not reported
Product:	PEPCOCIDE
Contact:	Not reported
Status:	Active
Registration Number:	001190TX 001
Report Year:	1991
Permit:	Registered
Product Number:	00119000024
Product Type:	End-use blend, formulation, or concentrate
Product Class:	Disinfectant, germicide, sanitizer
Product Use:	All other products
UOM:	Not reported
Market:	Marketed in the United States
Region:	Not reported
Zero product:	Not reported
Pesticide RUP report:	Not reported
Product:	PEPCO D C
Contact:	Not reported
Status:	Active
Registration Number:	001190TX 001
Report Year:	1991
Permit:	Registered
Product Number:	00119000040
Product Type:	End-use blend, formulation, or concentrate
Product Class:	Disinfectant, germicide, sanitizer
Product Use:	All other products
UOM:	Not reported
Market:	Marketed in the United States
Region:	Not reported
Zero product:	Not reported
Pesticide RUP report:	Not reported
Product:	P G C 6
Contact:	Not reported
Status:	Active
Registration Number:	001190TX 001
Report Year:	1991
Permit:	Registered
Product Number:	00119000048
Product Type:	End-use blend, formulation, or concentrate
Product Class:	Disinfectant, germicide, sanitizer
Product Use:	All other products
UOM:	Not reported
Market:	Marketed in the United States
Region:	Not reported
Zero product:	Not reported
Pesticide RUP report:	Not reported
Product:	MGC
Contact:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00119000049  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: LIQ PEXCHLOR  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00961620003  
 Product Type: Repackaged or relabeled  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: LEMON ODORED PEPCO D C  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1991  
 Permit: Registered  
 Product Number: 00119000044  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: D C S  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1992  
 Permit: Registered  
 Product Number: 00183900079  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Market:	Marketed in the United States
Region:	Not reported
Zero product:	Not reported
Pesticide RUP report:	Not reported
Product:	PEPCOCIDE
Contact:	Not reported
Status:	Active
Registration Number:	001190TX 001
Report Year:	1992
Permit:	Registered
Product Number:	00119000024
Product Type:	End-use blend, formulation, or concentrate
Product Class:	Disinfectant, germicide, sanitizer
Product Use:	All other products
UOM:	Not reported
Market:	Marketed in the United States
Region:	Not reported
Zero product:	Not reported
Pesticide RUP report:	Not reported
Product:	PEPCO D C
Contact:	Not reported
Status:	Active
Registration Number:	001190TX 001
Report Year:	1992
Permit:	Registered
Product Number:	00119000040
Product Type:	End-use blend, formulation, or concentrate
Product Class:	Disinfectant, germicide, sanitizer
Product Use:	All other products
UOM:	Not reported
Market:	Marketed in the United States
Region:	Not reported
Zero product:	Not reported
Pesticide RUP report:	Not reported
Product:	P G C 6
Contact:	Not reported
Status:	Active
Registration Number:	001190TX 001
Report Year:	1992
Permit:	Registered
Product Number:	00119000048
Product Type:	End-use blend, formulation, or concentrate
Product Class:	Disinfectant, germicide, sanitizer
Product Use:	All other products
UOM:	Not reported
Market:	Marketed in the United States
Region:	Not reported
Zero product:	Not reported
Pesticide RUP report:	Not reported
Product:	SPRACIDE
Contact:	Not reported
Status:	Active
Registration Number:	001190TX 001



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Report Year: 1992  
 Permit: Registered  
 Product Number: 00183900083  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: LIQ PEXCHLOR  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1992  
 Permit: Registered  
 Product Number: 00961620003  
 Product Type: Repackaged or relabeled  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: L G C  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1992  
 Permit: Registered  
 Product Number: 00119000047  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: HOSPI TOL 64  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1992  
 Permit: Registered  
 Product Number: 00119000052  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PECK'S DALLAS WHSE (Continued)**

**1005434664**

Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: HOSPI TOL 256  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1992  
 Permit: Registered  
 Product Number: 00119000051  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

Product: MGC  
 Contact: Not reported  
 Status: Active  
 Registration Number: 001190TX 001  
 Report Year: 1992  
 Permit: Registered  
 Product Number: 00119000049  
 Product Type: End-use blend, formulation, or concentrate  
 Product Class: Disinfectant, germicide, sanitizer  
 Product Use: All other products  
 UOM: Not reported  
 Market: Marketed in the United States  
 Region: Not reported  
 Zero product: Not reported  
 Pesticide RUP report: Not reported

67

**JEFFERSON AT THE NORTH END  
 2323 N FIELD ST  
 DALLAS, TX 75201**

**TX UST U003201555  
 N/A**

UST:

AI Number: 70289  
 Facility Type: Not reported  
 Facility Begin Date: 08/31/1987  
 Facility Status: INACTIVE  
 Additional ID: 20062942002117  
 Facility Exempt Status: Y  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: MATT MARTIN,  
 Contact Organization Name: JEFFERSON AT THE NORTH END  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JEFFERSON AT THE NORTH END (Continued)**

**U003201555**

Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148713007
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	12/30/1997
Signature Name/Title On Earliest Reg Form:	RICHARD O CAMPBELL,REG PARTNER
Application Received Date On Earliest Reg Form:	01/05/1998
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN601102320
Owner Last Name:	JEFFERSON AT THE NORTH END
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	29062932002117
Additional ID:	20062942002117
AI Number:	70289
Owner Effective Begin Date:	08/31/1987
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	01/05/1998
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	185373
Facility ID:	106804
Ai Number:	70289
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/23/1997
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JEFFERSON AT THE NORTH END (Continued)**

**U003201555**

Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	1000
UST Comprt ID:	165622
UST ID:	185373
AI Number:	70289
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JEFFERSON AT THE NORTH END (Continued)**

**U003201555**

CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	46262
Cert ID:	292933
UST Comprt ID:	846014
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262
Cert ID:	257815
UST Comprt ID:	741738
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262
Cert ID:	68728
UST Comprt ID:	215055
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JEFFERSON AT THE NORTH END (Continued)**

**U003201555**

Cert ID: 68723  
 UST Comprt ID: 215062  
 UST ID: 70762  
 AI Number: 70289  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 46262  
 Cert ID: 239606  
 UST Comprt ID: 688183  
 UST ID: 70762  
 AI Number: 70289  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 46262  
 Cert ID: 68722  
 UST Comprt ID: 215061  
 UST ID: 70762  
 AI Number: 70289  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 46262  
 Cert ID: 68727  
 UST Comprt ID: 215056  
 UST ID: 70762  
 AI Number: 70289  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 46262  
 Cert ID: 68721  
 UST Comprt ID: 215060  
 UST ID: 70762  
 AI Number: 70289  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 46262  
 Cert ID: 223558  
 UST Comprt ID: 641180  
 UST ID: 70762  
 AI Number: 70289  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 46262  
 Cert ID: 68732  
 UST Comprt ID: 215051  
 UST ID: 70762  
 AI Number: 70289  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 46262  
 Cert ID: 68726

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JEFFERSON AT THE NORTH END (Continued)**

**U003201555**

UST Compr ID:	215057
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262
Cert ID:	68731
UST Compr ID:	215052
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262
Cert ID:	275118
UST Compr ID:	793048
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262
Cert ID:	68730
UST Compr ID:	215053
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262
Cert ID:	68725
UST Compr ID:	215058
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262
Cert ID:	68729
UST Compr ID:	215054
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A
Self Cert ID:	46262
Cert ID:	68724
UST Compr ID:	215059
UST ID:	70762
AI Number:	70289
Tank ID:	1
Compartment ID:	A

Facility Billing Contacts:  
 Contact Organization Name:

JEFFERSON AT THE NORTH END

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JEFFERSON AT THE NORTH END (Continued)**

**U003201555**

Contact Mailing Address (Delivery):	600 LAS COLINAS BLVD E STE 1800
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	IRVING, TX 75039 5625
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	106804
Additional ID:	20062942002117
Princ ID:	29062932002117
AI Number:	70289
Facility Name:	JEFFERSON AT THE NORTH END
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	BEN HUMMEL/

---

<b>68</b>	<b>PEERLESS CLEANERS</b> 3007 GASTON AVE DALLAS, TX	<b>EDR Hist Cleaner</b>	<b>1009341324</b> N/A
	EDR Hist Cleaner		
	Year: Name:	Type:	
	1966 PEERLESS CLEANERS	CLEANERS AND DYERS	

---

<b>68</b>	<b>PEERLESS INDUSTRIES INC</b> 3009 GASTON AVE DALLAS, TX	<b>EDR Hist Cleaner</b>	<b>1009341333</b> N/A
	EDR Hist Cleaner		
	Year: Name:	Type:	
	1977 PEERLESS INDUSTRIES INC	LAUNDRIES AND DRY CLEANERS	
	1981 PEERLESS INDUSTRIES INC	LAUNDRIES AND DRY CLEANERS	

---

<b>68</b>	<b>WHITE AND JACKSON SERVICE STATION</b> 3001 GASTON AVE DALLAS, TX	<b>EDR Hist Auto</b>	<b>1009367069</b> N/A
	EDR Hist Auto		
	Year: Name:	Type:	
	1941 WHITE AND JACKSON SERVICE STATI	GASOLINE AND OIL SERVICE STATIONS	



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

69

**VACANT LOT  
 2711 FLORENCE ST  
 DALLAS, TX 75204**

**TX UST**

**U003289106  
 N/A**

UST:

AI Number: 46353  
 Facility Type: UNKNOWN  
 Facility Begin Date: 08/12/1988  
 Facility Status: INACTIVE  
 Additional ID: 845619822002152  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75204  
 Contact Name/Title: DENNY HUNT,  
 Contact Organization Name: VACANT LOT  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2145215746  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 08/07/1988  
 Signature Name/Title On Earliest Reg Form: '  
 Application Received Date On Earliest Reg Form: 08/11/1988  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN601253347  
 Owner Last Name: UNION ALLEY INC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 835619822002152  
 Additional ID: 845619822002152  
 AI Number: 46353  
 Owner Effective Begin Date: 03/14/1998  
 State Tax ID: 32000021058  
 Contact Role: Not reported  
 Contact Name/Title: /

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

VACANT LOT (Continued)

U003289106

Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1982
Tank Registration Date:	08/11/1988
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	121311
Facility ID:	77797
Ai Number:	46353
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/27/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VACANT LOT (Continued)**

**U003289106**

Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	2000
UST Comprt ID:	117655
UST ID:	121311
AI Number:	46353
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
<b>More Self Certification:</b>	
Self Cert ID:	17920
Cert ID:	244393
UST Comprt ID:	702319
UST ID:	109360

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VACANT LOT (Continued)**

**U003289106**

AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99419
UST Comprt ID:	292446
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99420
UST Comprt ID:	292447
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99429
UST Comprt ID:	292438
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99421
UST Comprt ID:	292448
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	278064
UST Comprt ID:	801624
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99422
UST Comprt ID:	292445
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99428
UST Comprt ID:	292439
UST ID:	109360
AI Number:	46353

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VACANT LOT (Continued)

U003289106

Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	226636
UST Comprt ID:	650449
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99427
UST Comprt ID:	292440
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	260736
UST Comprt ID:	750491
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99426
UST Comprt ID:	292441
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99425
UST Comprt ID:	292442
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99424
UST Comprt ID:	292443
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99430
UST Comprt ID:	292437
UST ID:	109360
AI Number:	46353
Tank ID:	3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VACANT LOT (Continued)**

**U003289106**

Compartment ID:	A
Self Cert ID:	17920
Cert ID:	293478
UST Comprt ID:	847641
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
Self Cert ID:	17920
Cert ID:	99423
UST Comprt ID:	292444
UST ID:	109360
AI Number:	46353
Tank ID:	3
Compartment ID:	A
<b>Facility Billing Contacts:</b>	
Contact Organization Name:	UNION ALLEY INC
Contact Mailing Address (Delivery):	2700 LIVE OAK ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75204 5787
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	77797
Additional ID:	845619822002152
Princ ID:	835619822002152
AI Number:	46353
Facility Name:	VACANT LOT
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	DENNY HUNT/

70

**FORMER ELBOW ROOM BAR AND RESTAURANT**  
**3010 GASTON AVE**  
**DALLAS, TX 75226**

**TX ASBESTOS S121062898**  
**N/A**

**ASBESTOS:**

Date of inspection:	Not reported
Reason for Inspection:	Erika Martin
Violation:	Not reported
Complaint Date:	08/31/2017
Notification Number:	2017004297
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORMER ELBOW ROOM BAR AND RESTAURANT (Continued)**

**S121062898**

Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/06/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Demolition
Notification Type:	Original
Work Type Flag:	D
Certification Statement Date:	06/06/2017
Certification Statement Phone:	972-721-0898
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	06/20/2017
Date of inspection:	Not reported
Reason for Inspection:	Erika Martin
Violation:	Not reported
Complaint Date:	08/31/2017
Notification Number:	2017004297
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/19/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORMER ELBOW ROOM BAR AND RESTAURANT (Continued)**

**S121062898**

Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	06/19/2017
Certification Statement Phone:	972-721-0898
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	06/22/2017
Date of inspection:	Not reported
Reason for Inspection:	Erika Martin
Violation:	Not reported
Complaint Date:	08/31/2017
Notification Number:	2017004297
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/21/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Demolition



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORMER ELBOW ROOM BAR AND RESTAURANT (Continued)**

**S121062898**

Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	06/21/2017
Certification Statement Phone:	972-721-0898
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	06/26/2017
Date of inspection:	Not reported
Reason for Inspection:	Erika Martin
Violation:	Not reported
Complaint Date:	08/31/2017
Notification Number:	2017004297
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/23/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	3
Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	06/23/2017
Certification Statement Phone:	972-721-0898
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER ELBOW ROOM BAR AND RESTAURANT (Continued)**

**S121062898**

Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	07/03/2017
Date of inspection:	Not reported
Reason for Inspection:	Erika Martin
Violation:	Not reported
Complaint Date:	08/31/2017
Notification Number:	2017004297
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/28/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	4
Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	06/28/2017
Certification Statement Phone:	972-721-0898
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	07/05/2017
Date of inspection:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER ELBOW ROOM BAR AND RESTAURANT (Continued)**

**S121062898**

Reason for Inspection: Erika Fladung  
 Violation: Not reported  
 Complaint Date: 08/31/2017  
 Notification Number: 2017004297  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 07/05/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 5  
 Notification Work Type: Demolition  
 Notification Type: Amendment  
 Work Type Flag: D  
 Certification Statement Date: 07/05/2017  
 Certification Statement Phone: 972-721-0898  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 07/07/2017

71

**GLORIA GARAGE  
 2213 CAROLINE  
 DALLAS, TX**

**EDR Hist Auto 1009362878  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	GLORIA GARAGE	AUTOMOBILE REPAIRING
1941	GLORIA GARAGE	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.) Site Database(s) EPA ID Number

72 ALLEN GARAGE EDR Hist Auto 1009365356  
 2620 LIVE OAK ST N/A  
 DALLAS, TX  
 EDR Hist Auto  
 Year: Name: Type:  
 1971 ALLEN GARAGE AUTOMOBILE GARAGES  
 1977 ARTHURS MERCEDES-BENZ SERVICE General Automotive Repair Shops

72 CLASSIC IMPORTS INC RCRA NonGen / NLR 1000386671  
 2628 LIVE OAK FINDS TXD038815650  
 DALLAS, TX 75204 TX Ind. Haz Waste  
 ECHO

RCRA NonGen / NLR:  
 Date form received by agency: 08/23/2001  
 Facility name: CLASSIC IMPORTS INC  
 Facility address: 2628 LIVE OAK  
 DALLAS, TX 75204  
 EPA ID: TXD038815650  
 Mailing address: SPROWLES ST  
 DALLAS, TX 75229  
 Contact: DAVE PERRY  
 Contact address: SPROWLES ST  
 DALLAS, TX 75229  
 Contact country: US  
 Contact telephone: 214-826-7441  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:  
 Owner/operator name: CLASSIC IMPORTS INC  
 Owner/operator address: SPROWLES ST  
 DALLAS, TX 75229  
 Owner/operator country: US  
 Owner/operator telephone: 214-826-7441  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Operator  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Owner/operator name: CLASSIC IMPORTS INC  
 Owner/operator address: SPROWLES ST  
 DALLAS, TX 75229  
 Owner/operator country: US  
 Owner/operator telephone: 214-826-7441  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLASSIC IMPORTS INC (Continued)**

**1000386671**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 05/02/1985  
 Site name: CLASSIC IMPORTS INC  
 Classification: Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110005046841

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLASSIC IMPORTS INC (Continued)**

**1000386671**

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number:	55176
Registration Initial Notification Date:	04/10/1985
Registration Last Amendment Date:	08/23/2001
EPA Identification:	TXD038815650
Primary NAICS Code:	Not reported
Status Change Date:	19850410
Land Type:	Not reported
Description of Facility Site Location:	2628 Live Oak, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	Not reported
TNRCC Region:	Not reported
Company Name:	CLASSIC IMPORTS INC
Contact Name:	DAVE PERRY
Contact Telephone Number:	214-8267441
Mailing Address:	11450 SPROWLES ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752292117
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	19147
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20030613
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	11450 SPROWLES ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75229 2117

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLASSIC IMPORTS INC (Continued)**

**1000386671**

Owner Country: UNITED STA  
 Owner Phone Number: 1-214-8267441  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 17517315531  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: CLASSIC IMPORTS INC  
 Operator First Name: Not reported  
 Operator Name: CLASSIC IMPORTS INC  
 Operator Mailing Address: 11450 SPROWLES ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75229 2117  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-8267441  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17517315531  
 Operator Bankruptcy Code: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 11450 SPROWLES ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75229 2117  
 Contact Phone: 1-214-8267441  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 11450 SPROWLES ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75229 2117  
 Contact Phone: 1-214-8267441  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: DAVE PERRY  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 11450 SPROWLES ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75229 2117  
 Contact Phone: 1-214-8267441  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:  
 One Time Shipper Records Not Found for this RegNo/Year:  
 Receiver Type: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLASSIC IMPORTS INC (Continued)**

**1000386671**

Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

ECHO:

Envid: 1000386671  
 Registry ID: 110005046841  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005046841>

73

**CLARK AUTO  
 2625 LIVE OAK ST  
 DALLAS, TX 75204**

**TX UST U003148859  
 N/A**

UST:

AI Number: 20158  
 Facility Type: RETAIL  
 Facility Begin Date: 09/09/1986  
 Facility Status: INACTIVE  
 Additional ID: 909451612002118  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75204  
 Contact Name/Title: JOHN CLARK,  
 Contact Organization Name: CLARK AUTO COMPANY  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 5123470404  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 03/28/1986  
 Signature Name/Title On Earliest Reg Form: WB CLARK,MGR  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600419790  
 Owner Last Name: CLARK AUTO COMPANY  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLARK AUTO (Continued)**

**U003148859**

Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	280289012001318
Additional ID:	909451612002118
AI Number:	20158
Owner Effective Begin Date:	09/09/1986
State Tax ID:	30113721218
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1960
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	51857
Facility ID:	57245
AI Number:	20158
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/31/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLARK AUTO (Continued)**

**U003148859**

Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	12/04/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	1000
UST Comprt ID:	54869
UST ID:	51857
AI Number:	20158
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CLARK AUTO (Continued)**

**U003148859**

SOPE(Alarm (Set@<=90%) W/3a Or 3b):	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1960
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	51856
Facility ID:	57245
Ai Number:	20158
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/31/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLARK AUTO (Continued)**

**U003148859**

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	12/04/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	1000
UST Comprt ID:	54868
UST ID:	51856
AI Number:	20158
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLARK AUTO (Continued)**

**U003148859**

Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: CLARK AUTO COMPANY  
 Contact Mailing Address (Delivery): 2625 LIVE OAK ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75204 5727  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 57245  
 Additional ID: 909451612002118  
 Princ ID: 280289012001318  
 AI Number: 20158  
 Facility Name: CLARK AUTO  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: WILLIAM CLARK/

74

**PEERLESS INDUSTRIES  
 711 OAK ST  
 DALLAS, TX 75204**

**TX UST U001240904  
 N/A**

UST:

AI Number: 4145  
 Facility Type: INDUST/MFG/CHEM PLANT  
 Facility Begin Date: 06/18/1986  
 Facility Status: INACTIVE  
 Additional ID: 825110812002153  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75204  
 Contact Name/Title: G ASHMORE,SVP  
 Contact Organization Name: PEERLESS INDUSTRIES  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2148246381  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 04/16/1986  
 Signature Name/Title On Earliest Reg Form: G ASHMORE,S.V.P.  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PEERLESS INDUSTRIES (Continued)**

**U001240904**

Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN601258718
Owner Last Name:	PEERLESS INDUSTRIES INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834110812002153
Additional ID:	825110812002153
AI Number:	4145
Owner Effective Begin Date:	06/18/1986
State Tax ID:	17513344246
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1966
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	10048
Facility ID:	42860
AI Number:	4145
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/28/1990
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PEERLESS INDUSTRIES (Continued)**

**U001240904**

Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	04/29/1994
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	2000
UST Comprt ID:	13812
UST ID:	10048
AI Number:	4145
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEERLESS INDUSTRIES (Continued)**

**U001240904**

PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
 More Self Certification:	
Self Cert ID:	1662
Cert ID:	130570
UST Comprt ID:	393715
UST ID:	129840
AI Number:	4145
Tank ID:	2
Compartment ID:	A
Self Cert ID:	1662
Cert ID:	130569
UST Comprt ID:	393714
UST ID:	129840
AI Number:	4145
Tank ID:	2
Compartment ID:	A
Self Cert ID:	1662
Cert ID:	130568
UST Comprt ID:	393713
UST ID:	129840
AI Number:	4145
Tank ID:	2
Compartment ID:	A
Self Cert ID:	1662
Cert ID:	130573
UST Comprt ID:	393710
UST ID:	129840
AI Number:	4145
Tank ID:	2
Compartment ID:	A
Self Cert ID:	1662
Cert ID:	130572
UST Comprt ID:	393711



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEERLESS INDUSTRIES (Continued)**

**U001240904**

UST ID: 129840  
 AI Number: 4145  
 Tank ID: 2  
 Compartment ID: A  
  
 Self Cert ID: 1662  
 Cert ID: 130571  
 UST Comprt ID: 393712  
 UST ID: 129840  
 AI Number: 4145  
 Tank ID: 2  
 Compartment ID: A

Facility Billing Contacts:

Contact Organization Name: PEERLESS INDUSTRIES INC  
 Contact Mailing Address (Delivery): 3111 FLOYD ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75204 6059  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 42860  
 Additional ID: 825110812002153  
 Princ ID: 834110812002153  
 AI Number: 4145  
 Facility Name: PEERLESS INDUSTRIES  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: /

74

**MINX TEXACO SERVICE STATION**  
**2929 GASTON AVE**  
**DALLAS, TX**

**EDR Hist Auto 1009366765**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1946	LUTTRELL J B SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1951	RDS STEWART SERVICE STATION	GASOLINE STATIONS
1956	MINX LEWIS E SERVICE STATION	GASOLINE STATIONS
1956	TOMSON ROGER SERVICE STATION	GASOLINE STATIONS
1961	MINX TEXACO SERVICE STATION	GASOLINE STATIONS
1966	MINX TEXACO SERVICE STATION	GASOLINE STATIONS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>75</b>	<b>CENTEX CONSTRUCTION VICTORY BLOCK D GARAGE</b>	<b>FINDS</b>	<b>1011318504</b>
	<b>2401 VICTORY PARK LN</b>		<b>N/A</b>
	<b>DALLAS, TX 75219</b>		

FINDS:

Registry ID: 110034384814

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>76</b>	<b>SALAZAR GARAGE</b>	<b>EDR Hist Auto</b>	<b>1009367216</b>
	<b>3009 NUSSBAUMER ST</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1966	SALAZAR GARAGE	AUTOMOBILE REPAIRING	

<b>76</b>	<b>TEXAS A &amp; M UNIVERSITY HEALTH CTR</b>	<b>TX ASBESTOS</b>	<b>S121064148</b>
	<b>3013 NUSSBAUMER STREET</b>		<b>N/A</b>
	<b>DALLAS, TX 75226</b>		

ASBESTOS:

Date of inspection:	06/15/2017
Reason for Inspection:	Jim Metcalf
Violation:	Not reported
Complaint Date:	06/20/2017
Notification Number:	2017004097
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

TEXAS A & M UNIVERSITY HEALTH CTR (Continued)

S121064148

Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	06/13/2017
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	48
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/14/2017
Date of inspection:	06/15/2017
Reason for Inspection:	Jim Metcalf
Violation:	Not reported
Complaint Date:	06/20/2017
Notification Number:	2017004097
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/30/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TEXAS A & M UNIVERSITY HEALTH CTR (Continued)**

**S121064148**

Work Type Flag: A  
 Certification Statement Date: 05/30/2017  
 Certification Statement Phone: 972-271-1583  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 38  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 06/14/2017

76

**TEXAS A&M UNIVERSITY HEALTH SCIENCE CENTER  
 3013 NUSSBAUMER ST  
 DALLAS, TX 75226**

**TX ASBESTOS**

**S121064150  
 N/A**

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: Erika Martin  
 Violation: Not reported  
 Complaint Date: 08/31/2017  
 Notification Number: 2017004296  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 06/06/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Demolition  
 Notification Type: Original  
 Work Type Flag: D  
 Certification Statement Date: 06/06/2017  
 Certification Statement Phone: 972-721-0898  
 Is The Facility a School or K-12?: N  
 Region: 03

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

TEXAS A&M UNIVERSITY HEALTH SCIENCE CENTER (Continued)

S121064150

Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	06/20/2017
Date of inspection:	Not reported
Reason for Inspection:	Erika Martin
Violation:	Not reported
Complaint Date:	08/31/2017
Notification Number:	2017004296
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/19/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	06/19/2017
Certification Statement Phone:	972-721-0898
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

TEXAS A&M UNIVERSITY HEALTH SCIENCE CENTER (Continued)

S121064150

Start Date: 06/22/2017

Date of inspection: Not reported  
 Reason for Inspection: Erika Martin  
 Violation: Not reported  
 Complaint Date: 08/31/2017  
 Notification Number: 2017004296  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 06/21/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 2  
 Notification Work Type: Demolition  
 Notification Type: Amendment  
 Work Type Flag: D  
 Certification Statement Date: 06/21/2017  
 Certification Statement Phone: 972-721-0898  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 06/26/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**77 HOUSTON/WICHITA STREET PROPERTY  
 NORTH OF LAWS ST/WEST OF ALAMO ST.  
 DALLAS, TX 75201**

**TX VCP S109145776  
 N/A**

VCP TCEQ:

Region: 4  
 Facility ID: 0860  
 Facility Type: Junkyard/Truck Repair  
 VCP Received: 10/30/1998  
 PCA Number: 31770  
 Project Number: Frew  
 Type Lead: Developer  
 Phase: Completed  
 Lat/Long: 32-47-17 / 96-48-30  
 Lat/Long (DD): Not reported  
 Acres at Site: 3  
 Contaminant Categories: Lead, PAHs  
 Media Affected: Soils  
 Applicant: Anland 2C, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 12377 Merit Drive, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75251  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 11/13/1998  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: 04/03/2000  
 Remedy Type: Excavate & Dispose  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 10/30/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 317700  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 2C, L.P.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOUSTON/WICHITA STREET PROPERTY (Continued)**

**S109145776**

Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: F  
 File Location: CR

**78 AUSTIN WM GULF SERVICE STATION  
 1402 CEDAR SPRINGS  
 DALLAS, TX**

**EDR Hist Auto 1009356663  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1941	GRIBBLE S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1956	AUSTIN WNM M GULF STATION	GASOLINE STATIONS
1961	AUSTIN WM GULF SERVICE STATION	GASOLINE STATIONS
1966	AUSTIN WM GULF SERVICE STATION	GASOLINE STATIONS
1977	GULF SERVICE STATION	GASOLINE STATIONS
1981	GULF SELF SERVICE STATION	GASOLINE STATIONS
1986	GULF SERVICE STATION	GASOLINE STATIONS

**79 PARAMOUNT CLEANERS  
 1025 SLOCUM ST  
 DALLAS, TX**

**EDR Hist Cleaner 1009333494  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1966	BEST WAY CARPET	CARPET AND RUG CLEANERS
1966	AMERICAN RUG SERVICE	CARPET AND RUG CLEANERS
1966	PARAMOUNT CLEANERS	CARPET AND RUG CLEANERS
1971	AMERICAN RUG AND UPHOLSTERY CLE	CARPET AND RUG CLEANERS
1971	BEST WAY CARPET	CARPET AND RUG CLEANERS
1978	PARAMOUNT RUG & CARPET CO INC	Carpet And Upholstery Cleaning

**80 TRANSMISSION CITY  
 2913 GASTON AVE  
 DALLAS, TX**

**EDR Hist Auto 1009366644  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1966	TRANSMISSION CITY	AUTOMOBILE REPAIRING
1969	REVCO	Motor Vehicle Supplies And New Parts
1969	REVCO	Motor Vehicle Supplies And New Parts
1970	REVCO	Motor Vehicle Supplies And New Parts
1971	REVCO	Motor Vehicle Supplies And New Parts



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number

**81 PARAMOUNT RUG AND CARPET CLNG CO INC EDR Hist Cleaner 1009333357**  
**1013 SLOCUM ST N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1979	PARAMOUNT RUG & CARPET CO INC	Carpet And Upholstery Cleaning
1980	PARAMOUNT RUG & CARPET CO INC	Carpet And Upholstery Cleaning
1981	AMERICAN RUG AND UPHOLSTERY CLE	CARPET AND RUG CLEANERS
1981	PARAMOUNT RUG AND CARPET CLNG C	CARPET AND RUG CLEANERS

**82 GOOD AND BRYAN GARAGE EDR Hist Auto 1009365106**  
**2600 BRYAN N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	ROBINSON CHAS	AUTOMOBILE REPAIRERS
1930	GOOD AND BRYAN GARAGE	AUTOMOBILE REPAIRERS

**82 GAINES TAILORS EDR Hist Cleaner 1009340301**  
**2617 BRYAN N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1941	GAINES TAILORS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

**83 CITY LIGHTS PROPERTY TX VCP S113913402**  
**2601 LIVE OAK ST TX MSD N/A**  
**DALLAS, TX 75204 TX GCC**

VCP TCEQ:

Region:	4
Facility ID:	2603
Facility Type:	Multifamily Developer
VCP Received:	08/15/2013
PCA Number:	34795
Project Number:	Bryant
Type Lead:	Potential Purchaser
Phase:	Investigation
Lat/Long:	Not reported
Lat/Long (DD):	32.788611 / -96.790555
Acres at Site:	3.9
Contaminant Categories:	VOCs, SVOCs, Heavy Metals, Chlorinated Solvents, TPH
Media Affected:	Soil, Groundwater
Applicant:	Elan Dallas City Lights Owner LP
Applicant Contact Title:	Vice President
Applicant Address:	600 E Las Colinas Blvd Ste 2100
Applicant City,St,Zip:	Irving, TX 75039
Applicant Phone:	972-444-2197
Applicant Fax:	Not reported
Consultant/Attorney:	Modern Geosciences
Consultant/Attorney Name:	Kenneth Tramm

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY LIGHTS PROPERTY (Continued)**

**S113913402**

Consultant/Attorney Contact Title: Principal  
 Consultant/Attorney Address: 1904 Industrial Oaks Blvd Ste 107  
 Consultant/Attorney City,St,Zip: Colleyville, TX 76034  
 Consultant/Attorney Phone: 682-223-1322  
 Consultant/Attorney Fax: 682-223-1593  
 TNRCC Solid Waste Registration: 74492  
 EPA Texas ID/CERCLIS Registration: TXD982286940  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: A  
 TX Risk Reduction Prgm: 1,2,3  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: 0020158  
 Cashier Recvd: 08/15/2013  
 App Accepted?: Y  
 Date Accepted: 08/19/2013  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 347950  
 Contaminants Identified: MTBE, naphthalene, PCE, TCE, 2-methylnaphthalene, lead, arsenic,  
 barium, cadmium, silver, mercury  
 OffSite?: Not reported  
 Billing Company: Elan Dallas City Lights Owner LP  
 Billing c/o Name: Laird Sparks  
 Billing Address1: 600 E Las Colinas Blvd  
 Billing Address2: Ste 2100  
 Billing City: Irving  
 Billing State: TX  
 Billing Zip: 75039  
 Billing Phone: 972-444-2197  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D298/CR

**MSD:**

Id: 290  
 Project Manager: Rodney Bryant  
 MSD Certification Number: 290  
 MSD Application Number: MSD AP 290  
 Acres: 12.339  
 GW Zone Feet To: 50  
 Feet: 24  
 Contaminants: TETRACHLOROETHYLENE|TRICHLOROETHYLENE|2-METHYL NAPHTHALENE|TPH  
 Applicant: Laird Sparks  
 Updated: 06/18/2015  
 Remediation Program PM: Rodney Bryant  
 Application Received Date: 06/16/2015  
 90 Day Deadline: 09/14/2015  
 Status: Certified  
 Precertification Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY LIGHTS PROPERTY (Continued)**

**S113913402**

Certification Date: 10/29/2015  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: True  
 HB3030: Not reported  
 Other Program: VCP 2603  
 CN: CN604368563  
 RN: RN100587476

**GCC:**

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2603  
 Contamination Description: VOCS, SVOCS, METALS, CHLORINATED SOLVENTS, TPH  
 Date Of Earliest Known Contamination Confirmation: 8/15/2013  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2B  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2603  
 Contamination Description: VOCS, SVOCS, METALS, CHLORINATED SOLVENTS, TPH  
 Date Of Earliest Known Contamination Confirmation: 8/15/2013  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: Not reported  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: \*  
 File Number: 2603  
 Contamination Description: VOCS, SVOCS, METALS, CHLORINATED SOLVENTS, TPH  
 Date Of Earliest Known Contamination Confirmation: 8/15/2013  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2  
 Data Quality 1: E

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY LIGHTS PROPERTY (Continued)**

**S113913402**

Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported  
 Division: REM/VC  
 New Cases: Not reported  
 File Number: 2603  
 Contamination Description: VOCS, SVOCS, METALS, CHLORINATED SOLVENTS, TPH  
 Date Of Earliest Known Contamination Confirmation: 8/15/2013  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2A  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

83

**TEXAS CAN  
 2601 LIVE OAK ST  
 DALLAS, TX 75204**

**ICIS 1005623969  
 FINDS N/A  
 ECHO**

ICIS:  
 Enforcement Action ID: 06-2000-0043  
 FRS ID: 110010776838  
 Action Name: TEXAN CAN (DALLAS CAN! ACADEMY), A LOCAL EDUCATION AGENCY  
 Facility Name: TEXAS CAN  
 Facility Address: 2601 LIVE OAK ST  
 DALLAS, TX 752045766  
 Enforcement Action Type: TSCA 207 AO For Asbestos/Schools (LEA)  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 207  
 Facility SIC Code: 8211  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.78763  
 Longitude in Decimal Degrees: -96.790519  
 Permit Type Desc: Not reported  
 Program System Acronym: 14016  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported  
 Facility Name: TEXAS CAN  
 Address: 2601 LIVE OAK ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TEXAS CAN (Continued)**

**1005623969**

Facility Name: TEXAS CAN  
 Address: 2601 LIVE OAK ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211

Facility Name: TEXAS CAN  
 Address: 2601 LIVE OAK ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211

**FINDS:**

Registry ID: 110010776838

**Environmental Interest/Information System**

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1005623969  
 Registry ID: 110010776838  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010776838>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**83 DALLAS CAN! ACADEMY CHARTER SCHOOL FTTS 1009513145**  
**2601 LIVE OAK HIST FTTS N/A**  
**DALLAS, TX 75204**

FTTS INSP:  
 Inspection Number: 19980901TX068 1  
 Region: 06  
 Inspection Date: 09/01/98  
 Inspector: FERGUSON HOLLY  
 Violation occurred: Yes  
 Investigation Type: AHERA, Enforcement, State Conducted  
 Investigation Reason: Neutral Scheme, State  
 Legislation Code: TSCA  
 Facility Function: User

HIST FTTS INSP:  
 Inspection Number: 19980901TX068 1  
 Region: 06  
 Inspection Date: Not reported  
 Inspector: FERGUSON HOLLY  
 Violation occurred: Yes  
 Investigation Type: AHERA, Enforcement, State Conducted  
 Investigation Reason: Neutral Scheme, State  
 Legislation Code: TSCA  
 Facility Function: User

**83 CARTER S SERVICE STATION EDR Hist Auto 1009365146**  
**2601 LIVE OAK N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1930 CARTER S SERVICE STATION GASOLINE AND OIL SERVICE STATIONS

**84 KENNIEBREW TAILORING CO EDR Hist Cleaner 1009348348**  
**709 N CENTRAL N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1925 KENNIEBREW TAILORING CO CLOTHES CLEANERS AND DYERS

**85 LEDBETTER HENRY CO\* EDR Hist Auto 1009364164**  
**2411 BRYAN N/A**  
**DALLAS, TX 75201**

EDR Hist Auto

Year: Name: Type:  
 1961 OWENS HERBERT AUTOMOTIVE SERVIC AUTOMOBILE REPAIRING  
 1969 LEDBETTER HENRY CO\* General Automotive Repair Shops  
 1970 LEDBETTER HENRY CO\* General Automotive Repair Shops

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEDBETTER HENRY CO\* (Continued)**

**1009364164**

1971	LEDBETTER HENRY CO*	General Automotive Repair Shops
1972	LEDBETTER HENRY CO*	General Automotive Repair Shops
1973	LEDBETTER HENRY CO*	General Automotive Repair Shops
1974	LEDBETTER HENRY CO*	Automotive Repair Shops, NEC
1975	LEDBETTER HENRY CO INC	Automotive Repair Shops, NEC
1976	LEDBETTER HENRY CO INC	Automotive Repair Shops, NEC
1977	LEDBETTER HENRY CO INC	Automotive Repair Shops, NEC
1978	LEDBETTER HENRY CO INC	Automotive Repair Shops, NEC
1979	LEDBETTER HENRY CO INC	Automotive Repair Shops, NEC
1980	LILLEYS SERVICE CENTER	Gasoline Service Stations
1991	F R W INC	General Automotive Repair Shops

85

**LILLEYS AUTOMOTIVE  
 2411 BRYAN ST  
 DALLAS, TX 75201**

**TX LPST U001243162  
 TX UST N/A**

LPST:

Facility ID:	0006707
LPST Id:	108595
Facility Location:	2411 BRYAN ST
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	10/12/2007
Entered Date:	10/05/1994
Priority:	4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program:	1P - PRIVATIZATION CONTRACTOR
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	Groundwater is affected.
<b>Status:</b>	<b>FINAL CONCURRENCE ISSUED, CASE CLOSED</b>
Coordinators Primary:	1P/1/1P/1P/1/2
Coordinators RPR:	TH2
Responsible Party Name:	DALLAS AREA RAPID TRANSIT
Responsible Party Contact:	RANDALL HODO
Responsible Party Address:	PO BOX 660163
Responsible Party City,St,Zip:	DALLAS, TX 75266 0163
Responsible Party Telephone:	214/749-2916
Reported Date:	09/08/1994
Case Start Date:	10/05/1994

UST:

AI Number:	6707
Facility Type:	UNKNOWN
Facility Begin Date:	06/06/1986
Facility Status:	INACTIVE
Additional ID:	925196962002156
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	GENE LILLEY,PRESIDENT
Contact Organization Name:	LILLEYS AUTOMOTIVE
Contact Mailing Address1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LILLEYS AUTOMOTIVE (Continued)**

**U001243162**

Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147413019
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	04/27/1986
Signature Name/Title On Earliest Reg Form:	GENE LILLEY,PRESIDENT
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600330591
Owner Last Name:	DALLAS AREA RAPID TRANSIT
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	714528602001297
Additional ID:	925196962002156
AI Number:	6707
Owner Effective Begin Date:	05/24/1994
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	17229
Facility ID:	83705
AI Number:	6707
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/24/1994
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

LILLEYS AUTOMOTIVE (Continued)

U001243162

Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	07/18/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	500
UST Comprt ID:	128340
UST ID:	17229
AI Number:	6707
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LILLEYS AUTOMOTIVE (Continued)**

**U001243162**

CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	DALLAS AREA RAPID TRANSIT
Contact Mailing Address (Delivery):	PO BOX 660163
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75266 0163
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	83705
Additional ID:	925196962002156
Princ ID:	714528602001297
AI Number:	6707
Facility Name:	LILLEYS AUTOMOTIVE
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	RANDALL HODO/

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>86</b>	<b>DALLAS CASA SITE</b> <b>2708-2724 FLORENCE ST &amp; 2715-2723 SWISS AVE</b> <b>DALLAS, TX 75204</b>	<b>TX IOP</b>	<b>S113415188</b> <b>N/A</b>
-----------	--	---------------	---------------------------------

IOP:

IOP ID:	0864
IOP recvd:	02/26/2013
Region:	4
Phase:	Completed
Interest In Site:	Owner
Property Use:	Commercial Industrial
Project Manager:	Stefek
Lat/Long:	Not reported
Lat/Long (dms):	32.7878 / -96.7872
Acres:	1.3626
Media Affected:	Groundwater
LPST Number:	Not reported
VCP ID:	Not reported
Cert Issued:	09/09/2014
Solid Waste Regn Number:	Not reported
EPA TX ID/Cerclis regn Number:	Not reported
Contaminant Categories:	VOCs, Chlorinated Solvents
Applicant Information:	Dallas CASA
Applicant Name:	Beverly Levy
Applicant Title:	Executive Director
Applicant Address:	2815 Gaston Ave
Applicant City,St,Zip:	Dallas, TX 75226-1306
Applicant Phone:	214-827-8961
Applicant Fax:	214-827-8973
Consultant/Attorney:	W&M Environmental Group Inc
Consultant/Attorney Name:	Frank W Clark
Consultant/Attorney Title:	Senior Consultant
Consultant/Attorney Address:	906 E 18th St
Consultant/Attorney City,St,Zip:	Plano, TX 75074
Consultant/Attorney Phone:	972-516-0300
Consultant/Attorney Fax:	972-516-4145
EDR Link ID:	0864

<b>87</b>	<b>TUEC NORTH B</b> <b>WEST OF ALAMO STREET AND FLYNN STREET</b> <b>DALLAS, TX</b>	<b>TX AUL</b>	<b>S103453127</b>
		<b>TX VCP</b>	<b>N/A</b>

AUL:

Facility ID:	0733	Facility Type:	Cooling Water Reservoir
Phase:	Completed	VCP Received:	03/27/1998
Rules:	RRR	Standards:	2
Pca No.:	31643	Certificate Issued:	06/22/1999
Type Lead:	Purchaser	Project Manager:	Frew
Lat/Long:	32-47-16 / 96-48-33	Lat/Long (dms):	Not reported
Acres:	0.5	Media Affected:	Soils/Groundwater
SW No.:	31884	LPST No.:	96210/107066
RCRIS No.:	Not reported	EPA Txd/cerclis:	TXD000836452
C/F/L ?:	F	Date/agreement:	08/14/1998
Region:	4	Type:	Not reported
Type Remedy:	Excavation/Off-Site Disposal		
Contaminant:	Petroleum Hydrocarbons, Metals		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 2A, L.P.		
Applicant Name:	Mike Carver		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TUEC NORTH B (Continued)**

**S103453127**

Applicant Title: Secretary  
 Applicant Address: 5430 LBJ Freeway, Suite 800  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 972-201-2831  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 SUP No: Not reported  
 Multiple Property: Not reported  
 SUP Tract No: Not reported  
 Property Owner: Not reported  
 TRRP Vol#, PG#, CO#, ID#: Not reported  
 Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 0733  
 Facility Type: Cooling Water Reservoir  
 VCP Received: 03/27/1998  
 PCA Number: 31643  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-16 / 96-48-33  
 Lat/Long (DD): Not reported  
 Acres at Site: 0.5  
 Contaminant Categories: Petroleum Hydrocarbons, Metals  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 2A, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 5430 LBJ Freeway, Suite 800  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 972-201-2831  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: 31884  
 EPA Texas ID/CERCLIS Registration: TXD000836452  
 EPA Registration: Not reported  
 Application Signed By Applicant: 08/14/1998

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TUEC NORTH B (Continued)**

**S103453127**

Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 06/22/1999  
 Remedy Type: Excavation/Off-Site Disposal  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: 96210/107066  
 Cashier Recvd: 03/27/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316430  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 1A/1C, L.P.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 5430 Lyndon B Johnson Frwy  
 Billing Address2: Suite 800  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75240  
 Billing Phone: 972-201-2800  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: F  
 File Location: CR

87

**TUEC NORTH A  
 WEST OF ALAMO STREET AND FLYNN STREET  
 DALLAS, TX**

**TX AUL S103865212  
 TX VCP N/A**

**AUL:**

Facility ID:	0732	Facility Type:	Cooling Water Reservoir
Phase:	Completed	VCP Received:	03/27/1998
Rules:	RRR	Standards:	2
Pca No.:	31642	Certificate Issued:	06/22/1999
Type Lead:	Purchaser	Project Manager:	Frew
Lat/Long:	32-47-16 / 96-48-33	Lat/Long (dms):	Not reported
Acres:	19	Media Affected:	Soils
SW No.:	31884	LPST No.:	96210/107066
RCRIS No.:	Not reported	EPA Txd/cerclis:	TXD000836452
C/F/L ?:	F	Date/agreement:	08/14/1998
Region:	4	Type:	Not reported
Type Remedy:	Excavation/Off-Site Disposal		
Contaminant:	Petroleum Hydrocarbons, Metals		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 2A, L.P.		
Applicant Name:	Mike Carver		
Applicant Title:	Secretary		
Applicant Address:	5430 LBJ Freeway, Suite 800		
Applicant City,St,Zip:	Dallas, TX 75240		
Applicant Phone:	972-201-2831		
Applicant Fax:	972-788-3096		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TUEC NORTH A (Continued)**

**S103865212**

Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 SUP No: Not reported  
 Multiple Property: Not reported  
 SUP Tract No: Not reported  
 Property Owner: Not reported  
 TRRP Vol#, PG#, CO#, ID#: Not reported  
 Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 0732  
 Facility Type: Cooling Water Reservoir  
 VCP Received: 03/27/1998  
 PCA Number: 31642  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-16 / 96-48-33  
 Lat/Long (DD): Not reported  
 Acres at Site: 19  
 Contaminant Categories: Petroleum Hydrocarbons, Metals  
 Media Affected: Soils  
 Applicant: Anland 2A, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 5430 LBJ Freeway, Suite 800  
 Applicant City,St,Zip: Dallas, TX 75240  
 Applicant Phone: 972-201-2831  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: 31884  
 EPA Texas ID/CERCLIS Registration: TXD000836452  
 EPA Registration: Not reported  
 Application Signed By Applicant: 08/14/1998  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 06/22/1999  
 Remedy Type: Excavation/Off-Site Disposal

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TUEC NORTH A (Continued)**

**S103865212**

Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: 96210/107066  
 Cashier Recvd: 03/27/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316420  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 1A/1C, L.P.  
 Billing c/o Name: Patti Reimann  
 Billing Address1: 5430 Lyndon B Johnson Frwy  
 Billing Address2: Suite 800  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75240  
 Billing Phone: 972-201-2800  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: M  
 File Location: CR

87

**DALLAS STEAM ELECTRIC STATION  
 2727 FLYNN STREET  
 DALLAS, TX**

**TX VCP S104170516  
 TX GCC N/A**

VCP TCEQ:  
 Region: 4  
 Facility ID: 0163  
 Facility Type: Power Generating Facility  
 VCP Received: 01/10/1996  
 PCA Number: 38073  
 Project Number: Frew  
 Type Lead: Owner  
 Phase: Completed  
 Lat/Long: 32-47-16 / 96-48-33  
 Lat/Long (DD): Not reported  
 Acres at Site: 42,775 sqf  
 Contaminant Categories: TPH, SVOCs  
 Media Affected: Soils/Groundwater  
 Applicant: TU Electric  
 Applicant Contact Title: Production Environmental Manager  
 Applicant Address: 1601 Bryan Street, Energy Plaza  
 Applicant City,St,Zip: Dallas, TX 75201-3411  
 Applicant Phone: 214-812-8476  
 Applicant Fax: Not reported  
 Consultant/Attorney: TU Services  
 Consultant/Attorney Name: Jeff Jones  
 Consultant/Attorney Contact Title: Geologist  
 Consultant/Attorney Address: 1601 Bryan Street, Energy Plaza 09-125  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201-3411  
 Consultant/Attorney Phone: Not reported  
 Consultant/Attorney Fax: Not reported  
 TNRCC Solid Waste Registration: 31884

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM ELECTRIC STATION (Continued)**

**S104170516**

EPA Texas ID/CERCLIS Registration: 000836452  
 EPA Registration: Not reported  
 Application Signed By Applicant: 01/30/1996  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: 06/27/1996  
 Remedy Type: Excavation, removal to off-site landfill  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: Not reported  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 310730  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: TU Electric  
 Billing c/o Name: Gerald R. Johnson  
 Billing Address1: 1601 Bryan St., Energy Plaza  
 Billing Address2: Not reported  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-812-8476  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: M  
 File Location: CR

**GCC:**

Division: REM  
 New Cases: Not reported  
 File Number: 163  
 Contamination Description: TPH, SVOCS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012  
 Agency: TCEQ  
 Section: VC  
 Year Deleted: 1999  
 Location: Not reported  
 Data Quality 2: Not reported  
 Division: RMD  
 New Cases: Not reported  
 File Number: 163  
 Contamination Description: TPH, SVOCS  
 Date Of Earliest Known Contamination Confirmation: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM ELECTRIC STATION (Continued)**

**S104170516**

Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	163
Contamination Description:	TPH, SVOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	163
Contamination Description:	TPH, SVOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2015
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	163
Contamination Description:	TPH, SVOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	Not reported
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2014

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM ELECTRIC STATION (Continued)**

**S104170516**

Agency: Section: Year Deleted: Location: Data Quality 2:	TCEQ VC/IOP 1999 Not reported Not reported
Division: New Cases: File Number: Contamination Description:	RMD Not reported 163 TPH, SVOCS
Date Of Earliest Known Contamination Confirmation: Enforcement Status - Level Of Agency Response: Enforcement Status - Site Activity Status: Data Quality 1: Section 5236: Type:	Not reported 0 6C Not reported Not reported HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency: Section: Year Deleted: Location: Data Quality 2:	TCEQ VC/VCP 1999 Not reported Not reported
Division: New Cases: File Number: Contamination Description:	RMD Not reported 163 TPH, SVOCS
Date Of Earliest Known Contamination Confirmation: Enforcement Status - Level Of Agency Response: Enforcement Status - Site Activity Status: Data Quality 1: Section 5236: Type:	Not reported 0 6C Not reported Not reported HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency: Section: Year Deleted: Location: Data Quality 2:	TCEQ VC/VCP 1999 Not reported Not reported
Division: New Cases: File Number: Contamination Description:	RMD Not reported 163 TPH, SVOCS
Date Of Earliest Known Contamination Confirmation: Enforcement Status - Level Of Agency Response: Enforcement Status - Site Activity Status: Data Quality 1: Section 5236: Type:	Not reported 0 6C Not reported Not reported HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008
Agency: Section: Year Deleted: Location: Data Quality 2:	TCEQ VC/VCP 1999 Not reported Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS STEAM ELECTRIC STATION (Continued)**

**S104170516**

Division:	REM
New Cases:	Not reported
File Number:	163
Contamination Description:	TPH, SVOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported

88

**RUCKER PROPERTY  
 2623 FLORENCE ST  
 DALLAS, TX 75204**

**TX UST U003103404  
 N/A**

UST:

AI Number:	68587
Facility Type:	Not reported
Facility Begin Date:	08/31/1987
Facility Status:	INACTIVE
Additional ID:	813431282002062
Facility Exempt Status:	Y
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75204
Contact Name/Title:	,
Contact Organization Name:	RUCKER PROPERTY
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148265746
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	06/03/1996
Signature Name/Title On Earliest Reg Form:	JOHN R HOFFMAN, ENVIR SCIENTIST
Application Received Date On Earliest Reg Form:	06/05/1996
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN600820054
Owner Last Name:	MEADOWS FOUNDATION INCORPORATED
Owner First Name:	Not reported
Owner Middle Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RUCKER PROPERTY (Continued)**

**U003103404**

Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	823431272002062
Additional ID:	813431282002062
AI Number:	68587
Owner Effective Begin Date:	03/20/1996
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	08/31/1987
Tank Registration Date:	06/05/1996
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	180393
Facility ID:	103766
AI Number:	68587
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/01/1996
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RUCKER PROPERTY (Continued)**

**U003103404**

PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	3000
UST Comprt ID:	167890
UST ID:	180393
AI Number:	68587
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RUCKER PROPERTY (Continued)**

**U003103404**

SOPE(DelShut-Off Valve) :	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	26396
Cert ID:	30863
UST Comprt ID:	93094
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30860
UST Comprt ID:	93097
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	299868
UST Comprt ID:	866602
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30858
UST Comprt ID:	93099
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30862
UST Comprt ID:	93095
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30857
UST Comprt ID:	93102

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RUCKER PROPERTY (Continued)**

**U003103404**

UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	298002
UST Comprt ID:	860930
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30856
UST Comprt ID:	93101
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30861
UST Comprt ID:	93096
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30855
UST Comprt ID:	93100
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	229201
UST Comprt ID:	657865
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30867
UST Comprt ID:	93090
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	279786
UST Comprt ID:	806787
UST ID:	34227

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RUCKER PROPERTY (Continued)**

**U003103404**

AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30866
UST Comprt ID:	93091
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	245267
UST Comprt ID:	705036
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30865
UST Comprt ID:	93092
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	261707
UST Comprt ID:	753455
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30864
UST Comprt ID:	93093
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30859
UST Comprt ID:	93098
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Install Date:	08/31/1987
Tank Registration Date:	06/05/1996
Number of Compartments:	1
Tank Capacity:	3000



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RUCKER PROPERTY (Continued)**

**U003103404**

Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	180394
Facility ID:	103766
Ai Number:	68587
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/01/1996
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RUCKER PROPERTY (Continued)**

**U003103404**

Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	3000
UST Comprt ID:	167891
UST ID:	180394
AI Number:	68587
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	26396
Cert ID:	30863
UST Comprt ID:	93094
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30860
UST Comprt ID:	93097

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RUCKER PROPERTY (Continued)**

**U003103404**

UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	299868
UST Comprt ID:	866602
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30858
UST Comprt ID:	93099
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30862
UST Comprt ID:	93095
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30857
UST Comprt ID:	93102
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	298002
UST Comprt ID:	860930
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30856
UST Comprt ID:	93101
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30861
UST Comprt ID:	93096
UST ID:	34227

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RUCKER PROPERTY (Continued)**

**U003103404**

AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30855
UST Comprt ID:	93100
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	229201
UST Comprt ID:	657865
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30867
UST Comprt ID:	93090
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	279786
UST Comprt ID:	806787
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30866
UST Comprt ID:	93091
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	245267
UST Comprt ID:	705036
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30865
UST Comprt ID:	93092
UST ID:	34227
AI Number:	68587

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RUCKER PROPERTY (Continued)**

**U003103404**

Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	261707
UST Comprt ID:	753455
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30864
UST Comprt ID:	93093
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26396
Cert ID:	30859
UST Comprt ID:	93098
UST ID:	34227
AI Number:	68587
Tank ID:	1
Compartment ID:	A

Facility Billing Contacts:

Contact Organization Name:	MEADOWS FOUNDATION INC
Contact Mailing Address (Delivery):	3003 SWISS AVE
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75204 6049
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	103766
Additional ID:	813431282002062
Princ ID:	823431272002062
AI Number:	68587
Facility Name:	RUCKER PROPERTY
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	BOB WEISS/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**89 JOHNSON FINA SERVICE STATION EDR Hist Auto 1009366523**  
**2901 GASTON AVE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1941	DIXIE OIL CORP	GASOLINE AND OIL SERVICE STATIONS
1951	DIXIE OIL CO	GASOLINE STATIONS
1956	JANES DIXON SERVICE STATION	GASOLINE STATIONS
1956	WILLOUGHBY S GARAGE	AUTOMOBILE REPAIRING
1961	STOSE JOE B SERVICE STATION	GASOLINE STATIONS
1966	JOHNSON FINA SERVICE STATION	GASOLINE STATIONS

**90 ELDER S SERVICE STATION EDR Hist Auto 1009364593**  
**2500 BRYAN N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1936	ELDER S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	LEWIS SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1946	LEWIS SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

**90 MARY S CLEANING AND PRESSING SHOP EDR Hist Cleaner 1009339745**  
**2417 BRYAN N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1951	MARY S CLEANING AND PRESSING SH	CLEANERS AND DYERS

**91 GULF HARBOUR COMMERCIAL INC EDR Hist Auto 1021647760**  
**2408 VICTORY PARK LN N/A**  
**DALLAS, TX 75219**

EDR Hist Auto

Year:	Name:	Type:
2010	GREENWAY AUTOMOTIVE DISTRIBUTO	General Automotive Repair Shops
2010	GULF HARBOUR COMMERCIAL INC	Gasoline Service Stations, NEC
2011	GULF HARBOUR COMMERCIAL INC	Gasoline Service Stations, NEC
2012	GULF HARBOUR COMMERCIAL INC	Gasoline Service Stations, NEC
2013	GULF HARBOUR COMMERCIAL INC	Gasoline Service Stations, NEC
2014	GULF HARBOUR COMMERCIAL INC	Gasoline Service Stations, NEC

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>92</b>	<b>RAMOS NICK</b> <b>1507 MCKINNEY AVE</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009336318</b> <b>N/A</b>
-----------	--	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1925	RODRIGUEZ LEON	CLOTHES CLEANERS AND DYERS	
1930	RAMOS NICK	CLOTHES PRESSERS, CLEANERS AND REPAIRERS	

<b>93</b>	<b>HILLWOOD URBAN SERVICES I-35 &amp; N HOUSTON ST</b> <b>ON THE INTX OF I 35 &amp; N HOUSTON ST</b> <b>DALLAS, TX 75219</b>	<b>FINDS</b>	<b>1010737310</b> <b>N/A</b>
-----------	--	--------------	---------------------------------

FINDS:

Registry ID: 110033708138

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>93</b>	<b>VICTORY DEVELOPMENT</b> <b>ON 1 35 &amp; N HOUSTON ST</b> <b>DALLAS, TX 75219</b>	<b>FINDS</b>	<b>1011408596</b> <b>N/A</b>
-----------	--	--------------	---------------------------------

FINDS:

Registry ID: 110035338408

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

93 HOUSTON STREET/UP SOUTH PROPERTY  
 NORTH OF WOODALL ROGERS/MCKINNEY  
 DALLAS, TX

TX VCP S109145767  
 N/A

VCP TCEQ:

Region: 4  
 Facility ID: 0742  
 Facility Type: Railroad Tracks/Railyard  
 VCP Received: 03/31/1998  
 PCA Number: 31652  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-15 / 96-48-35  
 Lat/Long (DD): Not reported  
 Acres at Site: 6  
 Contaminant Categories: TPH, Metals, PAHs  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 3, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 1845 Woodall Rogers Freeway, Ste 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 972-939-6100  
 TNRCC Solid Waste Registration: 81424  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: TX0000079830  
 Application Signed By Applicant: 10/05/1998  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 08/17/2000  
 Remedy Type: Excavation & Disposal  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: 107079  
 Cashier Recvd: 03/31/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316520  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 3, L.P.  
 Billing c/o Name: Accounts Payable  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOUSTON STREET/UP SOUTH PROPERTY (Continued)**

**S109145767**

Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: FM  
 File Location: CR

**93 HILL WOOD CONSTRUCTION VICTORY DEVELOPMENT  
 ON BETWEEN IH 35 AND NORTH HOUSTON ST  
 DALLAS, TX 75219**

**FINDS 1010754152  
 N/A**

FINDS:

Registry ID: 110034075710

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**93 VICTORY DEVELOPMENT  
 ON THE INTERSECTION OF I35 AND N HOUSTON ST  
 DALLAS, TX 75219**

**FINDS 1011381400  
 N/A**

FINDS:

Registry ID: 110035053134

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

**93 HILLWOOD URBAN SEVICES VICTORY DEVELOPMENT ON THE INTX OF 1-35 & N HOUSTON ST DALLAS, TX 75219** **FINDS 1010727004 N/A**

FINDS:

Registry ID: 110033733155

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**93 VICTORY PLAZA BUILDINGS VICTORY DEVELOPMENT ON THE INTX OF I-35 & N HOUSTON ST DALLAS, TX 75219** **FINDS 1011386435 N/A**

FINDS:

Registry ID: 110035055221

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**93 VICTORY PLAZA BUILDINGS VICTORY DEVELOPMENT ON I 35 & N HOUSTON ST DALLAS, TX 75219** **FINDS 1011390214 N/A**

FINDS:

Registry ID: 110035096776

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

**VICTORY PLAZA BUILDINGS VICTORY DEVELOPMENT (Continued) 1011390214**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>94</b>	<b>BAYLOR FILLING STATION</b>	<b>TX UST</b>	<b>U001237634</b>
	<b>3100 JUNIUS ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75226</b>		

UST:

AI Number:	243
Facility Type:	RETAIL
Facility Begin Date:	05/27/1986
Facility Status:	INACTIVE
Additional ID:	886606582002117
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	KEN BOURLAND,VICE PRES
Contact Organization Name:	BAYLOR FILLING STATION
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148202433
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	03/05/1986
Signature Name/Title On Earliest Reg Form:	KEN BOURLAND,VICE PRES
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN601101959
Owner Last Name:	BAYLOR HEALTH CARE SYSTEM
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	949011702002117

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

Additional ID: 886606582002117  
 AI Number: 243  
 Owner Effective Begin Date: 05/27/1986  
 State Tax ID: 17518126523  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

**Tank:**

Install Date: 01/01/1981  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 12000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 567  
 Facility ID: 38149  
 Ai Number: 243  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 03/23/1999  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): Y  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FacInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): N  
 TCPM(Ext Nonmetallic Jacket): N  
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N  
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N  
 Piping Corr Prot Method(PCPM) (Cathodic Factory Install): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	12000
UST Comprt ID:	2473
UST ID:	567
AI Number:	243
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

Install Date:	01/01/1983
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	568
Facility ID:	38149
Ai Number:	243
Tank Id:	6
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/23/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	6
Tank Capacity:	12000
UST Comprt ID:	2474
UST ID:	568
AI Number:	243
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1983
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	569

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

Facility ID:	38149
Ai Number:	243
Tank Id:	5
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/23/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	5
Tank Capacity:	12000



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

UST Comprt ID:	2475
UST ID:	569
AI Number:	243
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1983
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	570
Facility ID:	38149
AI Number:	243
Tank Id:	4
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/23/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	4
Tank Capacity:	12000
UST Comprt ID:	2476
UST ID:	570
AI Number:	243
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1981
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	571
Facility ID:	38149
Ai Number:	243
Tank Id:	3
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/23/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	3
Tank Capacity:	12000
UST Comprt ID:	2477
UST ID:	571
AI Number:	243
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test) @.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1981
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	572
Facility ID:	38149
Ai Number:	243
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/23/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	12000
UST Comprt ID:	2478
UST ID:	572
AI Number:	243
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYLOR FILLING STATION (Continued)**

**U001237634**

PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	BAYLOR HEALTH CARE SYSTEM
Contact Mailing Address (Delivery):	4005 CRUTCHER ST STE 210
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75246 1781
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	38149
Additional ID:	886606582002117
Princ ID:	949011702002117
AI Number:	243
Facility Name:	BAYLOR FILLING STATION
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	RONALD KASOWSKI/

95

**AUTOMATIC LAUNDRY CO OF DALLAS**  
**961 SLOCUM ST**  
**DALLAS, TX**

EDR Hist Cleaner

**1009350766**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1977	AUTOMATIC LAUNDRY CO OF DALLAS	LAUNDRIES SELF SERVE
1981	AUTOMATIC LAUNDRY CO OF DALLAS	LAUNDRIES SELF SERVE

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>96</b>	<b>HELMS PRINTING 2710 SWISS AVE DALLAS, TX 75204</b>	<b>TX Ind. Haz Waste</b>	<b>S102743304 N/A</b>
-----------	---	--------------------------	---------------------------

Ind. Haz Waste:

Registration Number:	36983
Registration Initial Notification Date:	08/15/1985
Registration Last Amendment Date:	08/23/2001
EPA Identification:	TXD007337546
Primary NAICS Code:	Not reported
Status Change Date:	19850815
Land Type:	PRIVATE
Description of Facility Site Location:	2710 Swiss Ave, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	CLASS1
TNRCC Region:	Not reported
Company Name:	HELMS PRINTING CO INC
Contact Name:	J S SOUTER
Contact Telephone Number:	214-8219949
Mailing Address:	2710 SWISS AVE
Mailing Address2:	Not reported
Mailing City, St, Zip:	DALLAS, TX 752045900
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	13753
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20040202
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	2710 SWISS AVE
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City, St, Zip:	DALLAS, TX 75204 5900
Owner Country:	UNITED STA
Owner Phone Number:	1-214-8219949
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Corporation
Owner Tax Id:	17503272605
Owner Bankruptcy Code:	Not reported

Operator:

Operator Last Name:	HELMS PRINTING CO INC
Operator First Name:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HELMS PRINTING (Continued)**

**S102743304**

Operator Name: HELMS PRINTING CO INC  
 Operator Mailing Address: 2710 SWISS AVE  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75204 5900  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-8219949  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17503272605  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: J SOUTER  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 2710 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5900  
 Contact Phone: 1-214-8219949  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 2710 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5900  
 Contact Phone: 1-214-8219949  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2710 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5900  
 Contact Phone: 1-214-8219949  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

96 HELMS PRINTING CO INC  
 2710 SWISS AVE  
 DALLAS, TX 75204

RCRA NonGen / NLR 1000303233  
 FINDS TXD007337546  
 ECHO

RCRA NonGen / NLR:

Date form received by agency: 08/23/2001  
 Facility name: HELMS PRINTING CO INC  
 Facility address: 2710 SWISS AVE  
 DALLAS, TX 75204  
 EPA ID: TXD007337546  
 Mailing address: SWISS AVE  
 DALLAS, TX 75204  
 Contact: J S SOUTER  
 Contact address: SWISS AVE  
 DALLAS, TX 75204  
 Contact country: US  
 Contact telephone: 214-821-9949  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: HELMS PRINTING CO INC  
 Owner/operator address: SWISS AVE  
 DALLAS, TX 75204  
 Owner/operator country: US  
 Owner/operator telephone: 214-821-9949  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Owner/operator name: HELMS PRINTING CO INC  
 Owner/operator address: SWISS AVE  
 DALLAS, TX 75204  
 Owner/operator country: US  
 Owner/operator telephone: 214-821-9949  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HELMS PRINTING CO INC (Continued)**

**1000303233**

Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 07/07/1980  
 Site name: HELMS PRINTING COMPANY#  
 Classification: Small Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110005033686

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000303233  
 Registry ID: 110005033686  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005033686>

96

**ST ANDREW KIM CATHOLIC CHURCH  
 2712 SWISS AVE  
 DALLAS, TX 75204**

**FINDS 1011408891  
 N/A**

**FINDS:**

Registry ID: 110035255130

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**96 FORMER ST ANDREW KIM CATHOLIC CHURCH  
 2712 SWISS AVE  
 DALLAS, TX 75204**

**TX IOP S108479191  
 TX GCC N/A**

IOP:

IOP ID: 1061  
 IOP recvd: 03/14/2017  
 Region: 4  
 Phase: INVESTIGATION  
 Interest In Site: CURRENT OWNER  
 Property Use: RESIDENTIAL  
 Project Manager: ABBOTT  
 Lat/Long: Not reported  
 Lat/Long (dms): 32.787447 / -96.786950  
 Acres: 0.48  
 Media Affected: SOIL, GROUNDWATER  
 LPST Number: Not reported  
 VCP ID: Not reported  
 Cert Issued: Not reported  
 Solid Waste Regn Number: Not reported  
 EPA TX ID/Cerclis regn Number: Not reported  
 Contaminant Categories: VOCS, TPH  
 Applicant Information: DIGS DEVELOPMENT LLC  
 Applicant Name: MICHAEL BLACK  
 Applicant Title: CEO  
 Applicant Address: 2700 SWISS AVE STE 100  
 Applicant City,St,Zip: DALLAS, TX 75204  
 Applicant Phone: 214-749-0333  
 Applicant Fax: Not reported  
 Consultant/Attorney: GREEN STAR ENVIRONMENTAL  
 Consultant/Attorney Name: R STEVEN GEORGE  
 Consultant/Attorney Title: PRINCIPAL  
 Consultant/Attorney Address: PO BOX 13482  
 Consultant/Attorney City,St,Zip: ARLINGTON, TX 75094-0482  
 Consultant/Attorney Phone: 817-461-9210  
 Consultant/Attorney Fax: 817-801-8393  
 EDR Link ID: 1061

IOP ID: 0600  
 IOP recvd: 01/11/2007  
 Region: 04  
 Phase: Completed  
 Interest In Site: Owner  
 Property Use: Catholic Church  
 Project Manager: Reddick  
 Lat/Long: Not reported  
 Lat/Long (dms): 32.47136 / -96.47126  
 Acres: 1.14  
 Media Affected: Soils/Groundwater  
 LPST Number: Not reported  
 VCP ID: Not reported  
 Cert Issued: 05/29/2007  
 Solid Waste Regn Number: Not reported  
 EPA TX ID/Cerclis regn Number: Not reported  
 Contaminant Categories: VOCs, Chlorinated Solvents, TPH  
 Applicant Information: Roman Catholic Diocese of Dallas  
 Applicant Name: Michael T. Weiss  
 Applicant Title: Chief Financial Officer  
 Applicant Address: P.O. Box 190507

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER ST ANDREW KIM CATHOLIC CHURCH (Continued)**

**S108479191**

Applicant City,St,Zip: Dallas, TX 75219  
 Applicant Phone: 214-379-2807  
 Applicant Fax: 214-523-2422  
 Consultant/Attorney: Green Star Environmental  
 Consultant/Attorney Name: Trent Ripley  
 Consultant/Attorney Title: Senior Project Manager  
 Consultant/Attorney Address: 354 McDonnell Street, Suite 9  
 Consultant/Attorney City,St,Zip: Lewisville, TX 75057  
 Consultant/Attorney Phone: 214-222-8752  
 Consultant/Attorney Fax: 214-222-8762  
 EDR Link ID: 0600

IOP ID: 0680  
 IOP recvd: 04/16/2008  
 Region: 04  
 Phase: Completed  
 Interest In Site: Owner  
 Property Use: Church  
 Project Manager: Mauricio  
 Lat/Long: Not reported  
 Lat/Long (dms): 32.47144 / -96.47139  
 Acres: 0.48  
 Media Affected: Soils/Groundwater  
 LPST Number: Not reported  
 VCP ID: Not reported  
 Cert Issued: 09/10/2008

Solid Waste Regn Number: Not reported  
 EPA TX ID/Cerclis regn Number: Not reported  
 Contaminant Categories: VOCs, TPH  
 Applicant Information: Ronnie Claire Edwards  
 Applicant Name: Ronnie Claire Edwards  
 Applicant Title: Owner  
 Applicant Address: 2712 Swiss Avenue  
 Applicant City,St,Zip: Dallas, TX 75204  
 Applicant Phone: 323-660-0429  
 Applicant Fax: Not reported  
 Consultant/Attorney: Green Star Environmental  
 Consultant/Attorney Name: Trent Ripley  
 Consultant/Attorney Title: Senior Project Manager  
 Consultant/Attorney Address: 354 McDonnell Street, Suite 9  
 Consultant/Attorney City,St,Zip: Lewisville, TX 75057  
 Consultant/Attorney Phone: 214-222-8752  
 Consultant/Attorney Fax: 214-222-8762  
 EDR Link ID: 0680

IOP ID: 0792  
 IOP recvd: 08/09/2011  
 Region: 04  
 Phase: Investigation  
 Interest In Site: Owner  
 Property Use: Commercial Industrial  
 Project Manager: Swiderski  
 Lat/Long: Not reported  
 Lat/Long (dms): 32.78706 / -96.78677  
 Acres: 0.664  
 Media Affected: Soil/Groundwater  
 LPST Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER ST ANDREW KIM CATHOLIC CHURCH (Continued)**

**S108479191**

VCP ID: Not reported  
 Cert Issued: Not reported  
 Solid Waste Regn Number: Not reported  
 EPA TX ID/Cerclis regn Number: Not reported  
 Contaminant Categories: VOCs, TPH  
 Applicant Information: Meridian Bank Texas  
 Applicant Name: Greg Stuteville  
 Applicant Title: Owner  
 Applicant Address: 100 Lexington Street Ste 100  
 Applicant City,St,Zip: Fort Worth, TX 76102  
 Applicant Phone: 817-334-4611  
 Applicant Fax: 817-810-0272  
 Consultant/Attorney: W&M Environmental Group Inc.  
 Consultant/Attorney Name: Holly Bartos  
 Consultant/Attorney Title: Environmental Scientist  
 Consultant/Attorney Address: 906 E 18th St. Ste 100  
 Consultant/Attorney City,St,Zip: Plano, TX 75074  
 Consultant/Attorney Phone: 972-516-0300  
 Consultant/Attorney Fax: 972-516-4145  
 EDR Link ID: 0792

**GCC:**

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 792  
 Contamination Description: VOCS, TPH  
 Date Of Earliest Known Contamination Confirmation: 9/21/2011  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 1B  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 792  
 Contamination Description: VOCS, TPH  
 Date Of Earliest Known Contamination Confirmation: 9/21/2011  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: Not reported  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/VCIO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER ST ANDREW KIM CATHOLIC CHURCH (Continued)**

**S108479191**

New Cases:	*
File Number:	680
Contamination Description:	VOCS, TPH
Date Of Earliest Known Contamination Confirmation:	4/16/2008
Enforcement Status - Level Of Agency Response:	6
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VCIO
New Cases:	Not reported
File Number:	600
Contamination Description:	VOCS, CHLORINATED SOLVENTS, TPH
Date Of Earliest Known Contamination Confirmation:	1/11/2007
Enforcement Status - Level Of Agency Response:	6
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VCIO
New Cases:	Not reported
File Number:	792
Contamination Description:	VOCS, TPH
Date Of Earliest Known Contamination Confirmation:	9/21/2011
Enforcement Status - Level Of Agency Response:	Not reported
Enforcement Status - Site Activity Status:	2B
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VCIO
New Cases:	Not reported
File Number:	792
Contamination Description:	VOCS, TPH
Date Of Earliest Known Contamination Confirmation:	9/21/2011
Enforcement Status - Level Of Agency Response:	Not reported
Enforcement Status - Site Activity Status:	2B
Data Quality 1:	E
Section 5236:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER ST ANDREW KIM CATHOLIC CHURCH (Continued)**

**S108479191**

Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY	
Agency:		Not reported
Section:		Not reported
Year Deleted:		Not reported
Location:		Not reported
Data Quality 2:		Not reported
Division:		REM/VCIO
New Cases:		Not reported
File Number:		792
Contamination Description:	VOCS, TPH	
Date Of Earliest Known Contamination Confirmation:		9/21/2011
Enforcement Status - Level Of Agency Response:		Not reported
Enforcement Status - Site Activity Status:		1B
Data Quality 1:		E
Section 5236:		Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY	
Agency:		Not reported
Section:		Not reported
Year Deleted:		Not reported
Location:		Not reported
Data Quality 2:		Not reported

97

**MACKS SERVICE STATION  
 2525 LIVE OAK  
 DALLAS, TX**

**EDR Hist Auto**

**1009364905  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	SIMMS OIL CO SERVICE STATION NO	GASOLINE AND OIL SERVICE STATIONS
1936	MOYER S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	MACK S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1946	MACKS SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1961	MC MURRY S AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING

98

**S H LYNCH  
 607 N OAKLAND AVE  
 DALLAS, TX 75226**

**TX UST**

**U001542948  
 N/A**

UST:

AI Number:	32580
Facility Type:	UNKNOWN
Facility Begin Date:	11/23/1986
Facility Status:	INACTIVE
Additional ID:	157541722002086
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Site Location (Location Zip):	75226
Contact Name/Title:	JEFF BLACKWELL,FLEET MGR
Contact Organization Name:	S H LYNCH
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148266311
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/05/1986
Signature Name/Title On Earliest Reg Form:	RANDY PARROTT,VP
Application Received Date On Earliest Reg Form:	05/05/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600345193
Owner Last Name:	RANPARR INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	541268242001309
Additional ID:	157541722002086
AI Number:	32580
Owner Effective Begin Date:	11/23/1986
State Tax ID:	17522352115
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1974
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	84777
Facility ID:	66112
AI Number:	32287
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Status Date:	12/08/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	10000
UST Comprrt ID:	73043
UST ID:	84777
AI Number:	32287
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	84778
Facility ID:	66112
Ai Number:	32287
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/08/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	0
UST Comprt ID:	73044
UST ID:	84778
AI Number:	32287
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**S H LYNCH (Continued)**

**U001542948**

CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Install Date:	01/01/1976
Tank Registration Date:	05/05/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	85554
Facility ID:	42594
Ai Number:	32580
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	12/07/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	13314
UST ID:	85554
AI Number:	32580
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	12495
Cert ID:	34482
UST Comprt ID:	93747
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Self Cert ID:	12495
Cert ID:	34479
UST Comprt ID:	93744
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Self Cert ID:	12495
Cert ID:	34480
UST Comprt ID:	93745
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Self Cert ID:	12495
Cert ID:	34481
UST Comprt ID:	93746
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Install Date:	08/31/1987
Tank Registration Date:	10/21/1993
Number of Compartments:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Capacity:	8000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	149129
Facility ID:	96808
Ai Number:	65091
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	8000
UST Comprt ID:	163282
UST ID:	149129
AI Number:	65091
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	10/21/1993
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	149130
Facility ID:	96808
AI Number:	65091
Tank Id:	2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	12000
UST Comprt ID:	163283
UST ID:	149130
AI Number:	65091

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**S H LYNCH (Continued)**

**U001542948**

Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	RANPARR INC
Contact Mailing Address (Delivery):	PO BOX 541988
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75354 1988
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	42594
Additional ID:	157541722002086
Princ ID:	541268242001309
AI Number:	32580
Facility Name:	S H LYNCH
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	R J PARROTT/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

AI Number:	65091
Facility Type:	FLEET REFUELING
Facility Begin Date:	10/22/1993
Facility Status:	INACTIVE
Additional ID:	47485942002086
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	STEVE MCNAUGHTON,
Contact Organization Name:	TEXAS & PACIFIC FREIGHT STATION
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	4022712219
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	10/15/1993
Signature Name/Title On Earliest Reg Form:	HAROLD BRANDT,REAL ESTATE CONSULT
Application Received Date On Earliest Reg Form:	10/21/1993
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600131098
Owner Last Name:	UNION PACIFIC RAILROAD COMPANY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	661513082001135
Additional ID:	47485942002086
AI Number:	65091
Owner Effective Begin Date:	03/03/1999
State Tax ID:	19460013238
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank:  
 Install Date: 01/01/1974  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 10000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 84777  
 Facility ID: 66112  
 Ai Number: 32287  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 12/08/1988  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): Y  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FaInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): N  
 TCPM(Ext Nonmetallic Jacket): N  
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N  
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N  
 Piping Corr Prot Method(PCPM) (Cathodic Factory Install): N  
 PCPM(Cathodic Prot-Field Install): N  
 PCPMethod (FRP Tank Or Piping(Noncorrodible): N  
 PCPM(Nonmetallic FlexPiping (Noncorrodible)): N  
 PCPMeth(Isolated Open Area/2nd Containment): N  
 PCPM (Dual Protected): N  
 PCPM(Unnec Per Corrosion Prot Specialist): N  
 Tank Corr Prot Compliance Flag: N  
 Piping Corr Prot Compliance Flag: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	73043
UST ID:	84777
AI Number:	32287
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

UST ID:	84778
Facility ID:	66112
Ai Number:	32287
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/08/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
Compartment Records:	
Tank ID:	2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Capacity:	0
UST Comprt ID:	73044
UST ID:	84778
AI Number:	32287
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1976
Tank Registration Date:	05/05/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	85554
Facility ID:	42594
AI Number:	32580
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	12/07/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	13314
UST ID:	85554
AI Number:	32580
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	12495
Cert ID:	34482
UST Comprt ID:	93747
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Self Cert ID:	12495
Cert ID:	34479
UST Comprt ID:	93744
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Self Cert ID:	12495
Cert ID:	34480
UST Comprt ID:	93745
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Self Cert ID:	12495
Cert ID:	34481
UST Comprt ID:	93746
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Install Date:	08/31/1987
Tank Registration Date:	10/21/1993
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	149129
Facility ID:	96808
AI Number:	65091
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	8000
UST Comprt ID:	163282
UST ID:	149129
AI Number:	65091
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Install Date:	08/31/1987
Tank Registration Date:	10/21/1993
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	149130
Facility ID:	96808
Ai Number:	65091
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	12000
UST Comprt ID:	163283
UST ID:	149130
AI Number:	65091
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
<b>Facility Billing Contacts:</b>	
Contact Organization Name:	UNION PACIFIC RAILROAD COMPANY
Contact Mailing Address (Delivery):	1400 DOUGLAS ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	OMAHA, NE 68179 1001
Phone Number/Ext:	/
Contact Fax Number/Ext:	/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	96808
Additional ID:	47485942002086
Princ ID:	661513082001135
AI Number:	65091
Facility Name:	TEXAS & PACIFIC FREIGHT STATION
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	DON JENKS/
AI Number:	32287
Facility Type:	UNKNOWN
Facility Begin Date:	11/12/1986
Facility Status:	INACTIVE
Additional ID:	782852602002088
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75226
Contact Name/Title:	RICHARD CHANDLER,
Contact Organization Name:	S H LYNCH CO & INC
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148266315
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/05/1986
Signature Name/Title On Earliest Reg Form:	JEFF BLACKWELL,FLEET MGR
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Owner:	
Owner CN:	CN601012693
Owner Last Name:	S H LYNCH CO & INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**S H LYNCH (Continued)**

**U001542948**

Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 772852602002088  
 Additional ID: 782852602002088  
 AI Number: 32287  
 Owner Effective Begin Date: 11/12/1986  
 State Tax ID: 17502524808  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

**Tank:**

Install Date: 01/01/1974  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 10000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 84777  
 Facility ID: 66112  
 Ai Number: 32287  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 12/08/1988  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): Y  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FaInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	73043
UST ID:	84777
AI Number:	32287
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	84778
Facility ID:	66112
Ai Number:	32287
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/08/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	0
UST Comprt ID:	73044
UST ID:	84778
AI Number:	32287
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1976
Tank Registration Date:	05/05/1986
Number of Compartments:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	85554
Facility ID:	42594
Ai Number:	32580
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	12/07/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Tank Tested Flag:	Y
Installation Signature Date:	11/16/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	13314
UST ID:	85554
AI Number:	32580
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	12495
Cert ID:	34482
UST Comprt ID:	93747
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Self Cert ID:	12495
Cert ID:	34479

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**S H LYNCH (Continued)**

**U001542948**

UST Comprt ID:	93744
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Self Cert ID:	12495
Cert ID:	34480
UST Comprt ID:	93745
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Self Cert ID:	12495
Cert ID:	34481
UST Comprt ID:	93746
UST ID:	31258
AI Number:	32580
Tank ID:	2
Compartment ID:	A
Install Date:	08/31/1987
Tank Registration Date:	10/21/1993
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	149129
Facility ID:	96808
AI Number:	65091
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	8000
UST Comprt ID:	163282
UST ID:	149129
AI Number:	65091
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**S H LYNCH (Continued)**

**U001542948**

SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	10/21/1993
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	149130
Facility ID:	96808
Ai Number:	65091
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	12000
UST Comprt ID:	163283
UST ID:	149130
AI Number:	65091
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**S H LYNCH (Continued)**

**U001542948**

Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	S H LYNCH CO & INC
Contact Mailing Address (Delivery):	11330 HILLGUARD RD
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75243 8311
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	66112
Additional ID:	782852602002088
Princ ID:	772852602002088
AI Number:	32287
Facility Name:	S H LYNCH
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

**99 THOMPSON ANDERSON  
 2107 ALAMO  
 DALLAS, TX**

**EDR Hist Auto 1009361992  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	THOMPSON ANDERSON	AUTOMOBILE REPAIRERS

**100 2400 BRYAN STREET  
 2400 BRYAN ST  
 DALLAS, TX 75201**

**TX IOP S118501715  
 TX GCC N/A**

IOP:

IOP ID:	0994
IOP recvd:	01/22/2016
Region:	4
Phase:	investigation
Interest In Site:	CURRENT OWNER
Property Use:	COMMERCIAL/INDUSTRIAL
Project Manager:	Podlipny
Lat/Long:	Not reported
Lat/Long (dms):	32.787360 / -96.792964
Acres:	0.7025
Media Affected:	GROUNDWATER
LPST Number:	Not reported
VCP ID:	Not reported
Cert Issued:	Not reported
Solid Waste Regn Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2400 BRYAN STREET (Continued)**

**S118501715**

EPA TX ID/Cerclis regn Number: Not reported  
 Contaminant Categories: VOCS, CHLORINATED SOLVENTS  
 Applicant Information: MSW BRYAN STREET LP  
 Applicant Name: KRISTIAN TELEKI  
 Applicant Title: SR VP  
 Applicant Address: 320 W MAIN ST  
 Applicant City,St,Zip: LEWISVILLE, TX 75057-3878  
 Applicant Phone: 972-221-1199  
 Applicant Fax: 972-221-1217  
 Consultant/Attorney: GREEN STAR ENVIRONMENTAL  
 Consultant/Attorney Name: COLLIN CLARK  
 Consultant/Attorney Title: STAFF SCIENTIST  
 Consultant/Attorney Address: PO BOX 13482  
 Consultant/Attorney City,St,Zip: ARLINGTON, TX 76094  
 Consultant/Attorney Phone: 817-461-9210  
 Consultant/Attorney Fax: 817-801-8393  
 EDR Link ID: 0994

**GCC:**

Division: REM/VCIO  
 New Cases: \*  
 File Number: 994  
 Contamination Description: CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 2/25/2016  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 1B  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

101

**BRADEN PAUL SERVICE STATION  
 2115 N FIELD  
 DALLAS, TX**

**EDR Hist Auto 1009362152  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1946	BRADEN PAUL SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1951	BRADEN PAUL SERVICE STATION	GASOLINE STATIONS
1956	BRADEN PAUL SERVICE STATION	GASOLINE STATIONS
1961	BRADEN PAUL SERVICE STA	GASOLINE STATIONS

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

102 ACE RADIATOR SERVICE EDR Hist Auto 1009364626  
 2501 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	RIP AND JIMMIE GARAGE	AUTOMOBILE REPAIRERS
1936	RIP AND JIMMIE SERVICE	GASOLINE AND OIL SERVICE STATIONS
1936	RIP AND JIMMIE SERVICE	AUTOMOBILE REPAIRING
1941	RIP AND JIMMIE SERVICE	AUTOMOBILE REPAIRING
1946	RIP AND JIMMIE SERVICE STATION	AUTOMOBILE REPAIRING
1961	ACE RADIATOR SERVICE	AUTOMOBILE RADIATOR REPAIRERS
1969	INSURANCE GLASS CO	Automotive Repair Shops, NEC
1970	INSURANCE GLASS CO	Automotive Repair Shops, NEC

103 BRYAN AND HAWKINS SERVICE STATION EDR Hist Auto 1009364256  
 2420 BRYAN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1936	BRYAN AND HAWKINS SERVICE STATI	GASOLINE AND OIL SERVICE STATIONS

104 GREENFEILD ALFRED J RCRA NonGen / NLR 1000207817  
 2700 SWISS AVE FINDS TXD007347842  
 DALLAS, TX 75204 ECHO

RCRA NonGen / NLR:

Date form received by agency: 01/06/2002  
 Facility name: GREENFEILD ALFRED J  
 Facility address: 2700 SWISS AVE  
 DALLAS, TX 75204  
 EPA ID: TXD007347842  
 Mailing address: SWISS AVE  
 DALLAS, TX 75204  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: SWISS AVE  
 DALLAS, TX 75204  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: GREENFEILDALFRED J  
 Owner/operator address: SWISS AVE  
 DALLAS, TX 75204  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GREENFIELD ALFRED J (Continued)**

**1000207817**

Owner/Op start date: 01/06/2002  
 Owner/Op end date: Not reported

Owner/operator name: GREENFEILDALFRED J  
 Owner/operator address: SWISS AVE  
 DALLAS, TX 75204

Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/06/2002  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 07/01/1980  
 Site name: GREENFIELD ALFRED J  
 Classification: Small Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110005034113

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**GREENFEILD ALFRED J (Continued)**

**1000207817**

ECHO:

Envid: 1000207817  
 Registry ID: 110005034113  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005034113>

104

**GREENFEILD ALFRED J  
 2700 SWISS AVE  
 DALLAS, TX 75204**

**TX Ind. Haz Waste**

**S103606166  
 N/A**

Ind. Haz Waste:

Registration Number: 65548  
 Registration Initial Notification Date: 01/06/2002  
 Registration Last Amendment Date: 01/06/2002  
 EPA Identification: TXD007347842  
 Primary NAICS Code: Not reported  
 Status Change Date: 20020106  
 Land Type: PRIVATE  
 Description of Facility Site Location: 2700 Swiss Ave, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: GREENFEILD ALFRED J  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 2700 SWISS AVE  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752045929  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 21018  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20020107  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 2700 SWISS AVE  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75204 5929  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GREENFEILD ALFRED J (Continued)**

**S103606166**

Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: GREENFEILD ALFRED J  
 Operator First Name: Not reported  
 Operator Name: GREENFEILD ALFRED J  
 Operator Mailing Address: 2700 SWISS AVE  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75204 5929  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: ALFRED GREENFEILD  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2700 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5929  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: ALFRED GREENFEILD  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 2700 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5929  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 2700 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5929  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GREENFEILD ALFRED J (Continued)**

**S103606166**

Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

**105 JEFFERSON NORTH END  
 1307 RIVER STREET AND FIELD STREET  
 DALLAS, TX 75201**

**FINDS 1016352263  
 N/A**

**FINDS:**

Registry ID: 110039547737

**Environmental Interest/Information System**

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**105 RENEGADE OIL CO INC  
 1313 RIVER STREET  
 DALLAS, TX 75202**

**EDR Hist Auto 1021488881  
 N/A**

**EDR Hist Auto**

Year:	Name:	Type:
1973	RENEGADE OIL CO INC	Petroleum Products, NEC
1974	RENEGADE OIL CO INC	Petroleum Products, NEC
1976	RENEGADE OIL CO INC	Petroleum Products, NEC
1977	RENEGADE OIL CO INC	Petroleum Products, NEC
1978	RENEGADE OIL CO INC	Petroleum Products, NEC
1979	RENEGADE OIL CO INC	Petroleum Products, NEC
1980	RENEGADE OIL CO INC	Petroleum Products, NEC
1982	RENEGADE OIL CO INC	Petroleum Products, NEC

**106 GYPSUM SUPPLY  
 2331 SUMMER ST  
 DALLAS, TX 75202**

**TX UST U003103402  
 N/A**

**UST:**

AI Number: 68516  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 08/31/1987  
 Facility Status: INACTIVE  
 Additional ID: 124753642002204  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GYP SUM SUPPLY (Continued)**

**U003103402**

Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	KEITH KOOP,JV MGR
Contact Organization Name:	GYP SUM SUPPLY
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147201300
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/17/1996
Signature Name/Title On Earliest Reg Form:	KEITH E KOOP,PRESIDENT
Application Received Date On Earliest Reg Form:	05/17/1996
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN601413768
Owner Last Name:	WEST PIONEER MANAGEMENT INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	115753642002204
Additional ID:	124753642002204
AI Number:	68516
Owner Effective Begin Date:	08/31/1987
State Tax ID:	30114779066
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	05/17/1996
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	180168
Facility ID:	103665

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GYP SUM SUPPLY (Continued)**

**U003103402**

Ai Number:	68516
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	07/30/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	500
UST Comprt ID:	167794

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GYPSUM SUPPLY (Continued)**

**U003103402**

UST ID:	180168
AI Number:	68516
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
 More Self Certification:	
Self Cert ID:	26381
Cert ID:	261852
UST Comprt ID:	753914
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	245045
UST Comprt ID:	704342
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GYP SUM SUPPLY (Continued)**

**U003103402**

Cert ID:	30549
UST Compr ID:	92057
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30553
UST Compr ID:	92053
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30551
UST Compr ID:	92055
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30552
UST Compr ID:	92054
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30545
UST Compr ID:	92061
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30548
UST Compr ID:	92058
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30544
UST Compr ID:	92060
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	229006

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GYP SUM SUPPLY (Continued)**

**U003103402**

UST Compr ID:	657252
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30556
UST Compr ID:	92050
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30547
UST Compr ID:	92059
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30555
UST Compr ID:	92051
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30550
UST Compr ID:	92056
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30546
UST Compr ID:	92062
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A
Self Cert ID:	26381
Cert ID:	30554
UST Compr ID:	92052
UST ID:	34173
AI Number:	68516
Tank ID:	2
Compartment ID:	A

Facility Billing Contacts:  
 Contact Organization Name:

WEST PIONEER MANAGEMENT INC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GYPSUM SUPPLY (Continued)**

**U003103402**

Contact Mailing Address (Delivery): 2414 N AKARD ST STE 555  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75201 1708  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 103665  
 Additional ID: 124753642002204  
 Princ ID: 115753642002204  
 AI Number: 68516  
 Facility Name: GYPSUM SUPPLY  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: KEITH KOOP/

**107 WALCLRAP BILL SERVICE STATION  
 2102 N FIELD  
 DALLAS, TX**

**EDR Hist Auto 1009361893  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1946	A AND S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1951	HAYES SERVICE STATION	GASOLINE STATIONS
1956	HAYES SERVICE STATION	GASOLINE STATIONS
1961	WALCLRAP BILL SERVICE STATION	GASOLINE STATIONS

**107 CRAIG LEWIS  
 1402 MCKINNEY AVE  
 DALLAS, TX**

**EDR Hist Cleaner 1009335775  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	CRAIG LEWIS	CLOTHES CLEANERS AND DYERS

**108 DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIV  
 940 SLOCUM STREET  
 DALLAS, TX 75202**

**TX TIER 2 S110388609  
 N/A**

TIER 2:

Facility Id: 1696790379  
 Facility Name: DALLAS 800 NETWORK SUBSTATION - ONCOR ELECTRIC DELIVERY CO.  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: TRANSMISSION  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/25/2013  
 Mailing Address: P.O. Box 132280  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

State Fees Total: 700.00  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Raymond Averitt, Director Environment  
 Latitude: 32.7869  
 Longitude: -96.8142  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: 1696790379  
 Facility Name: DALLAS 800 NETWORK SUBSTATION - ONCOR ELECTRIC DELIVERY CO.  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: TRANSMISSION  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 2/29/2012  
 Mailing Address: P.O. Box 132280  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 750.00  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: DEBORAH A. BOYLE  
 Latitude: 32.7869  
 Longitude: -96.8142  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: 1696790379  
 Facility Name: DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO.  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02/26/2010  
 Mailing Address: P.O. Box 132280

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 700.00  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Deborah A. Boyle Vice President EHS&T  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 221121  
 Id Type: NAICS  
 Description: Electric Bulk Power Transmission and Control  
 Last Modified: 2/21/2012  
 Id: 221121  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 02/22/2010  
 Id: 4911  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 02/22/2010  
 Id: 4911  
 Id Type: SIC  
 Description: ELECTRICAL SERVICES  
 Last Modified: 02/21/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1616 WOODALL RODGERS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 3/2/2012

Contact Email: Not reported  
 Contact Mail Address: 1616 WOODALL RODGERS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Title:	Not reported
Modification Date:	3/2/2012
Contact:	
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	TX
Contact Mail Country:	USA
Contact Type 1:	Emergency Contact
Contact Name:	CHUCK ROBERSON
Title:	DALLAS AREA SUPERVISOR
Modification Date:	3/8/2013
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	TX
Contact Mail Country:	USA
Contact Type 1:	Emergency Contact
Contact Name:	CHUCK ROBERSON
Title:	DALLAS AREA SUPERVISOR
Modification Date:	3/2/2012
Contact:	
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Name:	BRUCE CATES
Title:	TRANS DIST MANAGER
Modification Date:	3/8/2013
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Name:	BRUCE CATES
Title:	TRANS DIST MANAGER
Modification Date:	3/2/2012
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Name:	BRUCE CATES
Title:	TRANS DIST MANAGER
Modification Date:	3/2/2012
Contact:	
Contact Email:	Not reported
Contact Mail Address:	940 SLOCUM STREET

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHUCK ROBERSON  
 Title: TRANS. SUPERVISOR  
 Modification Date: 3/10/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1616 WOODALL RODGERS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 4/26/2013

Contact Email: Not reported  
 Contact Mail Address: 1616 WOODALL RODGERS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 4/26/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: TX  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHUCK ROBERSON  
 Title: DALLAS AREA SUPERVISOR  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: TX  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHUCK ROBERSON  
 Title: DALLAS AREA SUPERVISOR  
 Modification Date: 3/2/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: RICHARD GILES  
 Title: M&C SUPERVISOR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Modification Date: 3/8/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1601 BRYAN STREET  
 Contact City/State/Zip: DALLAS, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 3/14/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 100 N IRVING HEIGHTS STREET  
 Contact City/State/Zip: IRVING, TX 75061  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ARCHIE BROWN  
 Title: TRANS. SUPERVISOR  
 Modification Date: 3/10/2010

Chemical Inventory:

Facility Id: 1696790379  
 Chemical Name: Sulfuric Acid, Battery Electrolyte-Standby (Flooded)  
 Chemical Inv Record Id: 996880890  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/7/2013  
 Days On Site: 366  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/3/2010

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/7/2013

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/2/2012

Mixture:

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/2/2012

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/2/2012

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/7/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/3/2010

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/3/2010

Facility Id: 1696790379  
 Chemical Name: Sulfuric Acid, Battery Electrolyte-Standby (Flooded)  
 Chemical Inv Record Id: 996880890  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/2/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Chemical Inventory Location:

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/3/2010

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/7/2013

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/2/2012

Mixture:

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/2/2012

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/2/2012

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/7/2013

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/3/2010

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/3/2010

Facility Id: 1696790379  
 Chemical Name: Sulfuric Acid, Battery Electrolyte-Standby (Flooded)  
 Chemical Inv Record Id: 996880890  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/3/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/3/2010

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/7/2013

Record Key: 549045979  
 Chemical Inventory Record Id: 996880890  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/2/2012

Mixture:

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/2/2012

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/2/2012



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 800 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388609**

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/7/2013

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Record Key: 1895065190  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 1696790379  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/3/2010

Record Key: 659646974  
 Chemical Inv Record Id: 996880890  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 1696790379  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/3/2010

Notes: Not reported

Validation: This facility passed all validation checks.

108

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIV  
 940 SLOCUM STREET  
 DALLAS, TX 75202**

**TX TIER 2 S110388610  
 N/A**

TIER 2:

Facility Id: 702583234  
 Facility Name: DALLAS 900 NETWORK SUBSTATION - ONCOR ELECTRIC DELIVERY CO.  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: TRANSMISSION  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/25/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Mailing Address: P.O. Box 132280  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 700.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Raymond Averitt, Director Environment  
 Latitude: 32.7869  
 Longitude: -96.8142  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: 702583234  
 Facility Name: DALLAS 900 NETWORK SUBSTATION - ONCOR ELECTRIC DELIVERY CO.  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: TRANSMISSION  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 2/29/2012  
 Mailing Address: P.O. Box 132280  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 750.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: DEBORAH A. BOYLE  
 Latitude: 32.7869  
 Longitude: -96.8142  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: 702583234  
 Facility Name: DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO.  
 Reporting Year: 2009  
 Facility Country: USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02/26/2010  
 Mailing Address: P.O. Box 132280  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 700.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Deborah A. Boyle Vice President EHS&T  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 221121  
 Id Type: NAICS  
 Description: Electric Bulk Power Transmission and Control  
 Last Modified: 2/22/2012  
 Id: 4911  
 Id Type: SIC  
 Description: ELECTRICAL SERVICES  
 Last Modified: 02/22/2012  
 Id: 221121  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 02/22/2010  
 Id: 4911  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 02/22/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1616 WOODALL RODGERS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 3/2/2012

Contact Email: Not reported  
 Contact Mail Address: 1616 WOODALL RODGERS FREEWAY

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 3/2/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: TX  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHUCK ROBERSON  
 Title: DALLAS AREA SUPERVISOR  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: TX  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHUCK ROBERSON  
 Title: DALLAS AREA SUPERVISOR  
 Modification Date: 3/2/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: BRUCE CATES  
 Title: TRANS DIST MANAGER  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: BRUCE CATES  
 Title: TRANS DIST MANAGER  
 Modification Date: 3/2/2012

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: BRUCE CATES  
 Title: TRANS DIST MANAGER  
 Modification Date: 3/2/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1601 BRYAN STREET  
 Contact City/State/Zip: DALLAS, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 3/14/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1616 WOODALL RODGERS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 4/26/2013

Contact Email: Not reported  
 Contact Mail Address: 1616 WOODALL RODGERS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: ONCOR ELECTRIC DELIVERY  
 Title: Not reported  
 Modification Date: 4/26/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: TX  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHUCK ROBERSON  
 Title: DALLAS AREA SUPERVISOR  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: TX  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHUCK ROBERSON  
 Title: DALLAS AREA SUPERVISOR  
 Modification Date: 3/2/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: RICHARD GILES  
 Title: M&C SUPERVISOR  
 Modification Date: 3/8/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: 100 N IRVING HEIGHTS STREET  
 Contact City/State/Zip: IRVING, TX 75061  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ARCHIE BROWN  
 Title: TRANS. SUPERVISOR  
 Modification Date: 3/10/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 940 SLOCUM STREET  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHUCK ROBERSON  
 Title: TRANS. SUPERVISOR  
 Modification Date: 3/10/2010

Chemical Inventory:

Facility Id: 702583234  
 Chemical Name: Sulfuric Acid, Battery Electrolyte-Standby (Flooded)  
 Chemical Inv Record Id: 245367204  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/7/2013  
 Days On Site: 366  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Chemical Inventory Location:

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/3/2010

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/7/2013

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/2/2012

Mixture:

Record Key: 219398288  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 702583234  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/2/2012

Record Key: 219398288  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 702583234  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Record Key: 1925931964  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Facility Id:	702583234
Mixture Cas:	7664-93-9
Weight/Volume:	Wt
Mixture Ehs:	T
Mixture Last Modified:	3/7/2013
Record Key:	1925931964
Chemical Inv Record Id:	245367204
Mix Chemical:	Sulfuric Acid
Percentage:	40.0
Facility Id:	702583234
Mixture Cas:	7664-93-9
Weight/Volume:	Wt
Mixture Ehs:	T
Mixture Last Modified:	3/3/2010
Record Key:	219398288
Chemical Inv Record Id:	245367204
Mix Chemical:	Water
Percentage:	60.0
Facility Id:	702583234
Mixture Cas:	7732-18-5
Weight/Volume:	Wt
Mixture Ehs:	Not reported
Mixture Last Modified:	3/3/2010
Record Key:	1925931964
Chemical Inv Record Id:	245367204
Mix Chemical:	Sulfuric Acid
Percentage:	40.0
Facility Id:	702583234
Mixture Cas:	7664-93-9
Weight/Volume:	Wt
Mixture Ehs:	T
Mixture Last Modified:	3/2/2012
Facility Id:	702583234
Chemical Name:	Sulfuric Acid, Battery Electrolyte-Standby (Flooded)
Chemical Inv Record Id:	245367204
CAS Number:	7664-93-9
Chemical Same As Last Year:	T
Acute Health Risks:	T
Average Daily Amount:	1,000 - 9,999 pounds
Max Daily Amount:	1,000 - 9,999 pounds
Max Amount In Largest Container:	Not reported
Chronic Health Risks:	T
EHS Substance:	T
Last Modified:	3/2/2012
Days On Site:	365
Fire Hazard:	Not reported
Gas:	Not reported
Liquid:	T
Mixture Form:	T
Sudden Release Of Pressure Haz:	Not reported
Pure Form:	Not reported
Reactive Hazard:	T
Solid:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/3/2010

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/7/2013

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/2/2012

Mixture:

Record Key: 219398288  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 702583234  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/2/2012

Record Key: 219398288  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 702583234  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Record Key: 1925931964  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 702583234  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/7/2013

Record Key: 1925931964  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 702583234  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/3/2010

Record Key: 219398288  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 702583234  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/3/2010

Record Key: 1925931964  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 702583234  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/2/2012

Facility Id: 702583234  
 Chemical Name: Sulfuric Acid, Battery Electrolyte-Standby (Flooded)  
 Chemical Inv Record Id: 245367204  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/3/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/3/2010

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/7/2013

Record Key: 1524200207  
 Chemical Inventory Record Id: 245367204  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: Not reported  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: WA01 - FACILITY CHEMICAL STORAGE  
 Last Modified: 3/2/2012

Mixture:

Record Key: 219398288  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 702583234  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/2/2012

Record Key: 219398288  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 702583234

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS 900 NETWORK SUBSTATION ONCOR ELECTRIC DELIVERY CO. (Continued)**

**S110388610**

Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Record Key: 1925931964  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 702583234  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/7/2013

Record Key: 1925931964  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 702583234  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/3/2010

Record Key: 219398288  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Water  
 Percentage: 60.0  
 Facility Id: 702583234  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/3/2010

Record Key: 1925931964  
 Chemical Inv Record Id: 245367204  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40.0  
 Facility Id: 702583234  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/2/2012

Notes: Not reported

Validation: This facility passed all validation checks.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**108 POLLACK PROPERTY TX LPST S105121841**  
**1007 SLOCUM ST N/A**  
**DALLAS, TX 75207**

LPST:  
 Facility ID: Not reported  
 LPST Id: 94293  
 Facility Location: 1007 SLOCUM  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 04/06/1990  
 Entered Date: 01/11/1990  
 Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP  
 Program: 2 - REGION  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 2  
 Coordinators RPR: RPR  
 Responsible Party Name: POLLACK, H NEWTON  
 Responsible Party Contact: H NEWTON POLLACK  
 Responsible Party Address: 666 UPAS STE 703  
 Responsible Party City,St,Zip: SAN DIEGO, CA 92103  
 Responsible Party Telephone: 619/574-0100  
 Reported Date: 11/30/1989  
 Case Start Date: 01/11/1990

**109 DIGITAL BRYAN STREET PARTNERSHIP, LP TX TIER 2 S111044855**  
**2323 BRYAN STREET N/A**  
**DALLAS, TX 75201**

TIER 2:  
 Facility Id: FATR20128ED94V030XUZ  
 Facility Name: DIGITAL BRYAN STREET PARTNERSHIP, LP  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: DFW10  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/11/2013  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50  
 Number Of Emploeyss On Site: Not reported  
 Site Map: T  
 Fire District: Dallas  
 Submitted By: Sal M. Gazioglu, P.E.  
 Latitude: 32.787243  
 Longitude: -96.794030  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: I3 - Interpolation (Satellite)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Additional Mail Addr:	Not reported
Facility Id:	FATR20118ED94V030XUZ
Facility Name:	DIGITAL BRYAN STREET PARTNERSHIP, LP
Reporting Year:	2011
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	5/16/2012
Date Tier 2 Signed:	2/28/2012
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	50
Number Of Employess On Site:	Not reported
Site Map:	T
Fire District:	Dallas
Submitted By:	Sal M. Gazioglu, P.E., CAPM
Latitude:	32.787243
Longitude:	-96.794030
Lat/Long Location Desc:	CE - Center of Facility
Lat/Long Method:	I3 - Interpolation (Satellite)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id:	FATR201070P2QQ04NDDA
Facility Name:	DIGITAL BRYAN STREET PARTNERSHIP, LP
Reporting Year:	2010
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	6/1/2011
Date Tier 2 Signed:	02/22/2011
Mailing Address:	560 Mission Street
Mailing City/State/Country:	San Francisco, CA USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	50.00
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Sal M. Gazioglu
Latitude:	32.787243
Longitude:	-96.794030
Lat/Long Location Desc:	CE - Center of Facility
Lat/Long Method:	I3 - Interpolation (Satellite)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 6798  
 Id Type: SIC  
 Description: REAL ESTATE INVESTMENT TRUSTS  
 Last Modified: 2/16/2012  
 Id: 518210  
 Id Type: NAICS  
 Description: Data Processing, Hosting, and Related Services  
 Last Modified: 2/16/2012  
 Id: 17-078-1038  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/16/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: 560 Mission Street  
 Contact City/State/Zip: San Francisco, CA 94105  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Digital Realty Trust, L.P.  
 Title: Not reported  
 Modification Date: 2/29/2012

Contact Email: Not reported  
 Contact Mail Address: 560 Mission Street  
 Contact City/State/Zip: San Francisco, CA 94105  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Digital Realty Trust, L.P.  
 Title: Not reported  
 Modification Date: 2/29/2012

Contact:

Contact Email: snorman@digitalrealtytrust.com  
 Contact Mail Address: 2323 Bryan Street  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Shelby Norman  
 Title: Not reported  
 Modification Date: 2/29/2012

Contact:

Contact Email: wcurry@digitalrealtytrust.com  
 Contact Mail Address: 2323 Bryan Street  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Contact Type 1: Emergency Contact  
 Contact Name: Wes Curry  
 Title: Not reported  
 Modification Date: 2/29/2012

**Chemical Inventory:**

Facility Id: FATR20118ED94V030XUZ  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20118EDBAB03JGPR  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 37500  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/29/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20118EDBNH03K17J  
 Chemical Inventory Record Id: CVTR20118EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 46350  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: P-6  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDBSJ03LHM9  
 Chemical Inventory Record Id: CVTR20118EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 333750  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B-1  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDBWH03MY0J  
 Chemical Inventory Record Id: CVTR20118EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 33300



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 717 Park  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDBZH03NJGB  
 Chemical Inventory Record Id: CVTR20118EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 15000  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Main Fuel Room  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDC0W03PQKD  
 Chemical Inventory Record Id: CVTR20118EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 2063  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 2nd Floor 717 Garage  
 Last Modified: 2/29/2012

Mixture:

Record Key: CMTR20118EDC2Y03QHC1  
 Chemical Inv Record Id: CVTR20118EDBAB03JGPR  
 Mix Chemical: DIESEL FUEL  
 Percentage: 99.9  
 Facility Id: FATR20118ED94V030XUZ  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/29/2012

Record Key: CMTR20118EDC3N03R467  
 Chemical Inv Record Id: CVTR20118EDBAB03JGPR  
 Mix Chemical: Naphthalene  
 Percentage: .01  
 Facility Id: FATR20118ED94V030XUZ  
 Mixture Cas: 91-20-3  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/29/2012

Facility Id: FATR20118ED94V030XUZ  
 Chemical Name: LEAD  
 Chemical Inv Record Id: CVTR20118EDC4K03SX5Y  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/29/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118EDC7B03TAT7  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2588  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS A Suite 650  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDC9Q03UC4S  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2588  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS B Suite 650  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCA503VR82  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2588  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C Suite 650  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCAR03W8PC  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2960  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 700  
 Last Modified: 2/29/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Record Key: CLTR20118EDCB503XLRA  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 540  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 Suite 700  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCBR03Y47Y  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2588  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 Suite 700  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCCJ03ZTY  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A1 Suite 1150  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCDG040M7W  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A2 Suite 1150  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCDT041WCJ  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B1 Suite 1150  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCE70428LF  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Desc of Loc(Or Transported) Subs: UPS 11B2 Suite 1150  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCEP043NCR  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 14313  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS 1 Suite 1100  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCFL044FQW  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2280  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS C Suite 1100  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCG5045XRF  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2280  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS D Suite 1100  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCGN046CRK  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2902  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS 1 Suite 2440 MMR  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCGV047K26  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 1160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS 2 Suite 2440 MMR  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCH7048UVC  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 1160  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 Suite 2440 MMR  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCHS049BP1  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 29718  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 650  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCP804A240  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 37099  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 1100DC Plant Suite 1100  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCQ104BRU2  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 20405  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 2440  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCRG04C0HU  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 13644  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 250Suite 250  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCRV04DAZZ  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 41358  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 310  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCSF04EUYP

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 13631  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 380  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCSN04F0RW  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 1350  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 405  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCSV04G6VL  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 15671  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 410  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCTP04HWR6  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 38245  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 500  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCU404J9ML  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 81131  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 600  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCUB04KFPG  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 19600  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 850

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Last Modified: 2/29/2012  
 Record Key: CLTR20118EDCUM04LQF9  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 17808  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 900  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCVJ04MH91  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 54720  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1000  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCVY04NV94  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 48496  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1400  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCWC04P7P0  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 3622  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1530  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCWK04QDKD  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 5054  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1540  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCWS04RKP3  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 540  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1900  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCY304SQR7  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 1187  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2035  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCYB04TXXQ  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 6833  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2040  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCYJ04U3NK  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 14179  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2323  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCYR04V9H3  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 11844  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2370  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDCYY04WGAQ  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 11304  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2450  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDD0E04XRG3  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Amt Of Sub Stored Or Transported: 212220  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2500  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDD0U04Y3JG  
 Chemical Inventory Record Id: CVTR20118EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 6676  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2650  
 Last Modified: 2/29/2012

Facility Id: FATR20118ED94V030XUZ  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20118EDE3B04ZNCK  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 260  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/29/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118EDE9W052BK1  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 3106  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 650  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEA2053H4D  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Amt Of Sub Stored Or Transported: 2575  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 700  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEA7054MLY  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 4320  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1150  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEAC055RNU  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 40315  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1100  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEAH056VGW  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 4324  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2440  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEAM057ZFJ  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 6003  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 250  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEAT0584EN  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 9444  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 310  
 Last Modified: 2/29/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Record Key: CLTR20118EDEAY0598VD  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 3124  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 380  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEB305AD89  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 270  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 405  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEBA05BK0H  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 2340  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 410  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEBF05CPSR  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 57897  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 500  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEBL05DTQX  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 17120  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 600  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEBV05E1WH  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 5904  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Desc of Loc(Or Transported) Subs: Suite 850  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEC205F83W  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 6360  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Suite 900  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEC B05GFFW  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 7976  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Suite 1000  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDECJ05HMCQ  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 10659  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Suite 1400  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEC R05JTTG  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 706  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Suite 1530  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEQ505KP5L  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 778  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Suite 1540  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDEQJ05L0MR  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 250  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1900  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDER905MNB  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 424  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2035  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDERG05NUA0  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 749  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2040  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDERN05PZG1  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 2431  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2323  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDES05QPVJ  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 5922  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2370  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDES05R0XF  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 2261  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2450  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDET05SEHA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 42444  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2500  
 Last Modified: 2/29/2012

Record Key: CLTR20118EDETQ05TS42  
 Chemical Inventory Record Id: CVTR20118EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 2095  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2650  
 Last Modified: 2/29/2012

Mixture:

Record Key: CMTR20118EDE82050RX2  
 Chemical Inv Record Id: CVTR20118EDE3B04ZNCK  
 Mix Chemical: Sulfuric Acid  
 Percentage: 98  
 Facility Id: FATR20118ED94V030XUZ  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/29/2012

Record Key: CMTR20118EDE9E051XQF  
 Chemical Inv Record Id: CVTR20118EDE3B04ZNCK  
 Mix Chemical: Water  
 Percentage: 2  
 Facility Id: FATR20118ED94V030XUZ  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/29/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 518210  
 Id Type: NAICS  
 Description: Data Processing, Hosting, and Related Services  
 Last Modified: 2/15/2011  
 Id: 6798  
 Id Type: SIC  
 Description: REAL ESTATE INVESTMENT TRUSTS  
 Last Modified: 2/15/2011  
 Id: 17-078-1038  
 Id Type: Dun & Bradstreet  
 Description: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Last Modified: 2/8/2010

Contact:

Contact Email: wcurry@digitalrealtytrust.com  
 Contact Mail Address: 2323 Bryan Street  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Wes Curry  
 Title: Not reported  
 Modification Date: 3/9/2011

Contact:

Contact Email: snorman@digitalrealtytrust.com  
 Contact Mail Address: 2323 Bryan Street  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Shelby Norman  
 Title: Not reported  
 Modification Date: 3/9/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: 560 Mission Street  
 Contact City/State/Zip: San Francisco, CA 94105  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Digital Realty Trust, L.P.  
 Title: Not reported  
 Modification Date: 4/3/2011

Chemical Inventory:

Facility Id: FATR201070P2QQ04NDDA  
 Chemical Name: Sulfuric acid  
 Chemical Inv Record Id: CVTR201070P2QQ04TDF5  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 50.8  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/9/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107QQN4602E4FR  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 6003.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 250  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ04XDGH  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1302.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 700  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ04ZDGZ  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1035.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 Suite 700  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ04UDFL  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1035.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS A Suite 650  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ04VDG2  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1035.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS B Suite 650



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ04WDG2  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1035.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C Suite 650  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ04YDGH  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 237.6  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 Suite 700  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ051DGZ  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A2 Suite 1150  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ053DHF  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B2 Suite 1150  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ054DHW  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 7156.8  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 1100  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ055DHW  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1003.2  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C Suite 1100  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ058DJU  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 464.64  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 Suite 2440 MMR  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ05DDKR  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 2732.16  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 2440  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ050DGZ  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A1 Suite 1150  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ052DHF  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B1 Suite 1150  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ056DJC  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1003.2  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS D Suite 1100  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ057DJC  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Amt Of Sub Stored Or Transported: 662.88  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 2440 MMR  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ059DJU  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 464.64  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 Suite 2440 MMR  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ05BDK9  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 3657.6  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 650  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QQ05CDK9  
 Chemical Inventory Record Id: CVTR201070P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 31152  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 1100  
 Last Modified: 3/9/2011

Mixture:

Record Key: CMTR201070P2QQ05TDNY  
 Chemical Inv Record Id: CVTR201070P2QQ04TDF5  
 Mix Chemical: Sulfuric acid  
 Percentage: 98  
 Facility Id: FATR201070P2QQ04NDDA  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/9/2011

Record Key: CMTR20107QQN7X02FC6F  
 Chemical Inv Record Id: CVTR201070P2QQ04TDF5  
 Mix Chemical: Water  
 Percentage: 2  
 Facility Id: FATR201070P2QQ04NDDA  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Mixture Last Modified: 3/9/2011

Facility Id: FATR201070P2QQ04NDDA  
 Chemical Name: Diesel  
 Chemical Inv Record Id: CVTR201070P2QR05UDR8  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 37500  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/9/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107QQJH5028Y3W  
 Chemical Inventory Record Id: CVTR201070P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 15000  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Main Fuel Room  
 Last Modified: 3/9/2011

Record Key: CLTR201070P4QW07DCVE  
 Chemical Inventory Record Id: CVTR201070P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 33300  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 717 Park  
 Last Modified: 3/9/2011

Record Key: CLTR201070P4S407EF83  
 Chemical Inventory Record Id: CVTR201070P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 3750  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: P-1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Last Modified: 3/9/2011  
 Record Key: CLTR201070P4SF07GQFH  
 Chemical Inventory Record Id: CVTR201070P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 4725  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Day Tank Room #1, P-6  
 Last Modified: 3/9/2011

Record Key: CLTR201070P4SQ07HYCC  
 Chemical Inventory Record Id: CVTR201070P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 3000  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Day Tank Room #2, P-6  
 Last Modified: 3/9/2011

Record Key: CLTR201070P4SQ07HYCC  
 Chemical Inventory Record Id: CVTR201070P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 2062.5  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 2nd Floor - 717 Garage  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR05VDRQ  
 Chemical Inventory Record Id: CVTR201070P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 34875  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: P-6  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR05WDS6  
 Chemical Inventory Record Id: CVTR201070P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 341250  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B-1  
 Last Modified: 3/9/2011

Mixture:  
 Record Key: CMTR201070P2QR05YDT3  
 Chemical Inv Record Id: CVTR201070P2QR05UDR8  
 Mix Chemical: Naphthalene  
 Percentage: .01

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Facility Id: FATR201070P2QQ04NDDA  
 Mixture Cas: 91-20-3  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/9/2011

Record Key: CMTR201070P2QR05XDSM  
 Chemical Inv Record Id: CVTR201070P2QR05UDR8  
 Mix Chemical: Diesel fuel  
 Percentage: 99.9  
 Facility Id: FATR201070P2QQ04NDDA  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/9/2011

Facility Id: FATR201070P2QQ04NDDA  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR201070P2QR05ZDTJ  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 412.75  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/9/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR201070P2QR06FDY5  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 1161.6  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 Suite 2440 MMR  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR06KDZ2  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 20404.32  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 2440  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR062DUX  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2588.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C Suite 650  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR06HDYL  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 29718  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 650  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR060DUG  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2588.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS A Suite 650  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR061DUG  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2588.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS B Suite 650  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR063DUX  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2960  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 700  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR064DVD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Record Key: CLTR201070P2QR05ZDTJ  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 540  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 Suite 700  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR065DVD  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2588.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 Suite 700  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR068DWA  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B1 Suite 1150  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR069DWS  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B2 Suite 1150  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR06BDX7  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2280  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C Suite 1100  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR06JDYL  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 37099.2  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 1100



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Last Modified: 3/9/2011

Record Key: CLTR20107QQL6A02C9GP  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 13644  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 250  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR067DVV  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A2 Suite 1150  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR06ADWS  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 14313.6  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 1100  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR06CDX7  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2280  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS D Suite 1100  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR06DDXP  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 1992  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 2440 MMR  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR06EDXP  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 1161.6  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 Suite 2440 MMR  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR066DVV  
 Chemical Inventory Record Id: CVTR201070P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A1 Suite 1150  
 Last Modified: 3/9/2011

Mixture:

Record Key: CMTR201070P2QR05ZDTJ  
 Chemical Inv Record Id: CVTR201070P2QR05ZDTJ  
 Mix Chemical: Lead  
 Percentage: 100  
 Facility Id: FATR201070P2QQ04NDDA  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/9/2011

Facility Id: FATR201070P2QQ04NDDA  
 Chemical Name: R-22  
 Chemical Inv Record Id: CVTR201070P2QR06ZE2R  
 CAS Number: 75-45-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 550  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 3/9/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: T  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201070P2QR071E3N  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 1440

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 700  
 Last Modified: 3/9/2011

Record Key: CLTR201070P6FE07KZR2  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 5980  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2440 MMR  
 Last Modified: 3/9/2011

Record Key: CLTR201070P6FS07MAAF  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 5 KW Room  
 Last Modified: 3/9/2011

Record Key: CLTR201070P6FB07JX08  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 9350  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suites 1100 & 1150  
 Last Modified: 3/9/2011

Record Key: CLTR201070P6FP07L7LJ  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Main Electrical Room  
 Last Modified: 3/9/2011

Record Key: CLTR201070P6G407QLEN  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 60  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 26th Floor Substation  
 Last Modified: 3/9/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Record Key: CLTR201070P6FV07ND9K  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B1 Electrical Room  
 Last Modified: 3/9/2011

Record Key: CLTR201070P6FY07PFPC  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 27th Wireless Radio Room  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR07E3N  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 4180  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 350  
 Last Modified: 3/9/2011

Record Key: CLTR201070P2QR07E3N  
 Chemical Inventory Record Id: CVTR201070P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 4320  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 650  
 Last Modified: 3/9/2011

Mixture:

Record Key: CMTR201070P2QR072E4K  
 Chemical Inv Record Id: CVTR201070P2QR06ZE2R  
 Mix Chemical: Chlorodifluoromethane  
 Percentage: 100  
 Facility Id: FATR201070P2QQ04NDDA  
 Mixture Cas: 75-45-6  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/9/2011

Notes: Not reported  
 Validation: Not reported

Facility Info:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Id: 518210  
 Id Type: NAICS  
 Description: Data Processing, Hosting, and Related Services  
 Last Modified: 2/16/2012  
 Id: 6798  
 Id Type: SIC  
 Description: REAL ESTATE INVESTMENT TRUSTS  
 Last Modified: 2/16/2012  
 Id: 17-078-1038  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/16/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: Four Embarcadero Center Suite 3200  
 Contact City/State/Zip: San Francisco, CA 94111  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Digital Realty Trust, L.P.  
 Title: Not reported  
 Modification Date: 2/23/2013

Contact:

Contact Email: snorman@digitalrealty.com  
 Contact Mail Address: 2323 Bryan Street  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Shelby Norman  
 Title: Not reported  
 Modification Date: 2/23/2013

Contact:

Contact Email: wcurry@digitalrealty.com  
 Contact Mail Address: 2323 Bryan Street  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Wes Curry  
 Title: Not reported  
 Modification Date: 2/23/2013

Chemical Inventory:

Facility Id: FATR20128ED94V030XUZ  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20128EDBAB03JGPR  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 37500

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128EDBNH03K17J  
 Chemical Inventory Record Id: CVTR20128EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 42225  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: P-6  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDBSJ03LHM9  
 Chemical Inventory Record Id: CVTR20128EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 337875  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B-1  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDBWH03MY0J  
 Chemical Inventory Record Id: CVTR20128EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 33300  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 717 Park  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDBZH03NJGB  
 Chemical Inventory Record Id: CVTR20128EDBAB03JGPR  
 Amt Of Sub Stored Or Transported: 19950  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: P-1  
 Last Modified: 2/23/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Record Key: CLTR20128EDC0W03PQKD  
 Chemical Inventory Record Id: CVTR20128EDB03JGPR  
 Amt Of Sub Stored Or Transported: 2063  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 2nd Floor 717 Garage  
 Last Modified: 2/23/2013

Record Key: CLTR20129395AW004J3Z  
 Chemical Inventory Record Id: CVTR20128EDB03JGPR  
 Amt Of Sub Stored Or Transported: 750  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Diesel  
 Last Modified: 2/23/2013

Mixture:

Record Key: CMTR20128EDC2Y03QHC1  
 Chemical Inv Record Id: CVTR20128EDB03JGPR  
 Mix Chemical: DIESEL FUEL  
 Percentage: 99.9  
 Facility Id: FATR20128ED94V030XUZ  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/23/2013

Record Key: CMTR20128EDC3N03R467  
 Chemical Inv Record Id: CVTR20128EDB03JGPR  
 Mix Chemical: Naphthalene  
 Percentage: .01  
 Facility Id: FATR20128ED94V030XUZ  
 Mixture Cas: 91-20-3  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/23/2013

Facility Id: FATR20128ED94V030XUZ  
 Chemical Name: LEAD  
 Chemical Inv Record Id: CVTR20128EDC4K03SX5Y  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128EDC7B03TAT7  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2588  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS A Suite 650  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDC9Q03UC4S  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2588  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS B Suite 650  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCA503VR82  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2588  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C Suite 650  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCAR03W8PC  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2960  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 700  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCB503XLRA  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 540  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 Suite 700  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCBR03Y47Y  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2588  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 Suite 700  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCCJ03ZTY  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A1 Suite 1150  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCDG040M7W  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A2 Suite 1150  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCDT041WCJ  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B1 Suite 1150  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCE70428LF  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B2 Suite 1150  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCEP043NCR  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 14313

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 1100  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCFL044FQW  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2280  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C Suite 1100  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCG5045XRF  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 2280  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS D Suite 1100  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCGN046CRK  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 1992  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 Suite 2440 MMR  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCGV047K26  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 1162  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 Suite 2440 MMR  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCH7048UVC  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 1162  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 Suite 2440 MMR  
 Last Modified: 2/23/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Record Key: CLTR20128EDCHS049BP1  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 29718  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 650  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCP804A240  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 37099  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 1100DC Plant Suite 1100  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCQ104BRU2  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 20405  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Plant Suite 2440  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCRG04C0HU  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 13644  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 250Suite 250  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDCRV04DAZZ  
 Chemical Inventory Record Id: CVTR20128EDC4K03SX5Y  
 Amt Of Sub Stored Or Transported: 6064  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 100  
 Last Modified: 2/23/2013

Facility Id: FATR20128ED94V030XUZ  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20128EDE3B04ZNCK  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 260  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128EDE9W052BK1  
 Chemical Inventory Record Id: CVTR20128EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 6763  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 650  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDEA2053H4D  
 Chemical Inventory Record Id: CVTR20128EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 2575  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 700  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDEA7054MLY  
 Chemical Inventory Record Id: CVTR20128EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 4320  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1150  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDEAC055RNU  
 Chemical Inventory Record Id: CVTR20128EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 40315  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Desc of Loc(Or Transported) Subs: Suite 1100  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDEAH056VGW  
 Chemical Inventory Record Id: CVTR20128EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 4324  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Suite 2440  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDEAM057ZFJ  
 Chemical Inventory Record Id: CVTR20128EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 6003  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Suite 250  
 Last Modified: 2/23/2013

Record Key: CLTR20128EDEAT0584EN  
 Chemical Inventory Record Id: CVTR20128EDE3B04ZNCK  
 Amt Of Sub Stored Or Transported: 2669  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Suite 100  
 Last Modified: 2/23/2013

Mixture:

Record Key: CMTR20128EDE82050RX2  
 Chemical Inv Record Id: CVTR20128EDE3B04ZNCK  
 Mix Chemical: Sulfuric Acid  
 Percentage: 98  
 Facility Id: FATR20128ED94V030XUZ  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/23/2013

Record Key: CMTR20128EDE9E051XQF  
 Chemical Inv Record Id: CVTR20128EDE3B04ZNCK  
 Mix Chemical: Water  
 Percentage: 2  
 Facility Id: FATR20128ED94V030XUZ  
 Mixture Cas: 7732-18-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/23/2013

Facility Id: FATR20128ED94V030XUZ  
 Chemical Name: CHLORODIFLUOROMETHANE  
 Chemical Inv Record Id: CVTR201293QT7J00AJCS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

CAS Number: 75-45-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: T  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201293QTCY00B74E  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 4320  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 650  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTEB00CDYT  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 1440  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 700  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTEF00DHCF  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 9350  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 1100, 1150  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTEK00ELND  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 5980

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2440 MMR  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTEP00FQB6  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Main Electrical Room  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTFK00GGE3  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 5KW Room  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTFR00HMA7  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 2880  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 100  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTFV00JQAZ  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 4300  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 400  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTG600K0GX  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 60  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 26th Floor Substation  
 Last Modified: 2/23/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIGITAL BRYAN STREET PARTNERSHIP, LP (Continued)**

**S111044855**

Record Key: CLTR201293QTGE00L7A6  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 4180  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 350  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTJV00MAR7  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B1 Electrical Room  
 Last Modified: 2/23/2013

Record Key: CLTR201293QTJZ00NE15  
 Chemical Inventory Record Id: CVTR201293QT7J00AJCS  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 27th Wireless Radio Room  
 Last Modified: 2/23/2013

Mixture:

Record Key: CMTR201293QTSK00PZHB  
 Chemical Inv Record Id: CVTR201293QT7J00AJCS  
 Mix Chemical: CHLORODIFLUOROMETHANE  
 Percentage: 100  
 Facility Id: FATR20128ED94V030XUZ  
 Mixture Cas: 75-45-6  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/23/2013

Notes: Not reported  
 Validation: Not reported

109

**LEVEL 3 - DALLAS BRYAN  
 2323 BRYAN STREET  
 DALLAS, TX 75202**

**TX TIER 2 S111039310  
 N/A**

TIER 2:

Facility Id/Name: FATR20105NDE2U05FYEV/LEVEL 3 - DALLAS BRYAN  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 1/24/2011



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS BRYAN (Continued)**

**S111039310**

Mailing Address: 1025 Eldorado Blvd  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 800.00  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental PM  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

**Facility Info:**

**Id:** 073090917  
**Id Type:** Dun & Bradstreet  
**Description:** Not reported  
**Last Modified:** 2/23/2008  
**Id:** 4813  
**Id Type:** SIC  
**Description:** TELEPHONE COM, EXCEPT RADIO  
**Last Modified:** 2/23/2008  
**Id:** 51331  
**Id Type:** NAICS  
**Description:** Wired Telecommunications Carriers  
**Last Modified:** 2/9/2009

**Contact:**

**Contact Email:** payton.michael@level3.com  
**Contact Mail Address:** 1025 Eldorado Blvd.  
**Contact City/State/Zip:** Broomfield, CO 80021  
**Contact Mail Country:** USA  
**Contact Type 1:** Regulatory Point of Contact  
**Contact Type 2:** Submitter  
**Contact Name:** Payton Michael  
**Title:** Environmental PM  
**Modification Date:** 1/17/2011

**Contact:**

**Contact Email:** Not reported  
**Contact Mail Address:** 1025 Eldorado Blvd  
**Contact City/State/Zip:** Broomfield, CO 80021  
**Contact Mail Country:** USA  
**Contact Type 1:** Emergency Contact  
**Contact Type 2:** Owner / Operator

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS BRYAN (Continued)**

**S111039310**

Contact Name: NOC Level 3 Communications LLC  
 Title: Not reported  
 Modification Date: 2/16/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Clint Thompson  
 Title: Sr. Director  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR20105NDE2U05FYEV  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20105NDEAX05NZ1F  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 15.9  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201071B3LB00BA7B  
 Chemical Inventory Record Id: CVTR20105NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 1436  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2125  
 Last Modified: 2/16/2011

Record Key: CLTR20105NDEKG05PC1X  
 Chemical Inventory Record Id: CVTR20105NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 1144

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS BRYAN (Continued)**

**S111039310**

Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 380  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR201071B3LX00CTN5  
 Chemical Inv Record Id: CVTR20105NDEAX05NZ1F  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20105NDE2U05FYEV  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Facility Id: FATR20105NDE2U05FYEV  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20105NDELL05QBMF  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 145  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20105NDENM05R3D6  
 Chemical Inventory Record Id: CVTR20105NDELL05QBMF  
 Amt Of Sub Stored Or Transported: 11374  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: suites 2125 and 380  
 Last Modified: 2/16/2011

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**LEVEL 3 - DALLAS BRYAN (Continued)**

**S111039310**

Notes: Not reported  
 Validation: Not reported

**109 GLOBAL CROSSING-DALLAS SWITCH  
 2323 BRYAN ST  
 DALLAS, TX 75201**

**FINDS 1011997023  
 N/A**

**FINDS:**

Registry ID: 110038203752

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**109 DALLAS - 2323 BRYAN, 25TH FL - POP & 7TH FL. EQUIP  
 2323 BRYAN ST, 25TH FLOOR  
 DALLAS, TX 75201**

**TX TIER 2 S109179772  
 N/A**

**TIER 2:**

Facility Id: FATR20075NANVN06DSQ8  
 Facility Name: DALLAS - 2323 BRYAN, 25TH FL - POP & 7TH FL. EQUIP  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/22/2008  
 Mailing Address: 1801 California St, Suite 1160  
 Mailing City/State/Country: Denver, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Matt Brunkow, Lead Engineer  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**DALLAS - 2323 BRYAN, 25TH FL - POP & 7TH FL. EQUIP (Continued)**

**S109179772**

Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

Notes:	Not reported
Validation:	Not reported

**109 GRANDE COMMUNICATIONS  
2323 BRYAN ST STE 2323  
DALLAS, TX 75201**

**FINDS 1012099603  
N/A**

**FINDS:**

Registry ID: 110038486242

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**109 ABOVENET COM - TX-23B  
2323 BRYAN STREET  
DALLAS, TX 75291**

**ICIS 1011314218  
FINDS N/A  
ECHO**

**ICIS:**

Enforcement Action ID:	HQ-2012-8004
FRS ID:	110056159598
Action Name:	ABOVENET COMMUNICATIONS
Facility Name:	ABOVENET COM - TX-23B
Facility Address:	2323 BRYAN STREET DALLAS, TX 75291
Enforcement Action Type:	EPCRA 325 Action For Penalty
Facility County:	DALLAS
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	325
Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	32.786964
Longitude in Decimal Degrees:	-96.7942267
Permit Type Desc:	Not reported
Program System Acronym:	3000014167
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Enforcement Action ID: HQ-2012-8004

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ABOVENET COM - TX-23B (Continued)**

**1011314218**

FRS ID: 110056159598  
 Action Name: ABOVENET COMMUNICATIONS  
 Facility Name: ABOVENET COM - TX-23B  
 Facility Address: 2323 BRYAN STREET  
 DALLAS, TX 75291  
 Enforcement Action Type: CWA 311B6B2 AO For Class II Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 311B6B2  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.786964  
 Longitude in Decimal Degrees: -96.7942267  
 Permit Type Desc: Not reported  
 Program System Acronym: 3000014167  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

**FINDS:**

Registry ID: 110056159598

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

Registry ID: 110034278555

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**ABOVENET COM - TX-23B (Continued)**

**1011314218**

Envid: 1011314218  
 Registry ID: 110056159598  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110056159598>

**109 DA4 SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69  
 2323 BRYAN STREET, 14TH FLOOR  
 DALLAS, TX 75201**

**TX TIER 2 S113679638  
 N/A**

TIER 2:

Facility Id: FATR20125GM56602KBW8  
 Facility Name: DA4 SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: OPs ENG  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 02/06/2013  
 Mailing Address: 2323 Bryan Street, 14th Floor  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 50.00  
 Number Of Emploeyess On Site: 4  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Marco Villarreal  
 Latitude: 32.787314  
 Longitude: -96.79429  
 Lat/Long Location Desc: UN - Unknown  
 Lat/Long Method: UN - Unknown  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 541513  
 Id Type: NAICS  
 Description: Computer Facilities Management Services  
 Last Modified: 11/13/2009  
 Id: 4899  
 Id Type: SIC  
 Description: COMMUNICATION SERVICES, NEC  
 Last Modified: 11/26/2007

Contact:

Contact Email: Mvillarreal@equinix.com  
 Contact Mail Address: 4101 Bryan Street Attn: Marco Villarreal  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: EOC 24-Hour Emergency Response

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DA4 SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S113679638**

Title: Environmental Compliance  
 Modification Date: 2/22/2013

Contact Email: Mvillarreal@equinix.com  
 Contact Mail Address: 1950 Stemmons Frwy, Suite 1039 Attn: Marco Villarreal  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Other  
 Contact Name: Switch & Data TX Five LP DBA Equinix Attn: Marco Villarreal  
 Title: Environmental Compliance  
 Modification Date: 2/10/2012

Contact Email: tcasimiro@equinix.com  
 Contact Mail Address: 1715 N. Westshore Blvd., Ste. 650  
 Contact City/State/Zip: Tampa, FL 33607  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Owner / Operator  
 Contact Type 3: Emergency Contact  
 Contact Name: Tracy Lee Casimiro  
 Title: Environmental Compliance  
 Modification Date: 2/22/2011

Chemical Inventory:  
 Facility Id: FATR20125GM56602KBW8  
 Chemical Name: SULFURIC ACID (Battery)  
 Chemical Inv Record Id: CVTR20125GMNBZ05NBTC  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 17  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/22/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:  
 Record Key: CLTR20125GPF2W01VLJ1  
 Chemical Inventory Record Id: CVTR20125GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 2400  
 Amount Units: pounds



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DA4 SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S113679638**

Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS #1 UPS #2: Batteries  
 Last Modified: 2/22/2013

Record Key: CLTR20125M5C9102NPAG  
 Chemical Inventory Record Id: CVTR20125GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 1152  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Power Room: Batteries  
 Last Modified: 2/22/2013

Record Key: CLTR20125M5C9E02P0KA  
 Chemical Inventory Record Id: CVTR20125GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 56  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room (717 Crockett St): Batteries  
 Last Modified: 2/22/2013

Record Key: CLTR20127Q6TTB0081U1  
 Chemical Inventory Record Id: CVTR20125GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 5320  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Batteries  
 Last Modified: 2/22/2013

Mixture:

Record Key: CMTR20125M5CA702QPW1  
 Chemical Inv Record Id: CVTR20125GMNBZ05NBTC  
 Mix Chemical: Electrolyte (Sulfuric Battery Acid) 16-18 %  
 Percentage: 20  
 Facility Id: FATR20125GM56602KBW8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/22/2013

Record Key: CMTR20126Z1RP600YP8Z  
 Chemical Inv Record Id: CVTR20125GMNBZ05NBTC  
 Mix Chemical: Lead 71-76 % by Wt.  
 Percentage: 70  
 Facility Id: FATR20125GM56602KBW8  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/22/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DA4 SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S113679638**

Record Key: CMTR20126Z1RU701W0QA  
 Chemical Inv Record Id: CVTR20125GMNBZ05NBTC  
 Mix Chemical: Copper <.1 % by Wt.  
 Percentage: .1  
 Facility Id: FATR20125GM56602KBW8  
 Mixture Cas: 7440-50-8  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/22/2013

Record Key: CMTR20126Z1RY802RHFZ  
 Chemical Inv Record Id: CVTR20125GMNBZ05NBTC  
 Mix Chemical: Tin .4-.6 % by Wt.  
 Percentage: .4  
 Facility Id: FATR20125GM56602KBW8  
 Mixture Cas: 7440-31-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/22/2013

Facility Id: FATR20125GM56602KBW8  
 Chemical Name: LEAD  
 Chemical Inv Record Id: CVTR20125GPF3S01WCF0  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 38  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/22/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20125GPF4F01XY4L  
 Chemical Inventory Record Id: CVTR20125GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 8400  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS #1 UPS #2: Batteries  
 Last Modified: 2/22/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DA4 SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S113679638**

Record Key: CLTR20125M5C4602KH3X  
 Chemical Inventory Record Id: CVTR20125GPF3S01WCFO  
 Amt Of Sub Stored Or Transported: 4032  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Power Room: Batteries  
 Last Modified: 2/22/2013

Record Key: CLTR20125M5C5502LB44  
 Chemical Inventory Record Id: CVTR20125GPF3S01WCFO  
 Amt Of Sub Stored Or Transported: 196  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room (717 Crockett St): Batteries  
 Last Modified: 2/22/2013

Record Key: CLTR20127Q6TS1007XMS  
 Chemical Inventory Record Id: CVTR20125GPF3S01WCFO  
 Amt Of Sub Stored Or Transported: 14320  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Batteries  
 Last Modified: 2/22/2013

Mixture:

Record Key: CMTR20125M5C5U02MXP4  
 Chemical Inv Record Id: CVTR20125GPF3S01WCFO  
 Mix Chemical: LEAD  
 Percentage: 70  
 Facility Id: FATR20125GM56602KBW8  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/22/2013

Facility Id: FATR20125GM56602KBW8  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR201270P3VU00DBKP  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 18225  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/22/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DA4 SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S113679638**

Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201270P3WP00E2KE  
 Chemical Inventory Record Id: CVTR201270P3VU00DBKP  
 Amt Of Sub Stored Or Transported: 18225  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Generator Room (717 Crockett St) - 3000 gal. belly tank  
 Last Modified: 2/22/2013

Notes: Not reported  
 Validation: Not reported

109

**NEXTLINK COMMUNICATIONS INC  
 2323 BRYAN ST STE 2450  
 DALLAS, TX 75201**

**FINDS 1011309631  
 N/A**

FINDS:

Registry ID: 110034223524

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

109 GLOBAL CROSSING - DALLAS SWITCH TX TIER 2 S108454181  
 "2323 BRYAN STREET, SUITE 900" N/A  
 DALLAS, TX 75201

TIER 2:  
 Facility Id: FATR2005264M9400GEWQ  
 Facility Name: GLOBAL CROSSING - DALLAS SWITCH  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 2/16/2006  
 Mailing Address: "2323 Bryan Street, Suite 900"  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 50  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Curt Johnson - Authorized Representative  
 Latitude: 32.786970  
 Longitude: -96.794220  
 Lat/Long Location Desc: PG - Plant Entrance (General)  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported  
  
 Notes: Not reported  
 Validation: Not reported

109 TX-23B TX TIER 2 S111997484  
 2323 BRYAN ST N/A  
 DALLAS, TX 75201

TIER 2:  
 Facility Id/Name: FATR201181HMAC02UFQ4/TX-23B  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1/25/2012  
 Mailing Address: 360 Hamilton Ave  
 Mailing City/State/Country: White Plains, NY USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Anthony Caminiti Jr., Sr Mgr Infrastructure

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TX-23B (Continued)**

**S111997484**

Latitude: 32.78756  
 Longitude: -96.79452  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: G1 - GPS (Static)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carrier  
 Last Modified: 8/1/2011

Contact:

Contact Email: support@above.net  
 Contact Mail Address: 360 Hamilton Ave  
 Contact City/State/Zip: White Plains, NY 10601  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: AboveNet Communications Inc  
 Title: Not reported  
 Modification Date: 2/6/2012

Contact Email: support@above.net  
 Contact Mail Address: 360 Hamilton Ave  
 Contact City/State/Zip: White Plains, NY 10601  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: AboveNet Communications Inc  
 Title: Not reported  
 Modification Date: 2/6/2012

Contact:

Contact Email: network-mgmt@above.net  
 Contact Mail Address: 13681 Sunrise Valley Dr  
 Contact City/State/Zip: Herndon 20171  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: AboveNet Network Management Center  
 Title: Not reported  
 Modification Date: 2/6/2012

Contact Email: network-mgmt@above.net  
 Contact Mail Address: 13681 Sunrise Valley Dr  
 Contact City/State/Zip: Herndon 20171  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: AboveNet Network Management Center

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TX-23B (Continued)**

**S111997484**

Title: Not reported  
 Modification Date: 2/6/2012

**Chemical Inventory:**

Facility Id: FATR201181HMAC02UFQ4  
 Chemical Name: LEAD  
 Chemical Inv Record Id: CVTR201181HMKR030K3D  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 63  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/6/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR201181HMPN031Y9G  
 Chemical Inventory Record Id: CVTR201181HMKR030K3D  
 Amt Of Sub Stored Or Transported: 10554  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2370  
 Last Modified: 2/6/2012

Facility Id: FATR201181HMAC02UFQ4  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: CVTR201181HMRA032D9G  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 16  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/6/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TX-23B (Continued)**

**S111997484**

Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201181HMSF033CVY  
 Chemical Inventory Record Id: CVTR201181HMRA032D9G  
 Amt Of Sub Stored Or Transported: 2638  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2370  
 Last Modified: 2/6/2012

Notes: Not reported  
 Validation: Not reported

109

**DALLAS - 2323 BRYAN - SWITCH  
 2323 BRYAN ST, SUITE 740  
 DALLAS, TX 75201**

**TX TIER 2 S109179771  
 N/A**

TIER 2:

Facility Id/Name: FATR20075NANVN060LK5/DALLAS - 2323 BRYAN - SWITCH  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/22/2008  
 Mailing Address: 1801 California St, Suite 1160  
 Mailing City/State/Country: Denver, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Matt Brunkow, Lead Engineer  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**DALLAS - 2323 BRYAN - SWITCH (Continued)**

**S109179771**

Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

**109 LEVEL 3 - DALLAS - DLLSTX37  
 2323 BRYAN STREET  
 DALLAS, TX 75202**

**TX TIER 2 S111994220  
 N/A**

TIER 2:

Facility Id/Name: FATR20125NDE2U05FYEV/LEVEL 3 - DALLAS - DLLSTX37  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 1/30/2013  
 Mailing Address: 1025 Eldorado Blvd  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Chris Van Natta on behalf of Level 3 Communications  
 Latitude: 32.78721  
 Longitude: -96.7941  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20115NDE2U05FYEV/LEVEL 3 - DALLAS - DLLSTX37  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1-25-2012  
 Mailing Address: 1025 Eldorado Blvd  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 700.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental Project Manager

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

**Facility Info:**

Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/23/2008  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/23/2008

**Contact:**

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications  
 Title: Not reported  
 Modification Date: 3/8/2013

**Contact:**

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Payton Michael

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Title: Environmental Project Manager  
 Modification Date: 3/8/2013  
 Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Payton Michael  
 Title: Environmental Project Manager  
 Modification Date: 3/8/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Level 3 Communications N.O.C.  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Level 3 Communications N.O.C.  
 Title: Not reported  
 Modification Date: 3/8/2013

Chemical Inventory:

Facility Id: FATR20125NDE2U05FYEV  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20125NDEAX05NZ1F  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 28  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20125NDEKG05PC1X  
 Chemical Inventory Record Id: CVTR20125NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 3043  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 10th floor NTN/Colo Power Room  
 Last Modified: 3/8/2013

Record Key: CLTR201271B3LB00BA7B  
 Chemical Inventory Record Id: CVTR20125NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 5318  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 10th floor Transport/Switch DC Plant Room  
 Last Modified: 3/8/2013

Record Key: CLTR20128DDYVX001FB0  
 Chemical Inventory Record Id: CVTR20125NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 3324  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 9th floor Power Room  
 Last Modified: 3/8/2013

Record Key: CLTR20128DDYWM002287  
 Chemical Inventory Record Id: CVTR20125NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 451  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2125  
 Last Modified: 3/8/2013

Record Key: CLTR201292Y6LQ00R5GX  
 Chemical Inventory Record Id: CVTR20125NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 307  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2620  
 Last Modified: 3/8/2013

Facility Id: FATR20125NDE2U05FYEV  
 Chemical Name: Lead

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Chemical Inv Record Id: CVTR20128DE5LW003JGQ  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 190  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128DE5NC004T0Y  
 Chemical Inventory Record Id: CVTR20128DE5LW003JGQ  
 Amt Of Sub Stored Or Transported: 22176  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 10th floor NTN/Colo Power Room  
 Last Modified: 3/8/2013

Record Key: CLTR20128DE5NW00594B  
 Chemical Inventory Record Id: CVTR20128DE5LW003JGQ  
 Amt Of Sub Stored Or Transported: 36480  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 10th floor Transport/Switch DC Plant Room  
 Last Modified: 3/8/2013

Record Key: CLTR20128DE5PH006T4V  
 Chemical Inventory Record Id: CVTR20128DE5LW003JGQ  
 Amt Of Sub Stored Or Transported: 22800  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 9th floor Power Room  
 Last Modified: 3/8/2013

Record Key: CLTR20128DE5Q200797S  
 Chemical Inventory Record Id: CVTR20128DE5LW003JGQ

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Amt Of Sub Stored Or Transported: 3087  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2125  
 Last Modified: 3/8/2013

Record Key: CLTR201292Y73E00SLVQ  
 Chemical Inventory Record Id: CVTR20128DE5LW003JGQ  
 Amt Of Sub Stored Or Transported: 2453  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2620  
 Last Modified: 3/8/2013

Facility Id: FATR20125NDE2U05FYEV  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR20128DE611008S9M  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 14160  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128DE6GN0099S7  
 Chemical Inventory Record Id: CVTR20128DE611008S9M  
 Amt Of Sub Stored Or Transported: 708  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Parking Garage 6th Floor Day Tank Room #1  
 Last Modified: 3/8/2013

Record Key: CLTR20128DE6HB00AVCW  
 Chemical Inventory Record Id: CVTR20128DE611008S9M

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Amt Of Sub Stored Or Transported: 354  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Parking Garage 6th floor Day Tank Room #2  
 Last Modified: 3/8/2013

Record Key: CLTR20128DE6T100B942  
 Chemical Inventory Record Id: CVTR20128DE611008S9M  
 Amt Of Sub Stored Or Transported: 28320  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Parking Garage Basement  
 Last Modified: 3/8/2013

Record Key: CLTR20128DE6VM00DGTM  
 Chemical Inventory Record Id: CVTR20128DE611008S9M  
 Amt Of Sub Stored Or Transported: 7080  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Parking Garage Basement Fuel Room  
 Last Modified: 3/8/2013

Facility Id: FATR20125NDE2U05FYEV  
 Chemical Name: GLYCOL  
 Chemical Inv Record Id: CVTR201292Y7CY00TV38  
 CAS Number: 107-21-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 2499  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:  
 Record Key: CLTR201292Y7RU00UZH6  
 Chemical Inventory Record Id: CVTR201292Y7CY00TV38

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Amt Of Sub Stored Or Transported: 2499  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2125 & Roof  
 Last Modified: 3/8/2013

Record Key: CLTR201292Y7SC00VFFZ  
 Chemical Inventory Record Id: CVTR201292Y7CY00TV38  
 Amt Of Sub Stored Or Transported: 2499  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 9th fl Chiller Plant  
 Last Modified: 3/8/2013

Record Key: CLTR201292Y7SW00WWT7  
 Chemical Inventory Record Id: CVTR201292Y7CY00TV38  
 Amt Of Sub Stored Or Transported: 2499  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 10th fl Water Loop  
 Last Modified: 3/8/2013

Record Key: CLTR201292Y7TH00XF05  
 Chemical Inventory Record Id: CVTR201292Y7CY00TV38  
 Amt Of Sub Stored Or Transported: 2499  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Parking Garage 6th floor, in the far right corner as you get to the upper level left of generator #22.  
 Last Modified: 3/8/2013

Record Key: CLTR201292Y7TU00YQFT  
 Chemical Inventory Record Id: CVTR201292Y7CY00TV38  
 Amt Of Sub Stored Or Transported: 2499  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Parking Garage 6th floor, in the far right corner as you get to the upper level left of Chiller 01.  
 Last Modified: 3/8/2013

Notes: Not reported  
 Validation: Not reported

Facility Info:  
 Id: 073090917  
 Id Type: Dun & Bradstreet



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Description: Not reported  
 Last Modified: 2/23/2008  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/23/2008  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009

Chemical Inventory:

Facility Id: FATR20115NDE2U05FYEV  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20115NDEAX05NZ1F  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 27.7  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20115NDEKG05PC1X  
 Chemical Inventory Record Id: CVTR20115NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 307  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2620 within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR201171B3LB00BA7B  
 Chemical Inventory Record Id: CVTR20115NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 450  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2125 within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118DDYVX001FB0  
 Chemical Inventory Record Id: CVTR20115NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 6648  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 9th Floor battery room within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118DDYWM002287  
 Chemical Inventory Record Id: CVTR20115NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 7978  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 10th Floor battery room within batteries  
 Last Modified: 2/14/2012

Mixture:

Record Key: CMTR201171B3LX00CTN5  
 Chemical Inv Record Id: CVTR20115NDEAX05NZ1F  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20115NDE2U05FYEV  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/14/2012

Facility Id: FATR20115NDE2U05FYEV  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20118DE5LW003JGQ  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 190  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118DE5NC004T0Y  
 Chemical Inventory Record Id: CVTR20118DE5LW003JGQ  
 Amt Of Sub Stored Or Transported: 3087  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2125 battery room within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118DE5NW00594B  
 Chemical Inventory Record Id: CVTR20118DE5LW003JGQ  
 Amt Of Sub Stored Or Transported: 2453  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2620 battery room within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118DE5PH006T4V  
 Chemical Inventory Record Id: CVTR20118DE5LW003JGQ  
 Amt Of Sub Stored Or Transported: 43877  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 9th Floor in battery room within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118DE5Q200797S  
 Chemical Inventory Record Id: CVTR20118DE5LW003JGQ  
 Amt Of Sub Stored Or Transported: 54720  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 10th Floor in battery room within batteries  
 Last Modified: 2/14/2012

Facility Id: FATR20115NDE2U05FYEV  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR20118DE611008S9M  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 14560  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118DE6GN0099S7  
 Chemical Inventory Record Id: CVTR20118DE611008S9M  
 Amt Of Sub Stored Or Transported: 364  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2160 Generator room, Day Tank  
 Last Modified: 2/14/2012

Record Key: CLTR20118DE6HB00AVCW  
 Chemical Inventory Record Id: CVTR20118DE611008S9M  
 Amt Of Sub Stored Or Transported: 364  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2125 Generator room, Day Tank  
 Last Modified: 2/14/2012

Record Key: CLTR20118DE6T100B942  
 Chemical Inventory Record Id: CVTR20118DE611008S9M  
 Amt Of Sub Stored Or Transported: 36400  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Parking Garage basement level, Tank Room (3 Tanks)  
 Last Modified: 2/14/2012

Record Key: CLTR20118DE6VM00DGTM  
 Chemical Inventory Record Id: CVTR20118DE611008S9M  
 Amt Of Sub Stored Or Transported: 364  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 9th Floor generator room, Day Tank  
 Last Modified: 2/14/2012

Record Key: CLTR20118DE6W900E26H

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX37 (Continued)**

**S111994220**

Chemical Inventory Record Id: CVTR20118DE611008S9M  
 Amt Of Sub Stored Or Transported: 364  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 10th Floor generator room, Day Tank  
 Last Modified: 2/14/2012

Notes: Not reported  
 Validation: Not reported

109

**SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322**  
**2323 BRYAN STREET, 14TH FLOOR**  
**DALLAS, TX 75201**

**TX TIER 2 S111993549**  
**N/A**

TIER 2:

Facility Id: FATR20115GM56602KBW8  
 Facility Name: SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: OPs ENG  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 2-2-2012  
 Mailing Address: 2323 Bryan Street, 14th Floor  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50.00  
 Number Of Employess On Site: 4  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Marco Villarreal  
 Latitude: 32.787314  
 Longitude: -96.79429  
 Lat/Long Location Desc: UN - Unknown  
 Lat/Long Method: UN - Unknown  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4899  
 Id Type: SIC  
 Description: COMMUNICATION SERVICES, NEC  
 Last Modified: 11/26/2007  
 Id: 541513  
 Id Type: NAICS  
 Description: Computer Facilities Management Services

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S111993549**

Last Modified: 11/13/2009

Contact:

Contact Email: Mvillarreal@equinix.com  
 Contact Mail Address: 4101 Bryan Street Attn: Marco Villarreal  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: EOC 24-Hour Emergency Response  
 Title: Environmental Compliance  
 Modification Date: 2/22/2013

Contact Email: Mvillarreal@equinix.com  
 Contact Mail Address: 1950 Stemmons Frwy, Suite 1039 Attn: Marco Villarreal  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Other  
 Contact Name: Switch & Data TX Five LP DBA Equinix Attn: Marco Villarreal  
 Title: Environmental Compliance  
 Modification Date: 2/10/2012

Contact Email: tcasimiro@equinix.com  
 Contact Mail Address: 1715 N. Westshore Blvd., Ste. 650  
 Contact City/State/Zip: Tampa, FL 33607  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Owner / Operator  
 Contact Type 3: Emergency Contact  
 Contact Name: Tracy Lee Casimiro  
 Title: Environmental Compliance  
 Modification Date: 2/22/2011

Contact:

Contact Email: EOC@equinix.com  
 Contact Mail Address: 1950 Stemmons Frwy, Suite 1039  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Other  
 Contact Name: EOC 24-Hour Emergency Response  
 Title: Not reported  
 Modification Date: 2/10/2012

Chemical Inventory:

Facility Id: FATR20115GM56602KBW8  
 Chemical Name: SULFURIC ACID (Battery)  
 Chemical Inv Record Id: CVTR20115GMNBZ05NBTC  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 17

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S111993549**

Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/10/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20115GPF2W01VLJ1  
 Chemical Inventory Record Id: CVTR20115GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 2400  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS #1 UPS #2: Batteries  
 Last Modified: 2/10/2012

Record Key: CLTR20115M5C9102NPAG  
 Chemical Inventory Record Id: CVTR20115GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 1152  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Power Room: Batteries  
 Last Modified: 2/10/2012

Record Key: CLTR20115M5C9E02P0KA  
 Chemical Inventory Record Id: CVTR20115GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 56  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room (717 Crockett St): Batteries  
 Last Modified: 2/10/2012

Record Key: CLTR20117Q6TTB0081U1  
 Chemical Inventory Record Id: CVTR20115GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 5320  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Batteries  
 Last Modified: 2/10/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S111993549**

Mixture:

Record Key: CMTR20115M5CA702QPW1  
 Chemical Inv Record Id: CVTR20115GMNBZ05NBTC  
 Mix Chemical: Electrolyte (Sulfuric Battery Acid) 16-18 %  
 Percentage: 20  
 Facility Id: FATR20115GM56602KBW8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/10/2012

Record Key: CMTR20116Z1RP600YP8Z  
 Chemical Inv Record Id: CVTR20115GMNBZ05NBTC  
 Mix Chemical: Lead 71-76 % by Wt.  
 Percentage: 70  
 Facility Id: FATR20115GM56602KBW8  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/10/2012

Record Key: CMTR20116Z1RU701W0QA  
 Chemical Inv Record Id: CVTR20115GMNBZ05NBTC  
 Mix Chemical: Copper <.1 % by Wt.  
 Percentage: .1  
 Facility Id: FATR20115GM56602KBW8  
 Mixture Cas: 7440-50-8  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/10/2012

Record Key: CMTR20116Z1RY802RHFZ  
 Chemical Inv Record Id: CVTR20115GMNBZ05NBTC  
 Mix Chemical: Tin .4-.6 % by Wt.  
 Percentage: .4  
 Facility Id: FATR20115GM56602KBW8  
 Mixture Cas: 7440-31-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/10/2012

Facility Id: FATR20115GM56602KBW8  
 Chemical Name: LEAD  
 Chemical Inv Record Id: CVTR20115GPF3S01WCF0  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 38  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/10/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S111993549**

Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20115GPF4F01XY4L  
 Chemical Inventory Record Id: CVTR20115GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 8400  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS #1 UPS #2: Batteries  
 Last Modified: 2/10/2012

Record Key: CLTR20115M5C4602KH3X  
 Chemical Inventory Record Id: CVTR20115GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 4032  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Power Room: Batteries  
 Last Modified: 2/10/2012

Record Key: CLTR20115M5C5502LB44  
 Chemical Inventory Record Id: CVTR20115GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 196  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room (717 Crockett St): Batteries  
 Last Modified: 2/10/2012

Record Key: CLTR20117Q6TS1007XMS  
 Chemical Inventory Record Id: CVTR20115GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 14320  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Batteries  
 Last Modified: 2/10/2012

Mixture:

Record Key: CMTR20115M5C5U02MXP4  
 Chemical Inv Record Id: CVTR20115GPF3S01WCF0  
 Mix Chemical: LEAD  
 Percentage: 70

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP DBA EQUINIX TXT2-# 69322 (Continued)**

**S111993549**

Facility Id: FATR20115GM56602KBW8  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/10/2012

Facility Id: FATR20115GM56602KBW8  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR201170P3VU00DBKP  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 18225  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/10/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201170P3WP00E2KE  
 Chemical Inventory Record Id: CVTR201170P3VU00DBKP  
 Amt Of Sub Stored Or Transported: 18225  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Generator Room (717 Crockett St) - 3000 gal. belly tank  
 Last Modified: 2/10/2012

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**109 AT&T - TXH300  
 2323 BRYAN ST  
 DALLAS, TX 75201**

**TX TIER 2 S111032677  
 N/A**

TIER 2:

Facility Id/Name: FA20101882ZZXXXXXXXX/AT&T - TXH300  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: AT&T - TXH300  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/05/2011  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Emploeyess On Site: 24  
 Site Map: Not reported  
 Fire District: Dallas Fire Station #3  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/05/2011  
 Id: 006980800  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/05/2011  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/05/2011

Contact:

Contact Email: el0848@semail.att.com  
 Contact Mail Address: 4211 BRYAN ST  
 Contact City/State/Zip: DALLAS, TX 75204  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ERROL LOCKHART  
 Title: Property Manager  
 Modification Date: 4/2/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T - TXH300 (Continued)**

**S111032677**

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 4/4/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 01/05/2011

Chemical Inventory:

Facility Id: FA20101882ZZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA20101882ZZ1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100 - 999 pounds  
 Max Daily Amount: 100 - 999 pounds  
 Max Amount In Largest Container: 799  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 4/2/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20101882ZZ1ZZ1ZZXX  
 Chemical Inventory Record Id: FA20101882ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 246  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T - TXH300 (Continued)**

**S111032677**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 4/2/2011

Record Key: FA20101882ZZ1ZZ2ZZXX  
 Chemical Inventory Record Id: FA20101882ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 553  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Equipment Room - 4 th  
 Last Modified: 4/2/2011

Notes: Not reported  
 Validation: Not reported

109

**SWITCH & DATA TX FIVE LP  
 2323 BRYAN STREET, 14TH FLOOR  
 DALLAS, TX 75201**

**TX TIER 2 S109198177  
 N/A**

TIER 2:

Facility Id/Name: FATR20105GM56602KBW8/SWITCH & DATA TX FIVE LP  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: OPs ENG  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 1/2/2011  
 Mailing Address: 1715 N. Westshore Blvd., Ste. 650 Attn: Tracy Lee Casimiro  
 Mailing City/State/Country: Tampa, FL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50.00  
 Number Of Employess On Site: 4  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Tracy Lee Casimiro, Environmental Compliance  
 Latitude: 32.787314  
 Longitude: -96.79429  
 Lat/Long Location Desc: UN - Unknown  
 Lat/Long Method: UN - Unknown  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20095GM56602KBW8/SWITCH & DATA TX FIVE LP  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Operations  
 Facility Date Modified: 5/24/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Date Tier 2 Signed: 12/31/2009  
 Mailing Address: 1715 N. Westshore Blvd., Ste. 650  
 Mailing City/State/Country: Tampa, FL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50.00  
 Number Of Employess On Site: 4  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Tracy Lee Casimiro, Paralegal  
 Latitude: 32.787314  
 Longitude: -96.79429  
 Lat/Long Location Desc: UN - Unknown  
 Lat/Long Method: UN - Unknown  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20085GM56602KBW8/SWITCH & DATA TX FIVE LP  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Operations  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/3/2009  
 Mailing Address: 1715 N. Westshore Blvd., Ste. 650  
 Mailing City/State/Country: Tampa, FL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: 4  
 Site Map: T  
 Fire District: Not reported  
 Submitted By: Tracy Lee Casimiro  
 Latitude: 32.787314  
 Longitude: -96.79429  
 Lat/Long Location Desc: UN - Unknown  
 Lat/Long Method: UN - Unknown  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20075GM56602KBW8/SWITCH & DATA TX FIVE LP  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 11/26/2007  
 Mailing Address: 1715 N. Westshore Blvd., Ste. 650  
 Mailing City/State/Country: Tampa, FL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Emploeyess On Site: 2  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: TRACY CASIMIRO  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: UN - Unknown  
 Lat/Long Method: UN - Unknown  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4899  
 Id Type: SIC  
 Description: COMMUNICATION SERVICES, NEC  
 Last Modified: 11/26/2007  
 Id: 541513  
 Id Type: NAICS  
 Description: Computer Facilities Management Services  
 Last Modified: 11/13/2009

Contact:

Contact Email: tjones@equinix.com  
 Contact Mail Address: 1950 Stemmons Frwy,1039A  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Switch & Data TX Five LP Switch & Data TX Five LP  
 Title: Switch & Data TX Five LP  
 Modification Date: 2/22/2011

Contact:

Contact Email: ossc@equinix.com  
 Contact Mail Address: One Lagoon Drive, 4th Floor  
 Contact City/State/Zip: Redwood City, CA 94065  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: OSSC 24-Hour Emergency Response  
 Title: Not reported  
 Modification Date: 5/18/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Contact:

Contact Email: Mvillarreal@equinix.com  
 Contact Mail Address: 4101 Bryan Street Attn: Marco Villarreal  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: EOC 24-Hour Emergency Response  
 Title: Environmental Compliance  
 Modification Date: 2/22/2013

Contact Email: Mvillarreal@equinix.com  
 Contact Mail Address: 1950 Stemmons Frwy, Suite 1039 Attn: Marco Villarreal  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Other  
 Contact Name: Switch & Data TX Five LP DBA Equinix Attn: Marco Villarreal  
 Title: Environmental Compliance  
 Modification Date: 2/10/2012

Contact Email: tcasimiro@equinix.com  
 Contact Mail Address: 1715 N. Westshore Blvd., Ste. 650  
 Contact City/State/Zip: Tampa, FL 33607  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Owner / Operator  
 Contact Type 3: Emergency Contact  
 Contact Name: Tracy Lee Casimiro  
 Title: Environmental Compliance  
 Modification Date: 2/22/2011

Chemical Inventory:

Facility Id: FATR20105GM56602KBW8  
 Chemical Name: SULFURIC ACID (Battery)  
 Chemical Inv Record Id: CVTR20105GMNBZ05NBTC  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 17  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/22/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107Q6TTB0081U1  
 Chemical Inventory Record Id: CVTR20105GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 5320  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Batteries  
 Last Modified: 2/22/2011

Mixture:

Record Key: CMTR20106Z1RU701W0QA  
 Chemical Inv Record Id: CVTR20105GMNBZ05NBTC  
 Mix Chemical: Copper <.1 % by Wt.  
 Percentage: .1  
 Facility Id: FATR20105GM56602KBW8  
 Mixture Cas: 7440-50-8  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/22/2011

Record Key: CMTR20106Z1RY802RHFZ  
 Chemical Inv Record Id: CVTR20105GMNBZ05NBTC  
 Mix Chemical: Tin .4-.6 % by Wt.  
 Percentage: .4  
 Facility Id: FATR20105GM56602KBW8  
 Mixture Cas: 7440-31-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/22/2011

Record Key: CMTR20105M5CA702QPW1  
 Chemical Inv Record Id: CVTR20105GMNBZ05NBTC  
 Mix Chemical: Electrolyte (Sulfuric Battery Acid) 16-18 %  
 Percentage: 20  
 Facility Id: FATR20105GM56602KBW8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/22/2011

Record Key: CMTR20106Z1RP600YP8Z  
 Chemical Inv Record Id: CVTR20105GMNBZ05NBTC  
 Mix Chemical: Lead 71-76 % by Wt.  
 Percentage: 70  
 Facility Id: FATR20105GM56602KBW8  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/22/2011

Facility Id: FATR20105GM56602KBW8

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Chemical Name: LEAD  
 Chemical Inv Record Id: CVTR20105GPF3S01WCF0  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 38  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/22/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107Q6TS1007XMS  
 Chemical Inventory Record Id: CVTR20105GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 14320  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Batteries  
 Last Modified: 2/22/2011

Mixture:

Record Key: CMTR20105M5C5U02MXP4  
 Chemical Inv Record Id: CVTR20105GPF3S01WCF0  
 Mix Chemical: LEAD  
 Percentage: 70  
 Facility Id: FATR20105GM56602KBW8  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/22/2011

Facility Id: FATR20105GM56602KBW8  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR201070P3VU00DBKP  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 18225

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/22/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201070P3WP00E2KE  
 Chemical Inventory Record Id: CVTR201070P3VU00DBKP  
 Amt Of Sub Stored Or Transported: 18225  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DA4: Generator Room (717 Crockett St) - 3000 gal. belly tank  
 Last Modified: 2/22/2011

Notes: Not reported  
 Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 4899  
 Id Type: SIC  
 Description: COMMUNICATION SERVICES, NEC  
 Last Modified: 11/26/2007  
 Id: 541513  
 Id Type: NAICS  
 Description: Computer Facilities Management Services  
 Last Modified: 11/13/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1715 N. Westshore Blvd., Ste. 650  
 Contact City/State/Zip: Tampa, FL 33607  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Switch & Data  
 Title: Not reported  
 Modification Date: 3/9/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1715 N. Westshore Blvd., Suite 650  
 Contact City/State/Zip: Tampa, FL 33607  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Other  
 Contact Name: TRACY CASIMIRO  
 Title: PARALEGAL  
 Modification Date: 11/27/2007

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1715 N. Westshore Blvd., Ste. 650  
 Contact City/State/Zip: Tampa, FL 33607  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: OSSC 24-HOUR SERVICE  
 Title: Not reported  
 Modification Date: 3/9/2010

Chemical Inventory:

Facility Id: FATR20095GM56602KBW8  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: CVTR20095GMNBZ05NBTC  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 14  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/9/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20095GPF2W01VLJ1  
 Chemical Inventory Record Id: CVTR20095GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 2400  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS #1 UPS #2: Batteries  
 Last Modified: 3/9/2010

Record Key: CLTR20095M5C9E02P0KA  
 Chemical Inventory Record Id: CVTR20095GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 56  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room (717 Crockett St): Batteries  
 Last Modified: 3/9/2010

Record Key: CLTR20095M5C9102NPAG  
 Chemical Inventory Record Id: CVTR20095GMNBZ05NBTC  
 Amt Of Sub Stored Or Transported: 1152  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Power Room: Batteries  
 Last Modified: 3/9/2010

Mixture:

Record Key: CMTR20096Z1RY802RHFZ  
 Chemical Inv Record Id: CVTR20095GMNBZ05NBTC  
 Mix Chemical: Tin .4-.6 % by Wt.  
 Percentage: .4  
 Facility Id: FATR20095GM56602KBW8  
 Mixture Cas: 7440-31-5  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/9/2010

Record Key: CMTR20096Z1RP600YP8Z  
 Chemical Inv Record Id: CVTR20095GMNBZ05NBTC  
 Mix Chemical: Lead 71-76 % by Wt.  
 Percentage: 70  
 Facility Id: FATR20095GM56602KBW8  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/9/2010

Record Key: CMTR20095M5CA702QPW1  
 Chemical Inv Record Id: CVTR20095GMNBZ05NBTC  
 Mix Chemical: Electrolyte (Sulfuric Battery Acid) 16-18 %  
 Percentage: 20  
 Facility Id: FATR20095GM56602KBW8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/9/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Record Key: CMTR20096Z1RU701W0QA  
 Chemical Inv Record Id: CVTR20095GMNBZ05NBTC  
 Mix Chemical: Copper <.1 % by Wt.  
 Percentage: .1  
 Facility Id: FATR20095GM56602KBW8  
 Mixture Cas: 7440-50-8  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/9/2010

Facility Id: FATR20095GM56602KBW8  
 Chemical Name: LEAD  
 Chemical Inv Record Id: CVTR20095GPF3S01WCF0  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 49  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/9/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20095M5C5502LB44  
 Chemical Inventory Record Id: CVTR20095GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 196  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room (717 Crockett St): Batteries  
 Last Modified: 3/9/2010

Record Key: CLTR20095GPF4F01XY4L  
 Chemical Inventory Record Id: CVTR20095GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 8400  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS #1 UPS #2: Batteries  
 Last Modified: 3/9/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Record Key: CLTR20095M5C4602KH3X  
 Chemical Inventory Record Id: CVTR20095GPF3S01WCF0  
 Amt Of Sub Stored Or Transported: 4032  
 Amount Units: pounds  
 Type Of Storage: Box  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Power Room: Batteries  
 Last Modified: 3/9/2010

Mixture:

Record Key: CMTR20095M5C5U02MXP4  
 Chemical Inv Record Id: CVTR20095GPF3S01WCF0  
 Mix Chemical: LEAD  
 Percentage: 70  
 Facility Id: FATR20095GM56602KBW8  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/9/2010

Facility Id: FATR20095GM56602KBW8  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR200970P3VU00DBKP  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 20250  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/9/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200970P3WP00E2KE  
 Chemical Inventory Record Id: CVTR200970P3VU00DBKP  
 Amt Of Sub Stored Or Transported: 20250  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room (717 Crockett St)

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWITCH & DATA TX FIVE LP (Continued)**

**S109198177**

Last Modified: 3/9/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

109

**DALLAS TI  
 2323 BRYAN ST., 25TH FLOOR  
 DALLAS, TX 75201**

**TX TIER 2 S109706193  
 N/A**

TIER 2:

Facility Id/Name: FATR20095NANVN06DSQ8/QWEST DALLAS TI  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 2/1/2010  
 Mailing Address: 1801 California St, Suite 1160  
 Mailing City/State/Country: Denver, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Harlan Pincus, Safety & Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20085NANVN06DSQ8/DALLAS TI  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/2/2009  
 Mailing Address: 1801 California St, Suite 1160  
 Mailing City/State/Country: Denver, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TI (Continued)**

**S109706193**

Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Harlan Pincus, Safety & Environmental Mgr  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/30/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/22/2008  
 Id: 14-872-1178  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/22/2008

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2323 Bryan Street, 25th floor  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Tom Jensen  
 Title: Area Manager  
 Modification Date: 3/1/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: UNicall Emergency Center  
 Title: Not reported  
 Modification Date: 3/1/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TI (Continued)**

**S109706193**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1801 California St., Suite 1160  
 Contact City/State/Zip: Denver, CO 80202  
 Contact Mail Country: USA  
 Contact Type 1: Owner/Operator  
 Contact Name: Qwest Communications Corp  
 Title: Not reported  
 Modification Date: 3/1/2010

Chemical Inventory:

Facility Id: FATR20095NANVN06DSQ8  
 Chemical Name: Diesel  
 Chemical Inv Record Id: CVTR20095NANVN06LHTM  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20095NANVN06NRCM  
 Chemical Inventory Record Id: CVTR20095NANVN06LHTM  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/1/2010

Facility Id: FATR20095NANVN06DSQ8  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20095NANVN06PT9X  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TI (Continued)**

**S109706193**

Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2009707EVM02SVZU  
 Chemical Inventory Record Id: CVTR20095NANVN06PT9X  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/1/2010

Record Key: CLTR20095NANVN06R0L2  
 Chemical Inventory Record Id: CVTR20095NANVN06PT9X  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/1/2010

Facility Id: FATR20095NANVN06DSQ8  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20095NANVN06S2GN  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS TI (Continued)**

**S109706193**

Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2009707EY702T3Y2  
 Chemical Inventory Record Id: CVTR20095NANVN06S2GN  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/1/2010

Record Key: CLTR20095NANVN06U9DX  
 Chemical Inventory Record Id: CVTR20095NANVN06S2GN  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/1/2010

Mixture:

Record Key: CMTR20096AGJ0N013HW0  
 Chemical Inv Record Id: CVTR20095NANVN06S2GN  
 Mix Chemical: Water  
 Percentage: 60  
 Facility Id: FATR20095NANVN06DSQ8  
 Mixture Cas: Not reported  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/1/2010

Record Key: CMTR20095NANVN06T7W0  
 Chemical Inv Record Id: CVTR20095NANVN06S2GN  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR20095NANVN06DSQ8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/1/2010

Notes: Not reported

Validation: This facility passed all validation checks.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**109 QWEST - DALLAS TI  
 2323 BRYAN ST., 25TH FLOOR  
 DALLAS, TX 75201**

**TX TIER 2 S111038735  
 N/A**

TIER 2:

Facility Id/Name: FATR20105NANVN06DSQ8/QWEST - DALLAS TI  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 1/13/2011  
 Mailing Address: 1801 California St, Suite 1160  
 Mailing City/State/Country: Denver, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Harlan Pincus, Lead Engineer  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/30/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/22/2008  
 Id: 14-872-1178  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/22/2008

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: UNICall Emergency Center  
 Title: Not reported  
 Modification Date: 3/9/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**QWEST - DALLAS TI (Continued)**

**S111038735**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2323 Bryan Street, 25th floor  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Tom Jensen  
 Title: Area Manager  
 Modification Date: 3/9/2011

Contact:

Contact Email: harlan.pincus@qwest.com  
 Contact Mail Address: 1801 California St., Suite 1160  
 Contact City/State/Zip: Denver, CO 80202  
 Contact Mail Country: USA  
 Contact Type 1: Owner/Operator  
 Contact Name: Qwest Communications Corp  
 Title: Not reported  
 Modification Date: 3/9/2011

Chemical Inventory:

Facility Id: FATR20105NANVN06DSQ8  
 Chemical Name: Diesel  
 Chemical Inv Record Id: CVTR20105NANVN06LHTM  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/9/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20105NANVN06NRCM  
 Chemical Inventory Record Id: CVTR20105NANVN06LHTM  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**QWEST - DALLAS TI (Continued)**

**S111038735**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/9/2011

Facility Id: FATR20105NANVN06DSQ8  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20105NANVN06PT9X  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/9/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20105NANVN06R0L2  
 Chemical Inventory Record Id: CVTR20105NANVN06PT9X  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/9/2011

Record Key: CLTR2010707EVM02SVZU  
 Chemical Inventory Record Id: CVTR20105NANVN06PT9X  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/9/2011

Facility Id: FATR20105NANVN06DSQ8  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20105NANVN06S2GN  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**QWEST - DALLAS TI (Continued)**

**S111038735**

Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/9/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2010707EY702T3Y2  
 Chemical Inventory Record Id: CVTR20105NANVN06S2GN  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/9/2011

Record Key: CLTR20105NANVN06U9DX  
 Chemical Inventory Record Id: CVTR20105NANVN06S2GN  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: CONFIDENTIAL  
 Last Modified: 3/9/2011

Mixture:

Record Key: CMTR20106AGJ0N013HW0  
 Chemical Inv Record Id: CVTR20105NANVN06S2GN  
 Mix Chemical: Water  
 Percentage: 60  
 Facility Id: FATR20105NANVN06DSQ8  
 Mixture Cas: Not reported  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/9/2011

Record Key: CMTR20105NANVN06T7W0  
 Chemical Inv Record Id: CVTR20105NANVN06S2GN  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**QWEST - DALLAS TI (Continued)**

**S111038735**

Facility Id: FATR20105NANVN06DSQ8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/9/2011

Notes: Not reported  
 Validation: Not reported

109

**LEVEL 3 - DALLAS 2  
 2323 BRYAN STREET, 21ST FLOOR  
 DALLAS, TX 75201**

**TX TIER 2 S108876104  
 N/A**

TIER 2:

Facility Id/Name: FATR20082RN3B303NKLL/LEVEL 3 - DALLAS 2  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/10/2009  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 950  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental PM  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20072RN3B303NKLL/LEVEL 3 - DALLAS 2  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/27/2008  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS 2 (Continued)**

**S108876104**

Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental Project Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20062RN3B303NKLL/LEVEL 3 - DALLAS 2  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/22/2007  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jody White / Environmental Compliance  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

109 QWEST - DALLAS - 2323 BRYAN - SUITE 740 & 2500 TX TIER 2 S108451339  
 "2323 BRYAN ST., SUITE 740 & 2500" N/A  
 DALLAS, TX 75201

TIER 2:

Facility Id: FATR20052UM1EG00S84L  
 Facility Name: QWEST - DALLAS - 2323 BRYAN - SUITE 740 & 2500  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: Not reported  
 Mailing Address: "1801 California St, Suite 1160"  
 Mailing City/State/Country: Denver, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 12  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Not reported  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: T  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported  
 Notes: Not reported  
 Validation: Not reported

109 "BROADWING COMMUNICATIONS, LLC. -- DLLSTX01" TX TIER 2 S108441540  
 "2323 BRYAN ST., SUITE 380" N/A  
 DALLAS, TX 75201

TIER 2:

Facility Id: FATR20052U455X0517PY  
 Facility Name: "BROADWING COMMUNICATIONS, LLC. -- DLLSTX01"  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Risk Management  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/18/2006  
 Mailing Address: 1122 Capital of Texas Highway South  
 Mailing City/State/Country: Austin, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 350  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**"BROADWING COMMUNICATIONS, LLC. -- DLLSTX01" (Continued)**

**S108441540**

Submitted By: John Hoffman Director  
 Latitude: 32.787200  
 Longitude: -96.794400  
 Lat/Long Location Desc: UN - Unknown  
 Lat/Long Method: UN - Unknown  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

109

**2323 BRYAN ST ZCOLO  
 2323 BRYAN ST  
 DALLAS, TX 75201**

**TX TIER 2 S113683062  
 N/A**

TIER 2:

Facility Id/Name: FATR201281HMAC02UFQ4/2323 BRYAN ST ZCOLO  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/17/2013  
 Mailing Address: 400 Centennial Pkwy  
 Mailing City/State/Country: Louisville, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Leon Callen, Infrastructure Engineer  
 Latitude: 32.78756  
 Longitude: -96.79452  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: G1 - GPS (Static)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:  
 Id: 517110  
 Id Type: NAICS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2323 BRYAN ST ZCOLO (Continued)**

**S113683062**

Description: Wired Telecommunications Carrier  
 Last Modified: 8/1/2011

Contact:

Contact Email: umang.varma@zayo.com  
 Contact Mail Address: 400 Centennial Pkwy STE 200  
 Contact City/State/Zip: Louisville, CO 80027  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: ZAYO BANDWIDTH (formerly AboveNet)  
 Title: Not reported  
 Modification Date: 3/9/2013

Contact Email: umang.varma@zayo.com  
 Contact Mail Address: 400 Centennial Pkwy STE 200  
 Contact City/State/Zip: Louisville, CO 80027  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: ZAYO BANDWIDTH (formerly AboveNet)  
 Title: Not reported  
 Modification Date: 3/9/2013

Contact:

Contact Email: ncc@zayo.com  
 Contact Mail Address: 400 Centennial Pkwy Ste 200  
 Contact City/State/Zip: Louisville, CO 80027  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Control Center  
 Title: Not reported  
 Modification Date: 3/9/2013

Contact Email: ncc@zayo.com  
 Contact Mail Address: 400 Centennial Pkwy Ste 200  
 Contact City/State/Zip: Louisville, CO 80027  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Control Center  
 Title: Not reported  
 Modification Date: 3/9/2013

Chemical Inventory:

Facility Id: FATR201281HMAC02UFQ4  
 Chemical Name: LEAD  
 Chemical Inv Record Id: CVTR201281HMKR030K3D  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 63  
 Chronic Health Risks: T  
 EHS Substance: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**2323 BRYAN ST ZCOLO (Continued)**

**S113683062**

Last Modified: 2/22/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201281HMPN031Y9G  
 Chemical Inventory Record Id: CVTR201281HMKR030K3D  
 Amt Of Sub Stored Or Transported: 10554  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2370  
 Last Modified: 2/22/2013

Facility Id: FATR201281HMAC02UFQ4  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: CVTR201281HMRA032D9G  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 16  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/22/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201281HMSF033CVY  
 Chemical Inventory Record Id: CVTR201281HMRA032D9G  
 Amt Of Sub Stored Or Transported: 2638

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2323 BRYAN ST ZCOLO (Continued)**

**S113683062**

Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2370  
 Last Modified: 2/22/2013

Notes: Not reported  
 Validation: Not reported

109

**FPL FIBERNET DALLAS POP  
 2323 BRYAN ST STE 2323  
 DALLAS, TX 75201**

**TX AST A100322237  
 N/A**

AST:

Facility ID: 114936  
 Additional ID: 204775282002138  
 AI Number: 75125  
 Facility Type: Not reported  
 Facility Begin Date: 03/31/2001  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 4  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75201  
 Contact Name/Title: CHARLES YOUNG/  
 2323 BRYAN TOWER  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact CityStateZip: Not reported  
 Contact Telephone: 2148800450  
 Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date on Earliest Reg Form: 05/01/2002  
 Signature First Name on Earliest Reg Form: JOHN W  
 Application Received Date on Earliest Reg Form: 05/09/2002  
 Signature Middle Name on Earliest Reg Form: Not reported  
 Signature Last Name on Earliest Reg Form: ROBINSON  
 Signature Title on Earliest Reg Form: ENGINEER  
 Signature Role on Earliest Reg Form: OWNER  
 Signature Company on Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: N  
 Facility Not Inspectable Reason A: Not reported  
 Facility Not Inspectable Reason B: Not reported  
 Enforcement Action Date: Not reported

Facility:

Facility ID: 114936  
 Tank ID: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FPL FIBERNET DALLAS POP (Continued)**

**A100322237**

AST ID:	199870
AI Number:	75125
Install Date:	03/31/2001
Tank Registration Date:	05/09/2002
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	03/31/2001
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	5000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	114936
Tank ID:	2
AST ID:	199871
AI Number:	75125
Install Date:	03/31/2001
Tank Registration Date:	05/09/2002
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	03/31/2001
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	5000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	114936
Tank ID:	3
AST ID:	210821
AI Number:	75125
Install Date:	09/01/2003
Tank Registration Date:	10/31/2008
Mult Comp:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FPL FIBERNET DALLAS POP (Continued)**

**A100322237**

Tank Status: IN USE  
 Tank Status Date: 09/01/2003  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 1500  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: Y  
 Fiber: N  
 Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: Y  
 Contains CO: N  
 Contains NO: N  
 Vapor Rec: Not reported  
 Inst Stage Date: Not reported

Facility ID: 114936  
 Tank ID: 4  
 AST ID: 213951  
 AI Number: 75125  
 Install Date: 07/13/2010  
 Tank Registration Date: 09/27/2010  
 Mult Comp: N  
 Tank Status: IN USE  
 Tank Status Date: 07/13/2010  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 2000  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: Y  
 Fiber: N  
 Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: N  
 Contains CO: N  
 Contains NO: N  
 Vapor Rec: Not reported  
 Inst Stage Date: Not reported

Facility ID: 122477  
 Additional ID: 750590492008122  
 AI Number: 79099  
 Facility Type: EMERGENCY GENERATOR  
 Facility Begin Date: 04/01/2003  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 1  
 Site Location Description: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FPL FIBERNET DALLAS POP (Continued)**

**A100322237**

Site Location (nearest city name):	Not reported
Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75201
Contact Name/Title:	MIKE WEAVER/
Contact Organization Name:	FPL FIBERNET DALLAS POP
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2147549195
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	10/04/2016
Signature First Name on Earliest Reg Form:	RICARDO
Application Received Date on Earliest Reg Form:	10/31/2016
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	CAJIGAS
Signature Title on Earliest Reg Form:	OPS MGR
Signature Role on Earliest Reg Form:	Not reported
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	N
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	122477
Tank ID:	1
AST ID:	209647
AI Number:	79099
Install Date:	04/01/2000
Tank Registration Date:	04/02/2008
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	04/01/2000
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	2050
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	123194
Additional ID:	647611402009068
AI Number:	79518

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FPL FIBERNET DALLAS POP (Continued)**

**A100322237**

Facility Type:	EMERGENCY GENERATOR
Facility Begin Date:	06/01/1999
Facility Status:	ACTIVE
Facility Exempt Status:	N
Records Off-Site:	Y
UST Financial Assurance Required:	N
Number of Active ASTs:	2
Site Location Description:	Not reported
Site Location (nearest city name):	Not reported
Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75201
Contact Name/Title:	TIM ROSS/
Contact Organization Name:	DALLAS TS ON FIBER
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2149990477
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	10/06/2008
Signature First Name on Earliest Reg Form:	Not reported
Application Received Date on Earliest Reg Form:	10/08/2008
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	Not reported
Signature Title on Earliest Reg Form:	Not reported
Signature Role on Earliest Reg Form:	OWNER
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	N
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
<b>Facility:</b>	
Facility ID:	123194
Tank ID:	1
AST ID:	210716
AI Number:	79518
Install Date:	06/01/1999
Tank Registration Date:	10/08/2008
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	06/01/1999
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	1750
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FPL FIBERNET DALLAS POP (Continued)**

**A100322237**

Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	123194
Tank ID:	2
AST ID:	210717
AI Number:	79518
Install Date:	06/01/1999
Tank Registration Date:	10/08/2008
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	06/01/1999
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	1750
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	123287
Additional ID:	697343412011158
AI Number:	79579
Facility Type:	EMERGENCY GENERATOR
Facility Begin Date:	04/15/2003
Facility Status:	ACTIVE
Facility Exempt Status:	N
Records Off-Site:	N
UST Financial Assurance Required:	N
Number of Active ASTs:	1
Site Location Description:	Not reported
Site Location (nearest city name):	Not reported
Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75201
Contact Name/Title:	DON REID/MFO
Contact Organization Name:	EQUINIX
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2147828029
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	11/14/2008
Signature First Name on Earliest Reg Form:	JON

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FPL FIBERNET DALLAS POP (Continued)**

**A100322237**

Application Received Date on Earliest Reg Form: 11/04/2008  
 Signature Middle Name on Earliest Reg Form: Not reported  
 Signature Last Name on Earliest Reg Form: FRIDJONSSON  
 Signature Title on Earliest Reg Form: SITE FAC MGR  
 Signature Role on Earliest Reg Form: OWNER  
 Signature Company on Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: N  
 Facility Not Inspectable Reason A: Not reported  
 Facility Not Inspectable Reason B: Not reported  
 Enforcement Action Date: Not reported

Facility:

Facility ID: 123287  
 Tank ID: 1  
 AST ID: 210841  
 AI Number: 79579  
 Install Date: 04/29/2003  
 Tank Registration Date: 11/04/2008  
 Mult Comp: N  
 Tank Status: IN USE  
 Tank Status Date: 04/29/2003  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 4000  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: Y  
 Fiber: N  
 Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: N  
 Contains CO: N  
 Contains NO: N  
 Vapor Rec: EXEMPT BY TCEQ RULE  
 Inst Stage Date: Not reported

Facility ID: 123381  
 Additional ID: 286367442009033  
 AI Number: 79634  
 Facility Type: Not reported  
 Facility Begin Date: 08/31/1987  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 2  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75201  
 Contact Name/Title: ISAIAS ALMANZA/MGR  
 Contact Organization Name: GLOBAL CROSSING-DALLAS SWITCH  
 Contact Mailing Address1: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FPL FIBERNET DALLAS POP (Continued)**

**A100322237**

Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2144523400
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	11/20/2008
Signature First Name on Earliest Reg Form:	ISAIAS
Application Received Date on Earliest Reg Form:	12/01/2008
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	ALMANZA
Signature Title on Earliest Reg Form:	MGR
Signature Role on Earliest Reg Form:	OWNER
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	123381
Tank ID:	1
AST ID:	211078
AI Number:	79634
Install Date:	12/01/1997
Tank Registration Date:	12/01/2008
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	12/01/1997
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	2000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	
Facility ID:	123381
Tank ID:	2
AST ID:	211079
AI Number:	79634
Install Date:	12/01/1997
Tank Registration Date:	12/01/2008
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	12/01/1997
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	2000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FPL FIBERNET DALLAS POP (Continued)**

**A100322237**

Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

109

**XO COMMUNICATIONS (TX-7)  
 2323 BRYAN STREET, SUITE 2450  
 DALLAS, TX 75219**

**TX TIER 2 S108889839  
 N/A**

TIER 2:

Facility Id/Name:	FATR20122SU1K203Z548/XO COMMUNICATIONS (TX-7)
Reporting Year:	2012
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	5/8/2013
Date Tier 2 Signed:	1/4/2013
Mailing Address:	9201 N. Central Expressway
Mailing City/State/Country:	Dallas, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	100.00
Number Of Employess On Site:	0
Site Map:	Not reported
Fire District:	Dallas
Submitted By:	Chris Schnaithman/Sr. Mgr.-Env. Compliance
Latitude:	32.786990
Longitude:	-96.794121
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A1 - Address Matching (House Number)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20112SU1K203Z548/XO COMMUNICATIONS (TX-7)
Reporting Year:	2011
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	5/16/2012
Date Tier 2 Signed:	1/11/2012
Mailing Address:	2700 Summit Avenue
Mailing City/State/Country:	Plano, TX USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100.00  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas  
 Submitted By: Chris Schnaithman/Sr. Mgr.-Env. Compliance  
 Latitude: 32.786990  
 Longitude: -96.794121  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20102SU1K203Z548/XO COMMUNICATIONS (TX-7)  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/21/2011  
 Mailing Address: 2700 Summit Avenue  
 Mailing City/State/Country: Plano, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100.00  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas  
 Submitted By: Chris Schnaithman  
 Latitude: 32.786990  
 Longitude: -96.794121  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20092SU1K203Z548/XO COMMUNICATIONS (TX 7)  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 1/22/2010  
 Mailing Address: 2700 Summit Avenue



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Mailing City/State/Country:	Plano, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	100.00
Number Of Employess On Site:	0
Site Map:	Not reported
Fire District:	Dallas
Submitted By:	Chris Schnaithman / Sr. Mgr. - Environmental Compliance
Latitude:	32.786990
Longitude:	-96.794121
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A1 - Address Matching (House Number)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20082SU1K203Z548/XO COMMUNICATIONS (TX-7)
Reporting Year:	2008
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	6/30/2009
Date Tier 2 Signed:	1/15/2009
Mailing Address:	2700 Summit Avenue
Mailing City/State/Country:	Plano, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	7.14
Number Of Employess On Site:	0
Site Map:	Not reported
Fire District:	Dallas
Submitted By:	Chris Schnaithman / Sr. Eng.-Environmental Compliance
Latitude:	32.786990
Longitude:	-96.794121
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A1 - Address Matching (House Number)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20072SU1K203Z548/XO COMMUNICATIONS (TX-7)
Reporting Year:	2007
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	8/5/2008
Date Tier 2 Signed:	1/15/2008

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Mailing Address: 2700 Summit Avenue  
 Mailing City/State/Country: Plano, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100.00  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas  
 Submitted By: Chris Schnaithman / Sr. Eng.-Environmental Compliance  
 Latitude: 32.786990  
 Longitude: -96.794121  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20062SU1K203Z548  
 Facility Name: XO COMMUNICATIONS, INC. (TX-7)  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/31/2007  
 Mailing Address: 2700 Summit Avenue  
 Mailing City/State/Country: Plano, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100.00  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas  
 Submitted By: Chris Schnaithman/Sr Eng-Environmental Compliance  
 Latitude: 32.786990  
 Longitude: -96.794121  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A2 - Address Matching (Block Face)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Facility Info:

Id: 67817  
 Id Type: State ID  
 Description: TXT2 number issued by TDH  
 Last Modified: 1/15/2008  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/6/2004  
 Id: 87-704-3612  
 Id Type: Dun & Bradstreet  
 Description: XO Communications, LLC  
 Last Modified: 1/3/2007  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 12/9/2004

Contact:

Contact Email: christopher.schnaithman@XO.com  
 Contact Mail Address: 2700 Summit Avenue  
 Contact City/State/Zip: Plano, TX 75074  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Chris Schnaithman  
 Title: Sr. Mgr. - Env. Compliance  
 Modification Date: 1/20/2010

Contact Email: christopher.schnaithman@XO.com  
 Contact Mail Address: 2700 Summit Avenue  
 Contact City/State/Zip: Plano, TX 75074  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Chris Schnaithman  
 Title: Sr. Mgr. - Env. Compliance  
 Modification Date: 1/20/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2020 Westport Center Drive  
 Contact City/State/Zip: St. Louis, MO  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Other  
 Contact Name: XO National Operations Center  
 Title: Shift Supv.  
 Modification Date: 2/6/2012

Contact Email: Not reported  
 Contact Mail Address: 2020 Westport Center Drive  
 Contact City/State/Zip: St. Louis, MO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Other  
 Contact Name: XO National Operations Center  
 Title: Shift Supv.  
 Modification Date: 2/6/2012

Contact:

Contact Email: christopher.schnaithman@xo.com  
 Contact Mail Address: 13865 Sunrise Valley Drive  
 Contact City/State/Zip: Herndon, VA 20171  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: XO Communications  
 Title: Not reported  
 Modification Date: 2/6/2012

Contact Email: christopher.schnaithman@xo.com  
 Contact Mail Address: 13865 Sunrise Valley Drive  
 Contact City/State/Zip: Herndon, VA 20171  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: XO Communications  
 Title: Not reported  
 Modification Date: 2/6/2012

Contact:

Contact Email: harry.gibbons@XO.com  
 Contact Mail Address: 1300 W. Mockingbird Lane  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Harry Gibbons  
 Title: Ops Mgr  
 Modification Date: 2/6/2012

Contact:

Contact Email: steven.marks@xo.com  
 Contact Mail Address: 1300 W. Mockingbird Lane  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Steven Marks  
 Title: Ops Manager  
 Modification Date: 2/6/2012

Chemical Inventory:

Facility Id: FATR20112SU1K203Z548  
 Chemical Name: Batteries (Lead-Acid)  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 CAS Number: Not reported  
 Chemical Same As Last Year: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 57  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/6/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20112SU2P704K5BP  
 Chemical Inventory Record Id: CVTR20112SU1WZ049F9A  
 Amt Of Sub Stored Or Transported: 3464  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 24th floor (Ste. 2450) S.E. corner  
 Last Modified: 2/6/2012

Mixture:

Record Key: CMTR20112SU21R04AKEP  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Sulfuric Acid (Electrolyte)  
 Percentage: 18  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/6/2012

Record Key: CMTR20112SU21S04BM0A  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Lead  
 Percentage: 68  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Record Key: CMTR20112SU2FX04CUN2  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Polypropylene

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Percentage: 4  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: 9003-07-0  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Record Key: CMTR20112SU2GB04D6KC  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Record Key: CMTR20112SU2GK04EDGQ  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Record Key: CMTR20112SU2GV04FN4C  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Record Key: CMTR20112SU2H804GZV6  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Record Key: CMTR20112SU2HJ04H8AC  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Record Key: CMTR20112SU2HR04JEQW  
 Chemical Inv Record Id: CVTR20112SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Facility Id: FATR20112SU1K203Z548  
 Chemical Name: Sulfuric Acid (electrolyte solution)  
 Chemical Inv Record Id: CVTR20112TSVHA00367G  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 14  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/6/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20112TSVFN004P1U  
 Chemical Inventory Record Id: CVTR20112TSVHA00367G  
 Amt Of Sub Stored Or Transported: 1286  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 24th floor (Ste. 2450) S.E. corner  
 Last Modified: 2/6/2012

**Mixture:**

Record Key: CMTR20113J3HAD00GQ93  
 Chemical Inv Record Id: CVTR20112TSVHA00367G  
 Mix Chemical: Sulfuric Acid  
 Percentage: 39  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Mixture Last Modified: 2/6/2012

Record Key: CMTR20114X8ZEV005X63  
 Chemical Inv Record Id: CVTR20112TSVHA00367G  
 Mix Chemical: Water  
 Percentage: 61  
 Facility Id: FATR20112SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 12/9/2004  
 Id: 87-704-3612  
 Id Type: Dun & Bradstreet  
 Description: XO Communications, LLC  
 Last Modified: 1/3/2007  
 Id: 67817  
 Id Type: State ID  
 Description: TXT2 number issued by TDH  
 Last Modified: 1/15/2008  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/6/2004

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2700 Summit Avenue  
 Contact City/State/Zip: Plano, TX 75074  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Chris Schnaithman  
 Title: Sr. Mgr. - Env. Compliance  
 Modification Date: 1/20/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 13865 Sunrise Valley Drive  
 Contact City/State/Zip: Herndon, VA 20171  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: XO Communications  
 Title: Not reported  
 Modification Date: 1/29/2010



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1300 W. Mockingbird Lane  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Harry Gibbons  
 Title: Ops Mgr  
 Modification Date: 1/29/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1300 W Mockingbird Ln  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Craig Bielstein  
 Title: CO Tech  
 Modification Date: 1/29/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2020 Westport Center Drive  
 Contact City/State/Zip: St. Louis, MO  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Other  
 Contact Name: XO National Operations Center  
 Title: Shift Supv.  
 Modification Date: 1/29/2010

Chemical Inventory:

Facility Id: FATR20092SU1K203Z548  
 Chemical Name: Batteries (Lead-Acid)  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 CAS Number: Not reported  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 166  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20092SU2P704K5BP  
 Chemical Inventory Record Id: CVTR20092SU1WZ049F9A  
 Amt Of Sub Stored Or Transported: 7968  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 24th floor (Ste. 2450) S.E. corner  
 Last Modified: 1/29/2010

Mixture:

Record Key: CMTR20092SU21R04AKEP  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Sulfuric Acid (Electrolyte)  
 Percentage: 18  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 1/29/2010

Record Key: CMTR20092SU21S04BM0A  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Lead  
 Percentage: 68  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

Record Key: CMTR20092SU2FX04CUN2  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Polypropylene  
 Percentage: 4  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: 9003-07-0  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

Record Key: CMTR20092SU2GB04D6KC  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Record Key: CMTR20092SU2GK04EDGQ  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

Record Key: CMTR20092SU2GV04FN4C  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

Record Key: CMTR20092SU2H804GZV6  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

Record Key: CMTR20092SU2HJ04H8AC  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

Record Key: CMTR20092SU2HR04JEQW  
 Chemical Inv Record Id: CVTR20092SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

Facility Id: FATR20092SU1K203Z548  
 Chemical Name: Sulfuric Acid (electrolyte solution)  
 Chemical Inv Record Id: CVTR20092TSVHA00367G  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 14  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20092TSVFN004P1U  
 Chemical Inventory Record Id: CVTR20092TSVHA00367G  
 Amt Of Sub Stored Or Transported: 1344  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 24th floor (Ste. 2450) S.E. corner  
 Last Modified: 1/29/2010

Mixture:

Record Key: CMTR20093J3HAD00GQ93  
 Chemical Inv Record Id: CVTR20092TSVHA00367G  
 Mix Chemical: Sulfuric Acid  
 Percentage: 39  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 1/29/2010

Record Key: CMTR20094X8ZEV005X63  
 Chemical Inv Record Id: CVTR20092TSVHA00367G  
 Mix Chemical: Water  
 Percentage: 61  
 Facility Id: FATR20092SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 1/29/2010

Notes:

XO Communications has eleven reportable non-manufacturing facilities. XO pays consolidated reporting fees of \$100.00 for all reportable sights.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Validation: This facility passed all validation checks.

Notes: XO Communications has eleven reportable non-manufacturing facilities. XO pays consolidated reporting fees of \$100.00 for all reportable sights.

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 12/9/2004  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/6/2004  
 Id: 67817  
 Id Type: State ID  
 Description: TXT2 number issued by TDH  
 Last Modified: 1/15/2008  
 Id: 87-704-3612  
 Id Type: Dun & Bradstreet  
 Description: XO Communications, LLC  
 Last Modified: 1/3/2007

Contact:

Contact Email: harry.gibbons@XO.com  
 Contact Mail Address: 1300 W. Mockingbird Lane  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Harry Gibbons  
 Title: Ops Mgr  
 Modification Date: 2/16/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2020 Westport Center Drive  
 Contact City/State/Zip: St. Louis, MO  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Other  
 Contact Name: XO National Operations Center  
 Title: Shift Supv.  
 Modification Date: 2/16/2011

Contact:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Contact Email: christopher.schnaithman@xo.com  
 Contact Mail Address: 13865 Sunrise Valley Drive  
 Contact City/State/Zip: Herndon, VA 20171  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: XO Communications  
 Title: Not reported  
 Modification Date: 2/16/2011

Contact:

Contact Email: christopher.schnaithman@XO.com  
 Contact Mail Address: 2700 Summit Avenue  
 Contact City/State/Zip: Plano, TX 75074  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Chris Schnaithman  
 Title: Sr. Mgr. - Env. Compliance  
 Modification Date: 1/20/2010

Contact:

Contact Email: steven.marks@xo.com  
 Contact Mail Address: 1300 W. Mockingbird Lane  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Steven Marks  
 Title: Ops Manager  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR20102SU1K203Z548  
 Chemical Name: Batteries (Lead-Acid)  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 CAS Number: Not reported  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 166  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20102SU2P704K5BP  
 Chemical Inventory Record Id: CVTR20102SU1WZ049F9A  
 Amt Of Sub Stored Or Transported: 7968  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 24th floor (Ste. 2450) S.E. corner  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR20102SU2GK04EDGQ  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

Record Key: CMTR20102SU2HR04JEQW  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

Record Key: CMTR20102SU2FX04CUN2  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Polypropylene  
 Percentage: 4  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: 9003-07-0  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

Record Key: CMTR20102SU2H804GZV6  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Record Key: CMTR20102SU21R04AKEP  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Sulfuric Acid (Electrolyte)  
 Percentage: 18  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Record Key: CMTR20102SU21S04BM0A  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Lead  
 Percentage: 68  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

Record Key: CMTR20102SU2GB04D6KC  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

Record Key: CMTR20102SU2GV04FN4C  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

Record Key: CMTR20102SU2HJ04H8AC  
 Chemical Inv Record Id: CVTR20102SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

Facility Id: FATR20102SU1K203Z548  
 Chemical Name: Sulfuric Acid (electrolyte solution)  
 Chemical Inv Record Id: CVTR20102TSVHA00367G  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 14  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20102TSVFN004P1U  
 Chemical Inventory Record Id: CVTR20102TSVHA00367G  
 Amt Of Sub Stored Or Transported: 1344  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 24th floor (Ste. 2450) S.E. corner  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR20103J3HAD00GQ93  
 Chemical Inv Record Id: CVTR20102TSVHA00367G  
 Mix Chemical: Sulfuric Acid  
 Percentage: 39  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Record Key: CMTR20104X8ZEV005X63  
 Chemical Inv Record Id: CVTR20102TSVHA00367G  
 Mix Chemical: Water  
 Percentage: 61  
 Facility Id: FATR20102SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Facility Info:

Id: 67817  
 Id Type: State ID  
 Description: TXT2 number issued by TDH  
 Last Modified: 1/15/2008  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/6/2004  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 12/9/2004  
 Id: 87-704-3612  
 Id Type: Dun & Bradstreet  
 Description: XO Communications, LLC  
 Last Modified: 1/3/2007

Contact:

Contact Email: christopher.schnaithman@XO.com  
 Contact Mail Address: 9201 N. Central Expressway (1B100)  
 Contact City/State/Zip: Dallas, TX 75231  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Chris Schnaithman  
 Title: Sr. Mgr. - Env. Compliance  
 Modification Date: 1/2/2013

Contact Email: christopher.schnaithman@XO.com  
 Contact Mail Address: 9201 N. Central Expressway (1B100)  
 Contact City/State/Zip: Dallas, TX 75231  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Chris Schnaithman  
 Title: Sr. Mgr. - Env. Compliance  
 Modification Date: 1/2/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2020 Westport Center Drive  
 Contact City/State/Zip: St. Louis, MO  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Other  
 Contact Name: XO National Operations Center  
 Title: Shift Supv.  
 Modification Date: 2/24/2013

Contact Email: Not reported  
 Contact Mail Address: 2020 Westport Center Drive  
 Contact City/State/Zip: St. Louis, MO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Other  
 Contact Name: XO National Operations Center  
 Title: Shift Supv.  
 Modification Date: 2/24/2013

Contact:

Contact Email: christopher.schnaithman@xo.com  
 Contact Mail Address: 13865 Sunrise Valley Drive  
 Contact City/State/Zip: Herndon, VA 20171  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: XO Communications  
 Title: Not reported  
 Modification Date: 2/24/2013

Contact Email: christopher.schnaithman@xo.com  
 Contact Mail Address: 13865 Sunrise Valley Drive  
 Contact City/State/Zip: Herndon, VA 20171  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: XO Communications  
 Title: Not reported  
 Modification Date: 2/24/2013

Contact:

Contact Email: harry.gibbons@XO.com  
 Contact Mail Address: 1300 W. Mockingbird Lane  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Harry Gibbons  
 Title: Ops Mgr  
 Modification Date: 2/24/2013

Contact:

Contact Email: steven.marks@xo.com  
 Contact Mail Address: 1300 W. Mockingbird Lane  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Steven Marks  
 Title: Ops Manager  
 Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR20122SU1K203Z548  
 Chemical Name: Batteries (Lead-Acid)  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 CAS Number: Not reported  
 Chemical Same As Last Year: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 57  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/24/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20122SU2P704K5BP  
 Chemical Inventory Record Id: CVTR20122SU1WZ049F9A  
 Amt Of Sub Stored Or Transported: 3464  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 24th floor (Ste. 2450) S.E. corner  
 Last Modified: 2/24/2013

Mixture:

Record Key: CMTR20122SU21R04AKEP  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Sulfuric Acid (Electrolyte)  
 Percentage: 18  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/24/2013

Record Key: CMTR20122SU21S04BM0A  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Lead  
 Percentage: 68  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

Record Key: CMTR20122SU2FX04CUN2  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Polypropylene

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Percentage: 4  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: 9003-07-0  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

Record Key: CMTR20122SU2GB04D6KC  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

Record Key: CMTR20122SU2GK04EDGQ  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

Record Key: CMTR20122SU2GV04FN4C  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

Record Key: CMTR20122SU2H804GZV6  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

Record Key: CMTR20122SU2HJ04H8AC  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Record Key: CMTR20122SU2HR04JEQW  
 Chemical Inv Record Id: CVTR20122SU1WZ049F9A  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

Facility Id: FATR20122SU1K203Z548  
 Chemical Name: Sulfuric Acid (electrolyte solution)  
 Chemical Inv Record Id: CVTR20122TSVHA00367G  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 14  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/24/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20122TSVFN004P1U  
 Chemical Inventory Record Id: CVTR20122TSVHA00367G  
 Amt Of Sub Stored Or Transported: 1286  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 24th floor (Ste. 2450) S.E. corner  
 Last Modified: 2/24/2013

**Mixture:**

Record Key: CMTR20123J3HAD00GQ93  
 Chemical Inv Record Id: CVTR20122TSVHA00367G  
 Mix Chemical: Sulfuric Acid  
 Percentage: 39  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**XO COMMUNICATIONS (TX-7) (Continued)**

**S108889839**

Mixture Last Modified: 2/24/2013

Record Key: CMTR20124X8ZEV005X63  
 Chemical Inv Record Id: CVTR20122TSVHA00367G  
 Mix Chemical: Water  
 Percentage: 61  
 Facility Id: FATR20122SU1K203Z548  
 Mixture Cas: Not reported  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/24/2013

Notes: Not reported  
 Validation: Not reported

109

**NEXTERA FIBERNET - DALLAS POP  
 2323 BRYAN  
 DALLAS, TX 75201**

**TX TIER 2 S112004246  
 N/A**

TIER 2:

Facility Id/Name: FATR20128EZ7KU002ARS/NEXTERA FIBERNET - DALLAS POP  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 02/27/2013  
 Mailing Address: 9250 W Flagler Street  
 Mailing City/State/Country: Miami, FL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Tomey Tuttle / Environmental Project Manager  
 Latitude: 32.787042  
 Longitude: 96.794167  
 Lat/Long Location Desc: OT - Other  
 Lat/Long Method: A6 - Address Matching (Digitized)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20118EZ7KU002ARS/NEXTERA FIBERNET - DALLAS POP  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 02/12/2012  
 Mailing Address: 9250 W Flagler Street

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEXTERA FIBERNET - DALLAS POP (Continued)**

**S112004246**

Mailing City/State/Country: Miami, FL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Tomey Tuttle  
 Latitude: 32.787042  
 Longitude: 96.794167  
 Lat/Long Location Desc: OT - Other  
 Lat/Long Method: A6 - Address Matching (Digitized)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 51339  
 Id Type: NAICS  
 Description: Other Telecommunications  
 Last Modified: 2/25/2012  
 Id: 96-424-2270  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/25/2012  
 Id: 27-3269315  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 2/25/2012

Contact:

Contact Email: FNNOC@fpl.com  
 Contact Mail Address: 3605 NW 82 Street  
 Contact City/State/Zip: Miami, FL 33126  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: NextEra Fibernet Network Operation Center  
 Title: (NOC)  
 Modification Date: 3/1/2012

Contact Email: FNNOC@fpl.com  
 Contact Mail Address: 3605 NW 82 Street  
 Contact City/State/Zip: Miami, FL 33126  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: NextEra Fibernet Network Operation Center  
 Title: (NOC)  
 Modification Date: 3/1/2012



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NEXTERA FIBERNET - DALLAS POP (Continued)**

**S112004246**

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 2323 Bryan, Suite 2323  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Jeff Wright  
 Title: Field Service Technician  
 Modification Date: 3/1/2012

Contact:  
 Contact Email: tomey.tuttle@fpl.com  
 Contact Mail Address: 700 Universe Blvd, JES/JB  
 Contact City/State/Zip: Juno Beach, FL 33408  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Name: Tomey Tuttle  
 Title: Env. Porject Manager  
 Modification Date: 2/27/2012

Contact Email: tomey.tuttle@fpl.com  
 Contact Mail Address: 700 Universe Blvd, JES/JB  
 Contact City/State/Zip: Juno Beach, FL 33408  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Name: Tomey Tuttle  
 Title: Env. Porject Manager  
 Modification Date: 2/27/2012

Chemical Inventory:  
 Facility Id: FATR20118EZ7KU002ARS  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20118EZ8W200CK6D  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 15000  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEXTERA FIBERNET - DALLAS POP (Continued)**

**S112004246**

Chemical Inventory Location:

Record Key: CLTR20118EZ99E00D4S9  
 Chemical Inventory Record Id: CVTR20118EZ8W200CK6D  
 Amt Of Sub Stored Or Transported: 15000  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: SE corner of basement  
 Last Modified: 3/1/2012

Facility Id: FATR20118EZ7KU002ARS  
 Chemical Name: BATTERY FLUID, ACID, WITH BATTERY  
 Chemical Inv Record Id: CVTR20118EZ99Y00EKLE  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 2660  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/1/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118EZ9CL00FVFX  
 Chemical Inventory Record Id: CVTR20118EZ99Y00EKLE  
 Amt Of Sub Stored Or Transported: 2660  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Center of room  
 Last Modified: 3/1/2012

Mixture:

Record Key: CMTR20118F3NP700PQH2  
 Chemical Inv Record Id: CVTR20118EZ99Y00EKLE  
 Mix Chemical: BATTERY ACID  
 Percentage: 10  
 Facility Id: FATR20118EZ7KU002ARS  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEXTERA FIBERNET - DALLAS POP (Continued)**

**S112004246**

Mixture Ehs: T  
 Mixture Last Modified: 3/1/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 96-424-2270  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/25/2012  
 Id: 51339  
 Id Type: NAICS  
 Description: Other Telecommunications  
 Last Modified: 2/25/2012  
 Id: 27-3269315  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 2/25/2012

Contact:

Contact Email: FNNOC@fpl.com  
 Contact Mail Address: 3605 NW 82 Street  
 Contact City/State/Zip: Miami, FL 33126  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: NextEra Fibernet Network Operation Center  
 Title: (NOC)  
 Modification Date: 3/8/2013

Contact Email: FNNOC@fpl.com  
 Contact Mail Address: 3605 NW 82 Street  
 Contact City/State/Zip: Miami, FL 33126  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: NextEra Fibernet Network Operation Center  
 Title: (NOC)  
 Modification Date: 3/8/2013

Contact:

Contact Email: tomey.tuttle@fpl.com  
 Contact Mail Address: 700 Universe Blvd, JES/JB  
 Contact City/State/Zip: Juno Beach, FL 33408  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Name: Tomey Tuttle  
 Title: Env. Project Manager  
 Modification Date: 2/27/2013

Contact Email: tomey.tuttle@fpl.com  
 Contact Mail Address: 700 Universe Blvd, JES/JB  
 Contact City/State/Zip: Juno Beach, FL 33408

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NEXTERA FIBERNET - DALLAS POP (Continued)**

**S112004246**

Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Name: Tomey Tuttle  
 Title: Env. Project Manager  
 Modification Date: 2/27/2013

Contact:

Contact Email: Gerrod.Powers@nexteraenergy.com  
 Contact Mail Address: 3605 NW 82 Ave  
 Contact City/State/Zip: Miami, FL 33166  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Gerrod Powers  
 Title: Field Service Technician  
 Modification Date: 3/8/2013

Chemical Inventory:

Facility Id: FATR20128EZ7KU002ARS  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20128EZ8W200CK6D  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 15000  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128EZ99E00D4S9  
 Chemical Inventory Record Id: CVTR20128EZ8W200CK6D  
 Amt Of Sub Stored Or Transported: 15000  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: SE corner of basement  
 Last Modified: 3/8/2013

Facility Id: FATR20128EZ7KU002ARS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEXTERA FIBERNET - DALLAS POP (Continued)**

**S112004246**

Chemical Name: BATTERY FLUID, ACID, WITH BATTERY  
 Chemical Inv Record Id: CVTR20128EZ99Y00EKLE  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 2660  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128EZ9CL00FVFX  
 Chemical Inventory Record Id: CVTR20128EZ99Y00EKLE  
 Amt Of Sub Stored Or Transported: 2660  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Center of room  
 Last Modified: 3/8/2013

Mixture:

Record Key: CMTR20128F3NP700PQH2  
 Chemical Inv Record Id: CVTR20128EZ99Y00EKLE  
 Mix Chemical: BATTERY ACID  
 Percentage: 10  
 Facility Id: FATR20128EZ7KU002ARS  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/8/2013

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

**109 QWEST - DALLAS - 2323 BRYAN - SUITE 740 & 2500 TX TIER 2 S108881260**  
**2323 BRYAN ST., SUITE 740 & 2500 N/A**  
**DALLAS, TX 75201**

TIER 2:

Facility Id: FATR20062UM1EG00S84L  
 Facility Name: QWEST - DALLAS - 2323 BRYAN - SUITE 740 & 2500  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/20/2007  
 Mailing Address: 1801 California St, Suite 1160  
 Mailing City/State/Country: Denver, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 12  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robin Seguin, EHS Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

**109 EQUINIX 2323 BRYAN STREET DALLAS TX AIRS S118717090**  
**2323 BRYAN ST STE 1400 N/A**  
**DALLAS, TX**

AIRS:

Permit Num: 138328  
 Regulated Id: RN108987066  
 Permit Type: PBR  
 Permit Status: EFFECTIVE  
 Permit Issued Date: 01/25/2016  
 Expiration Date: Not reported  
 Customer Id: CN603042763  
 Company Name: EQUINIX LLC  
 Physical Location Desc: Not reported  
 Rep Official(RO): VP ENVIRONMENTAL SOLUTIONS  
 RO Name: MRS TRISHA VICTOR  
 RO Delivery Address: 20922 OLD HICKORY LN  
 RO City/State/Zip: LEESBURG, VA 20175  
 RO Phone: 2932903  
 RO Ext Num: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EQUINIX 2323 BRYAN STREET DALLAS (Continued)**

**S118717090**

RO EMail Address: TRISHA.VICTOR@CTN-ONLINE.COM  
 Lat Dec Coord Num: 32.787219  
 Long Dec Coord Num: -96.794348

109

**MCI- DAANTX (TXDAANTX)  
 2323 BRYAN ST  
 DALLAS, TX 75201**

**TX TIER 2**

**S112009500  
 N/A**

TIER 2:

Facility Id/Name: FATR2012TXDAANTX/MCI- DAANTX (TXDAANTX)  
 Reporting Year: 2012  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 1/3/2013  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller - Manager, Global EH&S Compliance  
 Latitude: 32.787266  
 Longitude: -96.794175  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR2011TXDAANTX/MCI- DAANTX (TXDAANTX)  
 Reporting Year: 2011  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1/3/2012  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller  
 Latitude: 32.787266  
 Longitude: -96.794175  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DAANTX (TXDAANTX) (Continued)**

**S112009500**

Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 132745892  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 1/3/2012

Contact:

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DAANTX (TXDAANTX) (Continued)**

**S112009500**

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 3/30/2012

Chemical Inventory:

Facility Id: FATR2011TXDAANTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDAANTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 693  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/30/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DAANTX (TXDAANTX) (Continued)**

**S112009500**

Chemical Inventory Location:

Record Key: TXDAANTX91443384466  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 49896  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW Bat. Rm  
 Last Modified: 3/30/2012

Record Key: TXDAANTX91443384467  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 49896  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW/Colo Bat. rm.  
 Last Modified: 3/30/2012

Record Key: TXDAANTX91443387847  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 4704  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Equipment Room  
 Last Modified: 3/30/2012

Record Key: TXDAANTX91443388578  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 23.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panels  
 Last Modified: 3/30/2012

Record Key: TXDAANTX91443388579  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 26.2  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panels  
 Last Modified: 3/30/2012

Record Key: TXDAANTX91443388580  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 90  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DAANTX (TXDAANTX) (Continued)**

**S112009500**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator  
 Last Modified: 3/30/2012

Mixture:  
 Record Key: TXDAANTX9144377860  
 Chemical Inv Record Id: TXDAANTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 6.06  
 Facility Id: FATR2011TXDAANTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/30/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2013  
 Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 132745892  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 1/3/2013

Contact:  
 Contact Email: bruce.ward@verizon.com  
 Contact Mail Address: 1515 Aldine-Meadows Rd  
 Contact City/State/Zip: Houston, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Carl Ward  
 Title: Property Manager  
 Modification Date: 2/23/2013

Contact Email: bruce.ward@verizon.com  
 Contact Mail Address: 1515 Aldine-Meadows Rd  
 Contact City/State/Zip: Houston, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Carl Ward  
 Title: Property Manager  
 Modification Date: 2/23/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DAANTX (TXDAANTX) (Continued)**

**S112009500**

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 2/24/2013

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR2012TXDAANTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDAANTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 693  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DAANTX (TXDAANTX) (Continued)**

**S112009500**

Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDAANTX91443384466  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 49896  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW Bat. Rm  
 Last Modified: 2/23/2013

Record Key: TXDAANTX91443384467  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 49896  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW/Colo Bat. rm.  
 Last Modified: 2/23/2013

Record Key: TXDAANTX91443387847  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 4704  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Equipment Room  
 Last Modified: 2/23/2013

Record Key: TXDAANTX91443388578  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 23.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panels  
 Last Modified: 2/23/2013

Record Key: TXDAANTX91443388579  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 26.2  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DAANTX (TXDAANTX) (Continued)**

**S112009500**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panels  
 Last Modified: 2/23/2013

Record Key: TXDAANTX91443388580  
 Chemical Inventory Record Id: TXDAANTX91443  
 Amt Of Sub Stored Or Transported: 90  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator  
 Last Modified: 2/23/2013

Mixture:

Record Key: TXDAANTX9144377860  
 Chemical Inv Record Id: TXDAANTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 6.06  
 Facility Id: FATR2012TXDAANTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/23/2013

Notes: Not reported  
 Validation: Not reported

109

**DALLAS TS ON-F  
 2323 BRYAN ST FLRS 21 22 24 25 RF  
 DALLAS, TX 75201**

**TX TIER 2 S111999460  
 N/A**

TIER 2:

Facility Id/Name: FATR20128CU4AX090Y7F/DALLAS TS ON-F  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/8/2013  
 Mailing Address: 5454 West 110th Street (KSOPKJ0802-8035)  
 Mailing City/State/Country: Overland Park, KS USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Edward Clement/Regional EHS Manager  
 Latitude: 32.7870  
 Longitude: 96.7942  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20118CU4AX090Y7F/DALLAS TS ON-F  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1/27/2012  
 Mailing Address: 1801 California St, Suite 1160  
 Mailing City/State/Country: Denver, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Edward Clement, Regional EHS Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

**Facility Info:**

Id: 14-872-1178  
 Id Type: Dun  
 Description: Not reported  
 Last Modified: 1/23/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/23/2012

**Contact:**

Contact Email: edward.b.clement@centurylink.com  
 Contact Mail Address: 5454 West 110th Street (KSOPKJ0802-8035)  
 Contact City/State/Zip: Overland Park, KS 66211  
 Contact Mail Country: USA  
 Contact Type 1: Owner/Operator  
 Contact Name: Qwest Com dba CenturyLink QCC  
 Title: Not reported  
 Modification Date: 3/8/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Contact Email: edward.b.clement@centurylink.com  
 Contact Mail Address: 5454 West 110th Street (KSOPKJ0802-8035)  
 Contact City/State/Zip: Overland Park, KS 66211  
 Contact Mail Country: USA  
 Contact Type 1: Owner/Operator  
 Contact Name: Qwest Com dba CenturyLink QCC  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact:

Contact Email: edward.b.clement@centurylink.com  
 Contact Mail Address: 5454 West 110th Street (KSOPKJ0802-8035)  
 Contact City/State/Zip: Overland Park, KS 66211  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Type 2: Emergency Contact  
 Contact Type 3: Billing  
 Contact Type 4: Regulatory Point of Contact  
 Contact Name: Edward Clement  
 Title: Regional EHS Manager  
 Modification Date: 4/26/2013

Contact Email: edward.b.clement@centurylink.com  
 Contact Mail Address: 5454 West 110th Street (KSOPKJ0802-8035)  
 Contact City/State/Zip: Overland Park, KS 66211  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Type 2: Emergency Contact  
 Contact Type 3: Billing  
 Contact Type 4: Regulatory Point of Contact  
 Contact Name: Edward Clement  
 Title: Regional EHS Manager  
 Modification Date: 4/26/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: CenturyLink Unicall  
 Title: Emer Notification  
 Modification Date: 4/26/2013

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: CenturyLink Unicall  
 Title: Emer Notification  
 Modification Date: 4/26/2013



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Chemical Inventory:

Facility Id: FATR20128CU4AX090Y7F  
 Chemical Name: Diesel  
 Chemical Inv Record Id: CVTR20128CU4AX097BPJ  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 12395  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/7/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128CU4AX099HCR  
 Chemical Inventory Record Id: CVTR20128CU4AX097BPJ  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 6th floor of parking lot  
 Last Modified: 3/7/2013

Mixture:

Record Key: CMTR20128CU4AX098GDS  
 Chemical Inv Record Id: CVTR20128CU4AX097BPJ  
 Mix Chemical: Diesel  
 Percentage: Not reported  
 Facility Id: FATR20128CU4AX090Y7F  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Facility Id: FATR20128CU4AX090Y7F  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20128CU4AX09AJRV  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 4056  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/7/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128CU4AX09CRH0  
 Chemical Inventory Record Id: CVTR20128CU4AX09AJRV  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 25th floor battery room  
 Last Modified: 3/7/2013

Mixture:

Record Key: CMTR20128CU4AX09BQN8  
 Chemical Inv Record Id: CVTR20128CU4AX09AJRV  
 Mix Chemical: Lead  
 Percentage: Not reported  
 Facility Id: FATR20128CU4AX090Y7F  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Facility Id: FATR20128CU4AX090Y7F  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20128CU4AX09DSQR  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 590  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/7/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20128CU4AX09FZ89  
 Chemical Inventory Record Id: CVTR20128CU4AX09DSQR  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 25th floor battery room  
 Last Modified: 3/7/2013

**Mixture:**

Record Key: CMTR20128CU4AX09EYDP  
 Chemical Inv Record Id: CVTR20128CU4AX09DSQR  
 Mix Chemical: Sulfuric Acid  
 Percentage: Not reported  
 Facility Id: FATR20128CU4AX090Y7F  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Not reported  
 Mixture Ehs: T  
 Mixture Last Modified: 3/7/2013

Notes: Not reported  
 Validation: Not reported

**Facility Info:**

Id: 14-872-1178  
 Id Type: Dun  
 Description: Not reported  
 Last Modified: 1/23/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/23/2012

**Contact:**

Contact Email: edward.b.clement@centurylink.com  
 Contact Mail Address: 5454 West 110th Street (KSOPKJ0802-8035)  
 Contact City/State/Zip: Overland Park, KS 66211  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Type 2: Emergency Contact

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Contact Type 3:	Billing
Contact Type 4:	Regulatory Point of Contact
Contact Name:	Edward Clement
Title:	EHS Regional Manager
Modification Date:	2/24/2012
Contact Email:	edward.b.clement@centurylink.com
Contact Mail Address:	5454 West 110th Street (KSOPKJ0802-8035)
Contact City/State/Zip:	Overland Park, KS 66211
Contact Mail Country:	USA
Contact Type 1:	Submitter
Contact Type 2:	Emergency Contact
Contact Type 3:	Billing
Contact Type 4:	Regulatory Point of Contact
Contact Name:	Edward Clement
Title:	EHS Regional Manager
Modification Date:	2/24/2012

Contact:

Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Name:	CenturyLink Unicall
Title:	Not reported
Modification Date:	2/24/2012

Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Name:	CenturyLink Unicall
Title:	Not reported
Modification Date:	2/24/2012

Chemical Inventory:

Facility Id:	FATR20118CU4AX090Y7F
Chemical Name:	Diesel
Chemical Inv Record Id:	CVTR20118CU4AX097BPJ
CAS Number:	68476-34-6
Chemical Same As Last Year:	T
Acute Health Risks:	T
Average Daily Amount:	10,000 - 99,999 pounds
Max Daily Amount:	10,000 - 99,999 pounds
Max Amount In Largest Container:	12395
Chronic Health Risks:	T
EHS Substance:	Not reported
Last Modified:	2/14/2012
Days On Site:	365
Fire Hazard:	T
Gas:	Not reported
Liquid:	T
Mixture Form:	T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20118CU4AX099HCR  
 Chemical Inventory Record Id: CVTR20118CU4AX097BPJ  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 6th floor of parking lot  
 Last Modified: 2/14/2012

**Mixture:**

Record Key: CMTR20118CU4AX098GDS  
 Chemical Inv Record Id: CVTR20118CU4AX097BPJ  
 Mix Chemical: Diesel  
 Percentage: Not reported  
 Facility Id: FATR20118CU4AX090Y7F  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/14/2012

Facility Id: FATR20118CU4AX090Y7F  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20118CU4AX09AJRV  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 4056  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Chemical Inventory Location:

Record Key: CLTR20118CU4AX09CRH0  
 Chemical Inventory Record Id: CVTR20118CU4AX09AJRV  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 25th floor battery room  
 Last Modified: 2/14/2012

Mixture:

Record Key: CMTR20118CU4AX09BQN8  
 Chemical Inv Record Id: CVTR20118CU4AX09AJRV  
 Mix Chemical: Lead  
 Percentage: Not reported  
 Facility Id: FATR20118CU4AX090Y7F  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Not reported  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/14/2012

Facility Id: FATR20118CU4AX090Y7F  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20118CU4AX09DSQR  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 590  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118CU4AX09FZ89  
 Chemical Inventory Record Id: CVTR20118CU4AX09DSQR  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TS ON-F (Continued)**

**S111999460**

Desc of Loc(Or Transported) Subs: 25th floor battery room  
 Last Modified: 2/14/2012

Mixture:

Record Key: CMTR20118CU4AX09EYDP  
 Chemical Inv Record Id: CVTR20118CU4AX09DSQR  
 Mix Chemical: Sulfuric Acid  
 Percentage: Not reported  
 Facility Id: FATR20118CU4AX090Y7F  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Not reported  
 Mixture Ehs: T  
 Mixture Last Modified: 2/14/2012

Notes: Not reported  
 Validation: Not reported

109

**LEVEL 3 - DALLAS 2  
 "2323 BRYAN STREET, 21ST FLOOR"  
 DALLAS, TX 75201**

**TX TIER 2 S108439373  
 N/A**

TIER 2:

Facility Id/Name: FATR20052RN3B303NKLL/LEVEL 3 - DALLAS 2  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/11/2006  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Charles McKiever / Director  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

109 TCG DALLAS JV - TXH300 TX TIER 2 S108861370  
 2323 BRYAN ST N/A  
 DALLAS, TX 75201

TIER 2:

Facility Id/Name:	FA20091882ZZXXXXXXXXXX/AT&T TXH300
Reporting Year:	2009
Facility Country:	USA
Facility Department:	AT&T - TXH300
Facility Date Modified:	5/24/2010
Date Tier 2 Signed:	01/06/2010
Mailing Address:	898 Marie Lane
Mailing City/State/Country:	Conyers, GA USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	0
Number Of Employess On Site:	24
Site Map:	Not reported
Fire District:	Dallas Fire Station #3
Submitted By:	Lynn Ragsdale
Latitude:	0.000000
Longitude:	0.000000
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

Facility Id/Name:	FA20081882ZZXXXXXXXXXX/TCG DALLAS JV - TXH300
Reporting Year:	2008
Facility Country:	USA
Facility Department:	TCG Dallas JV - TXH300
Facility Date Modified:	6/30/2009
Date Tier 2 Signed:	02/20/2009
Mailing Address:	898 Marie Lane
Mailing City/State/Country:	Conyers, GA USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	0
Number Of Employess On Site:	24
Site Map:	Not reported
Fire District:	Dallas Fire Station #3
Submitted By:	Lynn Ragsdale
Latitude:	0
Longitude:	0
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TCG DALLAS JV - TXH300 (Continued)**

**S108861370**

Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20063SBCIDA01882/AT&T TELEPHONE FACILITY  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 2/1/2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 006980800  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/06/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 3/14/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG DALLAS JV - TXH300 (Continued)**

**S108861370**

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 1/6/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 4211 BRYAN ST  
 Contact City/State/Zip: DALLAS, TX 75204  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ERROL LOCKHART  
 Title: Property Manager  
 Modification Date: 3/13/2010

Chemical Inventory:

Facility Id: FA20091882ZZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA20091882ZZ1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 4376  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20091882ZZ1ZZ1ZZXX  
 Chemical Inventory Record Id: FA20091882ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 246  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG DALLAS JV - TXH300 (Continued)**

**S108861370**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 3/13/2010

Record Key: FA20091882ZZ1ZZZZXX  
 Chemical Inventory Record Id: FA20091882ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 4130  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Equipment Room - 4 th  
 Last Modified: 3/13/2010

Facility Id: FA20091882ZZXXXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA20091882ZZ31ZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 38341  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: FA20091882ZZ31Z1ZZXX  
 Chemical Inventory Record Id: FA20091882ZZ31ZXXXXX  
 Amt Of Sub Stored Or Transported: 2153  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 3/13/2010

Record Key: FA20091882ZZ31Z2ZZXX  
 Chemical Inventory Record Id: FA20091882ZZ31ZXXXXX  
 Amt Of Sub Stored Or Transported: 36188  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG DALLAS JV - TXH300 (Continued)**

**S108861370**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Equipment Room - 4 th  
 Last Modified: 3/13/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

Notes: Added per email from D. Nargis on 4/19/05.

Validation: This facility passed all validation checks.

109

**"TALK AMERICA, INC."  
 "2323 BRYAN STREET, SUITE 830"  
 DALLAS, TX 75201**

**TX TIER 2 S108454640  
 N/A**

TIER 2:

Facility Id/Name: FATR200548ZAMP002AKA/"TALK AMERICA, INC."  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 2/28/2006  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50  
 Number Of Employess On Site: 2  
 Site Map: T  
 Fire District: Not reported  
 Submitted By: "Wayne E. McFarland, P.E., BEE, Vice President"  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported

Validation: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

109 "MCI - DAANTX, DAFDXTX" TX TIER 2 S108440079  
 "2323 BRYAN STREET, SUITE 500, SUITE 1375"  
 DALLAS, TX 75201 N/A

TIER 2:  
 Facility Id/Name: FATR200523GHJX0GN21S/"MCI - DAANTX, DAFDXTX"  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/19/2006  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Env. Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported  
  
 Notes: Not reported  
 Validation: Not reported

109 "XO TEXAS, INC. (TX-7)" TX TIER 2 S108438213  
 "2323 BRYAN STREET, SUITE 2450"  
 DALLAS, TX 75219 N/A

TIER 2:  
 Facility Id/Name: FATR20052SU1K203Z548/"XO TEXAS, INC. (TX-7)"  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/26/2006  
 Mailing Address: 2700 Summit Avenue  
 Mailing City/State/Country: Plano, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas  
 Submitted By: Chris Schnaithman/Sr Eng-Environmental Compliance  
 Latitude: 32.786990

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**"XO TEXAS, INC. (TX-7)" (Continued)**

**S108438213**

Longitude: -96.794121  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A2 - Address Matching (Block Face)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

109

**NEUTRAL TANDEM - DALLAS2  
 2323 BRYAN ST., SUITE 350  
 DALLAS, TX 75201**

**TX TIER 2 S111997652  
 N/A**

TIER 2:

Facility Id/Name: FATR2012868D2E0021XF/NEUTRAL TANDEM - DALLAS2  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 01/10/2013  
 Mailing Address: 550 W. Adams St., Suite 900. Attn: Jon Bucht  
 Mailing City/State/Country: Chicago, IL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 50  
 Number Of Employess On Site: 2  
 Site Map: T  
 Fire District: City of Dallas  
 Submitted By: Jon Bucht / Manager Engineering  
 Latitude: 32.7870  
 Longitude: -96.7940  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: A3 - Address Matching (Street Centerline)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR2011868D2E0021XF/NEUTRAL TANDEM - DALLAS2  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1/23/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEUTRAL TANDEM - DALLAS2 (Continued)**

**S111997652**

Mailing Address: 550 W. Adams St., Suite 900. Attn: Jon Bucht  
 Mailing City/State/Country: Chicago, IL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50  
 Number Of Emploeyss On Site: 2  
 Site Map: T  
 Fire District: City of Dallas  
 Submitted By: Jon Bucht / Manager Engineering  
 Latitude: 32.7870  
 Longitude: -96.7940  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: A3 - Address Matching (Street Centerline)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

**Facility Info:**

**Id:** 138926998  
**Id Type:** Dun & Bradstreet  
**Description:** Not reported  
**Last Modified:** 10/13/2011  
**Id:** 68890  
**Id Type:** FAC ID  
**Description:** TXT2 Number  
**Last Modified:** 10/13/2011  
**Id:** 4813  
**Id Type:** SIC  
**Description:** TELEPHONE COM, EXCEPT RADIO  
**Last Modified:** 10/13/2011  
**Id:** 51711  
**Id Type:** NAICS  
**Description:** Wired Telecommunications Carriers  
**Last Modified:** 10/13/2011

**Contact:**

**Contact Email:** Not reported  
**Contact Mail Address:** 550 W. Adams St., Suite 900  
**Contact City/State/Zip:** Chicago, IL 60661  
**Contact Mail Country:** USA  
**Contact Type 1:** Owner / Operator  
**Contact Name:** Neutral Tandem, Inc.  
**Title:** Not reported  
**Modification Date:** 2/6/2012

**Contact:**

**Contact Email:** jbucht@neutraltandem.com  
**Contact Mail Address:** 550 W Adams St., Suite 900  
**Contact City/State/Zip:** Chicago, IL 60661

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NEUTRAL TANDEM - DALLAS2 (Continued)**

**S111997652**

Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Type 2: Regulatory Point of Contact  
 Contact Type 3: Billing  
 Contact Name: Jon Bucht  
 Title: Manager - Engineering, Facility Administration and Real Estate  
 Modification Date: 1/17/2012

Contact:  
 Contact Email: blofton@neutraltandem.com  
 Contact Mail Address: 2020 Live Oak St., Suite 700  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Bobby Lofton  
 Title: Technician  
 Modification Date: 2/6/2012

Contact:  
 Contact Email: bhobbs@neutraltandem.com  
 Contact Mail Address: 250 Williams St. N.W. Suite 1120  
 Contact City/State/Zip: Atlanta, GA 30303  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Brad Hobbs  
 Title: Operations Manager  
 Modification Date: 2/6/2012

Chemical Inventory:  
 Facility Id: FATR2011868D2E0021XF  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: CVTR2011868DKX00G70D  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 34.44  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/6/2012  
 Days On Site: 79  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NEUTRAL TANDEM - DALLAS2 (Continued)**

**S111997652**

Chemical Inventory Location:

Record Key: CLTR2011868DUU00HWL9  
 Chemical Inventory Record Id: CVTR2011868DKX00G70D  
 Amt Of Sub Stored Or Transported: 2480  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 350  
 Last Modified: 2/6/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 138926998  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 10/13/2011  
 Id: 68890  
 Id Type: FAC ID  
 Description: TXT2 Number  
 Last Modified: 10/13/2011  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 10/13/2011  
 Id: 51711  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 10/13/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: 550 W. Adams St., Suite 900  
 Contact City/State/Zip: Chicago, IL 60661  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Neutral Tandem, Inc.  
 Title: Not reported  
 Modification Date: 2/23/2013

Contact Email: Not reported  
 Contact Mail Address: 550 W. Adams St., Suite 900  
 Contact City/State/Zip: Chicago, IL 60661  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Neutral Tandem, Inc.  
 Title: Not reported  
 Modification Date: 2/23/2013

Contact:

Contact Email: jbucht@inteliquent.com

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NEUTRAL TANDEM - DALLAS2 (Continued)**

**S111997652**

Contact Mail Address: 550 W Adams St., Suite 900  
 Contact City/State/Zip: Chicago, IL 60661  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Type 2: Regulatory Point of Contact  
 Contact Type 3: Billing  
 Contact Name: Jon Bucht  
 Title: Manager - Engineering, Facility Administration and Real Estate  
 Modification Date: 1/7/2013

Contact Email: jbucht@inteliquent.com  
 Contact Mail Address: 550 W Adams St., Suite 900  
 Contact City/State/Zip: Chicago, IL 60661  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Type 2: Regulatory Point of Contact  
 Contact Type 3: Billing  
 Contact Name: Jon Bucht  
 Title: Manager - Engineering, Facility Administration and Real Estate  
 Modification Date: 1/7/2013

Contact:  
 Contact Email: blofton@inteliquent.com  
 Contact Mail Address: 2020 Live Oak St., Suite 700  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Bobby Lofton  
 Title: Technician  
 Modification Date: 2/23/2013

Contact:  
 Contact Email: bhobbs@inteliquent.com  
 Contact Mail Address: 250 Williams St. N.W. Suite 1120  
 Contact City/State/Zip: Atlanta, GA 30303  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Brad Hobbs  
 Title: Operations Manager  
 Modification Date: 2/23/2013

Chemical Inventory:  
 Facility Id: FATR2012868D2E0021XF  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: CVTR2012868DKX00G70D  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 34.44  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/23/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEUTRAL TANDEM - DALLAS2 (Continued)**

**S111997652**

Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2012868DUU00HWL9  
 Chemical Inventory Record Id: CVTR2012868DKX00G70D  
 Amt Of Sub Stored Or Transported: 2480  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 350  
 Last Modified: 2/23/2013

Notes: Not reported  
 Validation: Not reported

109

**GLOBAL CROSSING - DALLAS SWITCH  
 2323 BRYAN STREET, SUITE 900  
 DALLAS, TX 75201**

**TX TIER 2 S108870825  
 N/A**

TIER 2:

Facility Id/Name: FATR2009264M9400GEWQ/GLOBAL CROSSING DALLAS SWITCH  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02/18/2010  
 Mailing Address: 2323 Bryan Street, Suite 900  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 50.00  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jeanette Tortora, Risk Management Analyst  
 Latitude: 32.78697  
 Longitude: -96.79422  
 Lat/Long Location Desc: PG - Plant Entrance (General)  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GLOBAL CROSSING - DALLAS SWITCH (Continued)**

**S108870825**

Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR2008264M9400GEWQ  
 Facility Name: GLOBAL CROSSING - DALLAS SWITCH  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/3/2009  
 Mailing Address: 2323 Bryan Street, Suite 900  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 50.00  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Idis Estrada- Safety, Health and Environmental Administrator  
 Latitude: 32.78697  
 Longitude: -96.79422  
 Lat/Long Location Desc: PG - Plant Entrance (General)  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR2007264M9400GEWQ  
 Facility Name: GLOBAL CROSSING - DALLAS SWITCH  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/19/2008  
 Mailing Address: 2323 Bryan Street, Suite 900  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 50.00  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Idis Estrada-Safety, Health and Environmental  
 Latitude: 32.78697  
 Longitude: -96.79422  
 Lat/Long Location Desc: PG - Plant Entrance (General)  
 Lat/Long Method: A1 - Address Matching (House Number)

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GLOBAL CROSSING - DALLAS SWITCH (Continued)**

**S108870825**

Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id:	FATR2006264M9400GEWQ
Facility Name:	GLOBAL CROSSING - DALLAS SWITCH
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	2-23-2007
Mailing Address:	2323 Bryan Street, Suite 900
Mailing City/State/Country:	Dallas, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	50.00
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Lincoln Romain - Senior Manager ESH
Latitude:	32.78697
Longitude:	-96.79422
Lat/Long Location Desc:	PG - Plant Entrance (General)
Lat/Long Method:	A1 - Address Matching (House Number)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

Facility Info:

Id:	4813
Id Type:	SIC
Description:	TELEPHONE COM, EXCEPT RADIO
Last Modified:	2/20/2003
Id:	10 739 8942
Id Type:	Dun & Bradstreet
Description:	Not reported
Last Modified:	2/21/2003
Id:	51339
Id Type:	NAICS
Description:	Other Telecommunications
Last Modified:	2/9/2010

Contact:

Contact Email:	Not reported
----------------	--------------

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GLOBAL CROSSING - DALLAS SWITCH (Continued)**

**S108870825**

Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Other  
 Contact Name: James Chaney  
 Title: Not reported  
 Modification Date: 2/9/2006

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 200 Park Avenue - Suite 300  
 Contact City/State/Zip: Florham Park, NJ 07932-0680  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 3: Regulatory Point of Contact  
 Contact Name: Lincoln Romain  
 Title: Senior Manager ESH  
 Modification Date: 3/11/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 950 17th Street  
 Contact City/State/Zip: Denver, CO 80202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: John Beccia  
 Title: Operator  
 Modification Date: 3/11/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 2323 Bryan Street, Suite 900  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Isaias Almanza  
 Title: Area Mgr  
 Modification Date: 3/11/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 200 Park Avenue, Suite 300  
 Contact City/State/Zip: Florham Park, NJ 7932  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Jeanette Tortora  
 Title: Risk Management Analyst  
 Modification Date: 3/11/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GLOBAL CROSSING - DALLAS SWITCH (Continued)**

**S108870825**

Chemical Inventory:

Facility Id: FATR2009264M9400GEWQ  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: CVTR2009264MP600SLD6  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 25.9  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/11/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2009264MTX00VQ0L  
 Chemical Inventory Record Id: CVTR2009264MP600SLD6  
 Amt Of Sub Stored Or Transported: 12432  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Lead Acid Redundant Power Batteries in 10th Floor Battery Storage Room  
 Last Modified: 3/11/2010

Record Key: CLTR2009264MRV00UXBX  
 Chemical Inventory Record Id: CVTR2009264MP600SLD6  
 Amt Of Sub Stored Or Transported: 12432  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Lead Acid Batteries in 9th Floor Battery Room  
 Last Modified: 3/11/2010

Mixture:

Record Key: CMTR2009264MPN00T04X  
 Chemical Inv Record Id: CVTR2009264MP600SLD6  
 Mix Chemical: Sulfuric Acid (Balance water)  
 Percentage: 35  
 Facility Id: FATR2009264M9400GEWQ  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GLOBAL CROSSING - DALLAS SWITCH (Continued)**

**S108870825**

Mixture Ehs: T  
 Mixture Last Modified: 3/11/2010

Facility Id: FATR2009264M9400GEWQ  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR2009264MV800WULS  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 146  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/11/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2009264MYM00ZS5M  
 Chemical Inventory Record Id: CVTR2009264MV800WULS  
 Amt Of Sub Stored Or Transported: 70080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Lead Acid Batteries in 10th Floor Battery Room  
 Last Modified: 3/11/2010

Record Key: CLTR2009264MXH00YTDP  
 Chemical Inventory Record Id: CVTR2009264MV800WULS  
 Amt Of Sub Stored Or Transported: 70080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Lead Acid Batteries in 9th Floor Battery Room  
 Last Modified: 3/11/2010

Mixture:

Record Key: CMTR2009264MVW00XDJX  
 Chemical Inv Record Id: CVTR2009264MV800WULS  
 Mix Chemical: Lead (balance plastic casing and inert components)  
 Percentage: 95  
 Facility Id: FATR2009264M9400GEWQ



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GLOBAL CROSSING - DALLAS SWITCH (Continued)**

**S108870825**

Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/11/2010

Facility Id: FATR2009264M9400GEWQ  
 Chemical Name: #2 Diesel Fuel  
 Chemical Inv Record Id: CVTR2009264N0A0107ED  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 15000  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/11/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2009264N3R0116J9  
 Chemical Inventory Record Id: CVTR2009264N0A0107ED  
 Amt Of Sub Stored Or Transported: 30000  
 Amount Units: gallons  
 Type Of Storage: Tank inside building  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Two 2,000 gal and Two 50 gal ASTs for Two Emergency Generators on 6th Floor Parking Lot  
 Last Modified: 3/11/2010

Notes: Batteries are located on 9th and 10th Floors. Emergency generator and fuel tank is on 6th Floor of the Parking Garage. Fee shown is total for three Global Crossing facilities in Texas: Dallas, El Paso and Houston - Louisiana Street

Validation: This facility passed all validation checks.

Notes: Batteries are located on 9th and 10th Floors. Emergency generator and fuel tank is on 6th Floor of the Parking Garage. Fee shown is total for three Global Crossing facilities in Texas: Dallas, El Paso and Houston - Louisiana Street

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GLOBAL CROSSING - DALLAS SWITCH (Continued)**

**S108870825**

Validation: This facility passed all validation checks.

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

109

**AT&T CORP  
 2323 BRYAN STREET  
 DALLAS, TX 75201**

**TX TIER 2 S108449351  
 N/A**

TIER 2:

Facility Id/Name: FATR20095NDE2U05FYEV/LEVEL 3 DALLAS BRYAN  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 2/18/2010  
 Mailing Address: 1025 Eldorado Blvd  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 850  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR200970P2QQ04NDDA  
 Facility Name: DIGITAL BRYAN STREET PARTNERSHIP, L.P.  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 2/25/2010  
 Mailing Address: 2323 Bryan Street  
 Mailing City/State/Country: Dallas, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Sal M. Gazioglu  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20086AY70002Y0KQ/DIGITAL REALTY TRUST - DFW10  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/25/2009  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 16.66  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Sal Gazioglu  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20085NDE2U05FYEV/LEVEL 3 - DALLAS (DLLSTX01)  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/10/2009  
 Mailing Address: 1025 Eldorado Blvd  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 950

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental PM  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20075NDE2U05FYEV/LEVEL 3 - DALLAS (DLLSTX01)  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/22/2008  
 Mailing Address: 1025 Eldorado Blvd  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental Project Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20075MVL6H00R89N  
 Facility Name: DIGITAL REALTY TRUST HEADQUARTER  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 03/05/2008  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Dave Caron / Asset Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20064ZGVCJ002YMJ/UNIVISION TOWER  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 05/23/2007  
 Mailing Address: 560 Mission Street  
 Mailing City/State/Country: San Francisco, CA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Dave Caron  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20053JLWA705QM9Q/AT&T CORP  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 2/6/2006  
 Mailing Address: 898 MARIE LANE  
 Mailing City/State/Country: CONYERS, GA USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: LYNN RAGSALE  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/23/2008  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/23/2008  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T CORP (Continued)**

**S108449351**

Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Clint Thompson  
 Title: Sr. Director  
 Modification Date: 3/1/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: NOC Level 3 Communications LLC  
 Title: Not reported  
 Modification Date: 3/1/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Robert Gurdikian  
 Title: Env. Manager  
 Modification Date: 1/30/2008

Chemical Inventory:

Facility Id: FATR20095NDE2U05FYEV  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20095NDEAX05NZ1F  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 15.9  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T CORP (Continued)**

**S108449351**

Label Code: TX2009  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR200971B3LB00BA7B  
 Chemical Inventory Record Id: CVTR20095NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 1436  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2125  
 Last Modified: 3/1/2010

Record Key: CLTR20095NDEKG05PC1X  
 Chemical Inventory Record Id: CVTR20095NDEAX05NZ1F  
 Amt Of Sub Stored Or Transported: 1144  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 380  
 Last Modified: 3/1/2010

**Mixture:**

Record Key: CMTR200971B3LX00CTN5  
 Chemical Inv Record Id: CVTR20095NDEAX05NZ1F  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20095NDE2U05FYEV  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/1/2010

Facility Id: FATR20095NDE2U05FYEV  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20095NDELL05QBMF  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 145  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20095NDENM05R3D6  
 Chemical Inventory Record Id: CVTR20095NDELL05QBMF  
 Amt Of Sub Stored Or Transported: 11374  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: suites 2125 and 380  
 Last Modified: 3/1/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 17-078-1038  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/8/2010  
 Id: 518210  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 2/8/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 560 Mission Street  
 Contact City/State/Zip: San Francisco, CA 94105  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Digital Realty Trust, L.P.  
 Title: Not reported  
 Modification Date: 3/1/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2323 Bryan Street  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Wes Curry  
 Title: Not reported  
 Modification Date: 3/1/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T CORP (Continued)**

**S108449351**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2323 Bryan Street  
 Contact City/State/Zip: Dallas 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Shelby Norman  
 Title: Not reported  
 Modification Date: 3/1/2010

Chemical Inventory:

Facility Id: FATR200970P2QQ04NDDA  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR200970P2QQ04TDF5  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200970P2QQ059DJU  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 464.64  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 SUITE 2440 MMR  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ04UDFL  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1035.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Desc of Loc(Or Transported) Subs: UPS A SUITE 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ04VDG2  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1035.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS B SUITE 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ04WDG2  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1035.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS C SUITE 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ04XDGH  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1302.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS 1 SUITE 700  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ04YDGH  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 237.6  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS 2 SUITE 700  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ050DGZ  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS 11A1 SUITE 1150  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ054DHW  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 7156.8  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 SUITE 1100  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ055DHW  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1302.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C SUITE 1100  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ058DJU  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 464.64  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 SUITE 2440 MMR  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ04ZDGZ  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1035.36  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 SUITE 700  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ05ADK9  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 110.88  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 SUITE 2710 WMMR  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ05BDK9  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC PLANT SUITE 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ05DDKR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC PLANT SUITE 2440  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ056DJC  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1302.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS D SUITE 1100  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ057DJC  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 552  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 SUITE 2440 MMR  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ051DGZ  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A2 SUITE 1150  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ053DHF  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B2 SUITE 1150  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ052DHF  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 1080  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B1 SUITE 1150

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T CORP (Continued)**

**S108449351**

Last Modified: 3/1/2010

Record Key: CLTR200970P2QQ05CDK9  
 Chemical Inventory Record Id: CVTR200970P2QQ04TDF5  
 Amt Of Sub Stored Or Transported: 31152  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC PLANT SUITE 1100  
 Last Modified: 3/1/2010

Mixture:

Record Key: CMTR200970P2QQ05TDNY  
 Chemical Inv Record Id: CVTR200970P2QQ04TDF5  
 Mix Chemical: Sulfuric acid  
 Percentage: 98  
 Facility Id: FATR200970P2QQ04NDDA  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/1/2010

Facility Id: FATR200970P2QQ04NDDA  
 Chemical Name: Diesel  
 Chemical Inv Record Id: CVTR200970P2QR05UDR8  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200970P2QR05VDRQ  
 Chemical Inventory Record Id: CVTR200970P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 34875  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: P-6  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR05WDS6  
 Chemical Inventory Record Id: CVTR200970P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 341250  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B-1  
 Last Modified: 3/1/2010

Record Key: CLTR200970P4QW07DCVE  
 Chemical Inventory Record Id: CVTR200970P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 33300  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 717 PARK  
 Last Modified: 3/1/2010

Record Key: CLTR200970P4SF07GQFH  
 Chemical Inventory Record Id: CVTR200970P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 4725  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Day Tank Room #1, P-6  
 Last Modified: 3/1/2010

Record Key: CLTR200970P4SQ07HYCC  
 Chemical Inventory Record Id: CVTR200970P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 3000  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Day Tank Room #2, P-6  
 Last Modified: 3/1/2010

Record Key: CLTR200970P4S407EF83  
 Chemical Inventory Record Id: CVTR200970P2QR05UDR8  
 Amt Of Sub Stored Or Transported: 3750  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: P-1  
 Last Modified: 3/1/2010

Mixture:  
 Record Key: CMTR200970P2QR05XDSM  
 Chemical Inv Record Id: CVTR200970P2QR05UDR8

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Mix Chemical: Diesel fuel  
 Percentage: 99.9  
 Facility Id: FATR200970P2QQ04NDDA  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/1/2010

Record Key: CMTR200970P2QR05YDT3  
 Chemical Inv Record Id: CVTR200970P2QR05UDR8  
 Mix Chemical: Naphthalene  
 Percentage: .01  
 Facility Id: FATR200970P2QQ04NDDA  
 Mixture Cas: 91-20-3  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/1/2010

Facility Id: FATR200970P2QQ04NDDA  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR200970P2QR05ZDTJ  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200970P2QR064DVD  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 540  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 SUITE 700  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR065DVD  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T CORP (Continued)**

**S108449351**

Amt Of Sub Stored Or Transported: 2588.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 3 SUITE 700  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR060DUG  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2588.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS A SUITE 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR061DUG  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2588.4  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS B SUITE 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR063DUX  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2960  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 SUITE 700  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR068DWA  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B1 SUITE 1150  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR069DWS  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11B2 SUITE 1150  
 Last Modified: 3/1/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Record Key: CLTR200970P2QR06BDX7  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2960  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C SUITE 1100  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06CDX7  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2960  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS D SUITE 1100  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06KDZ2  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC PLANT SUITE 2440  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06DDXP  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 1740  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 SUITE 2440 MMR  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06ADWS  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 14313.6  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 1 SUITE 1100  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06FDY5  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 1161.6  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Desc of Loc(Or Transported) Subs: UPS 3 SUITE 2440 MMR  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06GDY5  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 252  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: UPS 1 SUITE 2710 WMMR  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06JDYL  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 37099.2  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC PLANT SUITE 1100  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR066DVV  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A1 SUITE 1150  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06EDXP  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 1161.6  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 2 SUITE 2440 MMR  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR06HDYL  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC PLANT SUITE 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR062DUX  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2588.4  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS C SUITE 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR067DVV  
 Chemical Inventory Record Id: CVTR200970P2QR05ZDTJ  
 Amt Of Sub Stored Or Transported: 2160  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS 11A2 SUITE 1150  
 Last Modified: 3/1/2010

Facility Id: FATR200970P2QQ04NDDA  
 Chemical Name: "Freon" 22  
 Chemical Inv Record Id: CVTR200970P2QR06ZE2R  
 CAS Number: 75-45-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: T  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR200970P2QR070E3N  
 Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 4320  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 650  
 Last Modified: 3/1/2010

Record Key: CLTR200970P2QR071E3N  
 Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 1440  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T CORP (Continued)**

**S108449351**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 700  
 Last Modified: 3/1/2010

Record Key: CLTR200970P6FB07JX08  
 Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 9350  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suites 1100 & 1150  
 Last Modified: 3/1/2010

Record Key: CLTR200970P6FP07L7LJ  
 Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Main Electrical Room  
 Last Modified: 3/1/2010

Record Key: CLTR200970P6FV07ND9K  
 Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B1 Electrical Room  
 Last Modified: 3/1/2010

Record Key: CLTR200970P6FY07PFPC  
 Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 27th Wireless Radio Room  
 Last Modified: 3/1/2010

Record Key: CLTR200970P6G407QLEN  
 Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 60  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 26th Floor Substation  
 Last Modified: 3/1/2010

Record Key: CLTR200970P6FS07MAAF

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T CORP (Continued)**

**S108449351**

Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 15  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 5 KW Room  
 Last Modified: 3/1/2010

Record Key: CLTR200970P6FE07KZR2  
 Chemical Inventory Record Id: CVTR200970P2QR06ZE2R  
 Amt Of Sub Stored Or Transported: 5980  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 2440 MMR  
 Last Modified: 3/1/2010

Mixture:

Record Key: CMTR200970P2QR072E4K  
 Chemical Inv Record Id: CVTR200970P2QR06ZE2R  
 Mix Chemical: "Freon" 22 Methane, Chlorodifluoro-  
 Percentage: 100  
 Facility Id: FATR200970P2QQ04NDDA  
 Mixture Cas: 75-45-6  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/1/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

Notes: Not reported

Validation: Not reported

109

**MCI - DAANTX, DLCITX**  
**2323 BRYAN STREET, SUITE 500, SUITE 720**  
**DALLAS, TX 75201**

**TX TIER 2 S108877586**  
**N/A**

TIER 2:

Facility Id/Name: FATR201023GHJX0GN21S/MCI - DAANTX, DLCITX  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01-11-2011  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DAANTX, DLCITX (Continued)**

**S108877586**

Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200923GHJX0GN21S/MCI DAANTX, DLCITX  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02-04-2010  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200823GHJX0GN21S/MCI - DAANTX, DLCITX  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/2/2009  
 Mailing Address: 2400 N. Glenville Drive

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DAANTX, DLCITX (Continued)**

**S108877586**

Mailing City/State/Country:	Richardson, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Karen Mehta/Environmental Manager
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR200723GHJX0GN21S/MCI - DAANTX, DLCITX
Reporting Year:	2007
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	8/5/2008
Date Tier 2 Signed:	1/23/2008
Mailing Address:	2400 N. Glenville Drive
Mailing City/State/Country:	Richardson, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Karen Mehta/Environmental Rep.
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR200623GHJX0GN21S/MCI - DAANTX, DAFDTX
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	1/16/2007



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DAANTX, DLCITX (Continued)**

**S108877586**

Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/10/2003  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009  
 Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/10/2003

Contact:

Contact Email: jason.weller@verizonbusiness.com  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DAANTX, DLCITX (Continued)**

**S108877586**

Title: Not reported  
 Modification Date: 2/16/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney  
 Title: Manager  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR201023GHJX0GN21S  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR201023GHJX0GU24E  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20102T6ZVZ00R6WH  
 Chemical Inventory Record Id: CVTR201023GHJX0GU24E  
 Amt Of Sub Stored Or Transported: 99955  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room ( STE 500)  
 Last Modified: 2/16/2011

Record Key: CLTR201023GHJX0GV25L  
 Chemical Inventory Record Id: CVTR201023GHJX0GU24E  
 Amt Of Sub Stored Or Transported: 4704

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DAANTX, DLCITX (Continued)**

**S108877586**

Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room ( STE 720)  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR20102T6ZWM00SSBR  
 Chemical Inv Record Id: CVTR201023GHJX0GU24E  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR201023GHJX0GN21S  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: This facility passed all validation checks.

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/10/2003  
 Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/10/2003

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DAANTX, DLCITX (Continued)**

**S108877586**

Contact Name: Win Phinney  
 Title: Manager  
 Modification Date: 2/17/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management  
 Title: Not reported  
 Modification Date: 2/17/2010

Chemical Inventory:  
 Facility Id: FATR200923GHJX0GN21S  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR200923GHJX0GU24E  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/12/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DAANTX, DLCITX (Continued)**

**S108877586**

Record Key: CLTR20092T6ZVZ00R6WH  
 Chemical Inventory Record Id: CVTR200923GHJX0GU24E  
 Amt Of Sub Stored Or Transported: 99955  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room ( STE 500)  
 Last Modified: 2/12/2010

Record Key: CLTR200923GHJX0GV25L  
 Chemical Inventory Record Id: CVTR200923GHJX0GU24E  
 Amt Of Sub Stored Or Transported: 4704  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room ( STE 720)  
 Last Modified: 2/12/2010

Mixture:

Record Key: CMTR20092T6ZWM00SSBR  
 Chemical Inv Record Id: CVTR200923GHJX0GU24E  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR200923GHJX0GN21S  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/12/2010

Notes: Not reported  
 Validation: This facility passed all validation checks.

110

**BOOKMAN GARAGE  
 2916 JUNIUS  
 DALLAS, TX**

**EDR Hist Auto 1009366663  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1946 BOOKMAN GARAGE AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

111 **PARKING LOT "WEST END" DOWNTOWN DALLAS  
 BETWEEN PACIFIC AVE. AND MCKINNEY AVE.  
 DALLAS, TX 75203**

**TX VCP S111748384  
 N/A**

VCP TCEQ:  
 Region: 4  
 Facility ID: 0928  
 Facility Type: Parking Lot  
 VCP Received: 02/16/1999  
 PCA Number: 31828  
 Project Number: Frew  
 Type Lead: Owner  
 Phase: Completed  
 Lat/Long: 32-47-13 / 96-47-10  
 Lat/Long (DD): Not reported  
 Acres at Site: 2.4  
 Contaminant Categories: Not reported  
 Media Affected: Soils  
 Applicant: City of Dallas  
 Applicant Contact Title: Project Manager  
 Applicant Address: 320 East Jefferson, Room 305  
 Applicant City,St,Zip: Dallas, TX 75203  
 Applicant Phone: 214-948-4660  
 Applicant Fax: 214-948-4680  
 Consultant/Attorney: Not reported  
 Consultant/Attorney Name: Not reported  
 Consultant/Attorney Contact Title: Not reported  
 Consultant/Attorney Address: Not reported  
 Consultant/Attorney City,St,Zip: Not reported  
 Consultant/Attorney Phone: Not reported  
 Consultant/Attorney Fax: Not reported  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 02/22/1999  
 Standards: 1  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: 06/18/1999  
 Remedy Type: Not Required  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 02/12/1999  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 318280  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: City of Dallas  
 Billing c/o Name: Henry Nguyen, P.E.  
 Billing Address1: 320 East Jefferson  
 Billing Address2: Room 305  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75230  
 Billing Phone: 214-948-4660  
 IOP No.: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**PARKING LOT "WEST END" DOWNTOWN DALLAS (Continued)**

**S111748384**

Region COC?:	Y
Region R/W?:	Not reported
Survey?:	Not reported
Comments:	Not reported
Media:	M
File Location:	CR

---

**112 AMERICAN ELECTRIC POWER  
1616 WOODALL RODGERS FWY  
DALLAS, TX 75202**

**FINDS 1010746253  
N/A**

**FINDS:**

Registry ID: 110033497776

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

---

**112 AMERICAN ELECTRIC POWER BUILDING  
1616 WOODALL ROGERS FREEWAY  
DALLAS, TX 75202**

**TX VCP S106772113  
TX GCC N/A**

**VCP TCEQ:**

Region:	4
Facility ID:	1777
Facility Type:	Office Building/Parking Garage
VCP Received:	12/30/2004
PCA Number:	33977
Project Number:	Silkworth
Type Lead:	Owner
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.78694 / -96.80374
Acres at Site:	1.6
Contaminant Categories:	VOCs, Metals
Media Affected:	Soils/Groundwater
Applicant:	Dallas Woodall Property, LLC
Applicant Contact Title:	Managing Director, Real Estate
Applicant Address:	1301 Avenue of the Americas, 34th Floor
Applicant City,St,Zip:	New York, NY 10019
Applicant Phone:	212-284-1978
Applicant Fax:	212-284-1986
Consultant/Attorney:	Whitehead & Mueller, Inc.
Consultant/Attorney Name:	Gene Murray
Consultant/Attorney Contact Title:	Senior Consultant
Consultant/Attorney Address:	906 East 18th Street, Suite 100

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMERICAN ELECTRIC POWER BUILDING (Continued)**

**S106772113**

Consultant/Attorney City,St,Zip: Plano, TX 75074  
 Consultant/Attorney Phone: 972-633-3810  
 Consultant/Attorney Fax: 972-516-4145  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 02/04/2005  
 Standards: A  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: 09/11/2008  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 12/30/2004  
 App Accepted?: Y  
 Date Accepted: 02/04/2005  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 339770  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Dallas Woodall Property, LLC  
 Billing c/o Name: Phil Hoffman  
 Billing Address1: 1301 Avenue of the Americas  
 Billing Address2: 34th Floor  
 Billing City: New York  
 Billing State: NY  
 Billing Zip: 10019  
 Billing Phone: 212-284-1978  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P  
 File Location: 200-25/D

**GCC:**

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 1777  
 Contamination Description: VOCS, METALS  
 Date Of Earliest Known Contamination Confirmation: 12/30/2004  
 Enforcement Status - Level Of Agency Response: 6  
 Enforcement Status - Site Activity Status: 6  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported



MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

112 **ONCOR HEADQUARTERS TX UST U002112378**  
**1616 WOODALL RODGERS FWY TX MSD N/A**  
**DALLAS, TX 75202 TX IHW CORR ACTION**

UST:

AI Number: 66444  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 08/31/1987  
 Facility Status: ACTIVE  
 Additional ID: 804196282002156  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: Yes  
 Number Of Active UST: 1  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202  
 Contact Name/Title: EDWARD ZARECKY,  
 Contact Organization Name: ONCOR HEADQUARTERS  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2144866168  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 01/29/2018  
 Signature Name/Title On Earliest Reg Form: EDWARD ZARECKY,MGR  
 Application Received Date On Earliest Reg Form: 02/02/2018  
 Signature Role On Earliest Reg Form: OWNER  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: No  
 Facility Not Inspectable: No

Operator:

Princ ID: 748594002008029  
 Additional ID: 804196282002156  
 Ai Number: 66444  
 Operator CN: CN603313842  
 Operator Name: ONCOR ELECTRIC DELIVERY COMPANY LLC  
 Operator Effective Begin Date: 01/12/2010  
 Operator Type: CO  
 Operator Role: OPRCON  
 Contact Name: /  
 Contact Organization Name: ONCOR ELECTRIC DELIVERY COMPANY LLC  
 Contact Mailing Address (Delivery): PO BOX 132280  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS TX 75313-2280  
 Contact Phone Country Code: 1  
 Contact Phone Area Code: 214  
 Contact Phone Number: 4862022  
 Contact Phone Extension: 0  
 Contact Fax Country Code: Not reported  
 Contact Fax Area Code: Not reported  
 Contact Fax Number: Not reported  
 Contact Fax Extension: Not reported  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Owner:

Owner CN: CN603313842  
 Owner Last Name: ONCOR ELECTRIC DELIVERY COMPANY LLC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): PO BOX 132280  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: DALLAS  
 Contact Mailing State: TX  
 Contact Mailing Zip: 75313  
 Contact Mailing Zip5: 2280  
 Contact Phone Number/Ext: 1 214 4862022/0  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 748594002008029  
 Additional ID: 804196282002156  
 AI Number: 66444  
 Owner Effective Begin Date: 01/12/2010  
 State Tax ID: 17529678306  
 Contact Role: OWNOPRCON  
 Contact Name/Title: /  
 Contact Organization Name: ONCOR ELECTRIC DELIVERY COMPANY LLC

Self Certification:

Self Cert ID: 99667  
 Cert ID: 298762  
 AI Number: 66444  
 Self Certification Date: 01/29/2018  
 Signature Name/Title: EDWARD ZARECKY MGR  
 Signature Type Role: OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2019  
 Reporting Method: P  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 99667  
 Cert ID: 282892  
 AI Number: 66444  
 Self Certification Date: 02/01/2017  
 Signature Name/Title: EDWARD ZARECKY MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2018
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	99667
Cert ID:	266312
AI Number:	66444
Self Certification Date:	02/12/2016
Signature Name/Title:	EDWARD ZARECKY MANAGER
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2017
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	99667
Cert ID:	250694
AI Number:	66444
Self Certification Date:	01/29/2015
Signature Name/Title:	RAY AVERITT SR DIR
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	99667
Cert ID:	232254
AI Number:	66444
Self Certification Date:	02/19/2014
Signature Name/Title:	RAY AVERITT DIR ENV
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2015  
 Reporting Method: P  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 99667  
 Cert ID: 164961  
 AI Number: 66444  
 Self Certification Date: 02/21/2013  
 Signature Name/Title: RAY AVERITT DIR ENV  
 Signature Type Role: OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2014  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 99667  
 Cert ID: 164960  
 AI Number: 66444  
 Self Certification Date: 01/30/2012  
 Signature Name/Title: DEBORAH A BOYLE VP ENVIRONMENT  
 Signature Type Role: OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2013  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 99667  
 Cert ID: 164959  
 AI Number: 66444  
 Self Certification Date: 12/02/2010  
 Signature Name/Title: DEBORAH A BOYLE VP EHST  
 Signature Type Role: OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	99667
Cert ID:	164958
AI Number:	66444
Self Certification Date:	04/14/2010
Signature Name/Title:	DEBORAH A BOYLE VP EHST
Signature Type Role:	OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	99667
Cert ID:	164957
AI Number:	66444
Self Certification Date:	04/30/2008
Signature Name/Title:	JOHN MYERS PRES
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	05/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	99667
Cert ID:	164956
AI Number:	66444
Self Certification Date:	02/13/2008
Signature Name/Title:	JOHN MYERS PRES
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	05/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	99667
Cert ID:	164955
AI Number:	66444
Self Certification Date:	07/12/2005
Signature Name/Title:	JOHN MYERS PRESIDENT
Signature Type Role:	OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	05/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	99667
Cert ID:	164954
AI Number:	66444
Self Certification Date:	04/27/2004
Signature Name/Title:	DAVID LEWIS FACILITY TECH
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	99667
Cert ID:	164953
AI Number:	66444
Self Certification Date:	07/18/2003
Signature Name/Title:	DAVID LEWIS FACILITY TECH
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 06/30/2004  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

**Tank:**

Install Date: 01/01/1994  
 Tank Registration Date: 02/13/1995  
 Number of Compartments: 1  
 Tank Capacity: 4000  
 Tank Singlewall: N  
 Tank Doublewall: Y  
 Pipe Type: P  
 UST ID: 173518  
 Facility ID: 99667  
 Ai Number: 66444  
 Tank Id: 1  
 Tank Status (Current): IN USE  
 Tank Status Date: 01/01/1994  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): Y  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): Y  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): Y  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FacInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): Y  
 TCPM(Ext Nonmetallic Jacket): N  
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N  
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/09/1995
Compartment Records:	
Tank ID:	1
Tank Capacity:	4000
UST Comprt ID:	152261
UST ID:	173518
AI Number:	66444
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	Y
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Construction Notification:

NOC ID:	17200
Facility ID:	99667
AI Number:	66444
Application Received Date:	06/01/2001
Scheduled Construction Date:	06/15/2001
UST Improvement:	N
UST Installation:	Y
UST Removal:	N
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	M10601002
Waiver Flag:	N
Late Filing Flag:	N
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported
Signature Role:	Not reported
Owner Name At Time Of Construction:	Not reported
Owner CN At Time Of Construction:	Not reported
Owner AR At Time Of Construction:	Not reported
General Desc Of Proposed Construction:	Not reported

Contractor, Consultant and Installer:

Cont/Cons/Installer ID:	34071
UST ID:	173518
NOC ID:	Not reported
AI Number:	66444
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP001100
Company Name:	McCon Build & Petro.
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported

Cont/Cons/Installer ID:	18575
-------------------------	-------

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

UST ID: Not reported  
 NOC ID: 17200  
 AI Number: 66444  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP000970  
 Company Name: Not reported  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 49231  
 UST ID: 173518  
 NOC ID: Not reported  
 AI Number: 66444  
 Type Of Contact: INSTALLER  
 Contractor CRP Number Or Installer ILP Number: ILP000435  
 Company Name: Not reported  
 Representative Name: BOBBY LEWIS  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Facility Billing Contacts:

Contact Organization Name: ONCOR ELECTRIC DELIVERY COMPANY LLC  
 Contact Mailing Address (Delivery): PO BOX 132280  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75313 2280  
 Phone Number/Ext: 214 4866168/0  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 99667

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONCOR HEADQUARTERS (Continued)**

**U002112378**

Additional ID: 804196282002156  
 Princ ID: 748594002008029  
 AI Number: 66444  
 Facility Name: ONCOR HEADQUARTERS  
 AR Number: 60333  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: U  
 Contact Name/Title: EDWARD ZARECKY/

**MSD:**

Id: 62  
 Project Manager: Mike Frew  
 MSD Certification Number: 062  
 MSD Application Number: MSD AP 062  
 Acres: 2  
 GW Zone Feet To: 20  
 Feet: 5  
 Contaminants: BENZENE|NAPHTHALENE|LEAD  
 Applicant: Dallas Woodall Property, LLC  
 Updated: 12/17/2007  
 Remediation Program PM: Silkworth  
 Application Received Date: 12/10/2007  
 90 Day Deadline: 03/10/2008  
 Status: Certified  
 Precertification Date: Not reported  
 Certification Date: 03/06/2008  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: True  
 HB3030: Not reported  
 Other Program: VCP 1777  
 CN: CN602763047  
 RN: RN102468030

**IHW CORR ACTION:**

Program Id: T3395  
 Location Desc: Not reported  
 RN NUM: RN102468030  
 Status: ACTIVE  
 Status Date: 11/28/2017  
 EDR Link ID: T3395

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

112 **WILKES POWER PLANT** **FINDS** **1010454173**  
**1616 WOODALL RODGERS FWY** **ECHO** **N/A**  
**DALLAS, TX 75202**

FINDS:

Registry ID: 110032905792

Environmental Interest/Information System  
 GREENHOUSE GAS REPORTER

[Click this hyperlink](#) while viewing on your computer to access  
 additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1010454173  
 Registry ID: 110032905792  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110032905792>

113 **NO 3 FIRE STATION** **TX UST** **U001264648**  
**500 N OAKLAND AVE** **N/A**  
**DALLAS, TX 75226**

UST:

AI Number: 31290  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 09/01/1988  
 Facility Status: INACTIVE  
 Additional ID: 539020662002087  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75226  
 Contact Name/Title: JERRY MINTER,  
 Contact Organization Name: NO 3 FIRE STATION  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2146703098  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 04/21/1986  
 Signature Name/Title On Earliest Reg Form: STEVE PERRY,ASST CHIEF  
 Application Received Date On Earliest Reg Form: 05/12/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600331730  
 Owner Last Name: CITY OF DALLAS  
 Owner First Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NO 3 FIRE STATION (Continued)**

**U001264648**

Owner Middle Name:	Not reported
Owner Type:	CI
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	925533122001297
Additional ID:	539020662002087
AI Number:	31290
Owner Effective Begin Date:	09/01/1988
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1985
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	1300
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	82213
Facility ID:	38617
AI Number:	31290
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	10/23/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NO 3 FIRE STATION (Continued)**

**U001264648**

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	1300
UST Comprt ID:	2410
UST ID:	82213
AI Number:	31290
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NO 3 FIRE STATION (Continued)**

**U001264648**

SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1985
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	82214
Facility ID:	38617
Ai Number:	31290
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	10/23/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NO 3 FIRE STATION (Continued)**

**U001264648**

TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth( FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	1000
UST Comprt ID:	2411
UST ID:	82214
AI Number:	31290
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NO 3 FIRE STATION (Continued)**

**U001264648**

Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: CITY OF DALLAS  
 Contact Mailing Address (Delivery): 1500 MARILLA ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75201 6318  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 38617  
 Additional ID: 539020662002087  
 Princ ID: 925533122001297  
 AI Number: 31290  
 Facility Name: NO 3 FIRE STATION  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: /

114

**JW CAMPBELL & ASSOC  
 2616 SWISS AVE  
 DALLAS, TX 75204**

**TX UST U001273336  
 N/A**

UST:

AI Number: 40887  
 Facility Type: UNKNOWN  
 Facility Begin Date: 01/21/1987  
 Facility Status: INACTIVE  
 Additional ID: 313420492002063  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75204  
 Contact Name/Title: ,  
 Contact Organization Name: JW CAMPBELL & ASSOC  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2148211990  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 04/29/1986  
 Signature Name/Title On Earliest Reg Form: LEW LAWLIS,MGR.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**JW CAMPBELL & ASSOC (Continued)**

**U001273336**

Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600834139
Owner Last Name:	JW CAMPBELL & ASSOCIATES OF TEXAS INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	242420482002063
Additional ID:	313420492002063
AI Number:	40887
Owner Effective Begin Date:	01/21/1987
State Tax ID:	16108586500
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	108338
Facility ID:	70577
AI Number:	40887
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	08/31/1987
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JW CAMPBELL & ASSOC (Continued)**

**U001273336**

Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	07/18/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	83229
UST ID:	108338
AI Number:	40887
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JW CAMPBELL & ASSOC (Continued)**

**U001273336**

PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test) @.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	JW CAMPBELL & ASSOC
Contact Mailing Address (Delivery):	2616 SWISS AVE
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75204 5838
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	70577
Additional ID:	313420492002063
Princ ID:	242420482002063
AI Number:	40887
Facility Name:	JW CAMPBELL & ASSOC
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

114

**C S I CLEANING SPECIALISTS INC**  
**2624 SWISS AVE**  
**DALLAS, TX**

**EDR Hist Cleaner 1009340344**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1981	C S I CLEANING SPECIALISTS INC	CLEANERS SELF SERVE

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>115</b>	<b>WINGFOOT COMMERCIAL TIRE SYSTEMS</b>	<b>TX TIER 2</b>	<b>S108889513</b>
	<b>960 DRAGON ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75207</b>		

TIER 2:

Facility Id:	FATR20064X9PB900PRU2
Facility Name:	WINGFOOT COMMERCIAL TIRE SYSTEMS
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	1/31/2007
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Emploeyess On Site:	18
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Tom Allmon
Latitude:	32.785732
Longitude:	96.815737
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A1 - Address Matching (House Number)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Notes:	Not reported
Validation:	Not reported

<b>115</b>	<b>GOODYEAR RETREAD PLANT</b>	<b>FINDS</b>	<b>1010779545</b>
	<b>960 DRAGON ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75207</b>		

FINDS:

Registry ID: 110034103743

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

<b>116</b>	<b>"BROADWING COMMUNICATIONS, LLC. -- DLLSTX02"</b> <b>2323 VICTORY AVE.</b> <b>DALLAS, TX 75219</b>	<b>TX TIER 2</b>	<b>S108441543</b> <b>N/A</b>
------------	--	------------------	---------------------------------

TIER 2:

Facility Id:	FATR20052U459S05AK7A
Facility Name:	"BROADWING COMMUNICATIONS, LLC. -- DLLSTX02"
Reporting Year:	2005
Facility Country:	USA
Facility Department:	Risk Management
Facility Date Modified:	2/27/2007
Date Tier 2 Signed:	1/18/2006
Mailing Address:	1122 Capital of Texas Highway South
Mailing City/State/Country:	Austin, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	350
Number Of Employess On Site:	1
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	John Hoffman Director
Latitude:	32.784600
Longitude:	-95.190200
Lat/Long Location Desc:	UN - Unknown
Lat/Long Method:	UN - Unknown
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Notes:	Not reported
Validation:	Not reported

<b>117</b>	<b>FAIRMONT HOTEL DALLAS</b> <b>1717 N AKARD ST</b> <b>DALLAS, TX 75201</b>	<b>TX VCP</b> <b>TX Ind. Haz Waste</b> <b>TX GCC</b>	<b>S102755320</b> <b>N/A</b>
------------	---	--	---------------------------------

VCP TCEQ:

Region:	4
Facility ID:	2576
Facility Type:	Full Service Hotel
VCP Received:	04/08/2013
PCA Number:	34769
Project Number:	Saldana
Type Lead:	Owner
Phase:	Investigation
Lat/Long:	Not reported
Lat/Long (DD):	32.78556 / -96.80167
Acres at Site:	2.26
Contaminant Categories:	Chlorinated Solvents
Media Affected:	Soil, Groundwater
Applicant:	Inland American Lodging Dallas Akard LP
Applicant Contact Title:	Sr. VP

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FAIRMONT HOTEL DALLAS (Continued)**

**S102755320**

Applicant Address: 200 S Orange Ave Ste 1200  
 Applicant City,St,Zip: Orlando, FL 32801  
 Applicant Phone: 407-317-6950  
 Applicant Fax: 866-748-7101  
 Consultant/Attorney: URS Corporation  
 Consultant/Attorney Name: Lyle Winnette  
 Consultant/Attorney Contact Title: Project Manager  
 Consultant/Attorney Address: 1950 N Stemmons Fwy Ste 6000  
 Consultant/Attorney City,St,Zip: Dallas, TX 75207  
 Consultant/Attorney Phone: 214-741-7777  
 Consultant/Attorney Fax: 214-741-9413  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: TXD987984119  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: Not reported  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: Not reported  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 04/04/2013  
 App Accepted?: Y  
 Date Accepted: 05/20/2013  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 347690  
 Contaminants Identified: PCE  
 OffSite?: Not reported  
 Billing Company: Inland American Lodging Dallas Akard LP  
 Billing c/o Name: Jack D Elkins Jr  
 Billing Address1: 200 S Orange Ave  
 Billing Address2: Ste 1200  
 Billing City: Orlando  
 Billing State: FL  
 Billing Zip: 32801  
 Billing Phone: 407-317-6950  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D293/CR

**Ind. Haz Waste:**

Registration Number: 73864  
 Registration Initial Notification Date: 10/13/1989  
 Registration Last Amendment Date: 05/26/2009  
 EPA Identification: TXD987984119  
 Primary NAICS Code: 721110  
 Status Change Date: 19891013  
 Land Type: Not reported  
 Description of Facility Site Location: 1717 N Akard, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FAIRMONT HOTEL DALLAS (Continued)**

**S102755320**

Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, SQG  
 TNRCC Region: Not reported  
 Company Name: FAIRMONT HOTEL COMPANY DALLAS LP  
 Contact Name: VELMA HENDERSON  
 Contact Telephone Number: 214-7202020  
 Mailing Address: 1717 N AKARD ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752012301  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 28273  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20090601  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 1717 N AKARD ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 2301  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-7202020  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17424396657  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: FAIRMONT HOTEL COMPANY DALLAS LP  
 Operator First Name: Not reported  
 Operator Name: FAIRMONT HOTEL COMPANY DALLAS LP  
 Operator Mailing Address: 1717 N AKARD ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 2301  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-7202020  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17424396657  
 Operator Bankruptcy Code: Not reported

Contact:



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FAIRMONT HOTEL DALLAS (Continued)**

**S102755320**

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1717 N AKARD ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75201 2301  
 Contact Phone: 1-214-7202020  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: VELMA HENDERSON  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 1717 N AKARD ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75201 2301  
 Contact Phone: 1-214-7202020  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1717 N AKARD ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75201 2301  
 Contact Phone: 1-214-7202020  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 139840  
 Waste Description: PERC FILTERS  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0906310H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FAIRMONT HOTEL DALLAS (Continued)**

**S102755320**

New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: 6049511170  
 Primary NAICS Code: 721110  
 EPA Waste Form Code: W310  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 139839  
 Waste Description: PERC SLUDGE  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0506609H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: 6049511170  
 Primary NAICS Code: 721110  
 EPA Waste Form Code: W609  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

GCC:

Division: REM/VC  
 New Cases: \*  
 File Number: 2576  
 Contamination Description: CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 4/8/2013  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number  
 EPA ID Number

**118 RAULS TEXACO SERVICE EDR Hist Auto 1009365746**  
**2713 GASTON AVE N/A**  
**DALLAS, TX 75226**

EDR Hist Auto

Year:	Name:	Type:
1951	MILNER L S GARAGE	AUTOMOBILE REPAIRING
1956	MILNER L S GARAGE	AUTOMOBILE REPAIRING
1961	ROGERS BROTHERS AUTO REPAIR	AUTOMOBILE REPAIRING
1966	SIDES IRVINE AUTOMOTIVE CO	AUTOMOBILE REPAIRING
1969	EAGLE TRANSMISSION	Automotive Repair Shops, NEC
1970	EAGLE TRANSMISSION	Automotive Repair Shops, NEC
1985	RAULS TEXACO SERVICE	Gasoline Service Stations
1986	RAULS TEXACO SERVICE	Gasoline Service Stations
1987	RAULS TEXACO SERVICE	Gasoline Service Stations
1988	RAULS TEXACO SERVICE	Gasoline Service Stations
1989	RAULS TEXACO SERVICE	Gasoline Service Stations
1990	RAULS TEXACO SERVICE	Gasoline Service Stations

**119 COIN CLEAN CENTER #2 INC EDR Hist Cleaner 1019959427**  
**909 STEMMONS TOWER EAST N/A**  
**DALLAS, TX 75207**

EDR Hist Cleaner

Year:	Name:	Type:
1971	ORIENTAL LAUNDRY CO *	Power Laundries, Family And Commercial
1972	COIN CLEAN CENTER #2 INC	Drycleaning Plants, Except Rugs
1972	ORIENTAL LAUNDRY CO *	Power Laundries, Family And Commercial
1973	COIN CLEAN CENTER #2 INC	Drycleaning Plants, Except Rugs
1973	ORIENTAL LAUNDRY CO *	Power Laundries, Family And Commercial
1974	COIN CLEAN CENTER #2 INC	Drycleaning Plants, Except Rugs
1974	ORIENTAL LAUNDRY CO*	Power Laundries, Family And Commercial
1976	COIN CLEAN CENTER #2 INC	Drycleaning Plants, Except Rugs

**120 FIELD STREET SITE (ROACH PAINT) TX VCP S109145785**  
**FIELD STREET @ WOODALL ROGERS FREEWAY N/A**  
**DALLAS, TX 75201**

VCP TCEQ:

Region:	4
Facility ID:	0877
Facility Type:	Paint Manufacturing
VCP Received:	12/03/1998
PCA Number:	31787
Project Number:	Frew
Type Lead:	Leased
Phase:	Withdrawal
Lat/Long:	32-47-12 / 96-48-22
Lat/Long (DD):	Not reported
Acres at Site:	3.55
Contaminant Categories:	Metals, PAHs
Media Affected:	Soils
Applicant:	Surf City USA, - Dallas, Ltd.
Applicant Contact Title:	President
Applicant Address:	300 Crescent Court, Suite 840
Applicant City,St,Zip:	Dallas, TX 75201

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIELD STREET SITE (ROACH PAINT) (Continued)**

**S109145785**

Applicant Phone: 214-871-8111  
 Applicant Fax: 214-871-5577  
 Consultant/Attorney: Law Engineering & Environmental  
 Consultant/Attorney Name: Jeffrey P. Dann  
 Consultant/Attorney Contact Title: Senior Geologist  
 Consultant/Attorney Address: 7161 LBJ Freeway, Suite 600  
 Consultant/Attorney City,St,Zip: Dallas, TX 75251  
 Consultant/Attorney Phone: 972-934-0800  
 Consultant/Attorney Fax: 972-934-1429  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 12/07/1998  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Excavate & Dispose  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 11/20/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 317870  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Surf City USA - Dallas, Ltd.  
 Billing c/o Name: Spencer W. Alpert  
 Billing Address1: 300 Crescent Court  
 Billing Address2: Suite 840  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-871-8111  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Y  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

121

**FIELD AND WOODALL SITE - JEFFERSON NORTH END  
 FIELD AND WOODALL ROGERS FREEWAY  
 DALLAS, TX**

**TX VCP S109145735  
 N/A**

VCP TCEQ:  
 Region: 4  
 Facility ID: 0161  
 Facility Type: Paint Manufacturing Facility  
 VCP Received: 01/05/1996  
 PCA Number: 38071  
 Project Number: Frew  
 Type Lead: Owner  
 Phase: Completed  
 Lat/Long: 32-47-13 / 96-48-27

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIELD AND WOODALL SITE - JEFFERSON NORTH END (Continued)**

**S109145735**

Lat/Long (DD):	Not reported
Acres at Site:	11
Contaminant Categories:	TPH, Petroleum, VOCs, SVOCs
Media Affected:	Soils
Applicant:	Broomfield, JV, West Pioneer Management
Applicant Contact Title:	President
Applicant Address:	2414 North Akard Street, No. 555
Applicant City,St,Zip:	Dallas, TX 75201
Applicant Phone:	214-720-1300
Applicant Fax:	Not reported
Consultant/Attorney:	Locke, Purnell, Rain & Harrell
Consultant/Attorney Name:	Mark T. Story
Consultant/Attorney Contact Title:	Environmental Attorney
Consultant/Attorney Address:	2200 Ross Avenue, Suite 2200
Consultant/Attorney City,St,Zip:	Dallas, TX 75201
Consultant/Attorney Phone:	214-740-8590
Consultant/Attorney Fax:	214-740-8800
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	03/11/1996
Standards:	1/2
TX Risk Reduction Prgm:	Not reported
Institutional Controls:	Not reported
Certificate of Completion:	10/15/1996
Remedy Type:	Excavation, removal to off-site landfill
Risk Reduction or Petroleum Storage Tank:	RRR
Leaking Petroleum Storage Registration Tank:	96023
Cashier Recvd:	Not reported
App Accepted?:	Y
Date Accepted:	Not reported
Region?:	Y
Alt VCP Id:	Not reported
Project No.:	310710
Contaminants Identified:	Not reported
OffSite?:	N
Billing Company:	Broomfield, JV & W Pnnr Magmt
Billing c/o Name:	Keith Koop
Billing Address1:	2414 N. Akard St., No. 55
Billing Address2:	Not reported
Billing City:	Dallas
Billing State:	TX
Billing Zip:	75201
Billing Phone:	214-720-1300
IOP No.:	Not reported
Region COC?:	Y
Region R/W?:	Not reported
Survey?:	Y
Comments:	Not reported
Media:	M
File Location:	CR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

122 **TERRA - WACO DISTRIBUTION FACILITY** **FINDS** **1011379335**  
**601 S CENTRAL EXPY** **N/A**  
**DALLAS, TX 75201**

FINDS:

Registry ID: 110035049765

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

122 **WASHINGTON L E** **EDR Hist Cleaner** **1009347227**  
**615 N CENTRAL AVE** **N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1925	WASHINGTON L E	CLOTHES CLEANERS AND DYERS
1930	OWL TAILORS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

123 **COSDEN TOWER SERVICE** **EDR Hist Auto** **1009363507**  
**2311 GRIFFIN** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1961	COSDEN TOWER SERVICE	GASOLINE STATIONS

123 **AMERICAN RUG SERVICES** **EDR Hist Cleaner** **1009339374**  
**2312 GRIFFIN** **N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1951	AMERICAN RUG SERVICES	RUG CLEANING AND RENOVATING
1961	PARAMOUNT RUG CLEANERS	CARPET AND RUG CLEANERS
1961	AMERICAN RUG AND UPHOLSTERY SER	CARPET AND RUG CLEANERS

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

<b>123</b>	<b>AMERICAN RUG SERVICES</b>	<b>EDR Hist Cleaner</b>	<b>1009339418</b>
	<b>2320 GRIFFIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:	
1951	AMERICAN RUG SERVICES	RUG CLEANING AND RENOVATING	

<b>124</b>	<b>2012 FIELD STREET PROPERTY</b>	<b>TX VCP</b>	<b>S114852457</b>
	<b>1414 WOODALL RODGERS FWY</b>		<b>N/A</b>
	<b>DALLAS, TX 75202</b>		

VCP TCEQ:

Region:	4
Facility ID:	2625
Facility Type:	Commercial Motor Bank
VCP Received:	11/04/2013
PCA Number:	34817
Project Number:	Moore
Type Lead:	Prospective Purchaser
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.7862 / -96.8040
Acres at Site:	1.7524
Contaminant Categories:	Heavy Metals
Media Affected:	Soil
Applicant:	2012 Field Street LP
Applicant Contact Title:	VP
Applicant Address:	3090 Olive St Ste 300
Applicant City,St,Zip:	Dallas, TX 75219
Applicant Phone:	214-777-4332
Applicant Fax:	Not reported
Consultant/Attorney:	W&M Environmental Group Inc
Consultant/Attorney Name:	Frank W Clark
Consultant/Attorney Contact Title:	Environmental Consultant
Consultant/Attorney Address:	906 E 18th St Ste 100
Consultant/Attorney City,St,Zip:	Plano, TX 75074
Consultant/Attorney Phone:	972-509-9611
Consultant/Attorney Fax:	972-516-4145
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	Not reported
Standards:	A
TX Risk Reduction Prgm:	1
Institutional Controls:	Not reported
Certificate of Completion:	Not reported
Remedy Type:	Not reported
Risk Reduction or Petroleum Storage Tank:	TRRP
Leaking Petroleum Storage Registration Tank:	Not reported
Cashier Recvd:	11/01/2013
App Accepted?:	Y
Date Accepted:	12/11/2013
Region?:	Y
Alt VCP Id:	Not reported
Project No.:	348170
Contaminants Identified:	Arsenic, Cadmium, Lead, Mercury, Selenium, Silver
OffSite?:	Not reported
Billing Company:	2012 Field Street LP

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2012 FIELD STREET PROPERTY (Continued)**

**S114852457**

Billing c/o Name: Jacob Walter  
 Billing Address1: 3090 Olive St  
 Billing Address2: Ste 300  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75219  
 Billing Phone: 214-777-4332  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D-289/CR

**125 GIDDINGS AND WELLS PAINT AND BODY SHOP  
 2606 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009365239  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	RILEYS STUDEBAKER SERVICE	AUTOMOBILE REPAIRERS
1977	CHASTAIN AUTOMOTIVE	AUTOMOBILE REPAIRING
1981	GIDDINGS AND WELLS PAINT AND BO	AUTOMOBILE REPAIRING
1986	GIDDINGS AND WELLS PAINT AND BO	AUTOMOBILE REPAIRING
1987	GIDDINGS & WELLS PNT & BDY SP	Not reported

**125 GIDDINGS WELLS BODY SHOP  
 2606 SWISS AVENUE STE 08  
 DALLAS, TX 75204**

**RCRA NonGen / NLR 1000189518  
 FINDS TXD982288631  
 TX Ind. Haz Waste  
 ECHO**

RCRA NonGen / NLR:

Date form received by agency: 07/27/2001  
 Facility name: GIDDINGS WELLS BODY SHOP  
 Facility address: 2606 SWISS AVENUE STE 08  
 DALLAS, TX 75204  
 EPA ID: TXD982288631  
 Mailing address: SWISS AVENUE STE 08  
 DALLAS, TX 75204  
 Contact: DONALD GIDDINGS  
 Contact address: SWISS AVENUE STE 08  
 DALLAS, TX 75204  
 Contact country: US  
 Contact telephone: 214-748-1964  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: GIDDINGS WELLS BODY SHOP  
 Owner/operator address: SWISS AVENUE STE 08  
 DALLAS, TX 75204  
 Owner/operator country: US



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIDDINGS WELLS BODY SHOP (Continued)**

**1000189518**

Owner/operator telephone: 214-748-1964  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Owner/operator name: GIDDINGS WELLS BODY SHOP  
 Owner/operator address: SWISS AVENUE STE 08  
 DALLAS, TX 75204

Owner/operator country: US  
 Owner/operator telephone: 214-748-1964  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 08/11/1987  
 Site name: GIDDINGS WELLS BODY SHOP  
 Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE,

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GIDDINGS WELLS BODY SHOP (Continued)**

**1000189518**

1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F002

. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003

. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005

. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005103075

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIDDINGS WELLS BODY SHOP (Continued)**

**1000189518**

Ind. Haz Waste:

Registration Number:	73322
Registration Initial Notification Date:	09/18/1987
Registration Last Amendment Date:	07/27/2001
EPA Identification:	TXD982288631
Primary NAICS Code:	Not reported
Status Change Date:	19870918
Land Type:	PRIVATE
Description of Facility Site Location:	2606 Swiss Avenue, Ste. 08, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	NON INDUS, SQG
TNRCC Region:	Not reported
Company Name:	GIDDINGS WELLS BODY SHOP
Contact Name:	DONALD GIDDINGS
Contact Telephone Number:	214-7481964
Mailing Address:	2606 SWISS AVE STE 8
Mailing Address2:	STE 08
Mailing City,St,Zip:	DALLAS, TX 752045838
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	27746
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20020124
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	2606 SWISS AVE STE 8
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75204 5838
Owner Country:	UNITED STA
Owner Phone Number:	1-214-7481964
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Unknown
Owner Tax Id:	Not reported
Owner Bankruptcy Code:	Not reported

Operator:

Operator Last Name:	GIDDINGS WELLS BODY SHOP
Operator First Name:	Not reported
Operator Name:	GIDDINGS WELLS BODY SHOP

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIDDINGS WELLS BODY SHOP (Continued)**

**1000189518**

Operator Mailing Address: 2606 SWISS AVE STE 8  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75204 5838  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-7481964  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 2606 SWISS AVE STE 8  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5838  
 Contact Phone: 1-214-7481964  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2606 SWISS AVE STE 8  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5838  
 Contact Phone: 1-214-7481964  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: DONALD GIDDINGS  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 2606 SWISS AVE STE 8  
 Contact Address2: STE 08  
 Contact City,St,Zip: DALLAS, TX 75204 5838  
 Contact Phone: 1-214-7481964  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

ECHO:

Envid: 1000189518

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**GIDDINGS WELLS BODY SHOP (Continued)**

**1000189518**

Registry ID: 110005103075  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005103075>

---

**125 SWISS AVENUE GARAGE  
 2602 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009365190  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1941	SWISS AVENUE GARAGE	AUTOMOBILE REPAIRING
1946	GREEN SAM AND CO	AUTOMOBILE REPAIRING

---

**125 PEAK S GARAGE  
 2608 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009365258  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	RILEYS STUDEBAKER SERVICE	AUTOMOBILE REPAIRERS
1951	PHIL S RADIATOR SHOP	RADIATOR REPAIRERS-AUTOMOBILE
1951	GLOVER S GARAGE	AUTOMOBILE REPAIRING
1956	GLOOVER S GARAGE	AUTOMOBILE REPAIRING
1961	PEAK S GARAGE	AUTOMOBILE REPAIRING
1966	PEAK S GARAGE	AUTOMOBILE REPAIRING

---

**126 MC MURRY AUTO TRUCK CENTER  
 2701 GASTON  
 DALLAS, TX 75226**

**EDR Hist Auto 1009365612  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1951	S ERVAY LUTTRELL J B SERVICE ST	GASOLINE STATIONS
1969	MC MURRY AUTO TRUCK CENTER	Gasoline Service Stations
1970	MC MURRY AUTO TRUCK CENTER	Gasoline Service Stations
1971	MCMURRYS AUTO TRUCK CENTER	Gasoline Service Stations
1972	MC MURRYS DWNTWN CAR CARE CTR	Gasoline Service Stations
1973	MC MURRYS DWNTWN CAR CARE CTR	Gasoline Service Stations
1974	MC MURRYS DWNTWN CAR CARE CT	Gasoline Service Stations
1975	MC MURRYS DWNTWN CAR CARE CT	Gasoline Service Stations
1976	MC MURRYS DWNTWN CAR CARE CT	Gasoline Service Stations
1977	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1978	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1979	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1980	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1982	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1983	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1985	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1986	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1987	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations
1988	MC MURRYS DOWNTOWN CAR CAR CTR	Gasoline Service Stations

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

126 MCMURRY DOWNTON CAR CARE CNTR  
 2701 GASTON AVE  
 DALLAS, TX 75226

TX LPST U001264701  
 TX UST N/A

LPST:

Facility ID: 0031354  
 LPST Id: 110795  
 Facility Location: 2701 GASTON AVE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 11/15/1999  
 Entered Date: 04/17/1996  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Groundwater is affected.  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1/1P/1  
 Coordinators RPR: PWW  
 Responsible Party Name: G MCMURREY EST C O S WEMPLE  
 Responsible Party Contact: MARY FRANCES CORTIMILIA  
 Responsible Party Address: 10417 VISTADALE  
 Responsible Party City,St,Zip: DALLAS, TX 75238  
 Responsible Party Telephone: 214/348-5873  
 Reported Date: 04/12/1996  
 Case Start Date: 04/17/1996

UST:

AI Number: 31354  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 11/12/1986  
 Facility Status: INACTIVE  
 Additional ID: 727433562002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75226  
 Contact Name/Title: GEORGE MCMURRAY,OWNER  
 Contact Organization Name: MCMURRY DOWNTON CAR CARE CNTR  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2148266650  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 05/08/1986  
 Signature Name/Title On Earliest Reg Form: GEORGE MC MURRY,OWNER  
 Application Received Date On Earliest Reg Form: 05/09/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

Owner:

Owner CN: CN600820096  
 Owner Last Name: GEORGE MC MURRY DBA MC MURRYS  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 737433552002062  
 Additional ID: 727433562002062  
 AI Number: 31354  
 Owner Effective Begin Date: 11/12/1986  
 State Tax ID: Not reported  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

Tank:

Install Date: 01/01/1967  
 Tank Registration Date: 05/09/1986  
 Number of Compartments: 1  
 Tank Capacity: 3000  
 Tank Singlewall: Y  
 Tank Doublewall: N  
 Pipe Type: S  
 UST ID: 82462  
 Facility ID: 65436  
 Ai Number: 31354  
 Tank Id: 3  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 04/04/1996  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): Y  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
<b>Compartment Records:</b>	
Tank ID:	3
Tank Capacity:	3000
UST Comprt ID:	80963
UST ID:	82462
AI Number:	31354
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1967
Tank Registration Date:	05/09/1986
Number of Compartments:	1
Tank Capacity:	5000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	82463
Facility ID:	65436
Ai Number:	31354
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/04/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	5000
UST Comprt ID:	80964
UST ID:	82463
AI Number:	31354
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

SOPE(Alarm (Set@<=90%) W/3a Or 3b):	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1967
Tank Registration Date:	05/09/1986
Number of Compartments:	1
Tank Capacity:	5000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	82464
Facility ID:	65436
Ai Number:	31354
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/04/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	5000
UST Comprt ID:	80965
UST ID:	82464
AI Number:	31354
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/22/1996
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	180395
Facility ID:	65436
Ai Number:	31354
Tank Id:	4
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/04/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	4
Tank Capacity:	2000
UST Comprt ID:	80966
UST ID:	180395
AI Number:	31354
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/22/1996
Number of Compartments:	1
Tank Capacity:	1000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MCMURRY DOWNTON CAR CARE CNTR (Continued)

U001264701

Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	180396
Facility ID:	65436
Ai Number:	31354
Tank Id:	5
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/04/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	5
Tank Capacity:	1000
UST Comprt ID:	80967
UST ID:	180396
AI Number:	31354
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/22/1996
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	180398
Facility ID:	65436
AI Number:	31354
Tank Id:	6
Tank Status (Current):	REMOVED FROM GROUND



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

Tank Status Date:	04/04/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	6
Tank Capacity:	1000
UST Comprt ID:	80968
UST ID:	180398
AI Number:	31354
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/22/1996
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	G
UST ID:	180399
Facility ID:	65436
Ai Number:	31354
Tank Id:	7
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/04/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	7
Tank Capacity:	500
UST Comprt ID:	80969
UST ID:	180399
AI Number:	31354
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCMURRY DOWNTON CAR CARE CNTR (Continued)**

**U001264701**

CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	GEORGE MC MURRY DBA MC MURRYS
Contact Mailing Address (Delivery):	10417 VISTADALE DR
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75238 1630
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	65436
Additional ID:	727433562002062
Princ ID:	737433552002062
AI Number:	31354
Facility Name:	MCMURRY DOWNTON CAR CARE CNTR
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	MARY FRANCES CORTIMILIA/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

126 2701 GASTON AVE, DALLAS; 0.6 MINW INTERSECTION OF I30/I45/US DALLAS, TX TX RGA LF S115121539 N/A

RGA LF:  
 1993 2701 GASTON AVE, DALLAS; 0.6 MINW INTERSECTION OF I30/I45/US75  
 1992 2701 GASTON AVE, DALLAS; 0.6 MINW INTERSECTION OF I30/I45/US75

126 MORGAN AND DAVIS GARAGE 2719 GASTON AVE DALLAS, TX EDR Hist Auto 1009365797 N/A

EDR Hist Auto  
 Year: Name: Type:  
 1951 MORGAN AND DAVIS GARAGE AUTOMOBILE REPAIRING  
 1961 CENTURY AUTOMOTIVE AUTOMOBILE REPAIRING  
 1966 HARVEY S GARAGE AUTOMOBILE REPAIRING  
 1977 W AND W GARAGE AUTOMOBILE REPAIRING  
 1981 W AND W GARAGE AUTOMOBILE REPAIRING

127 615 NORTH GOOD LATIMER EXPRESSWAY 615 N GOOD LATIMER EXPWY, 2501, 2507, 2511, AND 2519 SWISS A DALLAS, TX 75204 TX VCP S118501739 N/A

VCP TCEQ:  
 Region: 4  
 Facility ID: 2806  
 Facility Type: COMMERCIAL BUSINESSES AND A LOFT APARTMENT BLDG  
 VCP Received: 03/17/2016  
 PCA Number: 68101  
 Project Number: Swiderski  
 Type Lead: PURCHASER  
 Phase: Completed  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.786111 / -96.79  
 Acres at Site: 1.923  
 Contaminant Categories: HEAVY METALS  
 Media Affected: SOIL  
 Applicant: GREENWAY-GOOD LATIMER LP  
 Applicant Contact Title: MANAGER  
 Applicant Address: 2808 FAIRMOUNT ST STE 100  
 Applicant City,St,Zip: DALLAS, TX 75201  
 Applicant Phone: 214-880-9009  
 Applicant Fax: Not reported  
 Consultant/Attorney: W&M ENVIRONMENTAL GROUP LLC  
 Consultant/Attorney Name: CLAYTON SNIDER  
 Consultant/Attorney Contact Title: PM  
 Consultant/Attorney Address: 906 E 18TH ST  
 Consultant/Attorney City,St,Zip: PLANO, TX 75074  
 Consultant/Attorney Phone: 972-349-1731  
 Consultant/Attorney Fax: 972-516-4145  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**615 NORTH GOOD LATIMER EXPRESSWAY (Continued)**

**S118501739**

TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 09/29/2017  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 03/17/2016  
 App Accepted?: Y  
 Date Accepted: 04/27/2016  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 681010  
 Contaminants Identified: ARSENIC, BARIUM, LEAD  
 OffSite?: Not reported  
 Billing Company: GREENWAY-GOOD LATIMER LP  
 Billing c/o Name: MARK HARDAWAY  
 Billing Address1: 2808 FAIRMOUNT ST  
 Billing Address2: STE 100  
 Billing City: DALLAS  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-880-9009  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D219/CR

**128 HARRIS A AND CO SERVICE STATION  
 1815 N AKARD  
 DALLAS, TX**

**EDR Hist Auto 1009359930  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1956 HARRIS A AND CO SERVICE STATION GASOLINE STATIONS

**129 BRYAN ST GARAGE  
 2227 BRYAN  
 DALLAS, TX**

**EDR Hist Auto 1009363063  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1925 BRYAN ST GARAGE AUTOMOBILE GARAGES

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>129</b>	<b>ARNOLD S PRESS SHOP</b> <b>2227 BRYAN</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009339082</b> <b>N/A</b>
------------	--	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1930	ARNOLD S PRESS SHOP	CLOTHES PRESSERS, CLEANERS AND REPAIRERS	

<b>130</b>	<b>OLD DALLAS HIGH SCHOOL</b> <b>2214 BRYAN STREET</b> <b>DALLAS, TX 75201</b>	<b>TX VCP</b> <b>TX GCC</b>	<b>S112204685</b> <b>N/A</b>
------------	--	--------------------------------	---------------------------------

VCP TCEQ:

Region:	4
Facility ID:	2517
Facility Type:	Former Public High School
VCP Received:	07/03/2012
PCA Number:	34710
Project Number:	Goetsch
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.786300 / -96.793900
Acres at Site:	5.419
Contaminant Categories:	Heavy Metals, Chlorinated Solvents
Media Affected:	Soil, Groundwater
Applicant:	2218 Bryan Street Ltd
Applicant Contact Title:	President
Applicant Address:	212 S Palm Ave Ste 200
Applicant City,St,Zip:	Alhambra, CA 91801
Applicant Phone:	626-282-3100
Applicant Fax:	626-282-6588
Consultant/Attorney:	Epperson Environmental Group
Consultant/Attorney Name:	Charles Epperson
Consultant/Attorney Contact Title:	President
Consultant/Attorney Address:	12407 N Mopac Expwy Ste 250-353
Consultant/Attorney City,St,Zip:	Austin, TX 78758
Consultant/Attorney Phone:	512-636-4305
Consultant/Attorney Fax:	512-636-7715
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	08/15/2012
Standards:	B
TX Risk Reduction Prgm:	1,2
Institutional Controls:	Not reported
Certificate of Completion:	08/01/2014
Remedy Type:	Not reported
Risk Reduction or Petroleum Storage Tank:	TRRP
Leaking Petroleum Storage Registration Tank:	Not reported
Cashier Recvd:	07/03/2012
App Accepted?:	Y
Date Accepted:	08/15/2012
Region?:	Y
Alt VCP Id:	Not reported
Project No.:	347100
Contaminants Identified:	PCE, lead
OffSite?:	Not reported
Billing Company:	2218 Bryan Street Ltd

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS HIGH SCHOOL (Continued)**

**S112204685**

Billing c/o Name: Robert Yu  
 Billing Address1: 212 S Palm Ave  
 Billing Address2: Ste 200  
 Billing City: Alhambra  
 Billing State: CA  
 Billing Zip: 91801  
 Billing Phone: 626-282-3100  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P  
 File Location: D/200-12

**GCC:**

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2517  
 Contamination Description: VOCS, SVOCS, CHLORINATED  
 Date Of Earliest Known Contamination Confirmation: 8/15/2012  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 3  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: \*  
 File Number: 2517  
 Contamination Description: VOCS, SVOCS, CHLORINATED  
 Date Of Earliest Known Contamination Confirmation: 8/15/2012  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2517  
 Contamination Description: VOCS, SVOCS, CHLORINATED  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 6



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS HIGH SCHOOL (Continued)**

**S112204685**

Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

**131 DAY AND NIGHT FORD SERVICE  
 2511 13 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009364759  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1925 DAY AND NIGHT FORD SERVICE AUTOMOBILE REPAIRERS

**131 EARL SCHEIB AUTO PAINTERS  
 2511 SWISS AVENUE  
 DALLAS, TX 75204**

**RCRA NonGen / NLR 1000274943  
 FINDS TXD981046188  
 ECHO**

RCRA NonGen / NLR:  
 Date form received by agency: 07/27/2001  
 Facility name: EARL SCHEIB AUTO PAINTERS  
 Facility address: 2511 SWISS AVENUE  
 DALLAS, TX 75204  
 EPA ID: TXD981046188  
 Mailing address: SWISS AVENUE  
 DALLAS, TX 75204  
 Contact: L BUTTERFIELD  
 Contact address: SWISS AVENUE  
 DALLAS, TX 75204  
 Contact country: US  
 Contact telephone: 214-243-6181  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:  
 Owner/operator name: EARL SCHEIB AUTO PAINTERS  
 Owner/operator address: SWISS AVENUE  
 DALLAS, TX 75204  
 Owner/operator country: US  
 Owner/operator telephone: 214-243-6181  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported  
 Owner/operator name: EARL SCHEIB AUTO PAINTERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EARL SCHEIB AUTO PAINTERS (Continued)**

**1000274943**

Owner/operator address: SWISS AVENUE  
 DALLAS, TX 75204  
 Owner/operator country: US  
 Owner/operator telephone: 214-243-6181  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 11/24/1984  
 Site name: EARL SCHEIB #161  
 Classification: Not a generator, verified

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110005081696

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EARL SCHEIB AUTO PAINTERS (Continued)**

**1000274943**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000274943  
 Registry ID: 110005081696  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005081696>

131

**EARL SCHEIB AUTO PAINTERS SWISS AVE DALLAS  
 2511 SWISS AVE  
 DALLAS, TX 75204**

**TX Ind. Haz Waste**

**S103606624  
 N/A**

Ind. Haz Waste:

Registration Number: 66884  
 Registration Initial Notification Date: 09/30/1985  
 Registration Last Amendment Date: 07/27/2001  
 EPA Identification: TXD981046188  
 Primary NAICS Code: Not reported  
 Status Change Date: 19850930  
 Land Type: Not reported  
 Description of Facility Site Location: 2511 Swiss Avenue, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS  
 TNRCC Region: Not reported  
 Company Name: EARL SCHEIB OF TEXAS INC  
 Contact Name: L BUTTERFIELD  
 Contact Telephone Number: 214-2436181  
 Mailing Address: 2511 SWISS AVE  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: DALLAS, TX 752045853  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 22134  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20020222  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 2511 SWISS AVE  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EARL SCHEIB AUTO PAINTERS SWISS AVE DALLAS (Continued)**

**S103606624**

Owner City,St,Zip: DALLAS, TX 75204 5853  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-2436181  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 19525413647  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: EARL SCHEIB OF TEXAS INC  
 Operator First Name: Not reported  
 Operator Name: EARL SCHEIB OF TEXAS INC  
 Operator Mailing Address: 2511 SWISS AVE  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75204 5853  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-2436181  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 19525413647  
 Operator Bankruptcy Code: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 2511 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5853  
 Contact Phone: 1-214-2436181  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: L BUTTERFIELD  
 Contact Title: ENVIRONMENTAL  
 Contact Role: PRICON  
 Contact Address: 2511 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5853  
 Contact Phone: 1-214-2436181  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2511 SWISS AVE  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75204 5853  
 Contact Phone: 1-214-2436181  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EARL SCHEIB AUTO PAINTERS SWISS AVE DALLAS (Continued)**

**S103606624**

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

131

**DALLAS QUALITY MOTOR  
 2511 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009364767  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	JENNINGS JACK AUTOMOBILE SERVIC	AUTOMOBILE REPAIRERS
1936	POPE BUS AND BODY WORKS	AUTOMOBILE REPAIRING
1961	DALLAS QUALITY MOTOR	AUTOMOBILE REPAIRING

131

**NONE  
 2519 SWISS AVE  
 DALLAS, TX 75204**

**TX UST U003767029  
 N/A**

UST:

AI Number:	57026
Facility Type:	RETAIL
Facility Begin Date:	12/06/1990
Facility Status:	INACTIVE
Additional ID:	69056462002139
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75201
Contact Name/Title:	,
Contact Organization Name:	NONE
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2148213280
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	11/30/1990
Signature Name/Title On Earliest Reg Form:	GEORGE REEVES,MANAGING PARTNER
Application Received Date On Earliest Reg Form:	12/05/1990
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NONE (Continued)**

**U003767029**

Owner:

Owner CN: CN601201734  
 Owner Last Name: REEVES GM ETAL  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 59056452002139  
 Additional ID: 69056462002139  
 AI Number: 57026  
 Owner Effective Begin Date: 12/06/1990  
 State Tax ID: Not reported  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

Tank:

Install Date: 08/31/1987  
 Tank Registration Date: 12/05/1990  
 Number of Compartments: 1  
 Tank Capacity: 4000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 137230  
 Facility ID: 86976  
 Ai Number: 57026  
 Tank Id: 3  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 04/02/1991  
 Empty: Y  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NONE (Continued)**

**U003767029**

Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	3
Tank Capacity:	4000
UST Comprt ID:	129577
UST ID:	137230
AI Number:	57026
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NONE (Continued)**

**U003767029**

PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	12/05/1990
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	137231
Facility ID:	86976
Ai Number:	57026
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/02/1991
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NONE (Continued)**

**U003767029**

Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	8000
UST Comprt ID:	129578
UST ID:	137231
AI Number:	57026
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NONE (Continued)**

**U003767029**

SOPE(Alarm (Set@<=90%) W/3a Or 3b):	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	12/05/1990
Number of Compartments:	1
Tank Capacity:	6000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	137232
Facility ID:	86976
Ai Number:	57026
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/02/1991
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NONE (Continued)**

**U003767029**

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	6000
UST Comprt ID:	129579
UST ID:	137232
AI Number:	57026
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NONE (Continued)**

**U003767029**

Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name:	REEVES GM ETAL
Contact Mailing Address (Delivery):	2601 N CARROLL AVE
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75204 3009
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	86976
Additional ID:	69056462002139
Princ ID:	59056452002139
AI Number:	57026
Facility Name:	NONE
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	GEORGE REEVES/

131

**UNDERWOOD GLENN E  
 2519 SWISS AVE  
 DALLAS, TX 75201**

**EDR Hist Auto 1009364824  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1966	NOLAND DEEP ROCK SERVICE	GASOLINE STATIONS
1971	DEEP ROCK SERVICE STATION NO 6	GASOLINE STATIONS
1971	UNDERWOOD GLENN E	Gasoline Service Stations
1972	UNDERWOOD GLENN E	Gasoline Service Stations
1973	UNDERWOOD GLENN E	Gasoline Service Stations
1974	UNDERWOOD GLENN E	Gasoline Service Stations
1977	SWISS AVENUE SHIMIROCK	GASOLINE STATIONS
1981	BROOKS L C SHAMROCK	GASOLINE STATIONS
1986	FINA GAS	GASOLINE STATIONS

131

**615 NORTH GOOD LATIMER EXPRESSWAY  
 2501 2507 2511 2519 SWISS AVE  
 DALLAS, TX 75204**

**TX APAR S119135189  
 N/A**

APAR:

Comm Id Number:	21181798
Comm Type Code:	APAR
Comm Received Date:	11/28/2016
Legal Identifier:	2806
Legal Description Text:	VOLUNTARY CLEANUP
Legal Status:	ACTIVE
Physical Name:	615 NORTH GOOD LATIMER EXPRESSWAY
Physical Status:	INVESTIGATION
Physical Attribute Value Text:	AUTO SVC STN/REPAIR/VEH MAINT
Reference Number Text:	RN109149229

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**615 NORTH GOOD LATIMER EXPRESSWAY (Continued)**

**S119135189**

Delivery Text: 615 N GOOD LATIMER EXPY  
 Physical Location Desc: Not reported  
 Latitude: Not reported  
 Longitude: Not reported

Detail:

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 21181798  
 Comm Type Code: APAR  
 Comm Received Date: 11/28/2016  
 Legal Identifier: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: ACTIVE  
 Physical Name: 615 NORTH GOOD LATIMER EXPRESSWAY  
 Physical Status: INVESTIGATION  
 Physical Attribute Value Text: APARTMENTS  
 Reference Number Text: RN109149229  
 Delivery Text: 615 N GOOD LATIMER EXPY  
 Physical Location Desc: Not reported  
 Latitude: Not reported  
 Longitude: Not reported

Detail:

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**615 NORTH GOOD LATIMER EXPRESSWAY (Continued)**

**S119135189**

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 21181798  
 Comm Type Code: APAR  
 Comm Received Date: 11/28/2016  
 Legal Identifier: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: ACTIVE  
 Physical Name: 615 NORTH GOOD LATIMER EXPRESSWAY  
 Physical Status: INVESTIGATION  
 Physical Attribute Value Text: RETAIL STORE/SHOPPING CENTER  
 Reference Number Text: RN109149229  
 Delivery Text: 615 N GOOD LATIMER EXPY  
 Physical Location Desc: Not reported  
 Latitude: Not reported  
 Longitude: Not reported

**Detail:**

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 21181798  
 Comm Received Date: 11/28/2016  
 Legal Ident Text: 2806  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

132

**LAWS STREET DEVELOPMENT  
 2200 LAWS STREET  
 DALLAS, TX 75202**

**TX VCP S106772111  
 N/A**

**VCP TCEQ:**

Region: 4  
 Facility ID: 1774  
 Facility Type: Warehouse/Parking  
 VCP Received: 12/23/2004  
 PCA Number: 33974  
 Project Number: Frew  
 Type Lead: Purchaser

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LAWS STREET DEVELOPMENT (Continued)**

**S106772111**

Phase: Completed  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.47700 / -96.48280  
 Acres at Site: 2.1508  
 Contaminant Categories: VOCs, SVOCs, Metals, TPH  
 Media Affected: Soils/Groundwater  
 Applicant: LCS Victory, LP  
 Applicant Contact Title: Executive Vice President  
 Applicant Address: 2401 North Houston Street  
 Applicant City,St,Zip: Dallas, TX 75219  
 Applicant Phone: 214-303-5535  
 Applicant Fax: 214-303-5570  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Misty M. Ventura  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5462  
 Consultant/Attorney Fax: 214-939-5894  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 05/19/2005  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 03/03/2006  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 12/23/2004  
 App Accepted?: Y  
 Date Accepted: 02/03/2005  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 339740  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: LCS Victory, LP  
 Billing c/o Name: Jonas Woods  
 Billing Address1: 2401 North Houston Street  
 Billing Address2: Not reported  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75219  
 Billing Phone: 214-303-5535  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>132</b>	<b>LAWS STREET DEVELOPMENT</b> <b>2200 LAWS ST</b> <b>DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1010776826</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID: 110033896577

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>133</b>	<b>DECKER CORRECTIONS CENTER</b> <b>899 N STEMMONS FWY</b> <b>DALLAS, TX 75207</b>	<b>FINDS</b>	<b>1011344397</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID: 110034584377

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>133</b>	<b>DECKER JAIL</b> <b>899 N STEMMONS FWY</b> <b>DALLAS, TX 75207</b>	<b>TX UST</b>	<b>U001279070</b>
		<b>TX ASBESTOS</b>	<b>N/A</b>

UST:

AI Number:	47828
Facility Type:	EMERGENCY GENERATOR
Facility Begin Date:	01/01/1987
Facility Status:	ACTIVE
Additional ID:	618831022002153
Facility Exempt Status:	N
Records Off-Site:	Yes
UST Financial Assurance Required:	No
Number Of Active UST:	1
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75207
Contact Name/Title:	STEPHEN THOMPSON,
Contact Organization Name:	DECKER JAIL
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2146536834
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	02/28/2017
Signature Name/Title On Earliest Reg Form:	DANIEL CHERRY,FAC SUPV
Application Received Date On Earliest Reg Form:	02/28/2017
Signature Role On Earliest Reg Form:	OPERATOR
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No
<b>Operator:</b>	
Princ ID:	671771992002153
Additional ID:	618831022002153
Ai Number:	47828
Operator CN:	CN601259450
Operator Name:	DALLAS COUNTY
Operator Effective Begin Date:	03/14/1989
Operator Type:	CY
Operator Role:	OPRCON
Contact Name:	DONALD HOLZWORTH/
Contact Organization Name:	DALLAS COUNTY
Contact Mailing Address (Delivery):	411 ELM ST
Contact Mailing Address (Internal Delivery):	FL 4 ATTN PUBLIC WORKS
Contact Mailing City/State/Zip:	DALLAS TX 75202-3301
Contact Phone Country Code:	0
Contact Phone Area Code:	214
Contact Phone Number:	6537151
Contact Phone Extension:	0
Contact Fax Country Code:	0
Contact Fax Area Code:	214
Contact Fax Number:	6536445
Contact Fax Extension:	0
Contact Email Address:	DDAVIDSON@DALLASCOUNTY.ORG
Contact Address Deliverable:	Not reported
<b>Owner:</b>	
Owner CN:	CN601259450
Owner Last Name:	DALLAS COUNTY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CY
Contact Mailing Address (Delivery):	600 COMMERCE ST
Contact Mailing Address (Internal Delivery):	9TH FLOOR
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75202
Contact Mailing Zip5:	4606

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Contact Phone Number/Ext:	1 214 6536730/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	671771992002153
Additional ID:	618831022002153
AI Number:	47828
Owner Effective Begin Date:	03/14/1989
State Tax ID:	Not reported
Contact Role:	OWNCON
Contact Name/Title:	BERNARD BLANTON/
Contact Organization Name:	DALLAS COUNTY
Self Certification:	
Self Cert ID:	65674
Cert ID:	264389
AI Number:	47828
Self Certification Date:	02/01/2016
Signature Name/Title:	Daniel R Cherry Supervisor
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2017
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65674
Cert ID:	253758
AI Number:	47828
Self Certification Date:	04/02/2015
Signature Name/Title:	JOHN CLARK FAC ASST DIR
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65674
Cert ID:	234028
AI Number:	47828
Self Certification Date:	03/24/2014

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Signature Name/Title:	Julio Cuin fleet coordinator
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2015
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65674
Cert ID:	79387
AI Number:	47828
Self Certification Date:	01/31/2013
Signature Name/Title:	JOHN M LANGLEY FLEET MANAGER
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2014
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65674
Cert ID:	79386
AI Number:	47828
Self Certification Date:	03/13/2012
Signature Name/Title:	JOHN M LANGLEY FLEET MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65674
Cert ID:	79385
AI Number:	47828
Self Certification Date:	02/21/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Signature Name/Title: CHRIS THOMPSON DIR OF OPERATIONS  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2012  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 65674  
 Cert ID: 79384  
 AI Number: 47828  
 Self Certification Date: 01/27/2010  
 Signature Name/Title: CHRIS THOMPSON DIR OF OPS  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2011  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 65674  
 Cert ID: 79383  
 AI Number: 47828  
 Self Certification Date: 03/02/2009  
 Signature Name/Title: CHRIS THOMPSON DIR OC COMM & C S  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2010  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 65674  
 Cert ID: 79382  
 AI Number: 47828  
 Self Certification Date: 02/11/2008

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Signature Name/Title:	CHRIS THOMPSON DIR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65674
Cert ID:	79381
AI Number:	47828
Self Certification Date:	02/05/2007
Signature Name/Title:	CHRIS THOMPSON DIR OF COMM & CS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65674
Cert ID:	79380
AI Number:	47828
Self Certification Date:	12/21/2005
Signature Name/Title:	CHRIS THOMPSON DIR OF COM & CENTRAL
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65674
Cert ID:	79111
AI Number:	47828
Self Certification Date:	01/25/2005

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Signature Name/Title:	CHRIS THOMPSON DIR COMMUNICATIONS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65674
Cert ID:	79110
AI Number:	47828
Self Certification Date:	01/26/2004
Signature Name/Title:	CHRIS THOMPSON DIR COMM&CNTL SVCS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65674
Cert ID:	79109
AI Number:	47828
Self Certification Date:	03/17/2003
Signature Name/Title:	ELIZABETH TODD PHD
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65674
Cert ID:	79108
AI Number:	47828
Self Certification Date:	11/20/2002

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DECKER JAIL (Continued)**

**U001279070**

Signature Name/Title:	ELIZABETH TODD CHIEF, DRUG ENV TOX
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2003
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported

**Tank:**

Install Date:	01/01/1987
Tank Registration Date:	01/16/1989
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	124627
Facility ID:	65674
Ai Number:	47828
Tank Id:	1
Tank Status (Current):	TEMP OUT OF SERVICE
Tank Status Date:	02/01/2017
Empty:	Y
Tank Regulatory Status:	EMERG POWER GENERATOR
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	Y
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	Y
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	N
Installation Signature Date:	08/03/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	1000
UST Comprt ID:	68741
UST ID:	124627
AI Number:	47828
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DECKER JAIL (Continued)**

**U001279070**

Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	18438
Cert ID:	95970
UST Comprt ID:	281130
UST ID:	106573
AI Number:	47828
Tank ID:	2
Compartment ID:	A
Self Cert ID:	18438
Cert ID:	95971
UST Comprt ID:	281129
UST ID:	106573
AI Number:	47828
Tank ID:	2
Compartment ID:	A
Self Cert ID:	18438
Cert ID:	95967
UST Comprt ID:	281133
UST ID:	106573
AI Number:	47828
Tank ID:	2
Compartment ID:	A
Self Cert ID:	18438
Cert ID:	96235
UST Comprt ID:	281128
UST ID:	106573
AI Number:	47828
Tank ID:	2
Compartment ID:	A
Self Cert ID:	18438
Cert ID:	95969
UST Comprt ID:	281131
UST ID:	106573
AI Number:	47828
Tank ID:	2
Compartment ID:	A
Self Cert ID:	18438
Cert ID:	95968
UST Comprt ID:	281134
UST ID:	106573
AI Number:	47828
Tank ID:	2
Compartment ID:	A
Self Cert ID:	18438

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Cert ID: 95966  
 UST Comprt ID: 281132  
 UST ID: 106573  
 AI Number: 47828  
 Tank ID: 2  
 Compartment ID: A

Facility Billing Contacts:

Contact Organization Name: DALLAS COUNTY  
 Contact Mailing Address (Delivery): 600 COMMERCE ST STE 900  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75202 4648  
 Phone Number/Ext: 214 6536442/0  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 65674  
 Additional ID: 618831022002153  
 Princ ID: 671771992002153  
 AI Number: 47828  
 Facility Name: DECKER JAIL  
 AR Number: 14953  
 AR UST Number Suffix: A  
 AR AST Number Suffix: U  
 Contact Name/Title: JOHN CLARK/

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: Carla Beltran  
 Violation: Not reported  
 Complaint Date: 03/01/2018  
 Notification Number: 2018000321  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 01/12/2018  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/12/2018
Certification Statement Phone:	214-984-8333
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	187
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/30/2018
Date of inspection:	Not reported
Reason for Inspection:	Carla Beltran
Violation:	Not reported
Complaint Date:	05/08/2018
Notification Number:	2018000321
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	02/14/2018
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	02/02/2018
Certification Statement Phone:	214-984-8333
Is The Facility a School or K-12?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DECKER JAIL (Continued)**

**U001279070**

Region:	03
Priority:	LOW
ARU:	506
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/05/2018
Date of inspection:	Not reported
Reason for Inspection:	Carla Beltran
Violation:	Not reported
Complaint Date:	03/01/2018
Notification Number:	2018000321
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/29/2018
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	01/29/2018
Certification Statement Phone:	214-984-8333
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	187
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**DECKER JAIL (Continued)**

**U001279070**

Analytical Method: PLM  
 Start Date: 02/05/2018

**134 PONCE BROS CLEANERS EDR Hist Cleaner 1009338071**  
**2011 N FIELD ST N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1966 PONCE BROS CLEANERS CLEANERS AND DYERS

**135 2200 BRYAN ST ERNS 2012000627**  
**DALLAS, TX N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**135 DALLAS ISD-BUSINESS MANAGEMENT CENTER FINDS 1016286608**  
**2218 BRYAN N/A**  
**DALLAS, TX 75204**

FINDS:

Registry ID: 110011423478

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**135 DALLAS ISD-BUSINESS MANAGEMENT CENTER FTTS 1004604532**  
**2218 BRYAN HIST FTTS N/A**  
**DALLAS, TX 75201**

FTTS INSP:

Inspection Number: 19890321R6004 1  
 Region: 06  
 Inspection Date: 03/21/89  
 Inspector: CAMPBELL  
 Violation occurred: No  
 Investigation Type: AHERA, Enforcement, SEE Conducted  
 Investigation Reason: Neutral Scheme, Region  
 Legislation Code: TSCA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS ISD-BUSINESS MANAGEMENT CENTER (Continued)**

**1004604532**

Facility Function: User

HIST FTTS INSP:

Inspection Number: 19890321R6004 1  
 Region: 06  
 Inspection Date: Not reported  
 Inspector: CAMPBELL  
 Violation occurred: No  
 Investigation Type: AHERA, Enforcement, SEE Conducted  
 Investigation Reason: Neutral Scheme, Region  
 Legislation Code: TSCA  
 Facility Function: User

135

**OLD DALLAS HIGH SCHOOL  
 2218 BRYAN STREET AND 538 PEARL STREET  
 DALLAS, TX**

**TX MSD S114852492  
 N/A**

MSD:

Id: 250  
 Project Manager: Alayna Goetsch  
 MSD Certification Number: 250  
 MSD Application Number: MSD AP 250  
 Acres: 9.62299999  
 GW Zone Feet To: 40  
 Feet: 20  
 Contaminants: TETRACHLOROETHYLENE  
 Applicant: Epperson Environmental Group  
 Updated: 05/28/2014  
 Remediation Program PM: Alayna Goetsch  
 Application Received Date: 11/21/2013  
 90 Day Deadline: 02/14/2014  
 Status: Certified  
 Precertification Date: Not reported  
 Certification Date: 06/18/2014  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: True  
 HB3030: Not reported  
 Other Program: VCP 2517  
 CN: CN605379486  
 RN: New

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

135 MCLEODUSA - DALLAS.TX - PEARL TX TIER 2 S108441653  
 600 PEARL N/A  
 DALLAS, TX 75201

TIER 2:

Facility Id/Name: FATR200724D158036D11/MCLEODUSA - DALLAS.TX - PEARL  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/8/2008  
 Mailing Address: 8665 New Trails Drive  
 Mailing City/State/Country: The Woodlands, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Kellie Brennan - Facilities Coordintor  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200624D158036D11/MCLEODUSA - DALLAS.TX - PEARL  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 2/5/2007  
 Mailing Address: 8665 New Trails Drive  
 Mailing City/State/Country: The Woodlands, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Kellie Brennan - Facility Administrator  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCLEODUSA - DALLAS.TX - PEARL (Continued)**

**S108441653**

Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR200524D158036D11/MCLEODUSA - DALLAS.TX - PEARL
Reporting Year:	2005
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	2/27/2007
Date Tier 2 Signed:	2/3/2006
Mailing Address:	8665 New Trails Drive
Mailing City/State/Country:	The Woodlands, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Kellie Brennan - Facilities Coordintor
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Notes:	Not reported
Validation:	Not reported
Notes:	Not reported
Validation:	Not reported
Notes:	Not reported
Validation:	Not reported

135

**PLAZA OF AMERICAS  
 600 N. PERAL ST.  
 DALLAS, TX 75201**

**TX ASBESTOS S119154098  
 N/A**

ASBESTOS:  
 Date of inspection: 09/30/2014  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: Unknown  
 ASB Priority: Low  
 PIF State: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PLAZA OF AMERICAS (Continued)**

**S119154098**

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/14/2014
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	2014-12-15 00:00:00
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

135

**DENTON COUNTY FWSD 8-C  
 600 N PEARL ST STE 900  
 DALLAS, TX 75201**

**FINDS 1011265796  
 N/A**

FINDS:

Registry ID: 110034194770

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

DENTON COUNTY FWSD 8-C (Continued)

1011265796

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

135 WINDSTREAM DALLAS PAETEC SWITCH  
600 N. PEARL SOUTH TOWER  
DALLAS, TX 75201

TX TIER 2 S111998200  
TX ASBESTOS N/A

TIER 2:

Facility Id: FATR2012914QRD036GY  
Facility Name: WINDSTREAM DALLAS PAETEC SWITCH  
Reporting Year: 2012  
Facility Country: USA  
Facility Department: Not reported  
Facility Date Modified: 5/8/2013  
Date Tier 2 Signed: 1/2/2013  
Mailing Address: 4001 Rodney Parham 1170B1-F02-1207  
Mailing City/State/Country: Little Rock, AR USA  
Dikes/Other Safeguard Meas Emp: Not reported  
All Chemicals Same As Last Year: True  
State Fees Total: 50.00  
Number Of Employess On Site: Not reported  
Site Map: Not reported  
Fire District: Not reported  
Submitted By: Nathan Williams - ES&H Engineer  
Latitude: Not reported  
Longitude: Not reported  
Lat/Long Location Desc: Not reported  
Lat/Long Method: Not reported  
Site Coordinate Abbr Submitted: Not reported  
Number Of Emp. Required: Not reported  
Fail Valid: Not reported  
Site Coordinate Abbr Submitted: Not reported  
Mail Address: Not reported  
Mail City: Not reported  
Mail State Req.: Not reported  
Fire District: Not reported  
Additional Mail Addr: Not reported

Facility Id: FATR20118C1QVB001WU6  
Facility Name: WINDSTREAM DALLAS PAETEC SWITCH  
Reporting Year: 2011  
Facility Country: USA  
Facility Department: Not reported  
Facility Date Modified: 5/16/2012  
Date Tier 2 Signed: 1/10/2012  
Mailing Address: 4001 Rodney Parham 1170B1-F02-1207  
Mailing City/State/Country: Little Rock, AR USA  
Dikes/Other Safeguard Meas Emp: Not reported  
All Chemicals Same As Last Year: True  
State Fees Total: Not reported  
Number Of Employess On Site: Not reported  
Site Map: Not reported  
Fire District: Not reported  
Submitted By: Stephanie M. Miller - Sr. Environmental Consultant  
Latitude: Not reported  
Longitude: Not reported  
Lat/Long Location Desc: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WINDSTREAM DALLAS PAETEC SWITCH (Continued)**

**S111998200**

Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 1/11/2012  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/11/2012

Contact:

Contact Email: environmental@windstream.com  
 Contact Mail Address: 4001 Rodney Parham 1170B1-F02-1207  
 Contact City/State/Zip: Little Rock, AR 72212  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Valor Telecommunications of Texas, LP d/b/a Windstream Communications  
 Southwest  
 Title: Not reported  
 Modification Date: 2/6/2012

Contact Email: environmental@windstream.com  
 Contact Mail Address: 4001 Rodney Parham 1170B1-F02-1207  
 Contact City/State/Zip: Little Rock, AR 72212  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Valor Telecommunications of Texas, LP d/b/a Windstream Communications  
 Southwest  
 Title: Not reported  
 Modification Date: 2/6/2012

Contact:

Contact Email: alan.murawski@paetec.com  
 Contact Mail Address: 427 S. LaSalle Street  
 Contact City/State/Zip: Chicago, IL 60605  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Alan Murawski  
 Title: Director Power Engineering  
 Modification Date: 2/6/2012

Contact Email: alan.murawski@paetec.com  
 Contact Mail Address: 427 S. LaSalle Street  
 Contact City/State/Zip: Chicago, IL 60605

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WINDSTREAM DALLAS PAETEC SWITCH (Continued)**

**S111998200**

Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Alan Murawski  
 Title: Director Power Engineering  
 Modification Date: 2/6/2012

Contact:

Contact Email: ryan.key@paetec.com  
 Contact Mail Address: 1450 N. Centerpoint Road  
 Contact City/State/Zip: Hiawatha, IA 52233  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Ryan Key  
 Title: Power & Site Engineer  
 Modification Date: 2/6/2012

Contact Email: ryan.key@paetec.com  
 Contact Mail Address: 1450 N. Centerpoint Road  
 Contact City/State/Zip: Hiawatha, IA 52233  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Ryan Key  
 Title: Power & Site Engineer  
 Modification Date: 2/6/2012

Chemical Inventory:

Facility Id: FATR20118C1QVB001WU6  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20118C1QVC007XAD  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 25  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 2/6/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118C1QVC008XDX  
 Chemical Inventory Record Id: CVTR20118C1QVC007XAD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WINDSTREAM DALLAS PAETEC SWITCH (Continued)**

**S111998200**

Amt Of Sub Stored Or Transported: 2819.52  
 Amount Units: pounds  
 Type Of Storage: Plastic or non-metallic drum  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room  
 Last Modified: 2/6/2012

Mixture:

Record Key: CMTR20118C1QVC009XF3  
 Chemical Inv Record Id: CVTR20118C1QVC007XAD  
 Mix Chemical: Sulfuric Acid  
 Percentage: Not reported  
 Facility Id: FATR20118C1QVB001WU6  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Not reported  
 Mixture Ehs: T  
 Mixture Last Modified: 2/6/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/2/2013  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 1/2/2013

Contact:

Contact Email: environmental@windstream.com  
 Contact Mail Address: 4001 Rodney Parham 1170B1-F02-1207  
 Contact City/State/Zip: Little Rock, AR 72212  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Valor Telecommunications of Texas, LLC. d/b/a Windstream  
 Communications Southwest  
 Title: Not reported  
 Modification Date: 2/24/2013

Contact Email: environmental@windstream.com  
 Contact Mail Address: 4001 Rodney Parham 1170B1-F02-1207  
 Contact City/State/Zip: Little Rock, AR 72212  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Valor Telecommunications of Texas, LLC. d/b/a Windstream  
 Communications Southwest  
 Title: Not reported  
 Modification Date: 2/24/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WINDSTREAM DALLAS PAETEC SWITCH (Continued)**

**S111998200**

Contact:

Contact Email: alan.murawski@paetec.com  
 Contact Mail Address: 427 S. LaSalle Street  
 Contact City/State/Zip: Chicago, IL 60605  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Alan Murawski  
 Title: Staff manager  
 Modification Date: 2/24/2013

Contact Email: alan.murawski@paetec.com  
 Contact Mail Address: 427 S. LaSalle Street  
 Contact City/State/Zip: Chicago, IL 60605  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Alan Murawski  
 Title: Staff manager  
 Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR2012914QRD036GY  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR2012914QRD03BH10  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 25  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 2/24/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2012914QRD03CH26  
 Chemical Inventory Record Id: CVTR2012914QRD03BH10  
 Amt Of Sub Stored Or Transported: 2819.5  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room  
 Last Modified: 2/24/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WINDSTREAM DALLAS PAETEC SWITCH (Continued)**

**S111998200**

Mixture:

Record Key: CMTR2012914QRD03DH32  
 Chemical Inv Record Id: CVTR2012914QRD03BH10  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR2012914QRD036GY  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Not reported  
 Mixture Ehs: T  
 Mixture Last Modified: 2/24/2013

Notes: Not reported  
 Validation: Not reported

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: Chris Welch  
 Violation: Not reported  
 Complaint Date: 03/24/2017  
 Notification Number: 2017001993  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 03/09/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 03/09/2017  
 Certification Statement Phone: 214-774-9599  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WINDSTREAM DALLAS PAETEC SWITCH (Continued)**

**S111998200**

Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/23/2017
Date of inspection:	Not reported
Reason for Inspection:	Chris Welch
Violation:	Not reported
Complaint Date:	03/24/2017
Notification Number:	2017001993
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/23/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/23/2017
Certification Statement Phone:	214-774-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/24/2017



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WINDSTREAM DALLAS PAETEC SWITCH (Continued)**

**S111998200**

Date of inspection:	Not reported
Reason for Inspection:	Chris Welch
Violation:	Not reported
Complaint Date:	03/26/2017
Notification Number:	2017001993
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/24/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/24/2017
Certification Statement Phone:	214-774-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/25/2017

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

136 EXPRESSWAY TEXACO FILLING STATION EDR Hist Auto 1009364280  
 2421 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1925	LIVE OAK GARAGE	AUTOMOBILE GARAGES
1936	FETZER SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	BOWEN SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1946	BLAIR S B J SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1951	WELCH BILL SERVICE STATION	GASOLINE STATIONS
1956	EXPRESSWAY TEXACO FILLING STATI	GASOLINE STATIONS

137 FERNANDEZ PORFIRIO EDR Hist Auto 1009355745  
 1306 BROOM N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1941	FERNANDEZ PORFIRIO	AUTOMOBILE REPAIRING

137 FERNANDEZ PORFIRIO EDR Hist Auto 1009355776  
 1308 BROOM N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1936	FERNANDEZ PORFIRIO	AUTOMOBILE REPAIRING

137 CEMARK R990016 TX LPST U001240781  
 2219 SUMMER ST TX UST N/A  
 DALLAS, TX 75202

LPST:

Facility ID:	0004000
LPST Id:	96025
Facility Location:	2219 SUMMER ST
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	02/13/1995
Entered Date:	07/02/1990
Priority:	4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program:	1 - RPR
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	Groundwater is affected.
<b>Status:</b>	<b>FINAL CONCURRENCE ISSUED, CASE CLOSED</b>
Coordinators Primary:	1
Coordinators RPR:	ERN
Responsible Party Name:	WEST PIONEER MANAGEMENT INC
Responsible Party Contact:	KEITH KOOP
Responsible Party Address:	2414 N AKARD ST SUITE 555
Responsible Party City,St,Zip:	DALLAS, TX 75201
Responsible Party Telephone:	214/-
Reported Date:	06/22/1990

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK R990016 (Continued)**

**U001240781**

Case Start Date: 07/02/1990

UST:

AI Number: 4000  
 Facility Type: Not reported  
 Facility Begin Date: 08/31/1987  
 Facility Status: INACTIVE  
 Additional ID: 63826092002138  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202  
 Contact Name/Title: A MCINTOSH,BRANCH MGR  
 Contact Organization Name: CEMARK R990016  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2147422835  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 04/08/1986  
 Signature Name/Title On Earliest Reg Form: C C MELTON,DIRECTOR  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600845093  
 Owner Last Name: FEDERAL DEPOSIT INSURANCE CORPORATION  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: FG  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 31443472002064  
 Additional ID: 63826092002138  
 AI Number: 4000  
 Owner Effective Begin Date: 01/31/1995  
 State Tax ID: Not reported  
 Contact Role: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK R990016 (Continued)**

**U001240781**

Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1980
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	9739
Facility ID:	85684
Ai Number:	4000
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	07/01/1991
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK R990016 (Continued)**

**U001240781**

PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	04/29/1994
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	132011
UST ID:	9739
AI Number:	4000
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

**Facility Billing Contacts:**

Contact Organization Name:	FEDERAL DEPOSIT INSURANCE CORPORATION
Contact Mailing Address (Delivery):	1910 PACIFIC AVE STE 1300

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CEMARK R990016 (Continued)**

**U001240781**

Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 4529
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	85684
Additional ID:	63826092002138
Princ ID:	31443472002064
AI Number:	4000
Facility Name:	CEMARK R990016
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	SHARON K ALLEN/

138

**AUSTIN COMMERCIAL L BLOCK VICTORY DEVELOPMENT  
 ON NWC IH35 & LAMAR ST  
 DALLAS, TX 75201**

**FINDS 1010743651  
 N/A**

FINDS:

Registry ID: 110033494751

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

139

**DALLAS  
 DALLAS, TX 75226**

**FINDS 1008234375  
 N/A**

FINDS:

Registry ID: 110020974864

Environmental Interest/Information System

US EPA Air Quality System (AQS) contains ambient air pollution data collected by EPA, State, Local, and Tribal air pollution control agencies from thousands of monitoring stations.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>140</b>	<b>NEEDHAM S AUTOMOTIVE SERVICE</b> <b>2621 GASTON AVE</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009365368</b> N/A
------------	--	----------------------	--------------------------

EDR Hist Auto

Year:	Name:	Type:	
1951	NEEDHAM S AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING	

<b>141</b>	<b>LAWS STREET LOTS</b> <b>2201 LAWS ST</b> <b>DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1010776099</b> N/A
------------	---	--------------	--------------------------

FINDS:

Registry ID: 110033793349

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>142</b>	<b>FAIRMONT HOTEL DALLAS</b> <b>1717 N AKARD, DALLAS, TX</b> <b>DALLAS, TX 75201</b>	<b>TX APAR</b>	<b>S116764813</b> N/A
------------	--	----------------	--------------------------

APAR:

Comm Id Number:	18054158
Comm Type Code:	APAR
Comm Received Date:	04/02/2014
Legal Identifier:	2576
Legal Description Text:	VOLUNTARY CLEANUP
Legal Status:	ACTIVE
Physical Name:	FAIRMONT HOTEL DALLAS
Physical Status:	INVESTIGATION
Physical Attribute Value Text:	PROPERTY COMMERCIAL
Reference Number Text:	RN100636703
Delivery Text:	1717 N AKARD ST
Physical Location Desc:	Not reported
Latitude:	Not reported
Longitude:	Not reported

Detail:

Comm Id Number:	18054158
Comm Received Date:	4/2/2014
Legal Ident Text:	2576
Legal Description Text:	VOLUNTARY CLEANUP
Soil Contamination:	DICHLOROETHYLENE, CIS-1,2-
Groundwater Contamination:	DICHLOROETHYLENE, TRANS-1,2-

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FAIRMONT HOTEL DALLAS (Continued)**

**S116764813**

Comm Id Number: 20431145  
 Comm Type Code: APAR  
 Comm Received Date: 04/14/2016  
 Legal Identifier: 2576  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: ACTIVE  
 Physical Name: FAIRMONT HOTEL DALLAS  
 Physical Status: INVESTIGATION  
 Physical Attribute Value Text: PROPERTY COMMERCIAL  
 Reference Number Text: RN100636703  
 Delivery Text: 1717 N AKARD ST  
 Physical Location Desc: Not reported  
 Latitude: Not reported  
 Longitude: Not reported

Detail:

Comm Id Number: 20431145  
 Comm Received Date: 4/14/2016  
 Legal Ident Text: 2576  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: DICHLOROETHYLENE, CIS-1,2-  
 Groundwater Contamination: DICHLOROETHYLENE, TRANS-1,2-

142

**THE FAIRMONT DALLAS HOTEL  
 1717 NORTH AKARD STREET  
 DALLAS, TX**

**TX GCC S118151873  
 N/A**

GCC:

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2576  
 Contamination Description: CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 4/8/2013  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 3  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2576  
 Contamination Description: CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 4/8/2013  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: Not reported  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE FAIRMONT DALLAS HOTEL (Continued)**

**S118151873**

Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VC
New Cases:	Not reported
File Number:	2576
Contamination Description:	CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	4/8/2013
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	2A
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

**142 GARDNER SERVICE STATION  
 1711 N AKARD  
 DALLAS, TX**

**EDR Hist Auto 1009359259  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	GARDNER SERVICE STATION	AUTOMOBILE REPAIRERS

**142 COATS AND POWELL M C COATS OWNER  
 1715 N AKARD  
 DALLAS, TX**

**EDR Hist Auto 1009359310  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	COATS AND POWELL M C COATS OWNE	AUTOMOBILE GARAGES
1936	COATS AND POWELL M C COATS OWNE	AUTOMOBILE REPAIRING
1946	FORD ATLAS MOTOR CO	AUTOMOBILE SERVICE
1951	SEWELL MOTOR CO	AUTOMOBILE REPAIRING

**143 JACKSON S GARAGE  
 506 N HAWKINS  
 DALLAS, TX**

**EDR Hist Auto 1009375649  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	JACKSON S GARAGE	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

143 **HAWKINS ST GARAGE** EDR Hist Auto 1009375710  
**508 N HAWKINS** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	BILLS A L	AUTOMOBILE REPAIRERS
1930	HAWKINS ST GARAGE	AUTOMOBILE REPAIRERS
1936	BANKS GARAGE	AUTOMOBILE REPAIRING

144 **JENNINGS JACK AUTOMOBILE SERVICE CO** EDR Hist Auto 1009364777  
**2513 SWISS AVE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	JENNINGS JACK AUTOMOBILE SERVIC	AUTOMOBILE REPAIRERS

145 **STORAGE CHOICE** TX VCP S111271623  
**903 SLOCUM ST** TX Ind. Haz Waste N/A  
**DALLAS, TX 75207** TX GCC

VCP TCEQ:

Region:	4
Facility ID:	2807
Facility Type:	VACANT PROPERTY
VCP Received:	03/18/2016
PCA Number:	68102
Project Number:	Coulter
Type Lead:	PROPERTY OWNER
Phase:	Investigation
Lat/Long:	Not reported
Lat/Long (DD):	32.785699 / -96.814025
Acres at Site:	0.702
Contaminant Categories:	VOCS, HEAVY METALS
Media Affected:	SOIL, GROUNDWATER
Applicant:	STORAGE CHOICE - DESIGN DISTRICT LTD
Applicant Contact Title:	MANAGER
Applicant Address:	2727 ROUTH ST
Applicant City,St,Zip:	DALLAS, TX 75201-1977
Applicant Phone:	214-651-3023
Applicant Fax:	Not reported
Consultant/Attorney:	ENVIROPHASE INC
Consultant/Attorney Name:	KEVIN W ALMAGUER
Consultant/Attorney Contact Title:	GEOLOGIST
Consultant/Attorney Address:	1708 GRIFFIN ST STE 100
Consultant/Attorney City,St,Zip:	DALLAS, TX 75202
Consultant/Attorney Phone:	214-392-7179
Consultant/Attorney Fax:	214-853-5799
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	Not reported
Standards:	B
TX Risk Reduction Prgm:	1
Institutional Controls:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**STORAGE CHOICE (Continued)**

**S111271623**

Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 03/18/2016  
 App Accepted?: Y  
 Date Accepted: 04/27/2016  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 681020  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: ENVIROPHASE INC  
 Billing c/o Name: RANDALL SCOTT BASS  
 Billing Address1: 1708 GRIFFIN ST  
 Billing Address2: STE 100  
 Billing City: DALLAS  
 Billing State: TX  
 Billing Zip: 75202  
 Billing Phone: 817-266-5143  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D200-35/CR

**Ind. Haz Waste:**

Registration Number: 89441  
 Registration Initial Notification Date: 07/20/2011  
 Registration Last Amendment Date: 09/08/2011  
 EPA Identification: TXR000080382  
 Primary NAICS Code: 484110  
 Status Change Date: 20110720  
 Land Type: PRIVATE  
 Description of Facility Site Location: TRANSPORTATION OF HAZARDOUS WASTE AND NON HAZARDOUS WASTE  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: No  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: Yes  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: Not reported  
 TNRCC Region: Not reported  
 Company Name: GE GREENWAY ENVIRONMENTAL LLC  
 Contact Name: ISAM J KHOURY  
 Contact Telephone Number: 214-4503999  
 Mailing Address: 4683 WICKLOW DR  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: FRISCO, TX 750348440  
 Mailing County: UNITED STATES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**STORAGE CHOICE (Continued)**

**S111271623**

Facility Country: UNITED STATES  
 TNRCC Facility ID: 129588  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20111021  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: Not reported  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Country: Not reported  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 32041623839  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: GE GREENWAY ENVIRONMENTAL LLC  
 Operator First Name: Not reported  
 Operator Name: GE GREENWAY ENVIRONMENTAL LLC  
 Operator Mailing Address: Not reported  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: Not reported  
 Operator Country: Not reported  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 32041623839  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: ISAM KHOURY  
 Contact Title: Not reported  
 Contact Role: PRICONT  
 Contact Address: 4683 WICKLOW DR  
 Contact Address2: Not reported  
 Contact City,St,Zip: FRISCO, TX 75034 8440  
 Contact Phone: 0-214-4503999  
 Contact Fax: 0-877-4540051  
 Contact Email: greenway.enviro@live.com

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 1  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: 01  
 Eq 02, if transport waste type = 2: 02  
 Eq 03, if transport waste type = 3: 03

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**STORAGE CHOICE (Continued)**

**S111271623**

Eq 04, if transport waste type = H: 04  
 Target TCEQ unique facid for discarded(merged) facility: 129588  
 Waste Records Not Found for this RegNo/Year:

**GCC:**

Division: REM/VC  
 New Cases: \*  
 File Number: 2807  
 Contamination Description: VOCS, HEAVY METALS  
 Date Of Earliest Known Contamination Confirmation: 4/27/2016  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 1A  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION  
 ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

145

**GE GREENWAY ENVIRONMENTAL LLC  
 903 SLOCUM ST  
 DALLAS, TX 75207**

**FINDS 1015983239  
 ECHO N/A**

**FINDS:**

Registry ID: 110045565517

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1015983239  
 Registry ID: 110045565517  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110045565517>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

145 **GE GREENWAY ENVIRONMENTAL LLC**  
**903 SLOCUM ST**  
**DALLAS, TX 75207**

**RCRA NonGen / NLR** **1014921836**  
**TXR000080382**

RCRA NonGen / NLR:

Date form received by agency: 10/21/2011  
 Facility name: GE GREENWAY ENVIRONMENTAL LLC  
 Facility address: 903 SLOCUM ST  
 DALLAS, TX 75207  
 EPA ID: TXR000080382  
 Mailing address: 4683 WICKLOW DR  
 FRISCO, TX 75034  
 Contact: ISAM J KHOURY  
 Contact address: 4683 WICKLOW DR  
 FRISCO, TX 75034  
 Contact country: US  
 Contact telephone: 214-450-3999  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: GE GREENWAY ENVIRONMENTAL LLC  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: Not reported  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 10/21/2011  
 Owner/Op end date: Not reported

Owner/operator name: GE GREENWAY ENVIRONMENTAL LLC  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: Not reported  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 10/21/2011  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GE GREENWAY ENVIRONMENTAL LLC (Continued)**

**1014921836**

Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 08/11/2011  
 Site name: GE GREENWAY ENVIRONMENTAL  
 Classification: Not a generator, verified

Violation Status: No violations found

145

**COLOUR IV INC  
 905 SLOCUM  
 DALLAS, TX 75207**

**RCRA NonGen / NLR 1000343378  
 FINDS TXD007350952  
 ECHO**

RCRA NonGen / NLR:

Date form received by agency: 08/11/1980  
 Facility name: COLOUR IV INC  
 Facility address: 905 SLOCUM  
 DALLAS, TX 75207  
 EPA ID: TXD007350952  
 Mailing address: PO BOX 10146  
 DALLAS, TX 75207  
 Contact: JAMES-H-JR WEBB  
 Contact address: PO BOX 10146  
 DALLAS, TX 75207  
 Contact country: US  
 Contact telephone: 214-741-1776  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: JAMES H WEBB JR  
 Owner/operator address: UNKNOWN  
 UNKNOWN, TX 00000  
 Owner/operator country: Not reported  
 Owner/operator telephone: 000-000-0000  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COLOUR IV INC (Continued)**

**1000343378**

Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Violation Status: No violations found

**FINDS:**

Registry ID: 110005034275

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000343378  
 Registry ID: 110005034275  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005034275>

146

**FAIRMONT HOTEL DALLAS  
 1717 N AKARD  
 DALLAS, TX 75201**

**RCRA NonGen / NLR 1000365080  
 FINDS TXD987984119  
 ECHO**

**RCRA NonGen / NLR:**

Date form received by agency: 06/01/2009  
 Facility name: FAIRMONT HOTEL COMPANY DALLAS LP  
 Facility address: 1717 N AKARD  
 DALLAS, TX 75201  
 EPA ID: TXD987984119  
 Mailing address: N AKARD  
 DALLAS, TX 75201  
 Contact: VELMA HENDERSON  
 Contact address: N AKARD  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: 214-720-2020  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FAIRMONT HOTEL DALLAS (Continued)**

**1000365080**

Owner/operator name: FAIRMONT HOTEL COMPANY DALLAS LP  
 Owner/operator address: N AKARD  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-720-2020  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 06/01/2009  
 Owner/Op end date: Not reported

Owner/operator name: FAIRMONT HOTEL COMPANY DALLAS LP  
 Owner/operator address: N AKARD  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-720-2020  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 06/01/2009  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D008  
 . Waste name: LEAD

. Waste code: D039  
 . Waste name: TETRACHLOROETHYLENE

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE,  
 METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE,  
 CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE,  
 ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FAIRMONT HOTEL DALLAS (Continued)**

**1000365080**

1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 01/27/2001

Site name: FAIRMONT HOTEL COMPANY DALLAS LP

Classification: Small Quantity Generator

. Waste code: D007

. Waste name: CHROMIUM

. Waste code: D008

. Waste name: LEAD

. Waste code: D039

. Waste name: TETRACHLOROETHYLENE

. Waste code: F002

. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 10/19/1989

Site name: FAIRMONT HOTEL

Classification: Small Quantity Generator

. Waste code: F002

. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005114937

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions,

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FAIRMONT HOTEL DALLAS (Continued)**

**1000365080**

and settlements.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000365080  
 Registry ID: 110005114937  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005114937>

147

**CITY PRINTING  
 922 DRAGON ST  
 DALLAS, TX 75207**

**TX Ind. Haz Waste**

**S105835333  
 N/A**

**Ind. Haz Waste:**

Registration Number: 65524  
 Registration Initial Notification Date: 08/23/2001  
 Registration Last Amendment Date: 08/23/2001  
 EPA Identification: Not reported  
 Primary NAICS Code: Not reported  
 Status Change Date: 20010823  
 Land Type: Not reported  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: CITY PRINTING CO INC  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 922 DRAGON ST  
 Mailing Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY PRINTING (Continued)**

**S105835333**

Mailing City,St,Zip: DALLAS, TX 752074204  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 20997  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20031015  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 922 DRAGON ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75207 4204  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17511553848  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: CITY PRINTING CO INC  
 Operator First Name: Not reported  
 Operator Name: CITY PRINTING CO INC  
 Operator Mailing Address: 922 DRAGON ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75207 4204  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17511553848  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 922 DRAGON ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 4204  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 922 DRAGON ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 4204

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY PRINTING (Continued)**

**S105835333**

Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 922 DRAGON ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75207 4204  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: 13330

Waste Records Not Found for this RegNo/Year:

147

**CITY PRINTING CO INC**  
**922 DRAGON ST**  
**DALLAS, TX 75207**

**RCRA NonGen / NLR 1000440644**  
**FINDS TXD007515794**  
**TX Ind. Haz Waste**  
**ECHO**

RCRA NonGen / NLR:

Date form received by agency: 07/27/2001  
 Facility name: CITY PRINTING CO INC  
 Facility address: 922 DRAGON ST  
 DALLAS, TX 75207  
 EPA ID: TXD007515794  
 Mailing address: DRAGON ST  
 DALLAS, TX 75207  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: DRAGON ST  
 DALLAS, TX 75207  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CITY PRINTING CO INC  
 Owner/operator address: DRAGON ST  
 DALLAS, TX 75207  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY PRINTING CO INC (Continued)**

**1000440644**

Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Owner/operator name: CITY PRINTING CO INC  
 Owner/operator address: DRAGON ST  
 DALLAS, TX 75207

Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 07/10/1980  
 Site name: CITY PRINTING CO INC  
 Classification: Small Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110005035238

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY PRINTING CO INC (Continued)**

**1000440644**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number:	36452
Registration Initial Notification Date:	07/27/2001
Registration Last Amendment Date:	07/27/2001
EPA Identification:	TXD007515794
Primary NAICS Code:	Not reported
Status Change Date:	20010727
Land Type:	Not reported
Description of Facility Site Location:	922 Dragon St, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	SQG
TNRCC Region:	Not reported
Company Name:	CITY PRINTING CO INC
Contact Name:	Not reported
Contact Telephone Number:	Not reported
Mailing Address:	922 DRAGON ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752074204
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	13330
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20110911
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	922 DRAGON ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75207 4204
Owner Country:	UNITED STA
Owner Phone Number:	Not reported
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Unknown
Owner Tax Id:	17511553848
Owner Bankruptcy Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY PRINTING CO INC (Continued)**

**1000440644**

Operator:

Operator Last Name: CITY PRINTING CO INC  
 Operator First Name: Not reported  
 Operator Name: CITY PRINTING CO INC  
 Operator Mailing Address: 922 DRAGON ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75207 4204  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17511553848  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 922 DRAGON ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 4204  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 922 DRAGON ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 4204  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 922 DRAGON ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 4204  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**CITY PRINTING CO INC (Continued)**

**1000440644**

Waste Records Not Found for this RegNo/Year:

ECHO:

Envid: 1000440644  
 Registry ID: 110005035238  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005035238>

**148 SWISS AV FILLING STATION  
 2501 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009364644  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	SWISS AV FILLING STATION	GASOLINE AND OIL SERVICE STATIONS
1936	SWISS AV SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

**148 BOB S GARAGE  
 2505 SWISS AVE  
 DALLAS, TX**

**EDR Hist Auto 1009364714  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	BOB S GARAGE	AUTOMOBILE REPAIRING

**149 DEEP ELLUNE LOT 3  
 NEC INDIANA ST AND MALCOLM X BOULEVARD  
 DALLAS, TX 75226**

**FINDS 1011347065  
 N/A**

FINDS:

Registry ID: 110034620532

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

**149 DEEP ELLUM LOT 3 TX APAR S120691658**  
**NEC INDIANA ST AND MALCOLM X BOULEVARD N/A**  
**DALLAS (County), TX**

APAR:  
 Comm Id Number: 10533337  
 Comm Type Code: APAR  
 Comm Received Date: 03/01/2004  
 Legal Identifier: 1595  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: DEEP ELLUM LOT 3  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: PROPERTY VACANT  
 Reference Number Text: RN103162665  
 Delivery Text: Not reported  
 Physical Location Desc: Not reported  
 Latitude: 32.785833  
 Longitude: -96.781388

Detail:  
 Comm Id Number: 10533337  
 Comm Received Date: 3/1/2004  
 Legal Ident Text: 1595  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: ARSENIC  
 Groundwater Contamination: Not reported

**150 MC MAHAN GEO EDR Hist Auto 1009351097**  
**1 2308 LIVE OAK N/A**  
**DALLAS, TX**

EDR Hist Auto  
 Year: Name: Type:  
 1941 MC MAHAN GEO AUTOMOBILE REPAIRING

**150 MILNER S HUDSON ESSEX SERVICE EDR Hist Auto 1009363495**  
**2310 LIVE OAK N/A**  
**DALLAS, TX**

EDR Hist Auto  
 Year: Name: Type:  
 1936 MILNER S HUDSON ESSEX SERVICE AUTOMOBILE REPAIRING  
 1941 MILNER S GARAGE AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

150 A ONE BODY AND FENDER WORKS EDR Hist Auto 1009363536  
 2314 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1946 A ONE BODY AND FENDER WORKS AUTOMOBILE REPAIRING

150 GLO CLEANING SYSTEM NO 21 EDR Hist Cleaner 1009339384  
 2315 LIVE OAK ST N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1981 GLO CLEANING SYSTEM NO 21 CLEANERS AND DYERS

151 BOTTLED BLONDE VACANT SPACE TX ASBESTOS S121359656  
 505 NORTH GOOD LATIMER N/A  
 DALLAS, TX 75202

ASBESTOS:

Date of inspection: 01/04/2017  
 Reason for Inspection: Jim Metcalf  
 Violation: Not reported  
 Complaint Date: 01/04/2017  
 Notification Number: 2016010273  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 12/19/2016  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 12/19/2016  
 Certification Statement Phone: 972-271-1583

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BOTTLED BLONDE VACANT SPACE (Continued)**

**S121359656**

Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	10
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/04/2017
Date of inspection:	01/04/2017
Reason for Inspection:	Jim Metcalf
Violation:	Not reported
Complaint Date:	01/05/2017
Notification Number:	2016010273
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/04/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	01/04/2017
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	10
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BOTTLED BLONDE VACANT SPACE (Continued)**

**S121359656**

Ref Method:	RFCI Only
Analytical Method:	PLM
Start Date:	01/04/2017
Date of inspection:	01/04/2017
Reason for Inspection:	Jim Metcalf
Violation:	Not reported
Complaint Date:	01/04/2017
Notification Number:	2016010273
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/19/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/19/2016
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	10
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	RFCI Only
Analytical Method:	PLM
Start Date:	01/04/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**152**      **JOE S REPAIR SHOP**  
**1111 MCKINNEY AR**  
**DALLAS, TX**

**EDR Hist Auto**      **1009353371**  
 N/A

EDR Hist Auto

Year:	Name:	Type:
1941	JOE S REPAIR SHOP	AUTOMOBILE REPAIRING

**153**      **C AND R AUTO REPAIR**  
**2504 SWISS AVE**  
**DALLAS, TX**

**EDR Hist Auto**      **1009364701**  
 N/A

EDR Hist Auto

Year:	Name:	Type:
1930	SWISS AV GARAGE	AUTOMOBILE GARAGES
1973	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1974	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1975	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1976	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1977	C AND R AUTO REPAIR	AUTOMOBILE REPAIRING
1977	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1978	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1979	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1980	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1981	C AND R AUTO REPAIR	AUTOMOBILE REPAIRING
1982	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1983	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1985	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1986	C AND R AUTO REPAIR	AUTOMOBILE REPAIRING
1986	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1987	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1988	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1989	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1990	C & R GARAGE & BODY SHOP	General Automotive Repair Shops
1996	C & R GARAGE	General Automotive Repair Shops
1997	C & R GARAGE	General Automotive Repair Shops
1998	C & R GARAGE	General Automotive Repair Shops
1999	C & R GARAGE	General Automotive Repair Shops
2000	C & R GARAGE	General Automotive Repair Shops

**153**      **SWISS AV GARAGE**  
**2506 SWISS AVE**  
**DALLAS, TX**

**EDR Hist Auto**      **1009364728**  
 N/A

EDR Hist Auto

Year:	Name:	Type:
1930	SWISS AV GARAGE	AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

153 **CLAYTON CHEVROLET SERVICE** EDR Hist Auto 1009364735  
**2508 SWISS** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	CLAYTON CHEVROLET SERVICE	AUTOMOBILE REPAIRERS
1951	COLLINS GARAGE	AUTOMOBILE REPAIRING

153 **CLAYTON CHEVROLET SERVICE** EDR Hist Auto 1009364755  
**2510 SWISS** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	CLAYTON CHEVROLET SERVICE	AUTOMOBILE REPAIRERS

154 **DEEP ELLUM PROJECT** TX AUL S104547055  
**INDIANA STREET AND MALCOLM X BOULEVARD** TX VCP N/A  
**DALLAS, TX 75226** TX GCC

AUL:

Facility ID:	1220	Facility Type:	Automotive Repair/Junkyard/Coal Yard
Phase:	Completed	VCP Received:	06/15/2000
Rules:	TRRP	Standards:	A
Pca No.:	33320	Certificate Issued:	10/31/2001
Type Lead:	Purchaser	Project Manager:	Frew
Lat/Long:	32-58-00 / 96-42-93	Lat/Long (dms):	Not reported
Acres:	5.239	Media Affected:	Soils/Groundwater
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	06/28/2000
Region:	4	Type:	Not reported
Type Remedy:	Excavation		
Contaminant:	TPH, Metals		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Dallas Crowdus Building, LP		
Applicant Name:	Michael Trojian		
Applicant Title:	Project Manager		
Applicant Address:	101 East Erie, Suite 800		
Applicant City,St,Zip:	Chicago, IL 60611		
Applicant Phone:	312-943-4999		
Applicant Fax:	312-943-4057		
Consultant/Attorney:	HBC Engineering, Inc.		
Consultant/Attorney Name:	Jack L. Spriggs, RPG		
Consultant/Attorney Title:	Manager, ECS		
Consultant/Attorney Address:	8901 Carpenter Freeway, Suite 100		
Consultant/Attorney City,St,Zip:	Dallas, TX 75247		
Consultant/Attorney Phone:	214-630-1010		
Consultant/Attorney Fax:	214-630-7070		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DEEP ELLUM PROJECT (Continued)**

**S104547055**

Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 1220  
 Facility Type: Automotive Repair/Junkyard/Coal Yard  
 VCP Received: 06/15/2000  
 PCA Number: 33320  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-58-00 / 96-42-93  
 Lat/Long (DD): Not reported  
 Acres at Site: 5.239  
 Contaminant Categories: TPH, Metals  
 Media Affected: Soils/Groundwater  
 Applicant: Dallas Crowdus Building, LP  
 Applicant Contact Title: Project Manager  
 Applicant Address: 101 East Erie, Suite 800  
 Applicant City,St,Zip: Chicago, IL 60611  
 Applicant Phone: 312-943-4999  
 Applicant Fax: 312-943-4057  
 Consultant/Attorney: HBC Engineering, Inc.  
 Consultant/Attorney Name: Jack L. Spriggs, RPG  
 Consultant/Attorney Contact Title: Manager, ECS  
 Consultant/Attorney Address: 8901 Carpenter Freeway, Suite 100  
 Consultant/Attorney City,St,Zip: Dallas, TX 75247  
 Consultant/Attorney Phone: 214-630-1010  
 Consultant/Attorney Fax: 214-630-7070  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 06/28/2000  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 10/31/2001  
 Remedy Type: Excavation  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 06/15/2000  
 App Accepted?: Y  
 Date Accepted: 06/28/2000  
 Region?: Y  
 Alt VCP Id: 1595  
 Project No.: 333200  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Dallas Crowdus Building, LP  
 Billing c/o Name: Michael Trojian



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DEEP ELLUM PROJECT (Continued)**

**S104547055**

Billing Address1: 101 East Erie  
 Billing Address2: Suite 800  
 Billing City: Chicago  
 Billing State: IL  
 Billing Zip: 60611  
 Billing Phone: 312-943-4999  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

**GCC:**

Division: REM  
 New Cases: Not reported  
 File Number: 1220  
 Contamination Description: PETROLEUM HYDROCARBONS, METALS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012  
 Agency: TCEQ  
 Section: VC  
 Year Deleted: 2001  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD  
 New Cases: Not reported  
 File Number: 1220  
 Contamination Description: PETROLEUM HYDROCARBONS, METALS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009  
 Agency: TCEQ  
 Section: VC/VCP  
 Year Deleted: 2001  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM  
 New Cases: Not reported  
 File Number: 1220  
 Contamination Description: PETROLEUM HYDROCARBONS, METALS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DEEP ELLUM PROJECT (Continued)**

**S104547055**

Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1220
Contamination Description:	PETROLEUM HYDROCARBONS, METALS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2015
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1220
Contamination Description:	PETROLEUM HYDROCARBONS, METALS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	Not reported
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2014
Agency:	TCEQ
Section:	VC/IOP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1220
Contamination Description:	PETROLEUM HYDROCARBONS, METALS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DEEP ELLUM PROJECT (Continued)**

**S104547055**

Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1220
Contamination Description:	PETROLEUM HYDROCARBONS, METALS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	1220
Contamination Description:	PETROLEUM HYDROCARBONS, METALS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	1220
Contamination Description:	PETROLEUM HYDROCARBONS, METALS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	2001
Location:	Not reported
Data Quality 2:	Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

154 309 NORTH OAKLAND DALLAS,TX TX SPILLS S101738411  
 309 NORTH OAKLAND DALLAS,TX N/A  
 DALLAS, TX

SPILLS:

Spill Address: 309 NORTH OAKLAND DALLAS,TX  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 02/15/1994  
 Seq Num: 2  
 Responsible Party Name: AMERICAN ICE  
 Responsible Party Address: 309 NORTH OAKLAND  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 999999999  
 Responsible Party Telephone: 9999999999  
 Substance: AMMONIA  
 Material Code: 2013  
 Media Affected: Not reported  
 Permit Number: NONE  
 District: 04  
 Origin: 007  
 Cause: 007  
 Basin Code: 0827  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 005  
 Basin Name: TRINITY  
 Water Affected: WHITE ROCK CREEK  
 Amnt Spilled: 110 GAL  
 Amnt in Water: 110 GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: M. KEARNEY  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

154 BLUE AMERICAN ICE TX UST U001237638  
 309 OAKLAND CIR N/A  
 DALLAS, TX 75215

UST:

AI Number: 249  
 Facility Type: Not reported  
 Facility Begin Date: 05/27/1986  
 Facility Status: INACTIVE  
 Additional ID: 333632842002088  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75215  
 Contact Name/Title: JON NAPPER,  
 Contact Organization Name: BLUE AMERICAN ICE  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2143709000  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 03/03/1986  
 Signature Name/Title On Earliest Reg Form: JAMES PIERCE,  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN601005507  
 Owner Last Name: THE COURTLAND CORP  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 343632842002088  
 Additional ID: 333632842002088  
 AI Number: 249  
 Owner Effective Begin Date: 02/17/2000  
 State Tax ID: Not reported  
 Contact Role: Not reported  
 Contact Name/Title: /

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BLUE AMERICAN ICE (Continued)**

**U001237638**

Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1981
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	582
Facility ID:	38161
Ai Number:	249
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/31/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BLUE AMERICAN ICE (Continued)**

**U001237638**

Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	2000
UST Comprt ID:	2509
UST ID:	582
AI Number:	249
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
<b>More Self Certification:</b>	
Self Cert ID:	105
Cert ID:	143646
UST Comprt ID:	401288
UST ID:	150853

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BLUE AMERICAN ICE (Continued)**

**U001237638**

AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143645
UST Compr ID:	401289
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	252360
UST Compr ID:	725614
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	268102
UST Compr ID:	772266
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	233794
UST Compr ID:	671163
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	218910
UST Compr ID:	627363
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143635
UST Compr ID:	401296
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143636
UST Compr ID:	401297
UST ID:	150853
AI Number:	249



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BLUE AMERICAN ICE (Continued)**

**U001237638**

Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143637
UST Comprt ID:	401298
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143638
UST Comprt ID:	401295
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143639
UST Comprt ID:	401294
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143640
UST Comprt ID:	401293
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143641
UST Comprt ID:	401292
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143643
UST Comprt ID:	401291
UST ID:	150853
AI Number:	249
Tank ID:	4
Compartment ID:	A
Self Cert ID:	105
Cert ID:	143644
UST Comprt ID:	401290
UST ID:	150853
AI Number:	249
Tank ID:	4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BLUE AMERICAN ICE (Continued)**

**U001237638**

Compartment ID: A  
 Self Cert ID: 105  
 Cert ID: 284165  
 UST Comprt ID: 820083  
 UST ID: 150853  
 AI Number: 249  
 Tank ID: 4  
 Compartment ID: A

Facility Billing Contacts:

Contact Organization Name: THE COURTLAND CORP  
 Contact Mailing Address (Delivery): 4011 COMMERCE ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75226 1712  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 38161  
 Additional ID: 333632842002088  
 Princ ID: 343632842002088  
 AI Number: 249  
 Facility Name: BLUE AMERICAN ICE  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: JON NAPPER/

155

**BROADSTONE AMBROSE THE AMBROSE**  
**2901 INDIANA ST**  
**DALLAS, TX 75226**

**FINDS 1010745639**  
**N/A**

FINDS:

Registry ID: 110033476708

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
Direction  
Distance  
Distance (ft.)Site

EDR ID Number  
EPA ID Number

Database(s)

156 UNITED WASTE MATERIAL CO  
301 N CROWDS  
DALLAS, TX 75226

RCRA NonGen / NLR 1000399219  
FINDS TXD002894962  
TX Ind. Haz Waste  
ECHO

RCRA NonGen / NLR:

Date form received by agency: 07/27/2001  
Facility name: UNITED WASTE MATERIAL CO  
Facility address: 301 N CROWDS  
DALLAS, TX 75226  
EPA ID: TXD002894962  
Mailing address: N CROWDS  
DALLAS, TX 75226  
Contact: ENVIRONMENTAL MANAGER  
Contact address: N CROWDS  
DALLAS, TX 75226  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 06  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 07/10/1980  
Site name: UNITED WASTE MATERIAL CO INC  
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005031928

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**UNITED WASTE MATERIAL CO (Continued)**

**1000399219**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number:	65828
Registration Initial Notification Date:	07/27/2001
Registration Last Amendment Date:	07/27/2001
EPA Identification:	TXD002894962
Primary NAICS Code:	Not reported
Status Change Date:	20010727
Land Type:	Not reported
Description of Facility Site Location:	301 N Crowds, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	CLASS1
TNRCC Region:	Not reported
Company Name:	UNITED-SOUTHERN WASTE MATERIAL COMPANY
Contact Name:	Not reported
Contact Telephone Number:	Not reported
Mailing Address:	301 N CROWDUS ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752261419
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	21231
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20100604
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	301 N CROWDUS ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75226 1419
Owner Country:	UNITED STA
Owner Phone Number:	Not reported
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Unknown
Owner Tax Id:	17512184411
Owner Bankruptcy Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED WASTE MATERIAL CO (Continued)**

**1000399219**

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 301 N CROWDUS ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1419  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: ENV MGR  
 Contact Role: PRICONT  
 Contact Address: 301 N CROWDUS ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1419  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

ECHO:

Envid: 1000399219  
 Registry ID: 110005031928  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005031928>

157

**TJ LAMBRECHT TRINITY RIVER DALLAS FLOODWAY EXTENSI  
 ON W OF TRINITY RIVER FROM I-45 TO LOOP 12  
 DALLAS, TX 75201**

**FINDS 1011368391  
 N/A**

FINDS:

Registry ID: 110034943248

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

**TJ LAMBRECHT TRINITY RIVER DALLAS FLOODWAY EXTENSION LOWER C (Continued)**

**1011368391**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**158      3 VAUGHAN COMPANY  
918 DRAGON STREET  
DALLAS, TX 75207**

**TX IOP    S104918347  
                 N/A**

IOP:  
 IOP ID:            0125  
 IOP recvd:        07/30/1999  
 Region:           04  
 Phase:            Completed  
 Interest In Site: Owner  
 Property Use:    Distribution Warehouse  
 Project Manager: Rincon  
 Lat/Long:         Not reported  
 Lat/Long (dms): Not reported  
 Acres:            0.62  
 Media Affected: Soils/Groundwater  
 LPST Number:    Not reported  
 VCP ID:           Not reported  
 Cert Issued:     02/28/2000  
 Solid Waste Regn Number: Not reported  
 EPA TX ID/Cerclis regn Number: Not reported  
 Contaminant Categories: VOCs, Metals  
 Applicant Information: 3 Vaughan Company  
 Applicant Name:    Virgil V. Vaughan Jr.  
 Applicant Title:    President/Owner  
 Applicant Address: P.O. Box 262362  
 Applicant City,St,Zip: Plano, TX 75026  
 Applicant Phone:    972-769-1612  
 Applicant Fax:      972-596-7322  
 Consultant/Attorney: Reed Engineering  
 Consultant/Attorney Name: Paul S. Rodusky  
 Consultant/Attorney Title: Hydrogeologist  
 Consultant/Attorney Address: 2424 Stutz Drive, Suite 200  
 Consultant/Attorney City,St,Zip: Dallas, TX 76051  
 Consultant/Attorney Phone: 214-350-5600  
 Consultant/Attorney Fax: 214-350-0019  
 EDR Link ID:        0125

**158      3 VAUGHAN COMPANY  
918 DRAGON ST  
DALLAS, TX 75207**

**FINDS    1010686885  
                 N/A**

FINDS:  
 Registry ID:                    110033249401  
 Environmental Interest/Information System  
 Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**3 VAUGHAN COMPANY (Continued)**

**1010686885**

It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**159 MUSEUM OF NATURE AND SCIENCE AT VICTORY PARK  
1155 BROOM ST  
DALLAS, TX 75202**

**FINDS 1014845348  
N/A**

**FINDS:**

Registry ID: 110041729886

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**160 WILLIAMSON PROPERTY  
INTERSECTION RIVER AND GRIFFIN STREETS  
DALLAS, TX 75202**

**TX VCP S104275410  
TX GCC N/A**

**VCP TCEQ:**

Region:	4
Facility ID:	1034
Facility Type:	Vacant Tract/Former Warehouse
VCP Received:	08/23/1999
PCA Number:	31934
Project Number:	Frew
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	32-47-08 / 96-48-30
Lat/Long (DD):	Not reported
Acres at Site:	0.122
Contaminant Categories:	PAHs, Metals
Media Affected:	Soils/Groundwater
Applicant:	AIL Investment, LP
Applicant Contact Title:	Vice President
Applicant Address:	1845 Woodall Rogers Freeway, Suite 1700
Applicant City,St,Zip:	Dallas, TX 75201
Applicant Phone:	214-754-3620
Applicant Fax:	214-754-3630
Consultant/Attorney:	Hughes & Luce, LLP
Consultant/Attorney Name:	Dwight A. Shupe
Consultant/Attorney Contact Title:	Attorney
Consultant/Attorney Address:	1717 Main Street, Suite 2800

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMSON PROPERTY (Continued)**

**S104275410**

Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 11/01/1999  
 Standards: A  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: 02/07/2001  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 08/23/1999  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 319340  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: AIL Investment, LP  
 Billing c/o Name: Accounts Payable  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-754-3620  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: F  
 File Location: CR

**GCC:**

Division: REM  
 New Cases: Not reported  
 File Number: 1034  
 Contamination Description: PAHS, METALS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2015  
 Agency: TCEQ  
 Section: VC/VCP  
 Year Deleted: 2000  
 Location: Not reported  
 Data Quality 2: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**160 ALPERT CAPITAL/JNC PROPERTY  
 NWC FIELD AND BROOM STREETS  
 DALLAS, TX 75202**

**TX VCP S104411382  
 N/A**

VCP TCEQ:  
 Region: 4  
 Facility ID: 1154  
 Facility Type: Paint Manufacturing  
 VCP Received: 03/02/2000  
 PCA Number: 33154  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Withdrawal  
 Lat/Long: 32-47-08 / 96-48-30  
 Lat/Long (DD): Not reported  
 Acres at Site: 3.55  
 Contaminant Categories: Metals, PAHs, VOCs  
 Media Affected: Soils  
 Applicant: Anland 15, L.P.  
 Applicant Contact Title: Vice President  
 Applicant Address: 12377 Merit Drive, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75251  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 03/02/2000  
 App Accepted?: Y  
 Date Accepted: 03/08/2000  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 331540  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 15, L.P.  
 Billing c/o Name: Accounts Payable  
 Billing Address1: 12377 Merit Drive  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75251  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ALPERT CAPITAL/JNC PROPERTY (Continued)**

**S104411382**

Region COC?: Not reported  
 Region R/W?: Y  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

160

**BROOMFIELD SOUTH PROPERTY  
 INTERSECTION RIVER AND GRIFFIN STREETS  
 DALLAS, TX 75202**

**TX VCP S103865298  
 N/A**

VCP TCEQ:  
 Region: 4  
 Facility ID: 0942  
 Facility Type: Vacant Tracts/Warehouses/Abandoned Sts  
 VCP Received: 03/08/1999  
 PCA Number: 31842  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-08 / 96-48-30  
 Lat/Long (DD): Not reported  
 Acres at Site: 2.92  
 Contaminant Categories: Metals, PAH  
 Media Affected: Soils  
 Applicant: AIL Investment, LP  
 Applicant Contact Title: Secretary  
 Applicant Address: 12377 Merit Drive, Suite 1700  
 Applicant City,St,Zip: Dallas, TX 75251  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, LLP  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 214-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 04/05/1999  
 Standards: A  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: 02/07/2001  
 Remedy Type: Excavate & Dispose  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: 96025  
 Cashier Recvd: 03/04/1999  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 318420  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: AIL Investment, LP

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROOMFIELD SOUTH PROPERTY (Continued)**

**S103865298**

Billing c/o Name: Accounts Payable  
 Billing Address1: 12377 Merit Drive  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75251  
 Billing Phone: 972-788-3000  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

161

**SOUTHWESTERN LITHOPLANT  
 325 WICHITA ST  
 DALLAS, TX 75207**

**RCRA NonGen / NLR 1000410740  
 FINDS TXD007333362  
 ECHO**

RCRA NonGen / NLR:

Date form received by agency: 01/16/2002  
 Facility name: SOUTHWESTERN LITHOPLANT  
 Facility address: 325 WICHITA ST  
 DALLAS, TX 75207  
 EPA ID: TXD007333362  
 Mailing address: WICHITA  
 DALLAS, TX 75207  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: WICHITA  
 DALLAS, TX 75207  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: SOUTHWESTERN LITHOPLANT  
 Owner/operator address: WICHITA  
 DALLAS, TX 75207  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/16/2002  
 Owner/Op end date: Not reported

Owner/operator name: SOUTHWESTERN LITHOPLANT  
 Owner/operator address: WICHITA  
 DALLAS, TX 75207  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOUTHWESTERN LITHOPLANT (Continued)**

**1000410740**

Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/16/2002  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 08/11/1980  
 Site name: SOUTHWESTERN LITHOPLATE CO#  
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005033551

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000410740  
 Registry ID: 110005033551  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005033551>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

161 **SOUTHWESTERN LITHOPLANT**  
**325 WICHITA ST**  
**DALLAS, TX 75207**

**TX Ind. Haz Waste**

**S103606252**  
**N/A**

Ind. Haz Waste:  
 Registration Number: 65841  
 Registration Initial Notification Date: 01/16/2002  
 Registration Last Amendment Date: 01/16/2002  
 EPA Identification: TXD007333362  
 Primary NAICS Code: Not reported  
 Status Change Date: 20020116  
 Land Type: PRIVATE  
 Description of Facility Site Location: 325 Wichita ST Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: CLASS1  
 TNRCC Region: Not reported  
 Company Name: SOUTHWESTERN LITHOPLANT  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 325 WICHITA  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 75207  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 21241  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20020116  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:  
 Owner Mailing Address: 325 WICHITA  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75207 9999  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: SOUTHWESTERN LITHOPLANT  
 Operator First Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOUTHWESTERN LITHOPLANT (Continued)**

**S103606252**

Operator Name: SOUTHWESTERN LITHOPLANT  
 Operator Mailing Address: 325 WICHITA  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75207 9999  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 325 WICHITA  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 9999  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 325 WICHITA  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 325 WICHITA  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75207 9999  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EPA ID Number	EDR ID Number
162				<b>ALOORE JOHN</b> 2103 GRIFFIN DALLAS, TX	EDR Hist Cleaner	1009338405	N/A
				EDR Hist Cleaner			
				Year: Name:	Type:		
				1925 ALOORE JOHN	CLOTHES CLEANERS AND DYERS		
163				<b>STANULEY S SERVICE STATION</b> 1616 ROSS AVE DALLAS, TX	EDR Hist Auto	1009358632	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1941 STANULEY S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS		
163				<b>MAGNOLIA PETROLEUM CO AUTOMOBILE FILLING STATIONS</b> 1700 ROSS AVE DALLAS, TX	EDR Hist Auto	1009359016	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 MAGNOLIA PETROLEUM CO AUTOMOBIL	GASOLINE AND OIL SERVICE STATIONS		
163				<b>MARSHALL S AUTO TOP SHOP</b> 1704 ROSS AVE DALLAS, TX	EDR Hist Auto	1009359158	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1925 MARSHALL S AUTO TOP SHOP	AUTOMOBILE REPAIRERS		
				1925 MARSHALL S AUTO TOP SHOP	AUTOMOBILE GARAGES		
				1925 MARSHALL S AUTO TOP SHOP	AUTOMOBILE LAUNDRIES		
163				<b>GENERATOR SERVICE STATION</b> 1706 ROSS AVE DALLAS, TX	EDR Hist Auto	1009359185	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1941 GENERATOR SERVICE STATION	AUTOMOBILE REPAIRING		
				1946 GENERATOR SERVICE STATION	AUTOMOBILE REPAIRING		
				1951 GENERATOR SERVICE CO	AUTOMOBILE REPAIRING		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

163 ROMOTSKY BENJ EDR Hist Cleaner 1009347259  
 617 N AKARD N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 ROMOTSKY BENJ CLOTHES CLEANERS AND DYERS

163 BENEKE A J EDR Hist Auto 1009358563  
 1611 ROSS AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 BENEKE A J AUTOMOBILE GARAGES  
 1930 BENEKE A J AUTOMOBILE REPAIRERS

164 MISSOURI PACIFIC RAILROAD TX LPST U001244346  
 2606 GASTON AVE TX UST N/A  
 DALLAS, TX 75226

LPST:

Facility ID: 0007970  
 LPST Id: 109942  
 Facility Location: 2601 GASTON AVE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 10/16/1995  
 Entered Date: 11/13/1995  
 Priority: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 2 - REGION  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.

**Status:** FINAL CONCURRENCE ISSUED, CASE CLOSED

Coordinators Primary: 2  
 Coordinators RPR: XYZ  
 Responsible Party Name: JPI TEXAS DEVELOPMENT INC  
 Responsible Party Contact: GUY BRIGNON  
 Responsible Party Address: 600 E LAS COLINAS BLVD STE 1800  
 Responsible Party City,St,Zip: IRVING, TX 75039  
 Responsible Party Telephone: /-  
 Reported Date: 10/09/1995  
 Case Start Date: 11/13/1995

Facility ID: 0007970  
 LPST Id: 105982  
 Facility Location: 2601 GASTON AVENUE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 04/25/1994  
 Entered Date: 03/15/1993  
 Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP  
 Program: 2 - REGION  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MISSOURI PACIFIC RAILROAD (Continued)**

**U001244346**

**Status:** FINAL CONCURRENCE ISSUED, CASE CLOSED  
 Coordinators Primary: 2  
 Coordinators RPR: HELEN WELCH  
 Responsible Party Name: MISSOURI PACIFIC RAILROAD CO  
 Responsible Party Contact: HAROLD BRANDT  
 Responsible Party Address: 4100 ALPHA RD SUITE 220  
 Responsible Party City,St,Zip: DALLAS, TX 75244  
 Responsible Party Telephone: 214/233-6007  
 Reported Date: 11/06/1992  
 Case Start Date: 03/15/1993

**UST:**

AI Number: 7970  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 07/10/1986  
 Facility Status: INACTIVE  
 Additional ID: 80846402002068  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): DALLAS  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): Not reported  
 Contact Name/Title: STEVE MCNAUGHTON,  
 Contact Organization Name: MISSOURI PACIFIC RAILROAD  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 4022712219  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 05/08/1986  
 Signature Name/Title On Earliest Reg Form: B D STRATTAN,ATTY  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

**Owner:**

Owner CN: CN600131098  
 Owner Last Name: UNION PACIFIC RAILROAD COMPANY  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MISSOURI PACIFIC RAILROAD (Continued)

U001244346

Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 661513082001135  
 Additional ID: 80846402002068  
 AI Number: 7970  
 Owner Effective Begin Date: 03/03/1999  
 State Tax ID: 19460013238  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

Tank:

Install Date: 08/31/1987  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: Not reported  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 20782  
 Facility ID: 47402  
 Ai Number: 7970  
 Tank Id: 1  
 Tank Status (Current): PERM FILLED IN PLACE  
 Tank Status Date: 08/31/1987  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FaInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MISSOURI PACIFIC RAILROAD (Continued)

U001244346

TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	27832
UST ID:	20782
AI Number:	7970
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

**MISSOURI PACIFIC RAILROAD (Continued)**

**U001244346**

Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	UNION PACIFIC RAILROAD COMPANY
Contact Mailing Address (Delivery):	1400 DOUGLAS ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	OMAHA, NE 68179 1001
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	47402
Additional ID:	80846402002068
Princ ID:	661513082001135
AI Number:	7970
Facility Name:	MISSOURI PACIFIC RAILROAD
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	DON JENKS/

---

<b>165</b>	<b>AUTRY MOTOR CO 2104 BRYAN DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009361939 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1930	AUTRY MOTOR CO	AUTOMOBILE REPAIRERS

---

<b>165</b>	<b>AUTRY MOTOR CO 2106 BRYAN DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009361979 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1930	AUTRY MOTOR CO	AUTOMOBILE REPAIRERS

---

<b>165</b>	<b>AUTRY MOTOR CO 2108 BRYAN DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009362005 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1930	AUTRY MOTOR CO	AUTOMOBILE REPAIRERS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>165</b>	<b>ALLIED SERVICE STATION</b> <b>2110 BRYAN</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009362073</b> <b>N/A</b>
------------	---	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:	
1936	SUPER SAFETY SERVICE		GASOLINE AND OIL SERVICE STATIONS
1941	ALLIED SERVICE STATION		GASOLINE AND OIL SERVICE STATIONS

<b>165</b>	<b>BRYAN ST AT OLIVE</b> <b>DALLAS, TX</b>	<b>ERNS</b>	<b>2006785383</b> <b>N/A</b>
------------	---	-------------	---------------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

<b>166</b>	<b>SIMPSON S T AND SONS YOUR CLOTHES CORRECTLY CLEANE</b> <b>408 N CENTRAL AVE</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009343769</b> <b>N/A</b>
------------	--	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1941	SIMPSON S T AND SONS YOUR CLOTH		CLOTHES PRESSERS, CLEANERS AND REPAIRERS

<b>167</b>	<b>UNITED PAPER</b> <b>300 N MALCOLM X BLVD</b> <b>DALLAS, TX 75226</b>	<b>TX UST</b>	<b>U001277990</b> <b>N/A</b>
------------	---	---------------	---------------------------------

UST:

AI Number:	29521
Facility Type:	UNKNOWN
Facility Begin Date:	10/29/1986
Facility Status:	INACTIVE
Additional ID:	695730772002156
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75226
Contact Name/Title:	R M CURREY, GEN MGR
Contact Organization Name:	ROCK-TENN COMPANY
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147442932
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**UNITED PAPER (Continued)**

**U001277990**

Signature Date On Earliest Reg Form:	05/16/1986
Signature Name/Title On Earliest Reg Form:	R M CURREY,GEN MGR
Application Received Date On Earliest Reg Form:	05/17/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600129803
Owner Last Name:	WESTROCK-GREENVILLE FOLDING INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	884397552001134
Additional ID:	695730772002156
AI Number:	29521
Owner Effective Begin Date:	10/29/1986
State Tax ID:	15819736396
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1971
Tank Registration Date:	05/17/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	77937
Facility ID:	64222
AI Number:	29521
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/28/1984
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/30/1990
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	81523
UST ID:	77937
AI Number:	29521
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1971
Tank Registration Date:	05/17/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	77938
Facility ID:	64222
Ai Number:	29521
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/28/1984
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/30/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	81524
UST ID:	77938
AI Number:	29521
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	10/26/1988
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	121820
Facility ID:	78013
Ai Number:	46550
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/13/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	120277
UST ID:	121820
AI Number:	46550
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	10/26/1988
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	121821
Facility ID:	78013
Ai Number:	46550
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/13/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	120278
UST ID:	121821
AI Number:	46550
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Stage 1 Installation Date:	Not reported
Construction Notification:	
NOC ID:	7532
Facility ID:	64222
AI Number:	29521
Application Received Date:	08/17/2000
Scheduled Construction Date:	09/05/2000
UST Improvement:	N
UST Installation:	N
UST Removal:	Y
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	M00816002
Waiver Flag:	N
Late Filing Flag:	Y
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported
Signature Role:	Not reported
Owner Name At Time Of Construction:	Not reported
Owner CN At Time Of Construction:	Not reported
Owner AR At Time Of Construction:	13888
General Desc Of Proposed Construction:	Not reported
Contractor, Consultant and Installer:	
Cont/Cons/Installer ID:	7995
UST ID:	Not reported
NOC ID:	7532
AI Number:	29521
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000337
Company Name:	Not reported
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Email Address:	Not reported
Facility Billing Contacts:	
Contact Organization Name:	ROCK-TENN COMPANY
Contact Mailing Address (Delivery):	1120 E CLARENDON DR
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75203 3135
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	64222
Additional ID:	695730772002156
Princ ID:	884397552001134
AI Number:	29521
Facility Name:	ROCK TENN
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/
AI Number:	46550
Facility Type:	UNKNOWN
Facility Begin Date:	11/28/1988
Facility Status:	INACTIVE
Additional ID:	250315062006290
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75226
Contact Name/Title:	KIRK SNYDER,OPERATIONS MGR
Contact Organization Name:	UNITED PAPER
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147442932
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	08/24/1988
Signature Name/Title On Earliest Reg Form:	KIRK SNYDER,OPERATIONS MGR
Application Received Date On Earliest Reg Form:	10/26/1988
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Owner:	
Owner CN:	CN603109026
Owner Last Name:	ROCK-TENN COMPANY MILL DIVISION INC
Owner First Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	244315052006290
Additional ID:	250315062006290
AI Number:	46550
Owner Effective Begin Date:	11/28/1988
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1971
Tank Registration Date:	05/17/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	77937
Facility ID:	64222
AI Number:	29521
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/28/1984
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/30/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	81523
UST ID:	77937
AI Number:	29521
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1971
Tank Registration Date:	05/17/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	77938
Facility ID:	64222
Ai Number:	29521
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/28/1984
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth( FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/30/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	81524
UST ID:	77938
AI Number:	29521
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	10/26/1988
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	121820
Facility ID:	78013
Ai Number:	46550
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/13/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	120277
UST ID:	121820
AI Number:	46550
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Tank Registration Date:	10/26/1988
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	121821
Facility ID:	78013
Ai Number:	46550
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/13/1988
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	120278
UST ID:	121821
AI Number:	46550
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

**Facility Billing Contacts:**

Contact Organization Name:	UNITED PAPER RECYCLING
Contact Mailing Address (Delivery):	300 N MALCOLM X BLVD
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75226
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNITED PAPER (Continued)**

**U001277990**

Contact Address Deliverable: N  
 Facility ID: 78013  
 Additional ID: 250315062006290  
 Princ ID: 244315052006290  
 AI Number: 46550  
 Facility Name: UNITED PAPER  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: /

167

**ROCK TENN COMPANY  
 300 N MALCOLM X BLVD  
 DALLAS, TX 75226**

**TX LPST S116698251  
 N/A**

LPST:

Facility ID: 0029521  
 LPST Id: 109144  
 Facility Location: 300 N OALAND ST  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 09/28/1995  
 Entered Date: 03/16/1995  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Groundwater is affected.  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1/2  
 Coordinators RPR: KRK  
 Responsible Party Name: ROCK TENN CO  
 Responsible Party Contact: ROSS JON  
 Responsible Party Address: 501 ELM ST SUITE 400  
 Responsible Party City,St,Zip: DALLAS, TX 75202  
 Responsible Party Telephone: 404/448-2193  
 Reported Date: 12/09/1994  
 Case Start Date: 03/16/1995

168

**SWISS AVENUE SELF STORAGE  
 2439 SWISS AVE  
 DALLAS, TX 75204**

**TX UST U001286844  
 N/A**

UST:

AI Number: 56872  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 11/26/1990  
 Facility Status: INACTIVE  
 Additional ID: 724717702002152  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SWISS AVENUE SELF STORAGE (Continued)**

**U001286844**

Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75204  
 Contact Name/Title: WAYNE JOHNSON,  
 Contact Organization Name: SWISS AVENUE SELF STORAGE  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2146313959  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 11/12/1990  
 Signature Name/Title On Earliest Reg Form: J EMMETT SMITH,PRESIDENT  
 Application Received Date On Earliest Reg Form: 11/21/1990  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

**Owner:**

Owner CN: CN601255839  
 Owner Last Name: WHJ HOLDINGS INC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 716717702002152  
 Additional ID: 724717702002152  
 AI Number: 56872  
 Owner Effective Begin Date: 07/24/1998  
 State Tax ID: 30113130691  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

**Tank:**

Install Date: 01/01/1981  
 Tank Registration Date: 11/21/1990  
 Number of Compartments: 1  
 Tank Capacity: 8000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 137028  
 Facility ID: 86668  
 Ai Number: 56872  
 Tank Id: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWISS AVENUE SELF STORAGE (Continued)**

**U001286844**

Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	09/23/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/09/1990
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	8000
UST Comprt ID:	125069
UST ID:	137028
AI Number:	56872

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SWISS AVENUE SELF STORAGE (Continued)**

**U001286844**

Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	22201
Cert ID:	57709
UST Comprt ID:	165952
UST ID:	63892
AI Number:	56872
Tank ID:	2
Compartment ID:	A
Self Cert ID:	22201
Cert ID:	57707
UST Comprt ID:	165955
UST ID:	63892
AI Number:	56872
Tank ID:	2
Compartment ID:	A
Self Cert ID:	22201
Cert ID:	57710
UST Comprt ID:	165951

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SWISS AVENUE SELF STORAGE (Continued)**

**U001286844**

UST ID: 63892  
 AI Number: 56872  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 22201  
 Cert ID: 57706  
 UST Comprt ID: 165954  
 UST ID: 63892  
 AI Number: 56872  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 22201  
 Cert ID: 57708  
 UST Comprt ID: 165956  
 UST ID: 63892  
 AI Number: 56872  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 22201  
 Cert ID: 57705  
 UST Comprt ID: 165953  
 UST ID: 63892  
 AI Number: 56872  
 Tank ID: 2  
 Compartment ID: A

Facility Billing Contacts:

Contact Organization Name: WHJ HOLDINGS INC  
 Contact Mailing Address (Delivery): 8200 BROOKRIVER DR  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75247 4069  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 86668  
 Additional ID: 724717702002152  
 Princ ID: 716717702002152  
 AI Number: 56872  
 Facility Name: SWISS AVENUE SELF STORAGE  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: WAYNE JOHNSON/

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>169</b>	<b>SMITH S AUTO PARTS</b> <b>2927 ELM ST</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009366753</b> <b>N/A</b>
------------	--	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1966	SMITH S AUTO PARTS	AUTOMOBILE REPAIRING

<b>169</b>	<b>HEADINGTON C G</b> <b>2933 ELM</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009366790</b> <b>N/A</b>
------------	---	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1930	ELM AND WALTON GARAGE	AUTOMOBILE REPAIRERS
1936	JOHNSON M E	AUTOMOBILE REPAIRING
1936	HEADINGTON C G	GASOLINE AND OIL SERVICE STATIONS

<b>169</b>	<b>B AND B GARAGE</b> <b>2931 ELM</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009366785</b> <b>N/A</b>
------------	---	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1925	B AND B GARAGE	AUTOMOBILE REPAIRERS

<b>170</b>	<b>TUEC SOUTH PROPERTY</b> <b>NORTH OF CONTINENTAL/WEST OF HOUSTON</b> <b>DALLAS, TX</b>	<b>TX AUL</b> <b>TX VCP</b>	<b>S103865213</b> <b>N/A</b>
------------	--	--------------------------------	---------------------------------

AUL:

Facility ID: 0734	Facility Type: Cooling Towers
Phase: Completed	VCP Received: 03/27/1998
Rules: RRR	Standards: 2
Pca No.: 31644	Certificate Issued: 12/20/1999
Type Lead: Purchaser	Project Manager: Frew
Lat/Long: 32-47-07 / 96-48-34	Lat/Long (dms): Not reported
Acres: 10	Media Affected: Soils/Groundwater
SW No.: 31884	LPST No.: 96210/107066
RCRIS No.: Not reported	EPA Txd/cerclis: TXD000836452
C/F/L ? : F	Date/agreement: 11/13/1998
Region: 4	Type: Not reported

Type Remedy:	Excavation & Disposal / Pump & Dispose
Contaminant:	Petroleum Hydrocarbons, Metals
Inst Controls:	Nonresidential
BGF Number:	Not reported
Applicant:	Anland 2A, L.P.
Applicant Name:	Mike Carver
Applicant Title:	Secretary
Applicant Address:	5430 LBJ Freeway, Suite 800
Applicant City,St,Zip:	Dallas, TX 75240
Applicant Phone:	972-201-2831
Applicant Fax:	972-788-3096
Consultant/Attorney:	Hughes & Luce, L.L.P.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TUEC SOUTH PROPERTY (Continued)**

**S103865213**

Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 SUP No: Not reported  
 Multiple Property: Not reported  
 SUP Tract No: Not reported  
 Property Owner: Not reported  
 TRRP Vol#, PG#, CO#, ID#: Not reported  
 Inst Control Req?: Not reported  
 Eng Control Req?: Not reported  
 Notes: Not reported  
 Filing Type: Not reported  
 Filing Date: Not reported  
 Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

**VCP TCEQ:**

Region: 4  
 Facility ID: 0734  
 Facility Type: Cooling Towers  
 VCP Received: 03/27/1998  
 PCA Number: 31644  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-07 / 96-48-34  
 Lat/Long (DD): Not reported  
 Acres at Site: 10  
 Contaminant Categories: Petroleum Hydrocarbons, Metals  
 Media Affected: Soils/Groundwater  
 Applicant: Anland 2A, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 5430 LBJ Freeway, Suite 800  
 Applicant City,St,Zip: Dallas, TX 75240  
 Applicant Phone: 972-201-2831  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 214-939-6100  
 TNRCC Solid Waste Registration: 31884  
 EPA Texas ID/CERCLIS Registration: TXD000836452  
 EPA Registration: Not reported  
 Application Signed By Applicant: 11/13/1998  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 12/20/1999  
 Remedy Type: Excavation & Disposal / Pump & Dispose  
 Risk Reduction or Petroleum Storage Tank: RRR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TUEC SOUTH PROPERTY (Continued)**

**S103865213**

Leaking Petroleum Storage Registration Tank: 96210/107066  
 Cashier Recvd: 03/27/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316440  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Hillwood Victory Park  
 Billing c/o Name: Attn: Accounting  
 Billing Address1: 3090 Olive Street  
 Billing Address2: Suite 300  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75219  
 Billing Phone: 972-201-2800  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: M  
 File Location: CR

170

**TUEC SOUTH PROPERTY  
 NORTH OF CONTINENTAL WEST OF HOUSTON COOLING TOWERS  
 DALLAS (County), TX**

**TX APAR S116383148  
 N/A**

APAR:

Comm Id Number: 10034099  
 Comm Type Code: APAR  
 Comm Received Date: 09/04/2001  
 Legal Identifier: 734  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: TUEC SOUTH PROPERTY  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: PROPERTY COMMERCIAL  
 Reference Number Text: RN101627289  
 Delivery Text: Not reported  
 Physical Location Desc: Not reported  
 Latitude: 32.78528  
 Longitude: -96.80944

Detail:

Comm Id Number: 10034099  
 Comm Received Date: 9/4/2001  
 Legal Ident Text: 734  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 11114117  
 Comm Type Code: APAR  
 Comm Received Date: 09/29/2005  
 Legal Identifier: 734

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TUEC SOUTH PROPERTY (Continued)**

**S116383148**

Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: TUEC SOUTH PROPERTY  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: PROPERTY COMMERCIAL  
 Reference Number Text: RN101627289  
 Delivery Text: Not reported  
 Physical Location Desc: Not reported  
 Latitude: 32.78528  
 Longitude: -96.80944

Detail:

Comm Id Number: 11114117  
 Comm Received Date: 9/29/2005  
 Legal Ident Text: 734  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

Comm Id Number: 11344505  
 Comm Type Code: APAR  
 Comm Received Date: 05/08/2006  
 Legal Identifier: 734  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: TUEC SOUTH PROPERTY  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: PROPERTY COMMERCIAL  
 Reference Number Text: RN101627289  
 Delivery Text: Not reported  
 Physical Location Desc: Not reported  
 Latitude: 32.78528  
 Longitude: -96.80944

Detail:

Comm Id Number: 11344505  
 Comm Received Date: 5/8/2006  
 Legal Ident Text: 734  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

171

**DODSON S GARAGE REAR  
 2915 ELM  
 DALLAS, TX**

**EDR Hist Auto 1009366655  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1961	DODSON S GARAGE REAR	AUTOMOBILE REPAIRING
1969	DODSONS AUTOMOTIVE	General Automotive Repair Shops
1970	DODSONS AUTOMOTIVE	General Automotive Repair Shops
1972	DODSONS AUTOMOTIVE	General Automotive Repair Shops
1973	DODSONS AUTOMOTIVE	General Automotive Repair Shops
1974	DODSONS AUTOMOTIVE	General Automotive Repair Shops
1975	DODSONS AUTOMOTIVE	General Automotive Repair Shops
1976	DODSONS AUTOMOTIVE	General Automotive Repair Shops



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

171 ENGLE ELECTRIC CO EDR Hist Auto 1009366640  
 2913 ELM ST N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1925	CAULEY S SERVICE STATION	AUTOMOBILE REPAIRERS
1961	LOWRY ELECTRIC SHOP INC	AUTOMOBILE REPAIRING
1974	ENGLE ELECTRIC	Automotive Repair Shops, NEC
1975	ENGLE ELECTRIC	Automotive Repair Shops, NEC
1976	ENGLE ELECTRIC	Automotive Repair Shops, NEC
1977	ENGLE ELECTRIC	Automotive Repair Shops, NEC
1978	ENGLE ELECTRIC	Automotive Repair Shops, NEC
1979	ENGLE ELECTRIC	Automotive Repair Shops, NEC
1979	ENGLE ELECTRIC	Automotive Repair Shops, NEC

171 LOWVRY S ELECTRIC SHOP EDR Hist Auto 1009366633  
 2911 ELM N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1956	LOWVRY S ELECTRIC SHOP	AUTOMOBILE REPAIRING

171 GIDDINGS GARAGE EDR Hist Auto 1009366616  
 2909 ELM ST N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1961	GIDDINGS GARAGE	AUTOMOBILE REPAIRING

172 MILNER S HUDSON ESSEX SERVICE EDR Hist Auto 1009363111  
 2236 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	MILNER S HUDSON ESSEX SERVICE	AUTOMOBILE LAUNDRIES
1930	MILNER S HUDSON ESSEX SERVICE	AUTOMOBILE REPAIRERS
1930	MILNER S HUDSON ESSEX SERVICE	AUTOMOBILE GARAGES

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>173</b>	<b>LCS VICTORY</b> <b>NW CORNER OF LAWS ST. AND BROOM ST.</b> <b>DALLAS, TX 75219</b>	<b>TX APAR</b>	<b>S116382582</b> <b>N/A</b>
------------	---	----------------	---------------------------------

APAR:

Comm Id Number:	16674584
Comm Type Code:	APAR
Comm Received Date:	01/18/2013
Legal Identifier:	2540
Legal Description Text:	VOLUNTARY CLEANUP
Legal Status:	INACTIVE
Physical Name:	LAWS STREET PROPERTY
Physical Status:	COMPLETED
Physical Attribute Value Text:	PARKING/TRANSIT CENTER
Reference Number Text:	RN104493234
Delivery Text:	2401 N HOUSTON ST
Physical Location Desc:	Not reported
Latitude:	32.7852
Longitude:	-96.8077

Detail:

Comm Id Number:	16674584
Comm Received Date:	1/18/2013
Legal Ident Text:	2540
Legal Description Text:	VOLUNTARY CLEANUP
Soil Contamination:	BENZ-A-ANTHRACENE
Groundwater Contamination:	Not reported

<b>174</b>	<b>LG MAGNOLIA LP</b> <b>1100 MCKINNEY</b> <b>DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1010779641</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID:	110034078977
--------------	--------------

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

<b>174</b>	<b>LG MAGNOLIA LP</b> <b>1100 MCKINNEY AVENUE</b> <b>DALLAS, TX 75202</b>	<b>TX AUL</b> <b>TX VCP</b> <b>TX MSD</b> <b>TX GCC</b>	<b>S108837221</b> <b>N/A</b>
------------	---	--	---------------------------------

**AUL:**

Facility ID:	2093	Facility Type:	Parking Lot
Phase:	Completed	VCP Received:	08/22/2007
Rules:	TRRP	Standards:	A
Pca No.:	34288	Certificate Issued:	03/06/2009
Type Lead:	Owner	Project Manager:	Simpson
Lat/Long:	Not reported	Lat/Long (dms):	32.47530 / -96.48191
Acres:	4.587	Media Affected:	Soils/Groundwater
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	10/12/2007
Region:	4	Type:	Not reported
Type Remedy:	Not reported		
Contaminant:	VOCs, SVOCs, Metals, TPH, PCBs, Solvents		
Inst Controls:	MSD		
BGF Number:	Not reported		
Applicant:	LG Magnolia LP		
Applicant Name:	Joseph Cahoon		
Applicant Title:	Not reported		
Applicant Address:	2650 Cedar Springs Road, Suite 800		
Applicant City,St,Zip:	Dallas, TX 75201-1491		
Applicant Phone:	214-252-2614		
Applicant Fax:	Not reported		
Consultant/Attorney:	VERTEX Environmental Services, Inc.		
Consultant/Attorney Name:	Jaron J. Frieden		
Consultant/Attorney Title:	Vice President		
Consultant/Attorney Address:	400 Libbey Industrial Parkway		
Consultant/Attorney City,St,Zip:	Weymouth, MA 02189		
Consultant/Attorney Phone:	781-952-6000		
Consultant/Attorney Fax:	781-335-3543		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		
Inst Control Req?:	Not reported		
Eng Control Req?:	Not reported		
Notes:	Not reported		
Filing Type:	Not reported		
Filing Date:	Not reported		
Filings Sup Tract:	Not reported		
Lien Amt:	Not reported		
Property Description:	Not reported		

**VCP TCEQ:**

Region:	4
Facility ID:	2093
Facility Type:	Parking Lot
VCP Received:	08/22/2007
PCA Number:	34288
Project Number:	Simpson
Type Lead:	Owner
Phase:	Completed
Lat/Long:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LG MAGNOLIA LP (Continued)**

**S108837221**

Lat/Long (DD): 32.47530 / -96.48191  
 Acres at Site: 4.587  
 Contaminant Categories: VOCs, SVOCs, Metals, TPH, PCBs, Solvents  
 Media Affected: Soils/Groundwater  
 Applicant: LG Magnolia LP  
 Applicant Contact Title: Not reported  
 Applicant Address: 2650 Cedar Springs Road, Suite 800  
 Applicant City,St,Zip: Dallas, TX 75201-1491  
 Applicant Phone: 214-252-2614  
 Applicant Fax: Not reported  
 Consultant/Attorney: VERTEX Environmental Services, Inc.  
 Consultant/Attorney Name: Jaron J. Frieden  
 Consultant/Attorney Contact Title: Vice President  
 Consultant/Attorney Address: 400 Libbey Industrial Parkway  
 Consultant/Attorney City,St,Zip: Weymouth, MA 02189  
 Consultant/Attorney Phone: 781-952-6000  
 Consultant/Attorney Fax: 781-335-3543  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 10/12/2007  
 Standards: A  
 TX Risk Reduction Prgm: 2  
 Institutional Controls: MSD  
 Certificate of Completion: 03/06/2009  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 08/21/2007  
 App Accepted?: Y  
 Date Accepted: 10/06/2007  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 342880  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: LG Magnolia, LP  
 Billing c/o Name: Joseph Cahoon  
 Billing Address1: 2650 Cedar Springs Road  
 Billing Address2: Suite 800  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 752011491  
 Billing Phone: 214-252-2614  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

**MSD:**

Id: 76  
 Project Manager: Mike Frew  
 MSD Certification Number: 076  
 MSD Application Number: MSD AP 076

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LG MAGNOLIA LP (Continued)**

**S108837221**

Acres: 5  
 GW Zone Feet To: 25  
 Feet: 0  
 Contaminants: BENZENE|TETRACHLOROETHYLENE|TRICHLOROETHYLENE  
 Applicant: LG Magnolia LP  
 Updated: 07/15/2008  
 Remediation Program PM: Mary Simpson  
 Application Received Date: 07/01/2008  
 90 Day Deadline: 10/01/2008  
 Status: Certified  
 Precertification Date: Not reported  
 Certification Date: 09/26/2008  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: True  
 HB3030: Not reported  
 Other Program: VCP 2093  
 CN: CN603241910  
 RN: RN105334130

**GCC:**

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 2093  
 Contamination Description: VOCS, SVOCS, METALS, TPH, PCBS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 8/22/2007  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2B  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 2093  
 Contamination Description: VOCS, SVOCS, METALS, TPH, PCBS, SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 8/22/2007  
 Enforcement Status - Level Of Agency Response: 2B  
 Enforcement Status - Site Activity Status: 2B  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LG MAGNOLIA LP (Continued)**

**S108837221**

Data Quality 2:	Not reported
Division:	RMD/VC
New Cases:	Not reported
File Number:	2093
Contamination Description:	VOCS, SVOCS, METALS, TPH, PCBS, SOLVENTS
Date Of Earliest Known Contamination Confirmation:	8/22/2007
Enforcement Status - Level Of Agency Response:	2B
Enforcement Status - Site Activity Status:	2B
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VC
New Cases:	Not reported
File Number:	2093
Contamination Description:	VOCS, SVOCS, METALS, TPH, PCBS, CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	8/22/2007
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	2B
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VC
New Cases:	Not reported
File Number:	2093
Contamination Description:	VOCS, CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	8/22/2007
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

175 **BENEKE ADOLPH J** EDR Hist Auto 1009378616  
**607 N AKARD**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1925	KING AND MILLER GARAGE	AUTOMOBILE REPAIRERS
1936	SAFETY BRAKE SERVICE CO	AUTOMOBILE REPAIRING
1946	BENEKE ADOLPH J	AUTOMOBILE REPAIRING
1951	BENEKE A J GARAGE	AUTOMOBILE REPAIRING

175 **GRAVES C L** EDR Hist Cleaner 1009347137  
**611 N AKARD**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1925	GRAVES C L	CLOTHES CLEANERS AND DYERS

175 **ELMORE WM E** EDR Hist Cleaner 1009347195  
**613 N AKARD**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1941	ELMORE WM E	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

175 **PALACE CLEANERS AND LAUNDRY** EDR Hist Cleaner 1009347009  
**606 N AKARD**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1941	PALACE CLEANERS AND LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

176 **MORALES BROS CLEANING** EDR Hist Cleaner 1009338019  
**2005 BRYAN**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1941	BOUNID S CLEANINTG CO	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	MORALES BROS CLEANING	CLEANERS AND DYERS
1951	BOUNDS CLEANERS	CLEANERS AND DYERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**177 ANDREWS TRANSMISSION SERVICE NO 2 EDR Hist Auto 1009366241**  
**2817 ELM ST N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1966	ANDREWS TRANSMISSION SERVICE NO	AUTOMOBILE REPAIRING
1970	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1975	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1976	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1977	BELA S FOREIGN CARS	AUTOMOBILE REPAIRING
1977	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1978	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1979	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1980	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1981	BELA S FOREIGN CARS	AUTOMOBILE REPAIRING
1982	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1983	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1985	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1986	BELA S FOREIGN CARS	AUTOMOBILE REPAIRING
1986	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops
1987	BELAS FOREIGN CAR SERVICE	General Automotive Repair Shops

**177 ELM STREET TATTOO TX ASBESTOS S119144291**  
**2811 ELM STREET N/A**  
**DALLAS, TX 75226**

ASBESTOS:

Date of inspection:	09/10/2015
Reason for Inspection:	Routine
Violation:	Yes
Complaint Date:	Not reported
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	2
Travel Time:	0.25
Mileage:	14.22
Reg:	03
Init:	CCG
Seq:	01
Facility Type:	Tattooing
Inspector Name:	Charlotte C. Gray
Date Report Received:	09/14/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	09/18/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	09/18/2015
Date Rtned to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtned to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtned to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM STREET TATTOO (Continued)**

**S119144291**

Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

178

**ADAMS MARK HOTEL  
 400 OLIVE ST  
 DALLAS, TX 75201**

**TX VCP  
 TX DRYCLEANERS  
 TX MSD  
 TX GCC**

**S109028545  
 N/A**

VCP TCEQ:

Region:	4
Facility ID:	2138
Facility Type:	Hotel
VCP Received:	01/31/2008
PCA Number:	34333
Project Number:	Riggle
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.47400 / -96.47420
Acres at Site:	5.1051
Contaminant Categories:	VOCs, Chlorinated Solvents
Media Affected:	Soils/Groundwater
Applicant:	W2007 MVP Dallas, LLC
Applicant Contact Title:	Director, Acquisitions
Applicant Address:	50 California Street, Suite 300
Applicant City,St,Zip:	San Francisco, CA 94111
Applicant Phone:	415-296-7955
Applicant Fax:	415-946-2322
Consultant/Attorney:	Vinson & Elkins, LLP
Consultant/Attorney Name:	Larry W. Nettles
Consultant/Attorney Contact Title:	Attorney
Consultant/Attorney Address:	1001 Fannin Street, Suite 2500
Consultant/Attorney City,St,Zip:	Houston, TX 77002
Consultant/Attorney Phone:	713-758-4586
Consultant/Attorney Fax:	713-615-5538
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	03/03/2008
Standards:	A
TX Risk Reduction Prgm:	1
Institutional Controls:	Not reported
Certificate of Completion:	04/02/2013
Remedy Type:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ADAMS MARK HOTEL (Continued)**

**S109028545**

Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: 93172  
 Cashier Recvd: 01/31/2008  
 App Accepted?: Y  
 Date Accepted: 03/03/2008  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 343330  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: W2007 MVP Dallas, LLC  
 Billing c/o Name: Maxine Taylor  
 Billing Address1: 50 California Street  
 Billing Address2: Suite 300  
 Billing City: San Francisco  
 Billing State: CA  
 Billing Zip: 94111  
 Billing Phone: 415-296-7955  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F/E  
 File Location: CR

**DRYCLEANERS:**

RN Number: RN102494044  
 Region: 4  
 CN Number: CN601277940  
 DCR Number: Not reported  
 AR Number: 24002571  
 Principal Name: SEVEN SEVENTEEN HB HOUSTON CORPORATION  
 Bill Addr1: Not reported  
 Bill Addr2: Not reported  
 Bill City/State/Zip: Not reported  
 EMail: Not reported  
 Phone Number: Not reported  
 Site Name: ADAMS MARK HOTEL  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2004  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 0  
 Part Stat: YES  
 Gross Receipts: \$100,000 OR LESS

RN Number: RN102494044  
 Region: 4  
 CN Number: CN602702292  
 DCR Number: Not reported  
 AR Number: 24002685  
 Principal Name: SEVEN SEVENTEEN HB DALLAS CORPORATION  
 Bill Addr1: Not reported  
 Bill Addr2: Not reported  
 Bill City/State/Zip: Not reported  
 EMail: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ADAMS MARK HOTEL (Continued)**

**S109028545**

Phone Number: Not reported  
 Site Name: ADAMS MARK HOTEL  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2005  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 120  
 Part Stat: YES  
 Gross Receipts: \$100,000 OR LESS

**MSD:**

Id: 137  
 Project Manager: Chris Siegel  
 MSD Certification Number: 137  
 MSD Application Number: MSD AP 137  
 Acres: 10.31  
 GW Zone Feet To: 50  
 Feet: 45  
 Contaminants: TETRACHLOROETHYLENE | CHLOROFORM  
 Applicant: W2007 MVP Dallas, LLC  
 Updated: 06/29/2010  
 Remediation Program PM: Chris Siegel  
 Application Received Date: 05/20/2010  
 90 Day Deadline: 08/18/2010  
 Status: Certified  
 Precertification Date: Not reported  
 Certification Date: 05/09/2011  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: True  
 HB3030: Not reported  
 Other Program: VCP 2138  
 CN: CN603317181  
 RN: RN102494044

**GCC:**

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 2138  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 1/31/2008  
 Enforcement Status - Level Of Agency Response: 2  
 Enforcement Status - Site Activity Status: 2  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ADAMS MARK HOTEL (Continued)**

**S109028545**

Data Quality 2: Not reported

Division: RMD/VC  
 New Cases: \*  
 File Number: 2138  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 1/31/2008  
 Enforcement Status - Level Of Agency Response: 2  
 Enforcement Status - Site Activity Status: 2  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

**179 HCBECK HOUSE OF BLUES  
 2200 N LAMAR ST  
 DALLAS, TX 75202**

**FINDS 1010763733  
 N/A**

**FINDS:**

Registry ID: 110034020146

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**179 WHITE SWAN BLDG  
 2200 N LAMAR ST  
 DALLAS, TX 75202**

**FINDS 1011405659  
 N/A**

**FINDS:**

Registry ID: 110035343624

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

**WHITE SWAN BLDG (Continued)**

**1011405659**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>179</b>	<b>WHITE SWAN BLDG 2200 N LAMAR ST DALLAS, TX 75202</b>	<b>TX LPST</b>	<b>S103498519 N/A</b>
------------	---	----------------	---------------------------

LPST:

Facility ID:	Not reported
LPST Id:	103453
Facility Location:	2200 N LAMAR
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	09/14/2000
Entered Date:	07/07/1992
Priority:	4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program:	1P - PRIVATIZATION CONTRACTOR
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.

**Status:**

Coordinators Primary:	1P/1/2
Coordinators RPR:	RPR
Responsible Party Name:	WHITE SWAN INC
Responsible Party Contact:	STEVE FOSTER
Responsible Party Address:	400 FULLER WISER RD STE 300
Responsible Party City,St,Zip:	EULESS, TX 76039 3899
Responsible Party Telephone:	210/590-1322
Reported Date:	06/09/1992
Case Start Date:	07/07/1992

<b>179</b>	<b>WHITE SWAN BUILDING 2200 NORTH LAMAR STREET DALLAS, TX 75202</b>	<b>TX VCP</b>	<b>S107406736 N/A</b>
------------	---	---------------	---------------------------

VCP TCEQ:

Region:	4
Facility ID:	1852
Facility Type:	Commercial Office Building
VCP Received:	08/17/2005
PCA Number:	34051
Project Number:	Frew
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.47700 / -96.48280
Acres at Site:	0.5495
Contaminant Categories:	SVOCs, TPH
Media Affected:	Soils
Applicant:	Laws Street Development, LP
Applicant Contact Title:	Executive Vice President
Applicant Address:	2401 North Houston Street
Applicant City,St,Zip:	Dallas, TX 75219
Applicant Phone:	214-303-5535
Applicant Fax:	214-303-5570

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WHITE SWAN BUILDING (Continued)**

**S107406736**

Consultant/Attorney: Terracon  
 Consultant/Attorney Name: Sean P. Trimble  
 Consultant/Attorney Contact Title: Consultant  
 Consultant/Attorney Address: 8901 Carpenter Freeway, Suite 100  
 Consultant/Attorney City,St,Zip: Dallas, TX 75247  
 Consultant/Attorney Phone: 214-630-1010  
 Consultant/Attorney Fax: 214-630-7070  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 10/14/2005  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 03/10/2006  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 08/17/2005  
 App Accepted?: Y  
 Date Accepted: 10/14/2005  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 340510  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Laws Street Development, LP  
 Billing c/o Name: Jonas Woods  
 Billing Address1: 2401 North Houston Street  
 Billing Address2: Not reported  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75219  
 Billing Phone: 214-303-5535  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

180

**LAWS STREET LOTS (2201 - 2225)  
 2201, 2213, 2217, 2221 LAWS STREET  
 DALLAS, TX 75219**

**TX VCP S104275412  
 N/A**

VCP TCEQ:  
 Region: 4  
 Facility ID: 1036  
 Facility Type: Loft Warehouses  
 VCP Received: 09/03/1999  
 PCA Number: 31936  
 Project Number: Primrose  
 Type Lead: Owner  
 Phase: Completed  
 Lat/Long: 32-47-06 / 96-48-27  
 Lat/Long (DD): Not reported  
 Acres at Site: 61,506 sqf

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LAWS STREET LOTS (2201 - 2225) (Continued)**

**S104275412**

Contaminant Categories:	VOCs, SVOCs, Metals
Media Affected:	Soils/Groundwater
Applicant:	Transcontinental Realty Investors, Inc.
Applicant Contact Title:	Vice President
Applicant Address:	10670 North Central Expressway, Ste 505
Applicant City,St,Zip:	Dallas, TX 75231
Applicant Phone:	214-692-4877
Applicant Fax:	214-696-2567
Consultant/Attorney:	RERC Environmental
Consultant/Attorney Name:	James W. Crawford
Consultant/Attorney Contact Title:	President
Consultant/Attorney Address:	3316 Oak Grove Avenue, Suite 200
Consultant/Attorney City,St,Zip:	Dallas, TX 75204-2387
Consultant/Attorney Phone:	972-934-3737
Consultant/Attorney Fax:	972-934-3730
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	10/08/1999
Standards:	A
TX Risk Reduction Prgm:	1
Institutional Controls:	Not reported
Certificate of Completion:	12/22/2000
Remedy Type:	Not reported
Risk Reduction or Petroleum Storage Tank:	TRRP
Leaking Petroleum Storage Registration Tank:	Not reported
Cashier Recvd:	08/30/1999
App Accepted?:	Y
Date Accepted:	10/13/1999
Region?:	Y
Alt VCP Id:	Not reported
Project No.:	319360
Contaminants Identified:	Not reported
OffSite?:	N
Billing Company:	Transcontinental Realty
Billing c/o Name:	Jim Fox
Billing Address1:	1800 Valley View Lane
Billing Address2:	Suite 300
Billing City:	Dallas
Billing State:	TX
Billing Zip:	75234
Billing Phone:	214-692-4877
IOP No.:	Not reported
Region COC?:	Y
Region R/W?:	Not reported
Survey?:	Not reported
Comments:	Not reported
Media:	F
File Location:	CR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

181 BEASLEY BILL INC EDR Hist Auto 1009362694  
 2200 LIVE OAK ST N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	T AND P COAL AND OIL CO STATION	GASOLINE AND OIL SERVICE STATIONS
1936	ROME OIL CO	GASOLINE AND OIL SERVICE STATIONS
1946	MILNER S GARAGE	AUTOMOBILE REPAIRING

181 DALLAS HUDSON CO EDR Hist Auto 1009362721  
 2201 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1941	DALLAS HUDSON CO	AUTOMOBILE SERVICE

182 RUDOLPHS MARKET AND SAUSA FINDS 1011336217  
 2924 ELM ST N/A  
 DALLAS, TX 75226

FINDS:

Registry ID: 110034481601

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

183 CARGILL W L GARAGE EDR Hist Auto 1009364907  
 2525 PACIFIC AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1941	CARGILL W L GARAGE	AUTOMOBILE REPAIRING
1946	CARGILL WM L	AUTOMOBILE REPAIRING



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>183</b>	<b>WHITLOCK BROS OFFICE</b> <b>2531 N PACIFIC AVE</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009364946</b> <b>N/A</b>
------------	---	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1936	SMITH SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	WHITLOCK BROS OFC	GASOLINE AND OIL SERVICE STATIONS
1946	WHITLOCK BROS OFFICE	GASOLINE AND OIL SERVICE STATIONS

<b>184</b>	<b>MANHATTAN CONSTRUCTION VICTORY J RESIDENCES</b> <b>2200 VICTORY AVE</b> <b>DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1011377072</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID: 110034850463

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>185</b>	<b>HAGGARD DICK PACKARD SERVICE</b> <b>1507 ROSS AVE</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009357727</b> <b>N/A</b>
------------	--	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1956	HAGGARD DICK PACKARD SERVICE	AUTOMOBILE REPAIRING

<b>186</b>	<b>ENOS SERVICE STATION</b> <b>2505 N PACIFIC AVE</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009364711</b> <b>N/A</b>
------------	---	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1946	ENOS SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1969	SMITH MARSHALL GARAGE	General Automotive Repair Shops
1970	SMITH MARSHALL GARAGE	General Automotive Repair Shops
1971	SMITH MARSHALL GARAGE	General Automotive Repair Shops
1972	SMITH MARSHALL GARAGE	General Automotive Repair Shops
1973	SMITH MARSHALL GARAGE	General Automotive Repair Shops
1974	SMITH MARSHALL GARAGE	General Automotive Repair Shops
1975	SMITH MARSHALL GARAGE	General Automotive Repair Shops
1976	SMITH MARSHALL GARAGE	General Automotive Repair Shops

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**ENOS SERVICE STATION (Continued)**

**1009364711**

1977 SMITH MARSHALL GARAGE General Automotive Repair Shops

**186 IDEAL GARAGE EDR Hist Auto 1009364634**  
**2501 N PACIFIC AVE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 IDEAL GARAGE AUTOMOBILE REPAIRING

**187 ELM AUTOMOTIVE SERVICE EDR Hist Auto 1009366636**  
**2912 ELM N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1946 ELM AUTOMOTIVE SERVICE AUTOMOBILE REPAIRING

**187 OWINGS L C EDR Hist Auto 1009366662**  
**2916 ELM N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 OWINGS L C AUTOMOBILE REPAIRING

**188 SOUTHLAND CTR TX UST U001280207**  
**LIVE OAK & OLIVE N/A**  
**DALLAS, TX**

UST:

AI Number: 49237  
 Facility Type: UNKNOWN  
 Facility Begin Date: 11/07/1989  
 Facility Status: INACTIVE  
 Additional ID: 316218542002139  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: LIVE OAK & OLIVE  
 Site Location (Nearest City Name): DALLAS  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: JAMES E TRUITT,PRESIDENT  
 Contact Organization Name: SOUTHLAND CTR CORP  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOUTHLAND CTR (Continued)**

**U001280207**

Contact Telephone:	2145560300
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	06/07/1989
Signature Name/Title On Earliest Reg Form:	SAME,SAME
Application Received Date On Earliest Reg Form:	06/16/1989
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN601210750
Owner Last Name:	SOUTHLAND CTR CORP
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	306218542002139
Additional ID:	316218542002139
AI Number:	49237
Owner Effective Begin Date:	11/07/1989
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1949
Tank Registration Date:	06/16/1989
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	127858
Facility ID:	81016
AI Number:	49237
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	05/04/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOUTHLAND CTR (Continued)**

**U001280207**

Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	500
UST Comprt ID:	136800
UST ID:	127858
AI Number:	49237
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOUTHLAND CTR (Continued)**

**U001280207**

CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	SOUTHLAND CTR CORP
Contact Mailing Address (Delivery):	5215 N O CONNOR BLVD STE 1160
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	IRVING, TX 75039 3725
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	81016
Additional ID:	316218542002139
Princ ID:	306218542002139
AI Number:	49237
Facility Name:	SOUTHLAND CTR
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**189 LONG SUPER SERVICE STATION** EDR Hist Auto **1009363318**  
**2300 SWISS AVE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	SIMMS OIL CO SERVICE STATION NO	GASOLINE AND OIL SERVICE STATIONS
1936	LONG SUPER SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

**189 BARNEY GOOGLE GARAGE** EDR Hist Auto **1009363425**  
**2305 SWISS AVE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1951	BARNEY GOOGLE GARAGE	AUTOMOBILE REPAIRING

**190 FUTURE RESTAURANT** TX ASBESTOS **S119146542**  
**2713 ELM ST.** N/A  
**DALLAS, TX 75225**

ASBESTOS:

Date of inspection:	04/10/2014
Reason for Inspection:	Discretionary
Violation:	Yes
Complaint Date:	Not reported
Notification Number:	N/A
ASB Priority:	n/a
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	03
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/12/2014
Date Routed by Supervisor:	11/26/2014
Date Routed to PSQA:	12/02/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FUTURE RESTAURANT (Continued)**

**S119146542**

Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

191

**UP SOUTH PROPERTY  
 NORTH OF CONTINENTAL AND EAST OF HOUSTON  
 DALLAS, TX**

**TX AUL S103453132  
 TX VCP N/A  
 TX GCC**

AUL:

Facility ID:	0743	Facility Type:	Railroad Tracks/Railyard
Phase:	Completed	VCP Received:	03/31/1998
Rules:	RRR	Standards:	2
Pca No.:	31653	Certificate Issued:	12/20/1999
Type Lead:	Purchaser	Project Manager:	Frew
Lat/Long:	32-47-05 / 96-48-37	Lat/Long (dms):	Not reported
Acres:	8	Media Affected:	Soils/Goundwater
SW No.:	81424	LPST No.:	107079
RCRIS No.:	TX0000079830	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	10/05/1998
Region:	4	Type:	Not reported
Type Remedy:	Excavate & Dispose / Pump & Treat		
Contaminant:	Petroleum Hydrocarbons PAHs, Metals		
Inst Controls:	Nonresidential		
BGF Number:	Not reported		
Applicant:	Anland 2B, L.P.		
Applicant Name:	Patti Reimann		
Applicant Title:	Secretary		
Applicant Address:	1845 Woodall Rogers Freeway, Ste 1700		
Applicant City,St,Zip:	Dallas, TX 75201		
Applicant Phone:	972-788-3000		
Applicant Fax:	972-788-3096		
Consultant/Attorney:	Hughes & Luce, L.L.P.		
Consultant/Attorney Name:	Dwight A. Shupe		
Consultant/Attorney Title:	Attorney		
Consultant/Attorney Address:	1717 Main Street, Suite 2800		
Consultant/Attorney City,St,Zip:	Dallas, TX 75201		
Consultant/Attorney Phone:	972-939-5468		
Consultant/Attorney Fax:	972-939-6100		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		
Inst Control Req?:	Not reported		
Eng Control Req?:	Not reported		
Notes:	Not reported		
Filing Type:	Not reported		
Filing Date:	Not reported		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UP SOUTH PROPERTY (Continued)**

**S103453132**

Filings Sup Tract: Not reported  
 Lien Amt: Not reported  
 Property Description: Not reported

VCP TCEQ:

Region: 4  
 Facility ID: 0743  
 Facility Type: Railroad Tracks/Railyard  
 VCP Received: 03/31/1998  
 PCA Number: 31653  
 Project Number: Frew  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: 32-47-05 / 96-48-37  
 Lat/Long (DD): Not reported  
 Acres at Site: 8  
 Contaminant Categories: Petroleum Hydrocarbons PAHs, Metals  
 Media Affected: Soils/Goundwater  
 Applicant: Anland 2B, L.P.  
 Applicant Contact Title: Secretary  
 Applicant Address: 1845 Woodall Rogers Freeway, Ste 1700  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 972-788-3000  
 Applicant Fax: 972-788-3096  
 Consultant/Attorney: Hughes & Luce, L.L.P.  
 Consultant/Attorney Name: Dwight A. Shupe  
 Consultant/Attorney Contact Title: Attorney  
 Consultant/Attorney Address: 1717 Main Street, Suite 2800  
 Consultant/Attorney City,St,Zip: Dallas, TX 75201  
 Consultant/Attorney Phone: 972-939-5468  
 Consultant/Attorney Fax: 972-939-6100  
 TNRCC Solid Waste Registration: 81424  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: TX0000079830  
 Application Signed By Applicant: 10/05/1998  
 Standards: 2  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Nonresidential  
 Certificate of Completion: 12/20/1999  
 Remedy Type: Excavate & Dispose / Pump & Treat  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: 107079  
 Cashier Recvd: 03/31/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316530  
 Contaminants Identified: Not reported  
 OffSite?: N  
 Billing Company: Anland 2B, L.P.  
 Billing c/o Name: Accounts Payable  
 Billing Address1: 1845 Woodall Rogers Freeway  
 Billing Address2: Suite 1700  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UP SOUTH PROPERTY (Continued)**

**S103453132**

Billing Phone: 972-788-3000  
 IOP No.: Not reported  
 Region COC?: Y  
 Region R/W?: Not reported  
 Survey?: Y  
 Comments: Not reported  
 Media: FM  
 File Location: CR

**GCC:**

Division: RMD  
 New Cases: Not reported  
 File Number: 743  
 Contamination Description: PETROLEUM HYDROCARBONS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008

Agency: TCEQ  
 Section: VC/VCP  
 Year Deleted: 1999  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM  
 New Cases: Not reported  
 File Number: 743  
 Contamination Description: PETROLEUM HYDROCARBONS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012

Agency: TCEQ  
 Section: VC  
 Year Deleted: 1999  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD  
 New Cases: Not reported  
 File Number: 743  
 Contamination Description: PETROLEUM HYDROCARBONS  
 Date Of Earliest Known Contamination Confirmation: Not reported  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 6C  
 Data Quality 1: Not reported  
 Section 5236: Not reported  
 Type: HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009

Agency: TCEQ  
 Section: VC/VCP

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UP SOUTH PROPERTY (Continued)**

**S103453132**

Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	743
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	743
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	Not reported
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2014
Agency:	TCEQ
Section:	VC/IOP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	743
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UP SOUTH PROPERTY (Continued)**

**S103453132**

File Number:	743
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	743
Contamination Description:	PETROLEUM HYDROCARBONS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported

191

**IXC COMMUNICATIONS  
 2223 VICTORY AVE  
 DALLAS, TX 75219**

**FINDS 1010752280  
 N/A**

FINDS:

Registry ID: 110033981289

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

191 **LEVEL 3 - DALLAS VICTORY**  
**2223 VICTORY AVENUE**  
**DALLAS, TX 75219**

**TX TIER 2** **S111037062**  
**N/A**

TIER 2:

Facility Id/Name: FATR20104YB13D03NYWY/LEVEL 3 - DALLAS VICTORY  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 1/24/2011  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 800.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental PM  
 Latitude: 32.7845  
 Longitude: -96.8099  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/20/2008  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/16/2007

Contact:

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd.  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Payton Michael  
 Title: Environmental PM  
 Modification Date: 1/17/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS VICTORY (Continued)**

**S111037062**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: NOC Level 3 Communications LLC  
 Title: Not reported  
 Modification Date: 2/16/2011

Contact:

Contact Email: scott.pfister@level3.com  
 Contact Mail Address: 3439 Irving Blvd.  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Scott Pfister  
 Title: Senior Mgr, Field Ops  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR20104YB13D03NYWY  
 Chemical Name: lead  
 Chemical Inv Record Id: CVTR20104YB13D03TZ06  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 145  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20104YB13D03UZ13  
 Chemical Inventory Record Id: CVTR20104YB13D03TZ06  
 Amt Of Sub Stored Or Transported: 31320  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS VICTORY (Continued)**

**S111037062**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: in batteries in building  
 Last Modified: 2/16/2011

Facility Id: FATR20104YB13D03NYWY  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20104YB13D03VZ5P  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 15.9  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20104YB13D03WZ6M  
 Chemical Inventory Record Id: CVTR20104YB13D03VZ5P  
 Amt Of Sub Stored Or Transported: 3434  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: in building in batteries  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR201071B307007VU8  
 Chemical Inv Record Id: CVTR20104YB13D03VZ5P  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20104YB13D03NYWY  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

191 LEVEL 3 - DALLAS - DLLSTXAX TX TIER 2 S113679313  
 2223 VICTORY ST N/A  
 DALLAS, TX 75202

TIER 2:

Facility Id/Name: FATR20124YB13D03NYWY/LEVEL 3 - DALLAS - DLLSTXAX  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 1/29/2013  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Chris Van Natta on behalf of Level 3 Communications  
 Latitude: 32.78455  
 Longitude: -96.81008  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/16/2007  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/20/2008  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications  
 Title: Not reported  
 Modification Date: 3/8/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXAX (Continued)**

**S113679313**

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact:

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Payton Michael  
 Title: Environmental Project Manager  
 Modification Date: 3/8/2013

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Payton Michael  
 Title: Environmental Project Manager  
 Modification Date: 3/8/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Level 3 Communications N.O.C.  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Level 3 Communications N.O.C.  
 Title: Not reported  
 Modification Date: 3/8/2013

Chemical Inventory:

Facility Id: FATR20124YB13D03NYWY  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20124YB13D03TZ06  
 CAS Number: 7439-92-1



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXAX (Continued)**

**S113679313**

Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 145  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20124YB13D03UZ13  
 Chemical Inventory Record Id: CVTR20124YB13D03TZ06  
 Amt Of Sub Stored Or Transported: 27840  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Power Room  
 Last Modified: 3/8/2013

Facility Id: FATR20124YB13D03NYWY  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20124YB13D03VZ5P  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 16  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXAX (Continued)**

**S113679313**

Trade Secret: Not reported

Chemical Inventory Location:  
 Record Key: CLTR20124YB13D03WZ6M  
 Chemical Inventory Record Id: CVTR20124YB13D03VZ5P  
 Amt Of Sub Stored Or Transported: 3053  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: DC Power Room  
 Last Modified: 3/8/2013

Notes: Not reported  
 Validation: Not reported

191

**2223 VICTORY AVE.  
 DALLAS, TX**

**ERNS 2011990093  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

191

**LEVEL 3 - DALLAS (DLLSTX02)  
 2223 VICTORY AVENUE  
 DALLAS, TX 75219**

**TX TIER 2 S108876087  
 N/A**

TIER 2:  
 Facility Id/Name: FATR20094YB13D03NYWY/LEVEL 3 DALLAS VICTORY  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 2/18/2010  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 850  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian  
 Latitude: 32.7845  
 Longitude: -96.8099  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS (DLLSTX02) (Continued)**

**S108876087**

Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20084YB13D03NYWY/LEVEL 3 - DALLAS (DLLSTX02)  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/10/2009  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 950  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental PM  
 Latitude: 32.7845  
 Longitude: -96.8099  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20074YB13D03NYWY/LEVEL 3 - DALLAS (DLLSTX02)  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/25/2008  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental Project Manager  
 Latitude: 32.7845  
 Longitude: -96.8099  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS (DLLSTX02) (Continued)**

**S108876087**

Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20064YB13D03NYWY/LEVEL (3) COMMUNICATIONS  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: DLLSTX02  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 2/17/2007  
 Mailing Address: 1122 Capital of Texas Highway South  
 Mailing City/State/Country: Austin, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Brian Bundy  
 Latitude: 32.7845  
 Longitude: -96.8099  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/16/2007  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/20/2008

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS (DLLSTX02) (Continued)**

**S108876087**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Robert Gurdikian  
 Title: Env. Manager  
 Modification Date: 1/30/2008

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: NOC Level 3 Communications LLC  
 Title: Not reported  
 Modification Date: 3/1/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 3439 Irving Blvd.  
 Contact City/State/Zip: Dallas, TX 75247  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Scott Pfister  
 Title: Senior Mgr, Field Ops  
 Modification Date: 3/1/2010

Chemical Inventory:

Facility Id: FATR20094YB13D03NYWY  
 Chemical Name: lead  
 Chemical Inv Record Id: CVTR20094YB13D03TZ06  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 145  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS (DLLSTX02) (Continued)**

**S108876087**

Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20094YB13D03UZ13  
 Chemical Inventory Record Id: CVTR20094YB13D03TZ06  
 Amt Of Sub Stored Or Transported: 31320  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: in batteries in building  
 Last Modified: 3/1/2010

Facility Id: FATR20094YB13D03NYWY  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20094YB13D03VZ5P  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 15.9  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20094YB13D03WZ6M  
 Chemical Inventory Record Id: CVTR20094YB13D03VZ5P  
 Amt Of Sub Stored Or Transported: 3434  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: in building in batteries  
 Last Modified: 3/1/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS (DLLSTX02) (Continued)**

**S108876087**

Mixture:

Record Key: CMTR200971B307007VU8  
 Chemical Inv Record Id: CVTR20094YB13D03VZ5P  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20094YB13D03NYWY  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/1/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: This facility passed all validation checks.

191

**LEVEL 3 - DALLAS - DLLSTXAX**  
**2223 VICTORY AVENUE**  
**DALLAS, TX 75219**

**TX TIER 2 S111993195**  
**N/A**

TIER 2:

Facility Id/Name: FATR20114YB13D03NYWY/LEVEL 3 - DALLAS - DLLSTXAX  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1-25-2012  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 700.00  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental Project Manager  
 Latitude: 32.7845  
 Longitude: -96.8099  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTXAX (Continued)**

**S111993195**

Facility Info:

Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/16/2007  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/20/2008

Chemical Inventory:

Facility Id: FATR20114YB13D03NYWY  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20114YB13D03TZ06  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 145  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20114YB13D03UZ13  
 Chemical Inventory Record Id: CVTR20114YB13D03TZ06  
 Amt Of Sub Stored Or Transported: 27840  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: In building within batteries  
 Last Modified: 2/14/2012  
  
 Facility Id: FATR20114YB13D03NYWY  
 Chemical Name: Sulfuric Acid



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTXAX (Continued)**

**S111993195**

Chemical Inv Record Id: CVTR20114YB13D03VZ5P  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 15.9  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20114YB13D03WZ6M  
 Chemical Inventory Record Id: CVTR20114YB13D03VZ5P  
 Amt Of Sub Stored Or Transported: 3053  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: In building within batteries  
 Last Modified: 2/14/2012

**Mixture:**

Record Key: CMTR201171B307007VU8  
 Chemical Inv Record Id: CVTR20114YB13D03VZ5P  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20114YB13D03NYWY  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/14/2012

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

191 DALLAS TERMINAL TX UST U002222039  
 2223 VICTORY AVE N/A  
 DALLAS, TX 75219

UST:

AI Number: 66651  
 Facility Type: Not reported  
 Facility Begin Date: 01/01/1985  
 Facility Status: INACTIVE  
 Additional ID: 734655632002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75219  
 Contact Name/Title: ERNEST SANCHEZ,  
 Contact Organization Name: DALLAS TERMINAL  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2144432713  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 04/13/1995  
 Signature Name/Title On Earliest Reg Form: GEORGE CHRISTY, OPS MGR  
 Application Received Date On Earliest Reg Form: 04/14/1995  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Operator:

Princ ID: 35399022001274  
 Additional ID: 734655632002062  
 Ai Number: 66651  
 Operator CN: CN600242010  
 Operator Name: LEVEL 3 COMMUNICATIONS LLC  
 Operator Effective Begin Date: 01/01/2007  
 Operator Type: CO  
 Operator Role: OPRCON  
 Contact Name: PAYTON MICHAEL/  
 Contact Organization Name: LEVEL 3 COMMUNICATIONS LLC  
 Contact Mailing Address (Delivery): 1025 ELDORADO BLVD  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: BROOMFIELD CO 80021-8254  
 Contact Phone Country Code: 1  
 Contact Phone Area Code: 720  
 Contact Phone Number: 8884958  
 Contact Phone Extension: 0  
 Contact Fax Country Code: Not reported  
 Contact Fax Area Code: Not reported  
 Contact Fax Number: Not reported  
 Contact Fax Extension: Not reported  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TERMINAL (Continued)**

**U002222039**

Owner:

Owner CN: CN600242010  
 Owner Last Name: LEVEL 3 COMMUNICATIONS LLC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): 1025 ELDORADO BLVD  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: BROOMFIELD  
 Contact Mailing State: CO  
 Contact Mailing Zip: 80021  
 Contact Mailing Zip5: 8254  
 Contact Phone Number/Ext: 1 720 8884958/0  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 35399022001274  
 Additional ID: 734655632002062  
 AI Number: 66651  
 Owner Effective Begin Date: 01/01/2007  
 State Tax ID: 14708070405  
 Contact Role: OWNCON  
 Contact Name/Title: PAYTON MICHAEL/  
 Contact Organization Name: LEVEL 3 COMMUNICATIONS LLC

Self Certification:

Self Cert ID: 100165  
 Cert ID: 162646  
 AI Number: 66651  
 Self Certification Date: 12/07/2012  
 Signature Name/Title: PAYTON MICHAEL ENV PROJ MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 04/30/2013  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 100165  
 Cert ID: 162645  
 AI Number: 66651  
 Self Certification Date: 06/17/2011  
 Signature Name/Title: PAYTON MICHAEL ENV PROJ MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TERMINAL (Continued)**

**U002222039**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	04/30/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	100165
Cert ID:	162644
AI Number:	66651
Self Certification Date:	04/23/2007
Signature Name/Title:	JODY WHITE ENV COMP PM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	04/30/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	100165
Cert ID:	162643
AI Number:	66651
Self Certification Date:	05/16/2005
Signature Name/Title:	DELK WATSON QUALITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	10/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	100165
Cert ID:	162642
AI Number:	66651
Self Certification Date:	11/04/2003
Signature Name/Title:	DELK WATSON SENIOR PROJECT MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TERMINAL (Continued)**

**U002222039**

Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	10/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Tank:	
Install Date:	01/01/1985
Tank Registration Date:	04/14/1995
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	174178
Facility ID:	100165
Ai Number:	66651
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/13/2013
Empty:	N
Tank Regulatory Status:	EMERG POWER GENERATOR
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	Y
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TERMINAL (Continued)**

**U002222039**

Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	1000
UST Comprt ID:	153281
UST ID:	174178
AI Number:	66651
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	Y
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS TERMINAL (Continued)**

**U002222039**

More Self Certification:

Self Cert ID: 25948  
 Cert ID: 67424  
 UST Comprt ID: 210444  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 250908  
 UST Comprt ID: 721353  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 67421  
 UST Comprt ID: 210447  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 67675  
 UST Comprt ID: 210437  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 67423  
 UST Comprt ID: 210445  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 67674  
 UST Comprt ID: 210438  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 267387  
 UST Comprt ID: 770178  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TERMINAL (Continued)**

**U002222039**

Self Cert ID:	25948
Cert ID:	67673
UST Comprt ID:	210439
UST ID:	69754
AI Number:	66651
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25948
Cert ID:	67677
UST Comprt ID:	210435
UST ID:	69754
AI Number:	66651
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25948
Cert ID:	285494
UST Comprt ID:	823745
UST ID:	69754
AI Number:	66651
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25948
Cert ID:	67428
UST Comprt ID:	210440
UST ID:	69754
AI Number:	66651
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25948
Cert ID:	67676
UST Comprt ID:	210436
UST ID:	69754
AI Number:	66651
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25948
Cert ID:	67427
UST Comprt ID:	210441
UST ID:	69754
AI Number:	66651
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25948
Cert ID:	67422
UST Comprt ID:	210448
UST ID:	69754
AI Number:	66651
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25948



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS TERMINAL (Continued)**

**U002222039**

Cert ID: 67426  
 UST Comprt ID: 210442  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 233504  
 UST Comprt ID: 670291  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 67425  
 UST Comprt ID: 210443  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 25948  
 Cert ID: 67420  
 UST Comprt ID: 210446  
 UST ID: 69754  
 AI Number: 66651  
 Tank ID: 1  
 Compartment ID: A

**Construction Notification:**

NOC ID: 15880  
 Facility ID: 100165  
 AI Number: 66651  
 Application Received Date: 06/15/2011  
 Scheduled Construction Date: 06/20/2011  
 UST Improvement: N  
 UST Installation: N  
 UST Removal: N  
 UST Repair: Y  
 UST Return To Service: N  
 UST Replacement: N  
 UST Abandonment: N  
 UST Stage I: N  
 AST Installation: N  
 AST Stage I: N  
 Historical Tracking Number: NONE  
 Waiver Flag: N  
 Late Filing Flag: Y  
 Form Received Date: 07/26/2013  
 Signature Date On Form: 06/07/2013  
 Signature Name On Form: PAYTON MICHAEL  
 Signature Company On Form: Not reported  
 Signature Title On Form: Not reported  
 Signature Role: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TERMINAL (Continued)**

**U002222039**

Owner Name At Time Of Construction: Not reported  
 Owner CN At Time Of Construction: Not reported  
 Owner AR At Time Of Construction: 67024  
 General Desc Of Proposed Construction: Not reported

Facility Billing Contacts:

Contact Organization Name: LEVEL 3 COMMUNICATIONS LLC  
 Contact Mailing Address (Delivery): 1025 ELDORADO BLVD  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: BROOMFIELD, CO 80021 8254  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 100165  
 Additional ID: 734655632002062  
 Princ ID: 35399022001274  
 AI Number: 66651  
 Facility Name: DALLAS TERMINAL  
 AR Number: 67024  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: U  
 Contact Name/Title: PAYTON MICHAEL/

192

**MAPES HUDSON ESSEX SERVICE  
 416 N HARWOOD  
 DALLAS, TX**

EDR Hist Auto

**1009372533  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	CHANDLER GARAGE	AUTOMOBILE REPAIRERS
1930	IRELAND S AUTO LNDRY	AUTOMOBILE LAUNDRIES
1936	MAPES HUDSON ESSEX SERVICE	AUTOMOBILE REPAIRING
1936	IRELAND S AUTO SERVICE GARAGE	AUTOMOBILE GARAGES
1941	DEANI P P GARAGE AND BODY SHOP	AUTOMOBILE REPAIRING

192

**OFFICE BUILDING  
 1999 BRYAN STREET  
 DALLAS, TX 75201**

TX ASBESTOS

**S121361851  
 N/A**

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: Vanessa Flores  
 Violation: Not reported  
 Complaint Date: 04/06/2017  
 Notification Number: 2017002185  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**OFFICE BUILDING (Continued)**

**S121361851**

Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 03/16/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 03/16/2017  
 Certification Statement Phone: 214-946-3202  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 42  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 03/30/2017

192 **PIONEER NATURAL RESOURCES USA, INC (TEXAS TEN TRAN  
 1999 BRYAN STREET., SUITE 900  
 DALLAS, TX 75201**

**FINDS 1023623324  
 ECHO N/A**

FINDS:

Registry ID: 110070030354

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**PIONEER NATURAL RESOURCES USA, INC (TEXAS TEN TRANSFER) (Continued) 1023623324**

ECHO:  
 Envid: 1023623324  
 Registry ID: 110070030354  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110070030354>

**192 OXY USA WTP LP (POOL A LEASE) FINDS 1023626047**  
**1999 BRYAN STREET., SUITE 900 ECHO N/A**  
**DALLAS, TX 75201**

FINDS:

Registry ID: 110070033080

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:  
 Envid: 1023626047  
 Registry ID: 110070033080  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110070033080>

**192 IRELAND S AUTO LNDRY EDR Hist Auto 1009372583**  
**418 N HARWOOD N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	IRELAND S AUTO LNDRY	AUTOMOBILE LAUNDRIES

**192 ROSE WILSON CO EDR Hist Auto 1009372645**  
**420 N HARWOOD N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	SERVICE AUTO LAUNDRY	AUTOMOBILE LAUNDRIES
1936	ROSE WILSON CO	AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**192 MCI DALSTX  
 2001 BRYAN TOWER, 5TH FLOOR  
 DALLAS, TX 75201**

**TX TIER 2 S108877587  
 N/A**

TIER 2:

Facility Id/Name: FATR201023GHMS0GWHRM/MCI - DALSTX  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01-11-2011  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200923GHMS0GWHRM/MCI DALSTX  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02-04-2010  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DALSTX (Continued)**

**S108877587**

Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR200823GHMS0GWHRM/MCI - DALSTX
Reporting Year:	2008
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	6/30/2009
Date Tier 2 Signed:	2/2/2009
Mailing Address:	2400 N. Glenville Drive
Mailing City/State/Country:	Richardson, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Karen Mehta/Environmental Manager
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR200723GHMS0GWHRM/MCI - DALSTX
Reporting Year:	2007
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	8/5/2008
Date Tier 2 Signed:	1/23/2008
Mailing Address:	2400 N. Glenville Drive
Mailing City/State/Country:	Richardson, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Karen Mehta/Environmental Rep.
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI DALSTX (Continued)**

**S108877587**

Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR200623GHMS0GWHRM/MCI - DALSTX
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	1/16/2007
Mailing Address:	2400 N. Glenville Drive
Mailing City/State/Country:	Richardson, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Emploeyss On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Karen Mehta/Environmental Rep.
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

Facility Info:

Id:	4813
Id Type:	SIC
Description:	TELEPHONE COM, EXCEPT RADIO
Last Modified:	1/10/2003
Id:	020289070
Id Type:	Dun & Bradstreet
Description:	Not reported
Last Modified:	1/10/2003
Id:	517110
Id Type:	NAICS
Description:	Wired Telecommunications Carriers
Last Modified:	2/2/2009

Contact:

Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	Not reported
Contact Type 1:	Emergency Contact
Contact Name:	Network Management
Title:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI DALSTX (Continued)**

**S108877587**

Modification Date: 2/16/2011

Contact:

Contact Email: jason.weller@verizonbusiness.com  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney  
 Title: Manager  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR201023GHMS0GWHRM  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR201023GHMS0H2HU9  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201023GHMS0H3HV5



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI DALSTX (Continued)**

**S108877587**

Chemical Inventory Record Id: CVTR201023GHMS0H2HU9  
 Amt Of Sub Stored Or Transported: 23596  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR20102T6ZF900QGAW  
 Chemical Inv Record Id: CVTR201023GHMS0H2HU9  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR201023GHMS0GWHRM  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/10/2003  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/10/2003  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management  
 Title: Not reported  
 Modification Date: 2/17/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI DALSTX (Continued)**

**S108877587**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney  
 Title: Manager  
 Modification Date: 2/17/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Chemical Inventory:

Facility Id: FATR200923GHMS0GWHRM  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR200923GHMS0H2HU9  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/12/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200923GHMS0H3HV5  
 Chemical Inventory Record Id: CVTR200923GHMS0H2HU9  
 Amt Of Sub Stored Or Transported: 17996  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DALSTX (Continued)**

**S108877587**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room  
 Last Modified: 2/12/2010

Mixture:

Record Key: CMTR20092T6ZF900QGAW  
 Chemical Inv Record Id: CVTR200923GHMS0H2HU9  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR200923GHMS0GWHRM  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/12/2010

Notes: Not reported  
 Validation: This facility passed all validation checks.  
 Notes: Not reported  
 Validation: This facility passed all validation checks.

192

**BRYAN TOWER  
 2001 BRYAN STREET  
 DALLAS, TX 75201**

**TX ASBESTOS S121062415  
 N/A**

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: Charles Baugh  
 Violation: Not reported  
 Complaint Date: 10/29/2017  
 Notification Number: 2017007525  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 10/10/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRYAN TOWER (Continued)**

**S121062415**

Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/10/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/24/2017
Date of inspection:	Not reported
Reason for Inspection:	Charles Baugh
Violation:	Not reported
Complaint Date:	11/04/2017
Notification Number:	2017008092
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/31/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRYAN TOWER (Continued)**

**S121062415**

Certification Statement Date:	10/31/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	Y
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/31/2017
Date of inspection:	Not reported
Reason for Inspection:	Charles Baugh
Violation:	Not reported
Complaint Date:	04/14/2017
Notification Number:	2017002558
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/31/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	03/31/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BRYAN TOWER (Continued)**

**S121062415**

Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	04/14/2017
Date of inspection:	Not reported
Reason for Inspection:	Charles Baugh
Violation:	Not reported
Complaint Date:	04/15/2017
Notification Number:	2017002926
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	04/16/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	04/16/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	Y
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	04/15/2017
Date of inspection:	Not reported
Reason for Inspection:	Charles Baugh
Violation:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRYAN TOWER (Continued)**

**S121062415**

Complaint Date:	04/28/2017
Notification Number:	2017002558
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	04/11/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	04/11/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	04/21/2017
Date of inspection:	Not reported
Reason for Inspection:	Charles Baugh
Violation:	Not reported
Complaint Date:	12/19/2017
Notification Number:	2017008508
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRYAN TOWER (Continued)**

**S121062415**

Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/13/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/30/2017
Date of inspection:	Not reported
Reason for Inspection:	Charles Baugh
Violation:	Not reported
Complaint Date:	12/13/2017
Notification Number:	2017008508
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/05/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRYAN TOWER (Continued)**

**S121062415**

Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/05/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/30/2017
Date of inspection:	Not reported
Reason for Inspection:	Charles Baugh
Violation:	Not reported
Complaint Date:	12/05/2017
Notification Number:	2017008508
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/16/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRYAN TOWER (Continued)**

**S121062415**

Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/16/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/30/2017
Date of inspection:	Not reported
Reason for Inspection:	Charles Baugh
Violation:	Not reported
Complaint Date:	05/28/2017
Notification Number:	2017003664
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/12/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	05/12/2017
Certification Statement Phone:	469-400-5838
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRYAN TOWER (Continued)**

**S121062415**

Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 05/26/2017

Date of inspection: Not reported  
 Reason for Inspection: Charles Baugh  
 Violation: Not reported  
 Complaint Date: 06/04/2017  
 Notification Number: 2017003664  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 05/25/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 05/25/2017  
 Certification Statement Phone: 469-400-5838  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 1  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 06/02/2017

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

192 MCI- DALSTX (TXDALSTX) TX TIER 2 S112009501  
 2001 BRYAN TOWER FL 5 N/A  
 DALLAS, TX 75201

TIER 2:

Facility Id/Name: FATR2012TXDALSTX/MCI- DALSTX (TXDALSTX)  
 Reporting Year: 2012  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 1/3/2013  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Emploeyess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller - Manager, Global EH&S Compliance  
 Latitude: 32.785723  
 Longitude: -96.796439  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR2011TXDALSTX/MCI- DALSTX (TXDALSTX)  
 Reporting Year: 2011  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1/3/2012  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Emploeyess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller  
 Latitude: 32.785723  
 Longitude: -96.796439  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DALSTX (TXDALSTX) (Continued)**

**S112009501**

Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2013  
 Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 132745892  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2013

Contact:

Contact Email: bruce.ward@verizon.com  
 Contact Mail Address: 1515 Aldine-Meadows Rd  
 Contact City/State/Zip: Houston, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Carl Ward  
 Title: Property Manager  
 Modification Date: 2/23/2013

Contact Email: bruce.ward@verizon.com  
 Contact Mail Address: 1515 Aldine-Meadows Rd  
 Contact City/State/Zip: Houston, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Carl Ward  
 Title: Property Manager  
 Modification Date: 2/23/2013

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DALSTX (TXDALSTX) (Continued)**

**S112009501**

Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 2/24/2013

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR2012TXDALSTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDALSTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 333  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDALSTX91443383723  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 1600

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DALSTX (TXDALSTX) (Continued)**

**S112009501**

Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Exide 150ES  
 Last Modified: 2/23/2013

Record Key: TXDALSTX91443383724  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 5556  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - TERMINAL 2  
 Last Modified: 2/23/2013

Record Key: TXDALSTX91443384438  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 7992  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - TERMINAL 1  
 Last Modified: 2/23/2013

Record Key: TXDALSTX91443384872  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 2844  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - EXDE 9315-80  
 Last Modified: 2/23/2013

Record Key: TXDALSTX91443388392  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 4.16  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panels  
 Last Modified: 2/23/2013

**Mixture:**

Record Key: TXDALSTX9144377860  
 Chemical Inv Record Id: TXDALSTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 7.65  
 Facility Id: FATR2012TXDALSTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/23/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DALSTX (TXDALSTX) (Continued)**

**S112009501**

Notes: Not reported  
 Validation: Not reported

**Facility Info:**

Id: 132745892  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2012  
 Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2012

**Contact:**

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

**Contact:**

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI- DALSTX (TXDALSTX) (Continued)**

**S112009501**

Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 3/30/2012

Chemical Inventory:

Facility Id: FATR2011TXDALSTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDALSTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 333  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/30/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDALSTX91443383723  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 1600  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DALSTX (TXDALSTX) (Continued)**

**S112009501**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Exide 150ES  
 Last Modified: 3/30/2012

Record Key: TXDALSTX91443383724  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 5556  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - TERMINAL 2  
 Last Modified: 3/30/2012

Record Key: TXDALSTX91443384438  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 7992  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - TERMINAL 1  
 Last Modified: 3/30/2012

Record Key: TXDALSTX91443384872  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 2844  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - EXDE 9315-80  
 Last Modified: 3/30/2012

Record Key: TXDALSTX91443388392  
 Chemical Inventory Record Id: TXDALSTX91443  
 Amt Of Sub Stored Or Transported: 4.16  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panels  
 Last Modified: 3/30/2012

Mixture:

Record Key: TXDALSTX9144377860  
 Chemical Inv Record Id: TXDALSTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 7.65  
 Facility Id: FATR2011TXDALSTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/30/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**MCI- DALSTX (TXDALSTX) (Continued)**

**S112009501**

Notes: Not reported  
 Validation: Not reported

**192 MCI - DALSTX  
 "2001 BRYAN TOWER, 5TH FLOOR"  
 DALLAS, TX 75201**

**TX TIER 2 S108440080  
 N/A**

TIER 2:  
 Facility Id/Name: FATR200523GHMS0GWHRM/MCI - DALSTX  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/19/2006  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Env. Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

**192 GAS APPLIANCE SERVICE CORPORATION  
 2014 BRYAN  
 DALLAS, TX**

**EDR Hist Cleaner 1009338088  
 N/A**

EDR Hist Cleaner

Year: Name: Type:  
 1930 GAS APPLIANCE SERVICE CORPORATI LAUNDRY DRYERS

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EDR ID Number EPA ID Number

193 LG MAGNOLIA TX APAR S116382588  
 SEC MCKINNEY AND N GRIFFIN ST N/A  
 DALLAS, TX 75202

APAR:  
 Comm Id Number: 12352531  
 Comm Type Code: APAR  
 Comm Received Date: 07/01/2008  
 Legal Identifier: 2093  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: LG MAGNOLIA  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: PARKING/TRANSIT CENTER  
 Reference Number Text: RN105334130  
 Delivery Text: 1100 MCKINNEY  
 Physical Location Desc: Not reported  
 Latitude: 32.784722  
 Longitude: -96.805277

Detail:  
 Comm Id Number: 12352531  
 Comm Received Date: 7/1/2008  
 Legal Ident Text: 2093  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

194 WOODRUFF ALF H EDR Hist Auto 1009361981  
 2106 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Auto  
 Year: Name: Type:  
 1946 WOODRUFF ALF H AUTOMOBILE REPAIRING

194 PRATHER CADILLAC LA SALLE CO COR PEARL EDR Hist Auto 1009362151  
 2115 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Auto  
 Year: Name: Type:  
 1930 PRATHER CADILLAC LA SALLE CO C AUTOMOBILE REPAIRERS

195 BASKET CASE THE EDR Hist Auto 1009366328  
 2826 ELM ST N/A  
 DALLAS, TX

EDR Hist Auto  
 Year: Name: Type:  
 1981 BASKET CASE THE MOTORCYCLE DEALERS AND REPAIRERS  
 1986 BASKET CASE THE MOTORCYCLE DEALERS AND REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**195 DALLAS MOTOR AND TRANSMISSION EXCHANGE EDR Hist Auto 1009366213**  
**2814 ELM ST N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1971	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1972	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1973	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1974	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1975	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1976	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1977	DALLAS MOTOR AND TRANSMISSION E	AUTOMOBILE REPAIRING
1977	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1978	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1979	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1980	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1981	DALLAS MOTOR AND TRANSMISSION E	AUTOMOBILE REPAIRING
1982	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops
1983	DALLAS MOTOR & TRANSMISSION	General Automotive Repair Shops

**196 ENVIRONMENTAL PROTECTION AGENCY MLTS 1001207563**  
**1445 ROSS AVENUE N/A**  
**DALLAS, TX 75202**

MLTS:

License Number: 42-15778-01  
 First License Date: 10/26/84  
 License Date: 03/11/99  
 Lic. Expiration Date: 05/31/05  
 Contact Name: JIM MILLINS  
 Contact Phone: 214-220-0318  
 Institution Code: 15778  
 Department/Bldg: REGION 6:  
 States Allowing Use: Not reported  
 Store Material Use: No  
 Redistribution Use: No  
 Incinerate Use: No  
 Burial Use: No  
 Last Inspection Date: 06/01/98  
 Next Inspection Date: 07/01/05  
 Licensee Contact: SUPERFUND SUPER.  
 Inspector Name: MAXINE LAPIERRE

**196 USEPA NY MANIFEST S109260488**  
**1445 ROSS AVE(6E - EI) N/A**  
**DALLAS, TX 75202**

NY MANIFEST:

Country: USA  
 EPA ID: TXD039826474  
 Facility Status: Not reported  
 Location Address 1: 1445 ROSS AVE(6E - EI)  
 Code: BP  
 Location Address 2: Not reported  
 Total Tanks: Not reported  
 Location City: DALLAS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**USEPA (Continued)**

**S109260488**

Location State: TX  
 Location Zip: 75202  
 Location Zip 4: Not reported

**NY MANIFEST:**

EPAID: TXD039826474  
 Mailing Name: USEPA  
 Mailing Contact: ROBERT M SULLIVAN  
 Mailing Address 1: 1445 ROSS AVE (6E - EI)  
 Mailing Address 2: Not reported  
 Mailing City: DALLAS  
 Mailing State: TX  
 Mailing Zip: 75202  
 Mailing Zip 4: Not reported  
 Mailing Country: USA  
 Mailing Phone: 2146552223

**NY MANIFEST:**

Document ID: NYB4850883  
 Manifest Status: C  
 seq: Not reported  
 Year: 1993  
 Trans1 State ID: ALD981023  
 Trans2 State ID: Not reported  
 Generator Ship Date: 05/06/1993  
 Trans1 Recv Date: 05/06/1993  
 Trans2 Recv Date: / /  
 TSD Site Recv Date: 05/10/1993  
 Part A Recv Date: / /  
 Part B Recv Date: 05/20/1993  
 Generator EPA ID: TXD039826474  
 Trans1 EPA ID: ALD981023492  
 Trans2 EPA ID: Not reported  
 TSDF ID 1: NYD080469935  
 TSDF ID 2: Not reported  
 Manifest Tracking Number: Not reported  
 Import Indicator: Not reported  
 Export Indicator: Not reported  
 Discr Quantity Indicator: Not reported  
 Discr Type Indicator: Not reported  
 Discr Residue Indicator: Not reported  
 Discr Partial Reject Indicator: Not reported  
 Discr Full Reject Indicator: Not reported  
 Manifest Ref Number: Not reported  
 Alt Facility RCRA ID: Not reported  
 Alt Facility Sign Date: Not reported  
 MGMT Method Type Code: Not reported  
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
 Waste Code: Not reported  
 Waste Code: Not reported  
 Waste Code: Not reported  
 Waste Code: Not reported  
 Waste Code: Not reported  
 Quantity: 40680  
 Units: P - Pounds  
 Number of Containers: 001  
 Container Type: TT - Cargo tank, tank trucks

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**USEPA (Continued)**

**S109260488**

Handling Method: B Incineration, heat recovery, burning.  
 Specific Gravity: 100

[Click this hyperlink](#) while viewing on your computer to access  
 2 additional NY\_MANIFEST: record(s) in the EDR Site Report.

196

**FOUNTAIN PLACE CLEANERS  
 1445 ROSS AVE STE B105  
 DALLAS, TX 75202**

**FINDS 1010780928  
 N/A**

**FINDS:**

Registry ID: 110034090454

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access  
 additional FINDS: detail in the EDR Site Report.

196

**HUNT OIL CO  
 1445 ROSS STE 1400  
 DALLAS, TX 75202**

**ICIS 1018298484  
 N/A**

**ICIS:**

Enforcement Action ID: 06-1995-0140  
 FRS ID: 110010699333  
 Action Name: HUNT OIL COMPANY  
 Facility Name: HUNT OIL CO  
 Facility Address: 1445 ROSS STE 1400  
 DALLAS, TX 75202  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 16  
 Facility SIC Code: 1311  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.784355  
 Longitude in Decimal Degrees: -96.802325  
 Permit Type Desc: Not reported  
 Program System Acronym: 6541  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: HUNT OIL CO  
 Address: 1445 ROSS SUITE 1400

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**HUNT OIL CO (Continued)**

**1018298484**

Tribal Indicator:	N
Fed Facility:	Not reported
NAIC Code:	Not reported
SIC Code:	1311
Facility Name:	HUNT OIL CO
Address:	1445 ROSS SUITE 1400
Tribal Indicator:	N
Fed Facility:	Not reported
NAIC Code:	Not reported
SIC Code:	1311

---

**196 USEPA REGION 6  
1445 ROSS AVE  
DALLAS, TX 75202**

**FINDS 1015982000  
N/A**

**FINDS:**

Registry ID: 110045470254

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

---

**196 ENVIRONMENTAL PROTECTION AGENCY  
1445 ROSS AVENUE, (B)(7)(F)  
DALLAS, TX 75202**

**MLTS 1016152825  
N/A**

**MLTS:**

License Number:	42-26976-01
First License Date:	02/15/89
License Date:	06/11/92
Lic. Expiration Date:	02/28/94
Contact Name:	RICHARD HORNE
Contact Phone:	214-742-6601
Institution Code:	26976
Department/Bldg:	REGION VI::
States Allowing Use:	Not reported
Store Material Use:	No
Redistribution Use:	No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ENVIRONMENTAL PROTECTION AGENCY (Continued)**

**1016152825**

Incinerate Use: No  
 Burial Use: No  
 Last Inspection Date: 08/01/90  
 Next Inspection Date: Not reported  
 Licensee Contact: Not reported  
 Inspector Name: RICHARD HORNE

**196 GULF COAST COMMUNITY HOSPITAL  
 1445 ROSS AVE STE 1400  
 DALLAS, TX 75202**

**EDR Hist Auto 1021097016  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
2010	GULF COAST COMMUNITY HOSPITAL	Gasoline Service Stations, NEC
2011	GULF COAST COMMUNITY HOSPITAL	Gasoline Service Stations, NEC
2012	GULF COAST COMMUNITY HOSPITAL	Gasoline Service Stations, NEC
2013	GULF COAST COMMUNITY HOSPITAL	Gasoline Service Stations, NEC
2014	GULF COAST COMMUNITY HOSPITAL	Gasoline Service Stations, NEC
2014	BMB AUTO LLC	General Automotive Repair Shops

**196 1445 ROSS AVE  
 DALLAS, TX 75202**

**ERNS 2011982759  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**196 JONES HENNING CORP  
 1445 ROSS AVE STE 1B  
 DALLAS, TX 75202**

**EDR Hist Cleaner 1020015233  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1988	VALET OF FOUNTAIN PLACE	Drycleaning Plants, Except Rugs
1988	JONES HENNING CORP	Drycleaning Plants, Except Rugs
1989	JONES HENNING CORP	Drycleaning Plants, Except Rugs
1989	VALET OF FOUNTAIN PLACE	Drycleaning Plants, Except Rugs
1990	VALET OF FOUNTAIN PLACE	Drycleaning Plants, Except Rugs
1990	JONES HENNING CORP	Drycleaning Plants, Except Rugs
1991	JONES HENNING CORP	Drycleaning Plants, Except Rugs
1991	VALET OF FOUNTAIN PLACE	Drycleaning Plants, Except Rugs
1992	JONES HENNING CORP	Drycleaning Plants, Except Rugs
1993	JONES HENNING CORP	Drycleaning Plants, Except Rugs
1994	JONES HENNING CORP	Drycleaning Plants, Except Rugs
1995	JONES HENNING CORP	Drycleaning Plants, Except Rugs

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

196 FOUNTAIN PLACE  
 1445 ROSS AVE.  
 DALLAS, TX 75206

TX DRYCLEANERS S107983003  
 TX ASBESTOS N/A

DRYCLEANERS:

RN Number: RN103982427  
 Region: REGION 04 - DFW METROPLEX  
 CN Number: CN602474132  
 DCR Number: DCR12347  
 AR Number: 24000395  
 Principal Name: MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS  
 Bill Addr1: 1445 ROSS AVE STE B105  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 2716  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: Not reported  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2015  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN103982427  
 Region: REGION 04 - DFW METROPLEX  
 CN Number: CN605070689  
 DCR Number: DCR12347  
 AR Number: 24007355  
 Principal Name: SOMM CORPORATION  
 Bill Addr1: 1324 ELM ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 4016  
 EMail: Not reported  
 Phone Number: 214 3161486  
 Site Name: Not reported  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2016  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN103982427  
 Region: 4  
 CN Number: CN602474132  
 DCR Number: Not reported  
 AR Number: 24000395  
 Principal Name: MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS  
 Bill Addr1: 1445 ROSS AVE STE B105  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 2716  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: FOUNTAIN PLACE CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUNTAIN PLACE (Continued)**

**S107983003**

Fiscal Year:	FY2004
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	Not reported
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75202 2716
EMail:	Not reported
Phone Number:	214 7540402
Site Name:	FOUNTAIN PLACE CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2005
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	Not reported
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75202 2716
EMail:	Not reported
Phone Number:	214 7540402
Site Name:	FOUNTAIN PLACE CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2006
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75202 2716
EMail:	Not reported
Phone Number:	214 7540402

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUNTAIN PLACE (Continued)**

**S107983003**

Site Name:	FOUNTAIN PLACE CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2007
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75202 2716
EEmail:	Not reported
Phone Number:	214 7540402
Site Name:	FOUNTAIN PLACE CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2008
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75202 2716
EEmail:	Not reported
Phone Number:	214 7540402
Site Name:	FOUNTAIN PLACE CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2009
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUNTAIN PLACE (Continued)**

**S107983003**

Bill City/State/Zip:	DALLAS, TX 75202 2716
EMail:	Not reported
Phone Number:	214 7540402
Site Name:	FOUNTAIN PLACE CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2010
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75202 2716
EMail:	Not reported
Phone Number:	214 7540402
Site Name:	FOUNTAIN PLACE CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2011
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75202 2716
EMail:	Not reported
Phone Number:	214 7540402
Site Name:	FOUNTAIN PLACE CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2012
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	\$150,000 OR LESS
RN Number:	RN103982427
Region:	4
CN Number:	CN602474132
DCR Number:	Not reported
AR Number:	24000395

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUNTAIN PLACE (Continued)**

**S107983003**

Principal Name: MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS  
 Bill Addr1: 1445 ROSS AVE STE B105  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 2716  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: FOUNTAIN PLACE CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2013  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: KIM I MCGRAW  
 Violation: Not reported  
 Complaint Date: 08/25/2016  
 Notification Number: 2016006340  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 05/19/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUNTAIN PLACE (Continued)**

**S107983003**

Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	Not reported
Reason for Inspection:	HEATH WATSON
Violation:	Not reported
Complaint Date:	08/23/2016
Notification Number:	2016006939
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/19/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	Not reported
Reason for Inspection:	MELVIN BALCARCEL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FOUNTAIN PLACE (Continued)**

**S107983003**

Violation:	Not reported
Complaint Date:	02/28/2017
Notification Number:	2017000862
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/30/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/30/2017
Certification Statement Phone:	214-243-7859
Is The Facility a School or K-12?:	Y
Region:	03
Priority:	HIGH
ARU:	109
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/13/2017
Date of inspection:	Not reported
Reason for Inspection:	Joy Pope
Violation:	Not reported
Complaint Date:	08/23/2017
Notification Number:	2017005966
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUNTAIN PLACE (Continued)**

**S107983003**

Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/22/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/22/2017
Certification Statement Phone:	214-774-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/23/2017
Date of inspection:	Not reported
Reason for Inspection:	Joy Pope
Violation:	Not reported
Complaint Date:	08/23/2017
Notification Number:	2017005966
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/10/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUNTAIN PLACE (Continued)**

**S107983003**

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/10/2017
Certification Statement Phone:	214-774-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/23/2017
Date of inspection:	Not reported
Reason for Inspection:	Joy Pope
Violation:	Not reported
Complaint Date:	08/23/2017
Notification Number:	2017005966
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/09/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUNTAIN PLACE (Continued)**

**S107983003**

Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 08/09/2017  
 Certification Statement Phone: 214-774-9599  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 08/23/2017

196

**HUNT OIL CO  
 1445 ROSS SUITE 1400  
 DALLAS, TX 75202**

**FINDS 1016284469  
 ECHO N/A**

**FINDS:**

Registry ID: 110010699333

**Environmental Interest/Information System**

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1016284469  
 Registry ID: 110010699333  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010699333>

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

---

196	<b>1445 ROSS AVE. DALLAS, TX 75202</b>	<b>ERNS 2007855311 N/A</b>
-----	--	--------------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

197	<b>EDWARDS AND BALLARD 910 MC KINNEY AVE DALLAS, TX</b>	<b>EDR Hist Auto 1009385014 N/A</b>
-----	---	---

EDR Hist Auto

Year: Name:	Type:
1941 EDWARDS AND BALLARD	GASOLINE AND OIL SERVICE STATIONS

197	<b>WAREHOUSE 1006 MCKINNEY AVE DALLAS, TX 75202</b>	<b>TX UST U001736082 N/A</b>
-----	---	----------------------------------

UST:

AI Number:	65275
Facility Type:	RETAIL
Facility Begin Date:	12/30/1993
Facility Status:	INACTIVE
Additional ID:	926383792003307
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75202
Contact Name/Title:	JOHN ARNOLD,
Contact Organization Name:	WAREHOUSE
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147204020
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	12/22/1993
Signature Name/Title On Earliest Reg Form:	NEWT WALKER,
Application Received Date On Earliest Reg Form:	12/30/1993
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN600767156
Owner Last Name:	LAWS PROPERTIES JOINT VENTURE
Owner First Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WAREHOUSE (Continued)**

**U001736082**

Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	150662812002045
Additional ID:	926383792003307
AI Number:	65275
Owner Effective Begin Date:	12/30/1993
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	08/31/1987
Tank Registration Date:	12/30/1993
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	149404
Facility ID:	97090
AI Number:	65275
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/28/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WAREHOUSE (Continued)**

**U001736082**

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	2000
UST Comprt ID:	152153
UST ID:	149404
AI Number:	65275
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WAREHOUSE (Continued)**

**U001736082**

SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	25411
Cert ID:	241084
UST Comprt ID:	692573
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	257212
UST Comprt ID:	739892
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	274449
UST Comprt ID:	791031
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	224948
UST Comprt ID:	645312
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69335
UST Comprt ID:	215904
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69334

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WAREHOUSE (Continued)**

**U001736082**

UST Compr ID:	215905
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69333
UST Compr ID:	215906
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69332
UST Compr ID:	215907
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69331
UST Compr ID:	215908
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69330
UST Compr ID:	215909
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69329
UST Compr ID:	215910
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69328
UST Compr ID:	215911
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69327
UST Compr ID:	215912



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WAREHOUSE (Continued)**

**U001736082**

UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69326
UST Comprt ID:	215915
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69325
UST Comprt ID:	215914
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	69324
UST Comprt ID:	215913
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	25411
Cert ID:	290884
UST Comprt ID:	839736
UST ID:	80196
AI Number:	65275
Tank ID:	1
Compartment ID:	A

Facility Billing Contacts:

Contact Organization Name:	LAWS PROPERTIES JOINT VENTURE
Contact Mailing Address (Delivery):	2519 THOMAS AVE
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 2039
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	97090
Additional ID:	926383792003307
Princ ID:	150662812002045
AI Number:	65275
Facility Name:	WAREHOUSE
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	NEWT WALKER/

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>198</b>	<b>ADAMS MARK HOTEL</b> <b>400 OLIVE ST</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1010746949</b> <b>N/A</b>
------------	---	--------------	---------------------------------

FINDS:

Registry ID: 110033527672

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>198</b>	<b>TEXAS UTILITIES ELECTRIC CO.</b> <b>400 NORTH OLIVE STREET</b> <b>DALLAS, TX 73201</b>	<b>MLTS</b>	<b>1001210961</b> <b>N/A</b>
------------	---	-------------	---------------------------------

MLTS:

License Number: SNM-1912  
 First License Date: 02/09/84  
 License Date: 12/01/88  
 Lic. Expiration Date: 12/31/91  
 Contact Name: W. COUNSIL  
 Contact Phone: Not reported  
 Institution Code: 19488  
 Department/Bldg: COMANCHE PEAK #1::  
 States Allowing Use: Not reported  
 Store Material Use: No  
 Redistribution Use: No  
 Incinerate Use: No  
 Burial Use: No  
 Last Inspection Date: 06/01/86  
 Next Inspection Date: Not reported  
 Licensee Contact: Not reported  
 Inspector Name: Not reported

<b>198</b>	<b>TEXAS UTILITIES ELECTRIC CO.</b> <b>400 N. OLIVE, L.B. 81</b> <b>DALLAS, TX 75201</b>	<b>MLTS</b>	<b>1001210962</b> <b>N/A</b>
------------	--	-------------	---------------------------------

MLTS:

License Number: SNM-1986  
 First License Date: 09/27/89  
 License Date: 02/02/93  
 Lic. Expiration Date: 09/30/94  
 Contact Name: WILLIAM CAHILL  
 Contact Phone: 214-812-8688  
 Institution Code: 23711  
 Department/Bldg: ::SKYWAY TOWER  
 States Allowing Use: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TEXAS UTILITIES ELECTRIC CO. (Continued)**

**1001210962**

Store Material Use: No  
 Redistribution Use: No  
 Incinerate Use: No  
 Burial Use: No  
 Last Inspection Date: Not reported  
 Next Inspection Date: Not reported  
 Licensee Contact: JR. EXEC VP  
 Inspector Name: Not reported

198

**SHERATON DALLAS HOTEL  
 400 OLIVE ST  
 DALLAS, TX 75201**

**TX AST A100173828  
 N/A**

AST:

Facility ID: 97434  
 Additional ID: 266010292002157  
 AI Number: 65463  
 Facility Type: Not reported  
 Facility Begin Date: 03/10/1994  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 2  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75201  
 Contact Name/Title: DAVID REYES/  
 Contact Organization Name: SHERATON DALLAS HOTEL  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact CityStateZip: Not reported  
 Contact Telephone: 2149220368  
 Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date on Earliest Reg Form: 02/22/1994  
 Signature First Name on Earliest Reg Form: MICHAEL W  
 Application Received Date on Earliest Reg Form: 03/09/1994  
 Signature Middle Name on Earliest Reg Form: Not reported  
 Signature Last Name on Earliest Reg Form: TOWNER  
 Signature Title on Earliest Reg Form: VP  
 Signature Role on Earliest Reg Form: Not reported  
 Signature Company on Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: N  
 Facility Not Inspectable Reason A: Not reported  
 Facility Not Inspectable Reason B: Not reported  
 Enforcement Action Date: Not reported

Facility:

Facility ID: 97434  
 Tank ID: 2  
 AST ID: 167261  
 AI Number: 65463  
 Install Date: 08/31/1989

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SHERATON DALLAS HOTEL (Continued)**

**A100173828**

Tank Registration Date:	03/09/1994
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	08/31/1989
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	10000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	97434
Tank ID:	1
AST ID:	167262
AI Number:	65463
Install Date:	08/31/1989
Tank Registration Date:	03/09/1994
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	08/31/1989
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	10000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>198</b>	<b>400 N OLIVE DALLAS, TX 75201</b>	<b>ERNS</b>	<b>94233137 N/A</b>
------------	---	-------------	-------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

<b>198</b>	<b>ADAM'S MARK HOTEL 400 N OLIVE ST DALLAS, TX</b>	<b>TX GCC</b>	<b>S111380463 N/A</b>
------------	--	---------------	---------------------------

GCC:

Division:	RMD/VC
New Cases:	Not reported
File Number:	2138
Contamination Description:	VOCS, CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	1/31/2008
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

Division:	RMD/VC
New Cases:	Not reported
File Number:	2138
Contamination Description:	VOCS, CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	1/31/2008
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>199</b>	<b>SUN-AGE INC</b>	<b>EDR Hist Auto</b>	<b>1021225792</b>
	<b>500 N AKARD ST STE 3550</b>		<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

EDR Hist Auto

Year:	Name:	Type:
2001	SUN-AGE INC	Gasoline Service Stations
2002	SUN-AGE INC	Gasoline Service Stations
2003	SUN-AGE INC	Gasoline Service Stations
2006	AFAMIA INC	Gasoline Service Stations, NEC
2007	AFAMIA INC	Gasoline Service Stations, NEC
2008	AFAMIA INC	Gasoline Service Stations, NEC
2009	AFAMIA INC	Gasoline Service Stations, NEC
2010	AFAMIA INC	Gasoline Service Stations, NEC
2011	AUTO COUNTRY INC	General Automotive Repair Shops
2012	AUTO COUNTRY INC	General Automotive Repair Shops

<b>199</b>	<b>ROSS TOWER</b>	<b>TX Ind. Haz Waste</b>	<b>S120821990</b>
	<b>500 N AKARD STREET</b>	<b>TX ASBESTOS</b>	<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

Ind. Haz Waste:

Registration Number:	88397
Registration Initial Notification Date:	09/21/2007
Registration Last Amendment Date:	02/05/2018
EPA Identification:	TXR000079028
Primary NAICS Code:	212322
Status Change Date:	20170808
Land Type:	PRIVATE
Description of Facility Site Location:	FM 1786 5 MILES SOUTH OF US HWY 79 BLDG 3990 ROCKDALE TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	Yes
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	INDUS, CESQG
TNRCC Region:	Not reported
Company Name:	ARCONIC INC
Contact Name:	SID STROUD
Contact Telephone Number:	214-8759129
Mailing Address:	500 N AKARD ST
Mailing Address2:	LP 12
Mailing City, St, Zip:	DALLAS, TX 752013302
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	121916
Site Owner Tax ID:	250317820
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20180205
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: PO BOX 472  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: ROCKDALE, TX 76567 0472  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-8759129  
 Owner Fax Number: 1-214-8122294  
 Owner Email Address: sid.stroud@luminant.com  
 Owner Business Type: Corporation  
 Owner Tax Id: 12503178209  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: ALCOA INC  
 Operator First Name: Not reported  
 Operator Name: ALCOA INC  
 Operator Mailing Address: PO BOX 472  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: ROCKDALE, TX 76567 0472  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-8759129  
 Operator Fax: 1-214-8122294  
 Operator Email: sid.stroud@luminant.com  
 Operator Business Type: Corporation  
 Operator Tax Id: 12503178209  
 Operator Bankruptcy Code: Not reported

Operator:

Operator Last Name: LUMINANT MINING COMPANY LLC  
 Operator First Name: Not reported  
 Operator Name: LUMINANT MINING COMPANY LLC  
 Operator Mailing Address: Not reported  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: Not reported  
 Operator Country: Not reported  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17529678215  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: PO BOX 472  
 Contact Address2: Not reported  
 Contact City,St,Zip: ROCKDALE, TX 76567 0472  
 Contact Phone: 1-214-8759129  
 Contact Fax: 1-214-8122294  
 Contact Email: sid.stroud@luminant.com

Contact:

Contact Name: SID STROUD  
 Contact Title: ENVIRONMENTAL MANAGER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Contact Role:	PRICONT
Contact Address:	500 N AKARD ST
Contact Address2:	LP 12
Contact City,St,Zip:	DALLAS, TX 75201 3302
Contact Phone:	1-214-8759129
Contact Fax:	1-214-8122294
Contact Email:	sid.stroud@luminant.com
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	PO BOX 472
Contact Address2:	Not reported
Contact City,St,Zip:	ROCKDALE, TX 76567 0472
Contact Phone:	1-214-8759129
Contact Fax:	1-214-8122294
Contact Email:	sid.stroud@luminant.com
<b>Unit:</b>	
Unit No:	001
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	INACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	8
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrial Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Dumpsters located where needed for facility trash
Dt Last Changed:	20170628
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	,
<b>Unit:</b>	
Unit No:	002
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	14
Unit Type:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Unit Status:	INACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Container storage area adjacent to shop for storage prior to off-site shipment f
Dt Last Changed:	20170628
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	,
Unit:	
Unit No:	003
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	13
Unit Type:	Not reported
Unit Status:	INACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	4000
Capacity Measurement:	Galons
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Two 2,000 gallon tanks, plumbed together for storage of spent antifreeze.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Dt Last Changed: 20170628  
 TNRCC Facility ID: Not reported  
 Unit ID: Not reported  
 Unit Description: Not reported  
 WastelD: ,

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 227837  
 Waste Description: Uncontaminated concrete/cement/construction debris; Solid waste registration num  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 29253902  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: CONSTRUCTION DEBRIS  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: NOR INACTIVATED  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 227836  
 Waste Description: Used Safety Kleen parts washer solvent.; Solid waste registration number and fac  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 2924219H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Audit Performed: No  
 Company Waste ID: PARTS WASHER SOLVENT  
 Primary NAICS Code: 212111  
 EPA Waste Form Code: W219  
 Reason Waste Form No Longer Gen.: NOR INACTIVATED  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 224808  
 Waste Description: Out of date non-hazardous household and agricultural chemicals.  
 Generated from t

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 29230091  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: NON-HAZ LAB PACK  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: NOR INACTIVATED  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 224807  
 Waste Description: Out of date halogenated pesticide solids generated from the cleanup of  
 propertie

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 29224011  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: PESTICIDE SOLID  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: NOR INACTIVATED  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 224608

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Waste Description:	Used antifreeze generated by the removal of antifreeze from fleet vehiclesand eq
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	23202961
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	1
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	USED ANTIFREEZE
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	NOR INACTIVATED
EPA Haz Waste:	Not reported
<b>Waste:</b>	
Waste ID:	224607
Waste Description:	Generating by the removal of grease and heavy lubricant from draglines andequipm
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	22204091
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	1
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	SPENT HEAVY LUBRICAN
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	NOR INACTIVATED
EPA Haz Waste:	Not reported
<b>Waste:</b>	
Waste ID:	224489
Waste Description:	Lab pack of miscellaneous household and farm and ranch chemicals. Generatedfrom
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	2921009H
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	H

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: LAB PACK HAZARDOUS  
 Primary NAICS Code: 212111  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: NOR INACTIVATED  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 224163  
 Waste Description: Asbestos containing material generated by the removal of asbestos containing mat  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 27133111  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: ASBESTOS  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: NOR INACTIVATED  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 223790  
 Waste Description: Uncontaminated office and plant trash as defined in 30TAC335.508(3)(A); Solid wa  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 29209992  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Audit Performed: Yes  
 Company Waste ID: PLANT TRASH  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: NOR INACTIVATED  
 EPA Haz Waste: Not reported

**Waste:**

Waste ID: 223631  
 Waste Description: Petroleum contaminated debris-including absorbent material used on shop floor, a  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 25204891  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: NOR INACTIVATED  
 EPA Haz Waste: Not reported

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: MELVIN BALCARCEL  
 Violation: Not reported  
 Complaint Date: 03/25/2017  
 Notification Number: 2017002102  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 03/13/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROSS TOWER (Continued)**

**S120821990**

Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 03/13/2017  
 Certification Statement Phone: 214-243-7859  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 03/25/2017

199

**BREMOND STRIP  
 500 N AKARD STREET STE. 12-010A  
 DALLAS, TX 75201**

**ABANDONED MINES 1018268605  
 N/A**

**ABANDONED MINES:**

Mine ID: 4102788  
 Mine Type: Surface  
 Mine Status Description: Abandoned  
 Mine Status Date: 2016-03-30 00:00:00  
 Coal (C) or Metal (M) Mine: C  
 Controller ID: 0129941  
 Controller Name: Vistra Energy  
 Operator ID: P00650  
 Operator name: Luminant Mining Company LLC  
 Address of Record Street: 6555 Sierra Drive 3N-62F  
 Address of Record PO Box: Not reported  
 Address of Record City: Irving  
 Address of Record State: TX  
 Address of Record Zip Code: 75039  
 Assessment Address Street: 6555 Sierra Drive 3N-62F  
 Assessment Address PO Box: Not reported  
 Assessment Address City: Irving  
 Assessment Address State: TX  
 Assessment Address Zip Code: 750392479  
 Mine Health and Safety Address Street: 4999A East Highway 7  
 Mine Health and Safety Address PO Box: Not reported  
 Mine Health and Safety Address City: Kosse  
 Mine Health and Safety Address State: TX  
 Mine Health and Safety Address Zip Code: 76653  
 Latitude: 31.183056  
 Longitude: 96.543056

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

199 ONE LINCOLN PLAZA TX UST U001292848  
 500 N AKARD ST N/A  
 DALLAS, TX 75201

UST:

AI Number: 63962  
 Facility Type: Not reported  
 Facility Begin Date: 12/28/1992  
 Facility Status: INACTIVE  
 Additional ID: 484662222003073  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: ,  
 Contact Organization Name: ONE LINCOLN PLAZA  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2149543300  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 11/24/1992  
 Signature Name/Title On Earliest Reg Form: DONALD R BROWN,PRESIDENT  
 Application Received Date On Earliest Reg Form: 12/01/1992  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN601556830  
 Owner Last Name: METROPOLITAN LIFE INS  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 475662212003073  
 Additional ID: 484662222003073  
 AI Number: 63962  
 Owner Effective Begin Date: 02/08/1999  
 State Tax ID: Not reported  
 Contact Role: Not reported  
 Contact Name/Title: /



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONE LINCOLN PLAZA (Continued)**

**U001292848**

Contact Organization Name:	Not reported
Tank:	
Install Date:	04/01/1983
Tank Registration Date:	12/01/1992
Number of Compartments:	1
Tank Capacity:	1010
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	147310
Facility ID:	94897
Ai Number:	63962
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/10/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONE LINCOLN PLAZA (Continued)**

**U001292848**

Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	11/12/1992
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	1010
UST Comprt ID:	155269
UST ID:	147310
AI Number:	63962
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

**Facility Billing Contacts:**

Contact Organization Name:	METROPOLITAN LIFE INS
Contact Mailing Address (Delivery):	500 N AKARD ST STE 3450
Contact Mailing Address (Internal Delivery):	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONE LINCOLN PLAZA (Continued)**

**U001292848**

Contact Mailing City/State/Zip: DALLAS, TX 75201 3392  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 94897  
 Additional ID: 484662222003073  
 Princ ID: 475662212003073  
 AI Number: 63962  
 Facility Name: ONE LINCOLN PLAZA  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: LINCOLN PLAZAMGMT/

199

**RUSSELLS  
 500 NORTH AKARD SUITE 8  
 DALLAS, TX 75201**

**FINDS 1006281586  
 N/A**

FINDS:

Registry ID: 110011612754

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

199

**TXU ELECTRIC DELIVERY COMPANY  
 500 N. AKARD STREET  
 DALLAS, TX 75201**

**ICIS 1010038162  
 FINDS N/A  
 ECHO**

ICIS:

Enforcement Action ID: 06-2007-6082  
 FRS ID: 110028072680  
 Action Name: TXU Electric Delivery Company  
 Facility Name: TXU ELECTRIC DELIVERY COMPANY  
 Facility Address: 500 N. AKARD STREET  
 DALLAS, TX 75201  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 16  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.78366  
 Longitude in Decimal Degrees: -96.800433  
 Permit Type Desc: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TXU ELECTRIC DELIVERY COMPANY (Continued)**

**1010038162**

Program System Acronym: 8027442  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-2005-0874  
 FRS ID: 110028072680  
 Action Name: TXU Electric Delivery (NOD)  
 Facility Name: TXU ELECTRIC DELIVERY COMPANY  
 Facility Address: 500 N. AKARD STREET  
 DALLAS, TX 75201

Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 16  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.78366  
 Longitude in Decimal Degrees: -96.800433  
 Permit Type Desc: Not reported  
 Program System Acronym: 8027442  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: TXU ELECTRIC DELIVERY COMPANY  
 Address: 500 N. AKARD STREET  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 4911

Facility Name: TXU ELECTRIC DELIVERY COMPANY  
 Address: 500 N. AKARD STREET  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 4911

**FINDS:**

Registry ID: 110028072680

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include;

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

**TXU ELECTRIC DELIVERY COMPANY (Continued)**

**1010038162**

Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1010038162
Registry ID:	110028072680
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110028072680">http://echo.epa.gov/detailed-facility-report?fid=110028072680</a>

200

**EDWARDS GARAGE  
406 N HARWOOD  
DALLAS, TX**

**EDR Hist Auto**

**1009372017  
N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	EDWARDS GARAGE	AUTOMOBILE REPAIRERS

201

**2625 ELM STREET  
2625 ELM STREET  
DALLAS, TX 75226**

**TX VCP  
TX MSD  
TX GCC**

**S111748389  
N/A**

VCP TCEQ:

Region:	4
Facility ID:	2488
Facility Type:	Commercial Office Building
VCP Received:	03/15/2012
PCA Number:	34681
Project Number:	Swiderski
Type Lead:	Owner
Phase:	Investigation
Lat/Long:	Not reported
Lat/Long (DD):	32.78481 / -96.78540
Acres at Site:	2.2456
Contaminant Categories:	VOCs,SVOCs,Heavy Metals,Chl Sol, TPH
Media Affected:	Soil,Groundwater
Applicant:	UPLIFT Education
Applicant Contact Title:	CEO
Applicant Address:	606 E. Royal Lane
Applicant City,St,Zip:	Irving, TX 75039
Applicant Phone:	469-644-5327
Applicant Fax:	Not reported
Consultant/Attorney:	Winstead PC
Consultant/Attorney Name:	Stan Harvey
Consultant/Attorney Contact Title:	Attorney
Consultant/Attorney Address:	5400 Renaissance Tower, 1201 Elm Street
Consultant/Attorney City,St,Zip:	Dallas, TX 75270
Consultant/Attorney Phone:	214-745-5393
Consultant/Attorney Fax:	Not reported
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	Not reported
Standards:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2625 ELM STREET (Continued)**

**S111748389**

TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 03/15/2012  
 App Accepted?: Y  
 Date Accepted: 05/01/2012  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 346810  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: UPLIFT Education  
 Billing c/o Name: Yasmin Bhatia  
 Billing Address1: 606 E Royal Lane  
 Billing Address2: Not reported  
 Billing City: Irving  
 Billing State: TX  
 Billing Zip: 75039  
 Billing Phone: 469-644-5327  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D219/CR

**MSD:**

Id: 300  
 Project Manager: Chris Swiderski  
 MSD Certification Number: 300  
 MSD Application Number: MSD AP 300  
 Acres: 3.62599999  
 GW Zone Feet To: 27  
 Feet: 4  
 Contaminants: BIS(2-CHLOROETHYL)ETHER|DICHLOROETHYLENE, CIS-1,2-|DICHLOROPROPANE, 1,2-|TRICHLOROETHYLENE|TRICHLOROETHANE,1,1,2-|VINYL CHLORIDE|TPH  
 Applicant: Uplight Education  
 Updated: 09/02/2015  
 Remediation Program PM: Chris Swiderski  
 Application Received Date: 08/31/2015  
 90 Day Deadline: 11/29/2015  
 Status: Certified  
 Precertification Date: Not reported  
 Certification Date: 03/29/2016  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: True  
 HB3030: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2625 ELM STREET (Continued)**

**S111748389**

Other Program: VCP 2488  
 CN: CN603709213  
 RN: RN106373913

**GCC:**

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2488  
 Contamination Description: SVOCS, METALS  
 Date Of Earliest Known Contamination Confirmation: 5/1/2012  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2B  
 Data Quality 1: E  
 Section 5236: Not reported

Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2488  
 Contamination Description: SVOCS, METALS  
 Date Of Earliest Known Contamination Confirmation: 5/1/2012  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: Not reported  
 Data Quality 1: E  
 Section 5236: Not reported

Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2488  
 Contamination Description: SVOCS, METALS  
 Date Of Earliest Known Contamination Confirmation: 5/1/2012  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2  
 Data Quality 1: E  
 Section 5236: Not reported

Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2625 ELM STREET (Continued)**

**S111748389**

New Cases: \*

File Number: 2488

Contamination Description: SVOCS, HEAVY METALS

Date Of Earliest Known Contamination Confirmation: 5/1/2012

Enforcement Status - Level Of Agency Response: 0B

Enforcement Status - Site Activity Status: 2

Data Quality 1: E

Section 5236: Not reported

Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported

Section: Not reported

Year Deleted: Not reported

Location: Not reported

Data Quality 2: Not reported

Division: REM/VC

New Cases: Not reported

File Number: 2488

Contamination Description: CHLORINATED SOLVENTS, TPH SVOCS, METALS

Date Of Earliest Known Contamination Confirmation: 5/1/2012

Enforcement Status - Level Of Agency Response: 0B

Enforcement Status - Site Activity Status: 1A

Data Quality 1: E

Section 5236: Not reported

Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported

Section: Not reported

Year Deleted: Not reported

Location: Not reported

Data Quality 2: Not reported

202

**RIKE S MOBILOIL SERVICE STATION OFFICE AIND STATIO  
 1925 BRYAN  
 DALLAS, TX**

**EDR Hist Auto 1009360662  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1925 RIKE S MOBILOIL SERVICE STATION AUTOMOBILE OILS AND GASOLINE

203

**2500 PACIFIC AVE  
 DALLAS, TX**

**HMIRS 2003124898  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional HMIRS detail in the EDR Site Report.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

204 ADAMS MARK HOTEL TX APAR S116381786  
 DALLAS, TX 75201 N/A

APAR:  
 Comm Id Number: 14724788  
 Comm Type Code: APAR  
 Comm Received Date: 06/06/2011  
 Legal Identifier: 2138  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: ADAMS MARK HOTEL  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: PROPERTY RESIDENTIAL  
 Reference Number Text: RN102494044  
 Delivery Text: 400 OLIVE ST  
 Physical Location Desc: Not reported  
 Latitude: 32.784444  
 Longitude: -96.795

Detail:  
 Comm Id Number: 14724788  
 Comm Received Date: 6/6/2011  
 Legal Ident Text: 2138  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

205 EUBANKS AND BALLARD EDR Hist Cleaner 1009341495  
 304 N CENTRAL AVE N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 EUBANKS AND BALLARD CLOTHES CLEANERS AND DYERS

206 M 1E'CCA CLEANERS EDR Hist Cleaner 1009340538  
 2710 ELM MELBA PRESQ SHOP 1904 A EL N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 M 1E'CCA CLEANERS CLOTHES CLEANERS AND DYERS

206 RESTATIRANT REPAIR SERVICE EDR Hist Auto 1009365592  
 2700 ELM N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1951 RESTATIRANT REPAIR SERVICE REPAIR SHOPS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

207 **BEDELL AUTOMOTIVE SERVICE** EDR Hist Auto 1009366189  
**2810 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 BEDELL AUTOMOTIVE SERVICE AUTOMOBILE REPAIRERS

207 **PALACE SHOP** EDR Hist Auto 1009366214  
**2814 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 PALACE SHOP AUTOMOBILE REPAIRERS

207 **STANDARD SPRING AND AXLE CO** EDR Hist Auto 1009366276  
**2820 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 STANDARD SPRING AND AXLE CO AUTOMOBILE REPAIRERS  
 1987 SUN ENGINE & TRANSMISSION SLS General Automotive Repair Shops

207 **STANDARD SPRING AND AXEL CO** EDR Hist Auto 1009366237  
**2816 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 STANDARD SPRING AND AXLE CO AUTOMOBILE REPAIRERS  
 1946 STANDARD SPRING AND AXEL CO AUTOMOBILE REPAIRING  
 1956 ALBRIGHT S AUTOMOTIVE SERVICE AUTOMOBILE REPAIRING  
 1972 A & B MOTORS General Automotive Repair Shops

207 **MANNING P K** EDR Hist Auto 1009366197  
**2812 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1925 MANNING P K AUTOMOBILE GARAGES  
 1930 BEDELL AUTOMOTIVE SERVICE AUTOMOBILE REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

207 **BROWN S CYCLE** EDR Hist Auto 1009366309  
 2824 MAIN ST N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1981	BROWN S CYCLE	MOTORCYCLE DEALERS AND REPAIRERS
1986	BROWN S CYCLE	MOTORCYCLE DEALERS AND REPAIRERS

207 **STANDARD SPRING AND AXLE CO** EDR Hist Auto 1009366250  
 2818 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	STANDARD SPRING AND AXLE CO	AUTOMOBILE REPAIRERS

207 **SOUTH DALLAS GARAGE** EDR Hist Auto 1009383409  
 815 S OAKLAND AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1961	SOUTH DALLAS GARAGE	AUTOMOBILE REPAIRING

207 **STANDARD SPRING AND AXLE CO** EDR Hist Auto 1009366290  
 2822 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	STANDARD SPRING AND AXLE CO	AUTOMOBILE REPAIRERS

207 **FULLER J O REPAIR SHOP** EDR Hist Auto 1009352847  
 109 N OAKLAND AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1951	FULLER J REPAIR SLOP	REPAIR SHOPS
1961	FULLER J O REPAIR SHOP	REPAIR SHOPS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**207 MARTIN MOTOR CO  
 2823 MAIN  
 DALLAS, TX**

**EDR Hist Auto 1009366299  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	MARTIN BROS	AUTOMOBILE REPAIRERS
1930	MARTIN MOTOR CO	AUTOMOBILE REPAIRERS
1936	MARTIN MOTOR CO	AUTOMOBILE REPAIRING
1990	CATALINA CYCLE SALES	Motorcycle Dealers, NEC
1991	CATALINA CYCLE SALES	Motorcycle Dealers, NEC
1992	CATALINA CYCLE SALES	Motorcycle Dealers, NEC
1993	CATALINA CYCLE SALES	Motorcycle Dealers, NEC
1994	CATALINA CYCLE SALES	Motorcycle Dealers, NEC
1995	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
1996	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
1997	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
1998	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
1999	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
2000	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
2001	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
2002	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
2003	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
2004	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
2005	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
2006	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC
2007	CATALINA CYCLE SALES INC	Motorcycle Dealers, NEC

**207 MARTIN MOTOR CO  
 2825 MAIN  
 DALLAS, TX**

**EDR Hist Auto 1009366321  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	MARTIN MOTOR CO	AUTOMOBILE REPAIRERS

**208 GRAPHICS ENGRAVING FACILITY  
 1012 MCKINNEY AVE  
 DALLAS, TX 75202**

**TX VCP S117399178  
 TX MSD N/A  
 TX GCC**

VCP TCEQ:

Region:	4
Facility ID:	2696
Facility Type:	Parking lot
VCP Received:	10/17/2014
PCA Number:	34889
Project Number:	Mercier
Type Lead:	Prospective Buyer
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.784316 / -96.806336
Acres at Site:	1.2561
Contaminant Categories:	VOCs, Heavy Metals, TPH
Media Affected:	Soil, Groundwater
Applicant:	Shraman South Asain Museum and Learning Center Foundation
Applicant Contact Title:	Treasurer

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHICS ENGRAVING FACILITY (Continued)**

**S117399178**

Applicant Address: 2 Lincoln Center, 5420 LBJ Fwy Ste 410  
 Applicant City,St,Zip: Dallas, TX 75240  
 Applicant Phone: 214-593-0513  
 Applicant Fax: Not reported  
 Consultant/Attorney: EnviroPhase Inc  
 Consultant/Attorney Name: Kevin W Almaguer  
 Consultant/Attorney Contact Title: Geologist  
 Consultant/Attorney Address: 703 McKinney Ave Ste 332  
 Consultant/Attorney City,St,Zip: Dallas, TX 75202  
 Consultant/Attorney Phone: 214-392-7179  
 Consultant/Attorney Fax: 214-853-5799  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: B  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 07/24/2017  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 10/16/2014  
 App Accepted?: Y  
 Date Accepted: 11/30/2014  
 Region?: Y  
 Alt VCP Id: 033  
 Project No.: 348890  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: EnviroPhase Inc  
 Billing c/o Name: Randall Scott Bass  
 Billing Address1: 703 McKinney Ave  
 Billing Address2: Ste 332  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75202  
 Billing Phone: 817-266-5143  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D200-11/CR

**MSD:**

Id: 305  
 Project Manager: Travis Wicks  
 MSD Certification Number: 305  
 MSD Application Number: MSD AP 305  
 Acres: 2.444  
 GW Zone Feet To: 15  
 Feet: 12  
 Contaminants: TRICHLOROETHYLENE|ARSENIC  
 Applicant: Shraman South Asian Museum and Learning Center Foundation  
 Updated: 10/30/2015

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHICS ENGRAVING FACILITY (Continued)**

**S117399178**

Remediation Program PM: Travis Wicks  
 Application Received Date: 10/30/2015  
 90 Day Deadline: 01/28/2015  
 Status: Certified  
 Precertification Date: Not reported  
 Certification Date: 04/26/2016  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: True  
 HB3030: Not reported  
 Other Program: VCP 2696 VCP 033 PST 65275  
 CN: CN604705004  
 RN: RN101475457

**GCC:**

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2696  
 Contamination Description: TCE, ARSENIC  
 Date Of Earliest Known Contamination Confirmation: 10/17/2014  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2B  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2696  
 Contamination Description: TCE, ARSENIC  
 Date Of Earliest Known Contamination Confirmation: 10/17/2014  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: Not reported  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: \*  
 File Number: 2696

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHICS ENGRAVING FACILITY (Continued)**

**S117399178**

Contamination Description: TCE, ARSENIC  
 Date Of Earliest Known Contamination Confirmation: 10/17/2014  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 1A  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

209

**1313 N. HILLCREST, SULPHUR SPRINGS: POLE #2576-546**  
**1313 N. HILLCREST, SULPHUR SPRINGS: POLE #2576-546-21866**  
**SULPHUR SPRINGS, TX**

**TX SPILLS S107011048**  
**N/A**

SPILLS:

Spill Address: 1313 N. HILLCREST, SULPHUR SPRINGS: POLE #2576-546-21866  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 07/01/1994  
 Seq Num: 10  
 Responsible Party Name: TU ELECTRIC  
 Responsible Party Address: 400 N. OLIVE, LB81  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128498  
 Substance: MINERAL OIL  
 Material Code: 2173  
 Media Affected: Not reported  
 Permit Number: NONE  
 District: 05  
 Origin: 001  
 Cause: 002  
 Basin Code: 0303  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 003  
 Basin Name: SULPHUR RIVER  
 Water Affected: NONE  
 Amnt Spilled: 1 GAL  
 Amnt in Water: 0 GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: C. LUPER  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1313 N. HILLCREST, SULPHUR SPRINGS: POLE #2576-546-21866 (Continued)**

**S107011048**

Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**TU - MONTICELLO, 6 MI S OF MT PLEASANT  
 TU - MONTICELLO, 6 MI S OF MT PLEASANT  
 , TX**

**TX SPILLS S106997653  
 N/A**

**SPILLS:**

Spill Address: TU - MONTICELLO, 6 MI S OF MT PLEASANT  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 04/30/1991  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES - MONTICELLO  
 Responsible Party Address: 400 N. OLIVE ST, LB 81  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128476  
 Substance: PCB OIL - 34 PPM  
 Material Code: 2173  
 Media Affected: Not reported  
 Permit Number: 30081  
 District: 05  
 Origin: 001  
 Cause: 001  
 Basin Code: 0408  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 006  
 Basin Name: CYPRESS CREEK  
 Water Affected: NONE  
 Amnt Spilled: <1 BBL  
 Amnt in Water: 0 BBL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: A. CROWE  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TU - MONTICELLO, 6 MI S OF MT PLEASANT (Continued)**

**S106997653**

Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**308 WASHINGTON, KILLEEN; POLE #2811-539-8423**  
**308 WASHINGTON, KILLEEN; POLE #2811-539-8423**  
**KILLEEN, TX**

**TX SPILLS**

**S107010459**  
**N/A**

**SPILLS:**

Spill Address: 308 WASHINGTON, KILLEEN; POLE #2811-539-8423  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 05/23/1994  
 Seq Num: 12  
 Responsible Party Name: TU ELECTRIC  
 Responsible Party Address: 400 N. OLIVE  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128408  
 Substance: MINERAL OIL 5PPM PCB  
 Material Code: 2173  
 Media Affected: Not reported  
 Permit Number: NONE  
 District: 09  
 Origin: 001  
 Cause: 001  
 Basin Code: 1220  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 003  
 Basin Name: BRAZOS  
 Water Affected: NONE  
 Amnt Spilled: 2 GAL  
 Amnt in Water: 0 GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: D. NAYLOR  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**308 WASHINGTON, KILLEEN; POLE #2811-539-8423 (Continued)**

**S107010459**

Importance Level:	Not reported
Received Date:	Not reported
Start Date:	Not reported
Status Date:	Not reported
Media Name:	Not reported
Customer:	Not reported
Effect:	Not reported
Num Complaining:	Not reported
Frequency:	Not reported
Nature:	Not reported
Watertext:	Not reported
Air Text:	Not reported
Incident Status:	Not reported
Disputed Status:	Not reported
Disputed Date:	Not reported
Comments:	Not reported

209

**900 N. F STREET; POLE #2945-847-580, MIDLAND  
900 N. F STREET; POLE #2945-847-580, MIDLAND  
MIDLAND, TX**

**TX SPILLS**

**S107010599  
N/A**

**SPILLS:**

Spill Address:	900 N. F STREET; POLE #2945-847-580, MIDLAND
Incident Number:	Not reported
Facility Id:	Not reported
Date of Spill:	06/02/1994
Seq Num:	9
Responsible Party Name:	T.U. ELECTRIC
Responsible Party Address:	400 N. OLIVE , LB81
Responsible Party City:	DALLAS
Responsible Party State:	TX
Responsible Party Zip:	75201
Responsible Party Telephone:	2148128408
Substance:	MINERAL OIL 8PPM PCB
Material Code:	2173
Media Affected:	Not reported
Permit Number:	NONE
District:	07
Origin:	001
Cause:	002
Basin Code:	1412
Notify Date:	Not reported
Adequate Clean:	003
Classification:	003
Basin Name:	COLORADO RIVER
Water Affected:	NONE
Amnt Spilled:	4 GAL
Amnt in Water:	0 GAL
Latitude:	Not reported
Longitude:	Not reported
Inspected By:	NONE
Interim Report:	Not reported
Enforce:	Not reported
Information Final:	X
Coordinator:	C. WILLIAMS
Time Reported:	Not reported
Spill Time:	Not reported
Incident Type:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**900 N. F STREET; POLE #2945-847-580, MIDLAND (Continued)**

**S107010599**

Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**MORGAN CREEK POWER PLANT 5 MI. SW OF COLORADO CITY  
 MORGAN CREEK POWER PLANT 5 MI. SW OF COLORADO CITY  
 , TX**

**TX SPILLS**

**S106989873  
 N/A**

**SPILLS:**

Spill Address: MORGAN CREEK POWER PLANT 5 MI. SW OF COLORADO CITY  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 03/02/1988  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES ELECTRIC CO.  
 Responsible Party Address: 400 NORTH OLIVE, SUITE LB81  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2149798477  
 Substance: DIESEL FUEL  
 Material Code: 1040  
 Media Affected: YES  
 Permit Number: 00554  
 District: 09  
 Origin: 001  
 Cause: 003  
 Basin Code: 1412  
 Notify Date: Not reported  
 Adequate Clean: NO  
 Classification: 003  
 Basin Name: COLORADO  
 Water Affected: LAKE COLORADO CITY  
 Amnt Spilled: 300 GAL  
 Amnt in Water: 300 GAL  
 Latitude: 3220  
 Longitude: 10055  
 Inspected By: TWC  
 Interim Report: X  
 Enforce: Not reported  
 Information Final: Not reported  
 Coordinator: D. BAKER  
 Time Reported: Not reported  
 Spill Time: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MORGAN CREEK POWER PLANT 5 MI. SW OF COLORADO CITY (Continued)**

**S106989873**

Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**MOUNTAIN CREEK STEAM ELECTRIC STATION  
 MOUNTAIN CREEK STEAM ELECTRIC STATION  
 , TX**

**TX SPILLS**

**S106988784  
 N/A**

**SPILLS:**

Spill Address: MOUNTAIN CREEK STEAM ELECTRIC STATION  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 08/10/1987  
 Seq Num: 6  
 Responsible Party Name: TEXAS UTILITIES  
 Responsible Party Address: 400 NORTH OLIVE  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128478  
 Substance: LUBE OIL  
 Material Code: 1097  
 Media Affected: YES  
 Permit Number: 01250  
 District: 04  
 Origin: 001  
 Cause: 002  
 Basin Code: 0806  
 Notify Date: Not reported  
 Adequate Clean: YES  
 Classification: 003  
 Basin Name: TRINITY  
 Water Affected: MOUNTAIN CREEK LAKE  
 Amnt Spilled: 30 GAL  
 Amnt in Water: 30 GAL  
 Latitude: 3243  
 Longitude: 09658  
 Inspected By: TWC  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: L. FERGUSON/A. ATKAVALE  
 Time Reported: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MOUNTAIN CREEK STEAM ELECTRIC STATION (Continued)**

**S106988784**

Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**HWY 69, IN FRONT OF WESTERN AUTO, LINDALE, SMITH CO  
 HWY 69, IN FRONT OF WESTERN AUTO, LINDALE, SMITH CO.  
 , TX**

**TX SPILLS**

**S107000774  
 N/A**

**SPILLS:**

Spill Address: HWY 69, IN FRONT OF WESTERN AUTO, LINDALE, SMITH CO.  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 02/29/1992  
 Seq Num: Not reported  
 Responsible Party Name: TU ELECTRIC  
 Responsible Party Address: 400 N. OLIVE ST., LOCK BOX 81  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128481  
 Substance: TRANSFORMER/MIN. OIL - 21 PPM PCBS  
 Material Code: 2173  
 Media Affected: L  
 Permit Number: NONE  
 District: 05  
 Origin: 001  
 Cause: 007  
 Basin Code: 0515  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 006  
 Basin Name: SABINE  
 Water Affected: NONE  
 Amnt Spilled: 14 GAL  
 Amnt in Water: NONE LBS  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: K. STONE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HWY 69, IN FRONT OF WESTERN AUTO, LINDALE, SMITH CO. (Continued)**

**S107000774**

Time Reported: 16:00  
 Spill Time: 24:15  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**TRUNK ST AT OAK LANE, DALLAS  
 TRUNK ST AT OAK LANE, DALLAS  
 DALLAS, TX**

**TX SPILLS S107000855  
 N/A**

**SPILLS:**

Spill Address: TRUNK ST AT OAK LANE, DALLAS  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 03/10/1992  
 Seq Num: Not reported  
 Responsible Party Name: TU ELECTRIC  
 Responsible Party Address: 400 N. OLIVE ST  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128481  
 Substance: MINERAL OIL - 49 PPM PCB  
 Material Code: 2173  
 Media Affected: Not reported  
 Permit Number: NONE  
 District: 04  
 Origin: 001  
 Cause: 002  
 Basin Code: 0805  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 003  
 Basin Name: TRINITY  
 Water Affected: NONE  
 Amnt Spilled: 7 GAL  
 Amnt in Water: NONE GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TRUNK ST AT OAK LANE, DALLAS (Continued)**

**S107000855**

Coordinator: S. BARRETT  
 Time Reported: 16:30  
 Spill Time: 15:00  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**2301 S. LANCASTER, DALLAS  
 2301 S. LANCASTER, DALLAS  
 LANCASTER, TX**

**TX SPILLS S106990793  
 N/A**

**SPILLS:**

Spill Address: 2301 S. LANCASTER, DALLAS  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 09/07/1988  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES GENERATING  
 Responsible Party Address: 400 N. OLIVE STREET, L.B. 81  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128415  
 Substance: PCB OIL - 23 ppm  
 Material Code: 2173  
 Media Affected: NO  
 Permit Number: NONE  
 District: 04  
 Origin: 001  
 Cause: 002  
 Basin Code: 0827  
 Notify Date: Not reported  
 Adequate Clean: YES  
 Classification: 005  
 Basin Name: TRINITY  
 Water Affected: NONE  
 Amnt Spilled: 1 GAL  
 Amnt in Water: NONE  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2301 S. LANCASTER, DALLAS (Continued)**

**S106990793**

Information Final: X  
 Coordinator: K. McGRATH  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**TU ELECTRIC'S MARTIN LAKE STEAM ELECTRIC STATION  
 TU ELECTRIC'S MARTIN LAKE STEAM ELECTRIC STATION  
 , TX**

**TX SPILLS**

**S106995537  
 N/A**

**SPILLS:**

Spill Address: TU ELECTRIC'S MARTIN LAKE STEAM ELECTRIC STATION  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 10/08/1990  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES GENERATING  
 Responsible Party Address: 400 N.OLIVE,L.B.81  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128476  
 Substance: BRINE WASTEWATER  
 Material Code: 9000  
 Media Affected: NO  
 Permit Number: 31277  
 District: 05  
 Origin: 001  
 Cause: 003  
 Basin Code: 0505  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 005  
 Basin Name: SABINE  
 Water Affected: Not reported  
 Amnt Spilled: 30 GAL  
 Amnt in Water: NONE  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TU ELECTRIC'S MARTIN LAKE STEAM ELECTRIC STATION (Continued)**

**S106995537**

Enforce: Not reported  
 Information Final: X  
 Coordinator: J. WITHERSPOON  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**MARTIN LAKE STEAM ELECTRIC STATION  
 MARTIN LAKE STEAM ELECTRIC STATION  
 , TX**

**TX SPILLS**

**S106991364  
 N/A**

**SPILLS:**

Spill Address: MARTIN LAKE STEAM ELECTRIC STATION  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 02/08/1989  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES GENERATING  
 Responsible Party Address: 400 NORTH OLIVE, SUITE L81  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128478  
 Substance: BRINE WASTE  
 Material Code: 7021  
 Media Affected: NO  
 Permit Number: 31277  
 District: 05  
 Origin: 001  
 Cause: 002  
 Basin Code: 0611  
 Notify Date: Not reported  
 Adequate Clean: NO  
 Classification: 006  
 Basin Name: NECHES  
 Water Affected: NONE  
 Amnt Spilled: 86400 GAL  
 Amnt in Water: NONE  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MARTIN LAKE STEAM ELECTRIC STATION (Continued)**

**S106991364**

Interim Report: X  
 Enforce: Not reported  
 Information Final: Not reported  
 Coordinator: J. WITHERSPOON  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**3935 LUPTON, DALLAS  
 3935 LUPTON, DALLAS  
 DALLAS, TX**

**TX SPILLS**

**S106990784  
 N/A**

**SPILLS:**

Spill Address: 3935 LUPTON, DALLAS  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 09/06/1988  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES GENERATING  
 Responsible Party Address: 400 N. OLIVE STREET, LB81  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128415  
 Substance: PCB OIL - 51 ppm  
 Material Code: 2173  
 Media Affected: NO  
 Permit Number: NONE  
 District: 04  
 Origin: 001  
 Cause: 002  
 Basin Code: 0827  
 Notify Date: Not reported  
 Adequate Clean: YES  
 Classification: 005  
 Basin Name: TRINITY  
 Water Affected: NONE  
 Amnt Spilled: 1 GAL  
 Amnt in Water: NONE  
 Latitude: Not reported  
 Longitude: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3935 LUPTON, DALLAS (Continued)**

**S106990784**

Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: K. McGRATH  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

209

**SOUTHLAND CENTER CORP  
 LIVE OAK & OLIVE  
 DALLAS, TX 75201**

**TX LPST S116702322  
 N/A**

**LPST:**

Facility ID: 0049237  
 LPST Id: 93172  
 Facility Location: LIVE OAK @ OLIVE STREET  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 06/20/1994  
 Entered Date: 06/27/1989  
 Priority: 3.1 - GW IMPACT PUB/DOM WATER SUPPLY WELL W/IN .25 - .5mi  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Groundwater is affected and a public or domestic water supply well is located between 0.25 and 0.5 miles from the UST/AST system or source area.

**Status:**

**FINAL CONCURRENCE ISSUED, CASE CLOSED**

Coordinators Primary: 1  
 Coordinators RPR: ANNE MILLER  
 Responsible Party Name: PACIFIC PEARL CORP  
 Responsible Party Contact: ROB GALLIVAN  
 Responsible Party Address: 31 W 52ND ST 20TH FLOOR  
 Responsible Party City,St,Zip: NEW YORK, NY 10019 6101  
 Responsible Party Telephone: 212/468-0559  
 Reported Date: 05/31/1989  
 Case Start Date: 06/27/1989

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**210 MOHR CHEVROLET CO** EDR Hist Auto **1009360483**  
**1909 BRYAN** N/A  
**DALLAS, TX**  
 EDR Hist Auto  
 Year: Name: Type:  
 1936 MOHR CHEVROLET CO AUTOMOBILE REPAIRING  
 1941 MOHR CHEVROLET CO AUTOMOBILE REPAIRING

**210 AUTOMOBILE LAUNDRY** EDR Hist Auto **1009360557**  
**1915 BRYAN** N/A  
**DALLAS, TX**  
 EDR Hist Auto  
 Year: Name: Type:  
 1930 AUTOMOBILE LAUNDRY AUTOMOBILE LAUNDRIES

**211 CRAIGS AUTO CENTERS** RCRA NonGen / NLR **1000252547**  
**2815 MAIN ST** FINDS **TXD102612405**  
**DALLAS, TX 75226** TX Ind. Haz Waste  
 ECHO  
 RCRA NonGen / NLR:  
 Date form received by agency: 07/27/2001  
 Facility name: CRAIGS AUTO CENTERS  
 Facility address: 2815 MAIN ST  
 DALLAS, TX 75226  
 EPA ID: TXD102612405  
 Mailing address: MAIN ST  
 DALLAS, TX 75226  
 Contact: CRAIG VAN CLEVE  
 Contact address: MAIN ST  
 DALLAS, TX 75226  
 Contact country: US  
 Contact telephone: 214-742-2862  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:  
 Owner/operator name: CRAIGS AUTO CENTERS INC  
 Owner/operator address: MAIN ST  
 DALLAS, TX 75226  
 Owner/operator country: US  
 Owner/operator telephone: 214-742-2862  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported  
 Owner/operator name: CRAIGS AUTO CENTERS INC  
 Owner/operator address: MAIN ST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CRAIGS AUTO CENTERS (Continued)**

**1000252547**

DALLAS, TX 75226

Owner/operator country: US  
 Owner/operator telephone: 214-742-2862  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 08/24/1984  
 Site name: CRAIGS AUTO CENTERS  
 Classification: Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CRAIGS AUTO CENTERS (Continued)**

**1000252547**

KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005069969

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**Ind. Haz Waste:**

Registration Number: 65891  
 Registration Initial Notification Date: 07/30/1984  
 Registration Last Amendment Date: 07/27/2001  
 EPA Identification: TXD102612405  
 Primary NAICS Code: Not reported  
 Status Change Date: 19840730  
 Land Type: Not reported  
 Description of Facility Site Location: 2815 Main Street, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: CRAIGS AUTO CENTERS INC  
 Contact Name: CRAIG VAN CLEVE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CRAIGS AUTO CENTERS (Continued)**

**1000252547**

Contact Telephone Number: 214-7422862  
 Mailing Address: 2815 MAIN ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752263373  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 21290  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20100624  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 2815 MAINST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75226 3373  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-7422862  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17518295765  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: CRAIGS AUTO CENTERS INC  
 Operator First Name: Not reported  
 Operator Name: CRAIGS AUTO CENTERS INC  
 Operator Mailing Address: 2815 MAINST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75226 3373  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-7422862  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17518295765  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: CRAIG VAN CLEVE  
 Contact Title: PRESIDENT  
 Contact Role: PRICONT  
 Contact Address: 2815 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 3373  
 Contact Phone: 1-214-7422862  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CRAIGS AUTO CENTERS (Continued)**

**1000252547**

Contact Address: 2815 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 3373  
 Contact Phone: 1-214-7422862  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2815 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 3373  
 Contact Phone: 1-214-7422862  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

ECHO:  
 Envid: 1000252547  
 Registry ID: 110005069969  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005069969>

212

**GRAPHIC ENGRAVING COMPANY**  
**1911 GRIFFIN**  
**DALLAS, TX 75202**

**RCRA NonGen / NLR 1000347169**  
**FINDS TXD007349665**  
**TX Ind. Haz Waste**  
**ECHO**

RCRA NonGen / NLR:

Date form received by agency: 01/06/2002  
 Facility name: GRAPHIC ENGRAVING COMPANY  
 Facility address: 1911 GRIFFIN  
 DALLAS, TX 75202  
 EPA ID: TXD007349665  
 Mailing address: GRIFFIN  
 DALLAS, TX 75202  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: GRIFFIN  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHIC ENGRAVING COMPANY (Continued)**

**1000347169**

Owner/Operator Summary:

Owner/operator name: GRAPHIC ENGRAVING COMPANY  
 Owner/operator address: GRIFFIN  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/06/2002  
 Owner/Op end date: Not reported

Owner/operator name: GRAPHIC ENGRAVING COMPANY  
 Owner/operator address: GRIFFIN  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/06/2002  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 08/28/1980  
 Site name: GRAPHIC ENGRAVING COMPANY INC  
 Classification: Not a generator, verified

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHIC ENGRAVING COMPANY (Continued)**

**1000347169**

DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005034220

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**Ind. Haz Waste:**

Registration Number: 65547  
 Registration Initial Notification Date: 01/06/2002  
 Registration Last Amendment Date: 01/06/2002  
 EPA Identification: TXD007349665  
 Primary NAICS Code: Not reported  
 Status Change Date: 20020106  
 Land Type: PRIVATE  
 Description of Facility Site Location: 1911 Griffin, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: GRAPHIC ENGRAVING COMPANY  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 1911 N GRIFFIN ST  
 Mailing Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHIC ENGRAVING COMPANY (Continued)**

**1000347169**

Mailing City,St,Zip: DALLAS, TX 752021505  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 21017  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20030214  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

**Owner:**

Owner Mailing Address: 1911 N GRIFFIN ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75202 1505  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 17510871142  
 Owner Bankruptcy Code: Not reported

**Operator:**

Operator Last Name: GRAPHIC ENGRAVING COMPANY  
 Operator First Name: Not reported  
 Operator Name: GRAPHIC ENGRAVING COMPANY  
 Operator Mailing Address: 1911 N GRIFFIN ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75202 1505  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17510871142  
 Operator Bankruptcy Code: Not reported

**Contact:**

Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 1911 N GRIFFIN ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 1505  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

**Contact:**

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1911 N GRIFFIN ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 1505

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHIC ENGRAVING COMPANY (Continued)**

**1000347169**

Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1911 N GRIFFIN ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75202 1505  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

ECHO:  
 Envid: 1000347169  
 Registry ID: 110005034220  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005034220>

212

**GRAPHIC ENGRAVING CO INC**  
**2001 N. GRIFFIN**  
**DALLAS, TX 75202**

**RCRA NonGen / NLR** 1000347171  
**FINDS** TXD982555450  
**ECHO**

RCRA NonGen / NLR:  
 Date form received by agency: 03/31/1989  
 Facility name: GRAPHIC ENGRAVING COMPANY INC  
 Facility address: 2001 N GRIFFIN ST  
 DALLAS, TX 75202  
 EPA ID: TXD982555450  
 Mailing address: N GRIFFIN ST  
 DALLAS, TX 75202  
 Contact: CHIP HARDING  
 Contact address: N GRIFFIN ST  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: 214-954-0008  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:  
 Owner/operator name: GRAPHIC ENGRAVING COMPANY INC  
 Owner/operator address: N GRIFFIN ST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHIC ENGRAVING CO INC (Continued)**

**1000347171**

DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-954-0008  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 03/31/1989  
 Owner/Op end date: Not reported

Owner/operator name: GRAPHIC ENGRAVING COMPANY INC  
 Owner/operator address: N GRIFFIN ST  
 DALLAS, TX 75202

Owner/operator country: US  
 Owner/operator telephone: 214-954-0008  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 03/31/1989  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GRAPHIC ENGRAVING CO INC (Continued)**

**1000347171**

IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 07/27/1988

Site name: GRAPHIC ENGRAVING CO INC

Classification: Not a generator, verified

. Waste code: D002

. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: F001

. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110002131345

Environmental Interest/Information System

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000347171

Registry ID: 110002131345

DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002131345>

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

<b>212</b>	<b>GRAPHIC ENGRAVING</b> <b>2001 N GRIFFIN ST</b> <b>DALLAS, TX 75202</b>	<b>TX Ind. Haz Waste</b> <b>TX IHW CORR ACTION</b>	<b>S102508515</b> <b>N/A</b>
------------	---	---	---------------------------------

Ind. Haz Waste:

Registration Number:	38014
Registration Initial Notification Date:	07/29/1988
Registration Last Amendment Date:	03/31/1989
EPA Identification:	TXD982555450
Primary NAICS Code:	323111
Status Change Date:	19880729
Land Type:	PRIVATE
Description of Facility Site Location:	2001 N Griffin St, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	SQG
TNRCC Region:	Not reported
Company Name:	GRAPHIC ENGRAVING COMPANY
Contact Name:	CHIP HARDING
Contact Telephone Number:	214-9540008
Mailing Address:	2001 N GRIFFIN ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 75202
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	14651
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20030106
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	2001 N GRIFFIN ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75202 9999
Owner Country:	UNITED STA
Owner Phone Number:	1-214-9540008
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Corporation
Owner Tax Id:	17510871142
Owner Bankruptcy Code:	Not reported

Operator:

Operator Last Name:	GRAPHIC ENGRAVING COMPANY
Operator First Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHIC ENGRAVING (Continued)**

**S102508515**

Operator Name:	GRAPHIC ENGRAVING COMPANY
Operator Mailing Address:	2001 N GRIFFIN ST
Operator Mailing Address 2:	Not reported
Operator Mailing City,St,Zip:	DALLAS, TX 75202 9999
Operator Country:	UNITED STA
Operator Phone:	1-214-9540008
Operator Fax:	Not reported
Operator Email:	Not reported
Operator Business Type:	Corporation
Operator Tax Id:	17510871142
Operator Bankruptcy Code:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	2001 N GRIFFIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 9999
Contact Phone:	1-214-9540008
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	2001 N GRIFFIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 9999
Contact Phone:	1-214-9540008
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	CHIP HARDING
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	2001 N GRIFFIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202
Contact Phone:	1-214-9540008
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Unit:</b>	
Unit No:	001
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	ACTIVE
Unit Regulatory Status:	Not reported
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurment:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHIC ENGRAVING (Continued)**

**S102508515**

Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	Not reported
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Not reported
Dt Last Changed:	19760101
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	,

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	Not reported

Waste Records Not Found for this RegNo/Year:

**IHW CORR ACTION:**

Program Id:	38014
Location Desc:	2001 N Griffin St, Dallas, TX
RN NUM:	RN104430509
Status:	INACTIVE
Status Date:	09/11/1995
EDR Link ID:	38014

212

**GRAPHICS ENGRAVING FACILITY  
 2001 NORTH GRIFFIN STREET  
 DALLAS, TX 75202**

**TX APAR S119135205  
 N/A**

**APAR:**

Comm Id Number:	19024947
Comm Type Code:	APAR
Comm Received Date:	02/17/2015
Legal Identifier:	2696
Legal Description Text:	VOLUNTARY CLEANUP
Legal Status:	INACTIVE
Physical Name:	GRAPHICS ENGRAVING FACILITY
Physical Status:	COMPLETED
Physical Attribute Value Text:	PARKING/TRANSIT CENTER
Reference Number Text:	RN101475457
Delivery Text:	2001 N GRIFFIN ST
Physical Location Desc:	Not reported
Latitude:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHICS ENGRAVING FACILITY (Continued)**

**S119135205**

Longitude: Not reported  
 Detail:  
 Comm Id Number: 19024947  
 Comm Received Date: 2/17/2015  
 Legal Ident Text: 2696  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: LEAD  
 Groundwater Contamination: LEAD

212

**GRAPHICS ENGRAVING FACILITY  
 2001 NORTH GRIFFIN STREET  
 DALLAS, TX**

**TX VCP S103864941  
 TX GCC N/A**

VCP TCEQ:  
 Region: 4  
 Facility ID: 0033  
 Facility Type: Graphics Engraving Facility  
 VCP Received: 09/11/1995  
 PCA Number: 38018  
 Project Number: Frew  
 Type Lead: Owner  
 Phase: Terminated  
 Lat/Long: 32-47-03 / 96-48-20  
 Lat/Long (DD): Not reported  
 Acres at Site: 1.25  
 Contaminant Categories: Spent Solvents, Metals  
 Media Affected: Soils/Groundwater  
 Applicant: Laws Property Joint Venture  
 Applicant Contact Title: Managing Partner  
 Applicant Address: 2519 Thomas Avenue  
 Applicant City,St,Zip: Dallas, TX 75201  
 Applicant Phone: 214-720-2233  
 Applicant Fax: Not reported  
 Consultant/Attorney: ATEC Associates, Inc.  
 Consultant/Attorney Name: Dave Mayes  
 Consultant/Attorney Contact Title: Project Manager  
 Consultant/Attorney Address: 3845 FM 1960 West, Suite 318  
 Consultant/Attorney City,St,Zip: Dallas, TX 75229  
 Consultant/Attorney Phone: 214-556-2204  
 Consultant/Attorney Fax: 214-556-1753  
 TNRCC Solid Waste Registration: 38014  
 EPA Texas ID/CERCLIS Registration: 982555450  
 EPA Registration: Not reported  
 Application Signed By Applicant: 10/12/1995  
 Standards: 3  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: Not reported  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHICS ENGRAVING FACILITY (Continued)**

**S103864941**

Project No.: 310180  
 Contaminants Identified: Not reported  
 OffSite?: Y  
 Billing Company: Laws Property Joint Venture  
 Billing c/o Name: Newt Walker  
 Billing Address1: 2519 Thomas Ave.  
 Billing Address2: Not reported  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-720-2233  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Y  
 Survey?: Not reported  
 Comments: Not reported  
 Media: M  
 File Location: CR

**GCC:**

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 0033  
 Contamination Description: SPENT SOLVENTS, METALS  
 Date Of Earliest Known Contamination Confirmation: 9/11/1995  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 33  
 Contamination Description: SPENT SOLVENTS, METALS  
 Date Of Earliest Known Contamination Confirmation: 9/11/1995  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 33  
 Contamination Description: SPENT SOLVENTS, METALS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAPHICS ENGRAVING FACILITY (Continued)**

**S103864941**

Date Of Earliest Known Contamination Confirmation:	9/11/1995
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VC
New Cases:	Not reported
File Number:	33
Contamination Description:	SPENT SOLVENTS, METALS
Date Of Earliest Known Contamination Confirmation:	9/11/1995
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

213

**DAL WORTH SHIPPERS ASSN  
 212 N GOOD LATIMER EXPY  
 DALLAS, TX 75226**

**TX UST U001251259  
 N/A**

UST:

AI Number:	16030
Facility Type:	FLEET REFUELING
Facility Begin Date:	08/19/1986
Facility Status:	ACTIVE
Additional ID:	902521662002086
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	Yes
Number Of Active UST:	2
Site Location Description:	Not reported
Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	HOWARD MCWILLIAMS,TERMINAL MGR
Contact Organization Name:	DAL WORTH SHIPPERS ASSN
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147485745
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL WORTH SHIPPERS ASSN (Continued)**

**U001251259**

Signature Date On Earliest Reg Form:	04/18/1986
Signature Name/Title On Earliest Reg Form:	J E BOX,EXEC DIR GEN MGR
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600934681
Owner Last Name:	DAL WORTH SHIPPERS ASSN
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	892521662002086
Additional ID:	902521662002086
AI Number:	16030
Owner Effective Begin Date:	08/19/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	40932
Facility ID:	54674
Ai Number:	16030
Tank Id:	2
Tank Status (Current):	IN USE
Tank Status Date:	08/31/1987
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL WORTH SHIPPERS ASSN (Continued)**

**U001251259**

Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	10/29/1990
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	0
UST Comprt ID:	42316
UST ID:	40932
AI Number:	16030
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DAL WORTH SHIPPERS ASSN (Continued)**

**U001251259**

CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	40931
Facility ID:	54674
Ai Number:	16030
Tank Id:	1
Tank Status (Current):	IN USE
Tank Status Date:	08/31/1987
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL WORTH SHIPPERS ASSN (Continued)**

**U001251259**

Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	10/29/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	0
UST Comprt ID:	42315
UST ID:	40931
AI Number:	16030
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL WORTH SHIPPERS ASSN (Continued)**

**U001251259**

PRDM AutoLineLeakDet(3.0 Gph PressPiping): N  
 PRDM(Sir(StatInv Recon)/Inv Control): N  
 PRDM(Exempt System Suction): N  
 Spill Overfill Prevention Equip(SOPE): N  
 SOPE(Spill Cont/Bucket/Sump): N  
 SOPE(DelShut-Off Valve ): N  
 SOPE(FlowRestrictorValue: N  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: N  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: N  
 Piping Release Detection Compliance Flag ): N  
 Spill/OverfillPreventionCompliance Flag: N  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage 1 Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: DAL WORTH SHIPPERS ASSN  
 Contact Mailing Address (Delivery): 8333 DOUGLAS AVE FL 9  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75225 5845  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 54674  
 Additional ID: 902521662002086  
 Princ ID: 892521662002086  
 AI Number: 16030  
 Facility Name: DAL WORTH SHIPPERS ASSN  
 AR Number: 7834  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: U  
 Contact Name/Title: GEORGE M YARBROUGH/

213

**212 N. GOODE-LATEMIER, DALLAS  
 212 N. GOODE-LATEMIER, DALLAS  
 DALLAS, TX**

**TX SPILLS S107007072  
 N/A**

SPILLS:

Spill Address: 212 N. GOODE-LATEMIER, DALLAS  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 08/19/1993  
 Seq Num: Not reported  
 Responsible Party Name: NAVAHO EXPRESS  
 Responsible Party Address: 11212 N. GOODE-LATIMER  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75226  
 Responsible Party Telephone: 9999999999  
 Substance: DIESEL  
 Material Code: 1040

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**212 N. GOODE-LATEMIER, DALLAS (Continued)**

**S107007072**

Media Affected: Not reported  
 Permit Number: NONE  
 District: 04  
 Origin: 005  
 Cause: 003  
 Basin Code: 0827  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 002  
 Basin Name: TRINITY  
 Water Affected: NONE  
 Amnt Spilled: 100 GAL  
 Amnt in Water: NONE GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: J. KERLIN  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

213

**DAL WORTH SHIPPERS ASSN  
 212 N GOOD LATIMER EXPY  
 DALLAS, TX 75226**

**FINDS 1011358228  
 N/A**

FINDS:

Registry ID: 110034642484

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

**DAL WORTH SHIPPERS ASSN (Continued)**

**1011358228**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>214</b>	<p><b>WOODALL UNITED INVESTORS PROPERTY</b>  <b>1305 ROSS AND 704 NORTH GRIFFIN</b>  <b>DALLAS, TX 75202</b></p>	<p><b>TX VCP S107497637</b>  <b>TX MSD N/A</b>  <b>TX GCC</b>  <b>TX APAR</b></p>
------------	--	---

VCP TCEQ:

Region:	4
Facility ID:	1890
Facility Type:	Banking/Office Building
VCP Received:	12/21/2005
PCA Number:	34089
Project Number:	Stefek
Type Lead:	Purchaser
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.47350 / -96.48120
Acres at Site:	1.48042
Contaminant Categories:	VOCs, SVOCs, Metals
Media Affected:	Soils/Groundwater
Applicant:	Woodall United Investors, LP
Applicant Contact Title:	President
Applicant Address:	7001 Preston Road, Suite 500
Applicant City,St,Zip:	Dallas, TX 75205-1175
Applicant Phone:	214-224-4600
Applicant Fax:	214-219-2080
Consultant/Attorney:	Thompson & Knight, LLP
Consultant/Attorney Name:	Scott Deatherage
Consultant/Attorney Contact Title:	Attorney
Consultant/Attorney Address:	1700 Pacific Avenue, Suite 3300
Consultant/Attorney City,St,Zip:	Dallas, TX 75201
Consultant/Attorney Phone:	214-969-1206
Consultant/Attorney Fax:	214-969-1751
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	Not reported
Standards:	Not reported
TX Risk Reduction Prgm:	Not reported
Institutional Controls:	Not reported
Certificate of Completion:	08/29/2008
Remedy Type:	Not reported
Risk Reduction or Petroleum Storage Tank:	Not reported
Leaking Petroleum Storage Registration Tank:	Not reported
Cashier Recvd:	12/21/2005
App Accepted?:	Y
Date Accepted:	01/25/2006
Region?:	Y
Alt VCP Id:	Not reported
Project No.:	340890
Contaminants Identified:	Not reported
OffSite?:	Not reported
Billing Company:	Woodall United Investors, LP
Billing c/o Name:	David Dunning
Billing Address1:	7001 Preston Road

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WOODALL UNITED INVESTORS PROPERTY (Continued)**

**S107497637**

Billing Address2: Suite 500  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75205  
 Billing Phone: 214-224-4600  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: E  
 File Location: CR

**MSD:**

Id: 26  
 Project Manager: Mike Frew  
 MSD Certification Number: 020  
 MSD Application Number: MSD AP 026  
 Acres: 2  
 GW Zone Feet To: 28  
 Feet: 0  
 Contaminants: BENZENE|TPH  
 Applicant: WOODALL UNITED INVESTORS LP  
 Updated: Not reported  
 Remediation Program PM: Not reported  
 Application Received Date: 10/12/2006  
 90 Day Deadline: 01/12/2007  
 Status: Certified  
 Precertification Date: Not reported  
 Certification Date: 12/19/2006  
 Denial Date: Not reported  
 Reason Denied: Not reported  
 Withdrawal Date: Not reported  
 Ordinance: True  
 Resolution/Restrictive Covenant: False  
 Other City Resolution: False  
 Retail Public Util Resolution: False  
 Mail Out: True  
 HB3030: Not reported  
 Other Program: VCP 1890  
 CN: CN602973455  
 RN: RN104859939

**GCC:**

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 1890  
 Contamination Description: VOCS, SVOCS, METALS  
 Date Of Earliest Known Contamination Confirmation: 12/21/2005  
 Enforcement Status - Level Of Agency Response: 6  
 Enforcement Status - Site Activity Status: 6  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WOODALL UNITED INVESTORS PROPERTY (Continued)**

**S107497637**

Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

**APAR:**

Comm Id Number: 12138219  
 Comm Type Code: APAR  
 Comm Received Date: 10/02/2007  
 Legal Identifier: 1890  
 Legal Description Text: VOLUNTARY CLEANUP  
 Legal Status: INACTIVE  
 Physical Name: WOODALL UNITED INVESTORS PROPERTY  
 Physical Status: COMPLETED  
 Physical Attribute Value Text: PROPERTY COMMERCIAL  
 Reference Number Text: RN104859939  
 Delivery Text: 1305 ROSS AVE  
 Physical Location Desc: Not reported  
 Latitude: 32.4735  
 Longitude: -96.4812

**Detail:**

Comm Id Number: 12138219  
 Comm Received Date: 10/2/2007  
 Legal Ident Text: 1890  
 Legal Description Text: VOLUNTARY CLEANUP  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

214

**WOODALL UNITED INVESTORS PROPERTY  
 1305 ROSS AVE  
 DALLAS, TX 75202**

**FINDS 1011367785  
 N/A**

**FINDS:**

Registry ID: 110034835597

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

214 **CALLAWAY S TANK CAR SERVICE STATION NO 1** EDR Hist Auto 1009355882  
**1313 ROSS**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1936 CALLAWAY S TANK CAR SERVICE STA GASOLINE AND OIL SERVICE STATIONS

214 **AMERICAN RADIATOR SERVICE** EDR Hist Auto 1009355925  
**1315 ROSS AVE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1966 AMERICAN RADIATOR SERVICE AUTOMOBILE RADIATOR REPAIRERS

214 **POWELL C A** EDR Hist Auto 1009356637  
**1401 ROSS AVE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1936 POWELL C A GASOLINE AND OIL SERVICE STATIONS  
 1951 RODDY R J HUMBLE SERVICE GASOLINE STATIONS  
 1956 RODDY R J HUMBLE STATION GASOLINE STATIONS  
 1961 TANVEY ED HUMBLE STATION GASOLINE STATIONS  
 1966 HANVEY ED HUMBLE STATION GASOLINE STATIONS  
 1969 HANVEYS ED SERVICE STATION Gasoline Service Stations  
 1970 HANVEYS ED SERVICE STATION Gasoline Service Stations  
 1971 HANVEY ED HUMBLE STATION GASOLINE STATIONS  
 1971 HANVEYS ED SERVICE STATION Gasoline Service Stations  
 1972 HANVEYS ED SERVICE STATION Gasoline Service Stations  
 1973 HANVEYS ED SERVICE STATION Gasoline Service Stations  
 1974 HANVEYS ED SERVICE STATION Gasoline Service Stations  
 1975 HANVEYS ED SERVICE STATION Gasoline Service Stations

215 **NORTON S SERVICE STATION** EDR Hist Auto 1009371822  
**402 N HARWOOD**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1941 COBB A E SINCLAIR SERVICE STATI GASOLINE AND OIL SERVICE STATIONS  
 1946 TYLER J 0 SINCLAIR SERVICE STAT GASOLINE AND OIL SERVICE STATIONS  
 1951 NORTON S SERVICE STATION GASOLINE STATIONS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>216</b>	<b>WIZARD POWER CO</b>	<b>EDR Hist Auto</b>	<b>1009365467</b>
	<b>2638 ELM ST</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1986	WIZARD POWER CO	AUTOMOBILE REPAIRING	

<b>216</b>	<b>2638 ELM STREET</b>	<b>ERNS</b>	<b>9169687</b>
	<b>DALLAS, TX</b>		<b>N/A</b>

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

<b>217</b>	<b>CONCRETE BATCH PLANT DALLAS 101</b>	<b>FINDS</b>	<b>1011999234</b>
	<b>444 CONTINENTAL AVE</b>		<b>N/A</b>
	<b>DALLAS, TX 75207</b>		

FINDS:

Registry ID: 110038314375

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>217</b>	<b>CONCRETE BATCH PLANT DALLAS 101</b>	<b>TX AIRS</b>	<b>S121963576</b>
	<b>444 CONTINENTAL AVE</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

AIRS:

Permit Num:	84187L001
Regulated Id:	RN105480537
Permit Type:	STDPMT
Permit Status:	CANCELLED
Permit Issued Date:	05/18/2017
Expiration Date:	04/25/2018
Customer Id:	CN600520019
Company Name:	WILLIAMS BROTHERS CONSTRUCTION CO., INC.
Physical Location Desc:	444 CONTINENTAL AVE
Rep Official(RO):	ENVIRONMENTAL DIRECTOR
RO Name:	MR MARCUS ANDERSON
RO Delivery Address:	PO BOX 66428

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CONCRETE BATCH PLANT DALLAS 101 (Continued)**

**S121963576**

RO City/State/Zip: HOUSTON, TX 77266  
 RO Phone: Not reported  
 RO Ext Num: Not reported  
 RO EMail Address: Not reported  
 Lat Dec Coord Num: 0  
 Long Dec Coord Num: 0

218

**MEDIPARK GARAGE  
 2001 LIVE OAK ST  
 DALLAS, TX 75201**

**TX UST U001277175  
 N/A**

UST:

AI Number: 45605  
 Facility Type: RETAIL  
 Facility Begin Date: 01/21/1988  
 Facility Status: INACTIVE  
 Additional ID: 761123982002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): DALLAS  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): Not reported  
 Contact Name/Title: BENNY TYNER,MGR CONTRACT SERV  
 Contact Organization Name: MEDIPARK GARAGE  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2149227800  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 01/06/1988  
 Signature Name/Title On Earliest Reg Form: BENNY TYNER,MGR CONTRACT SERV  
 Application Received Date On Earliest Reg Form: 01/13/1988  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600812309  
 Owner Last Name: REPUBLIC OF TEXAS PROPERTIES  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MEDIPARK GARAGE (Continued)**

**U001277175**

Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 765123972002062  
 Additional ID: 761123982002062  
 AI Number: 45605  
 Owner Effective Begin Date: 01/21/1988  
 State Tax ID: Not reported  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

**Tank:**

Install Date: 08/31/1987  
 Tank Registration Date: 01/13/1988  
 Number of Compartments: 1  
 Tank Capacity: 1000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 119397  
 Facility ID: 77160  
 Ai Number: 45605  
 Tank Id: 1  
 Tank Status (Current): PERM FILLED IN PLACE  
 Tank Status Date: 08/31/1987  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FacInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): N  
 TCPM(Ext Nonmetallic Jacket): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEDIPARK GARAGE (Continued)**

**U001277175**

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	118264
UST ID:	119397
AI Number:	45605
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEDIPARK GARAGE (Continued)**

**U001277175**

Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	17720
Cert ID:	123187
UST Comprt ID:	356824
UST ID:	111743
AI Number:	45605
Tank ID:	1
Compartment ID:	A
Facility Billing Contacts:	
Contact Organization Name:	REPUBLIC OF TEXAS PROPERTIES
Contact Mailing Address (Delivery):	PO BOX 655961
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75265 5961
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	77160
Additional ID:	761123982002062
Princ ID:	765123972002062
AI Number:	45605
Facility Name:	MEDIPARK GARAGE
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

**218 OWENS HERBERT AULTOMOTIVE SERVICE**  
**2009 LIVE OAKS**  
**DALLAS, TX**

**EDR Hist Auto 1009361118**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1946	OWENS HERB AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING
1956	OWENS HERBERT AUTOMOTIVE SERVIC	AUTOMOBILE REPAIRING

**219 FORSTER S AUTOMOTIVE SERVICE**  
**2703 MAIN**  
**DALLAS, TX**

**EDR Hist Auto 1009365657**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	FORSTER S AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**219 DAVIDSOOT CLEANERS EDR Hist Cleaner 1009333751**  
**107 N CROWDUS N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1941	DAVIDSOOT CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	CLARK S BETTER CLEANERS	CLEANERS AND DYERS

**219 TOP SHOP EDR Hist Auto 1009365708**  
**2709 MAIN ST N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	WILLIAMS R L	AUTOMOBILE GARAGES
1930	LUCUS J W	AUTOMOBILE REPAIRERS
1936	WILLIAMS R L	AUTOMOBILE REPAIRING
1951	LOWREY S RADIATOR SERVICE	RADIATOR REPAIRERS-AUTOMOBILE
1956	LOWREY S RADIATOR SHOP	RADIATOR REPAIRERS AUTOMOBILE
1969	ALLSTATE GLASS CO	Automotive Repair Shops, NEC
1970	ALLSTATE GLASS CO	Automotive Repair Shops, NEC
1971	ALLSTATE GLASS CO	Automotive Repair Shops, NEC

**219 LUCUS J W EDR Hist Auto 1009365729**  
**2711 MAIN N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	LUCUS J W	AUTOMOBILE REPAIRERS
1930	WILLIAMS R L	AUTOMOBILE GARAGES
1951	LOWREY S RADIATOR SERVICE	RADIATOR REPAIRERS-AUTOMOBILE

**219 CAPITOL CLEANERS EDR Hist Cleaner 1009334060**  
**111 N CROWDUS N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1925	CAPITOL CLEANERS	CLOTHES CLEANERS AND DYERS
1930	CAPITOL CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
219				<b>DALLAS FENDER SERVICE</b> 2723 MAIN DALLAS, TX	EDR Hist Auto	1009365826	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 DALLAS FENDER SERVICE	AUTOMOBILE REPAIRERS		
219				<b>DALLAS FENDER SERVICE</b> 2721 MAIN DALLAS, TX	EDR Hist Auto	1009365815	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 DALLAS FENDER SERVICE	AUTOMOBILE REPAIRERS		
219				<b>DALLAS FENDER SERVICE</b> 2719 MAIN DALLAS, TX	EDR Hist Auto	1009365798	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 DALLAS FENDER SERVICE	AUTOMOBILE REPAIRERS		
219				<b>AUTOCAR TRUCK AND SERVICE CO</b> 2701 MAIN DALLAS, TX	EDR Hist Auto	1009365620	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 AUTOCAR TRUCK AND SERVICE CO	AUTOMOBILE REPAIRERS		
219				<b>MCKENZIE BROS FENDER AND BODY WORKS</b> 2715 MAIN DALLAS, TX	EDR Hist Auto	1009365771	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 MCKENZIE BROS FENDER AND BODY W	AUTOMOBILE REPAIRERS		
				1930 MIMS F J	AUTOMOBILE REPAIRERS		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**219 ANDREWS TRANSMISSION SERVICE INC**  
**2801 MAIN ST**  
**DALLAS, TX**

**EDR Hist Auto 1009366073**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1966	UNITED MOTOR EXCHANGE	AUTOMOBILE REPAIRING
1969	ASSURED AT TRANSMISSION & ENG*	Automotive Repair Shops, NEC
1970	ASSURED AT TRANSMISSION & ENG*	Automotive Repair Shops, NEC
1971	ASSURED AUTO TRANSMISSION ENG*	Automotive Repair Shops, NEC
1972	ANDREWS TRANSMISSION SERVICE*	Automotive Repair Shops, NEC
1973	ANDREWS TRANSMISSION SERVICE*	Automotive Repair Shops, NEC
1974	ANDREWS TRANSMISSION SERVICE*	Automotive Repair Shops, NEC
1975	ANDREWS TRANSMISSION & MTR SV	Auto And Home Supply Stores
1976	ANDREWS TRANSMISSION & MTR SV	Auto And Home Supply Stores
1977	ANDREWS TRANSMISSION SERVICE IN	AUTOMOBILE REPAIRING
1977	ANDREWS TRANSMISSION & MTR SV	Auto And Home Supply Stores
1978	ANDREWS TRANSMISSION & MTR SV	Auto And Home Supply Stores
1979	ANDREWS TRANSMISSION & MTR SV	Auto And Home Supply Stores
1980	ANDREWS TRANSMISSION & MTR SV	Auto And Home Supply Stores
1981	ANDREWS TRANSMISSION SERVICE IN	AUTOMOBILE REPAIRING
1982	ANDREWS TRANSMISSION & MTR SV	Auto And Home Supply Stores
1986	ANDREWS TRANSMISSION SERVICE IN	AUTOMOBILE REPAIRING

**220 FIX IT SHOP**  
**2533 ELM**  
**DALLAS, TX**

**EDR Hist Auto 1009364955**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1961	FIX IT SHOP	REPAIR SHOPS

**220 S AND S AUTO RADIATOR CO**  
**2549 ELM**  
**DALLAS, TX**

**EDR Hist Auto 1009364997**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1951	S AND S AUTO RADIATOR CO	RADIATOR REPAIRERS-AUTOMOBILE

**220 VACANT COMMERCIAL BUILDING**  
**2549 ELM ST.**  
**DALLAS, TX 75201**

**TX ASBESTOS S119160084**  
**N/A**

ASBESTOS:

Date of inspection:	11/06/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015006980
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VACANT COMMERCIAL BUILDING (Continued)**

**S119160084**

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	AR
Seq:	05
Facility Type:	Asbestos
Inspector Name:	Andria Randall
Date Report Received:	11/19/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	12/11/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	12/04/2015
Date RtnD to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date RtnD to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date RtnD to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

220

**PEOPLES TAILORING AND PRESSING CLUB  
 2536 ELM  
 DALLAS, TX**

**EDR Hist Cleaner 1009340122  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	PEOPLES TAILORING AND PRESSING	CLOTHES CLEANERS AND DYERS

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.) Site Database(s) EPA ID Number

220 TROY LAUNDRY CO EDR Hist Cleaner 1009340072  
 2523 ELM N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 TROY LAUNDRY CO LAUNDRIES

220 UNION BANK BUILDING TX ASBESTOS S121064296  
 2551 ELM STREET N/A  
 DALLAS, TX 75226

ASBESTOS:

Date of inspection: 08/08/2017  
 Reason for Inspection: Julie Carmichael  
 Violation: Not reported  
 Complaint Date: 09/15/2017  
 Notification Number: 2017005362  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 09/05/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 4  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 09/05/2017  
 Certification Statement Phone: 817-716-7536  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 34  
 Is this a phased abatement project?: Y  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment with RFCI  
 Analytical Method: PLM



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION BANK BUILDING (Continued)**

**S121064296**

Start Date: 08/07/2017

Date of inspection: 08/08/2017  
 Reason for Inspection: Julie Carmichael  
 Violation: Not reported  
 Complaint Date: 08/31/2017  
 Notification Number: 2017005362  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 07/18/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 07/18/2017  
 Certification Statement Phone: 817-695-6519  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 34  
 Is this a phased abatement project?: Y  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment with RFCI  
 Analytical Method: PLM  
 Start Date: 08/07/2017

Date of inspection: 08/08/2017  
 Reason for Inspection: Julie Carmichael  
 Violation: Not reported  
 Complaint Date: 08/31/2017  
 Notification Number: 2017005362  
 ASB Priority: Not reported  
 PIF State: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION BANK BUILDING (Continued)**

**S121064296**

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/03/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/03/2017
Certification Statement Phone:	817-695-6519
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	34
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	08/07/2017
Date of inspection:	08/08/2017
Reason for Inspection:	Julie Carmichael
Violation:	Not reported
Complaint Date:	09/07/2017
Notification Number:	2017005362
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**UNION BANK BUILDING (Continued)**

**S121064296**

Inspector Name:	Not reported
Date Report Received:	08/29/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/29/2017
Certification Statement Phone:	817-695-6519
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	34
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	08/07/2017
Date of inspection:	08/08/2017
Reason for Inspection:	Julie Carmichael
Violation:	Not reported
Complaint Date:	08/31/2017
Notification Number:	2017005362
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/18/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION BANK BUILDING (Continued)**

**S121064296**

Date Rcvd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 07/18/2017  
 Certification Statement Phone: 817-695-6519  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 34  
 Is this a phased abatement project?: Y  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment with RFCI  
 Analytical Method: PLM  
 Start Date: 08/07/2017

221

**F AND G CLEANERS  
 527 N AKARD  
 DALLAS, TX**

**EDR Hist Cleaner**

**1009346014  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	F AND G CLEANERS	DYERS AND CLEANERS
1925	F AND G CLEANERS	CLOTHES CLEANERS AND DYERS
1925	F AND G CLEANERS	CLEANERS AND DYERS

222

**EDWARDS S K  
 1900 BRYAN  
 DALLAS, TX**

**EDR Hist Auto**

**1009360312  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	EDWARDS S K	GASOLINE AND OIL SERVICE STATIONS

222

**HOOKS AND UPTON SERVICE STATION  
 1916 BRYAN  
 DALLAS, TX**

**EDR Hist Auto**

**1009360565  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	MOBIL OIL SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	HOOKS AND UPTON SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>222</b>	<b>NU WAY CLEANING DYEING CO NO2</b> <b>1901 BRYAN</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009337625</b> <b>N/A</b>
------------	--	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:
1925	NU WAY CLEANING DYEING CO NO2	CLOTHES CLEANERS AND DYERS

<b>223</b>	<b>NORTHSTAR ENVIRONMENTAL GROUP</b> <b>350 N SAINT PAUL ST</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1017798044</b> <b>N/A</b>
------------	---	--------------	---------------------------------

FINDS:

Registry ID: 110063919951

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>223</b>	<b>COMINCO AMERICAN INC</b> <b>C\O CT CORP SYSTEM 350 N ST PAUL STREET</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1004598712</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID: 110011394393

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

223      **ANDERSON FISCHEL THOMPSON**      **FINDS**      **1016203928**  
**350 N SAINT PAUL ST 1500 ONE DALLA**      **ECHO**      **N/A**  
**DALLAS, TX 75201**

FINDS:

Registry ID:                      110005014395

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:                              1016203928  
 Registry ID:                      110005014395  
 DFR URL:                         <http://echo.epa.gov/detailed-facility-report?fid=110005014395>

223      **MCI - DLTKTX**      **TX TIER 2**      **S108440077**  
**350 NORTH SAINT PAUL**      **N/A**  
**DALLAS, TX 75201**

TIER 2:

Facility Id/Name:                FATR200723GHCD0G6DSQ/MCI - DLTKTX  
 Reporting Year:                 2007  
 Facility Country:                USA  
 Facility Department:            Not reported  
 Facility Date Modified:        8/5/2008  
 Date Tier 2 Signed:            1/23/2008  
 Mailing Address:                2400 N. Glenville Drive  
 Mailing City/State/Country:   Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total:                Not reported  
 Number Of Emploeyess On Site: Not reported  
 Site Map:                         Not reported  
 Fire District:                    Not reported  
 Submitted By:                    Karen Mehta/Environmental Rep.  
 Latitude:                         Not reported  
 Longitude:                        Not reported  
 Lat/Long Location Desc:        Not reported  
 Lat/Long Method:                Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required:     Not reported  
 Fail Valid:                        Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address:                    Not reported  
 Mail City:                        Not reported  
 Mail State Req.:                 Not reported  
 Fire District:                    Not reported  
 Additional Mail Addr:            Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DLTKTX (Continued)**

**S108440077**

Facility Id/Name: FATR200623GHCD0G6DSQ/MCI - DLTKTX  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/16/2007  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200523GHCD0G6DSQ/MCI - DLTKTX  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/19/2006  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Env. Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DLTKTX (Continued)**

**S108440077**

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

223

**MCI - DLCFTX**  
**350 NORTH SAINT PAUL, SUITE 2950**  
**DALLAS, TX 75201**

**TX TIER 2 S109712601**  
**N/A**

TIER 2:

Facility Id/Name: FATR201023GHCD0G6DSQ/MCI - DLCFTX  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01-11-2011  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200923GHCD0G6DSQ/MCI DLCFTX  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02-04-2010  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DLCFTX (Continued)**

**S109712601**

Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200823GHCD0G6DSQ/MCI - DLCFTX  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/2/2009  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/10/2003  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009  
 Id: 020289070  
 Id Type: Dun & Bradstreet

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI - DLCFTX (Continued)**

**S109712601**

Description: Not reported  
 Last Modified: 1/10/2003

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney  
 Title: Manager  
 Modification Date: 2/17/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management  
 Title: Not reported  
 Modification Date: 2/17/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Chemical Inventory:

Facility Id: FATR200923GHCD0G6DSQ  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR200923GHCD0GCDVC  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/12/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI - DLCFTX (Continued)**

**S109712601**

Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200923GHCD0GDDWJ  
 Chemical Inventory Record Id: CVTR200923GHCD0GCDVC  
 Amt Of Sub Stored Or Transported: 34274  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room  
 Last Modified: 2/12/2010

Mixture:

Record Key: CMTR200946X3S1009V02  
 Chemical Inv Record Id: CVTR200923GHCD0GCDVC  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR200923GHCD0G6DSQ  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/12/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/10/2003  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/10/2003

Contact:

Contact Email: jason.weller@verizonbusiness.com  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI - DLCFTX (Continued)**

**S109712601**

Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney  
 Title: Manager  
 Modification Date: 2/16/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management  
 Title: Not reported  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR201023GHCD0G6DSQ  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR201023GHCD0GCDVC  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DLCFTX (Continued)**

**S109712601**

Chemical Inventory Location:

Record Key: CLTR201023GHCD0GDDWJ  
 Chemical Inventory Record Id: CVTR201023GHCD0GCDCVC  
 Amt Of Sub Stored Or Transported: 34274  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR201046X3S1009V02  
 Chemical Inv Record Id: CVTR201023GHCD0GCDCVC  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR201023GHCD0G6DSQ  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

223

**MCI- DLCFTX (TXDLCFTX)**  
**350 N SAINT PAUL ST STE 2950**  
**DALLAS, TX 75201**

**TX TIER 2 S112009505**  
**N/A**

TIER 2:

Facility Id/Name: FATR2012TXDLCFTX/MCI- DLCFTX (TXDLCFTX)  
 Reporting Year: 2012  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 1/3/2013  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Employess On Site: 2  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller - Manager, Global EH&S Compliance  
 Latitude: 32.784063  
 Longitude: -96.797233  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLCFTX (TXDLCFTX) (Continued)**

**S112009505**

Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR2011TXDLCFTX/MCI- DLCFTX (TXDLCFTX)  
 Reporting Year: 2011  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1/3/2012  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Emploeyess On Site: 2  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller  
 Latitude: 32.784063  
 Longitude: -96.797233  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2012  
 Id: 132745892  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLCFTX (TXDLCFTX) (Continued)**

**S112009505**

Contact:

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI- DLCFTX (TXDLCFTX) (Continued)**

**S112009505**

Title: Manager  
 Modification Date: 3/30/2012

Chemical Inventory:

Facility Id: FATR2011TXDLCFTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDLCFTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 237  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/30/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDLCFTX91443388610  
 Chemical Inventory Record Id: TXDLCFTX91443  
 Amt Of Sub Stored Or Transported: 34128  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Battery Room 28th fl  
 Last Modified: 3/30/2012

Record Key: TXDLCFTX91443388967  
 Chemical Inventory Record Id: TXDLCFTX91443  
 Amt Of Sub Stored Or Transported: 26.2  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panel  
 Last Modified: 3/30/2012

Record Key: TXDLCFTX91443388968  
 Chemical Inventory Record Id: TXDLCFTX91443  
 Amt Of Sub Stored Or Transported: 120  
 Amount Units: pounds  
 Type Of Storage: Other



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI- DLCFTX (TXDLCFTX) (Continued)**

**S112009505**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator  
 Last Modified: 3/30/2012

Mixture:

Record Key: TXDLCFTX9144377860  
 Chemical Inv Record Id: TXDLCFTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 7.81  
 Facility Id: FATR2011TXDLCFTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/30/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 132745892  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2013

Contact:

Contact Email: bruce.ward@verizon.com  
 Contact Mail Address: 1515 Aldine-Meadows Rd  
 Contact City/State/Zip: Houston, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Carl Ward  
 Title: Property Manager  
 Modification Date: 2/23/2013

Contact Email: bruce.ward@verizon.com  
 Contact Mail Address: 1515 Aldine-Meadows Rd  
 Contact City/State/Zip: Houston, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Carl Ward  
 Title: Property Manager  
 Modification Date: 2/23/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLCFTX (TXDLCFTX) (Continued)**

**S112009505**

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 2/24/2013

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR2012TXDLCFTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDLCFTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 237  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI- DLCFTX (TXDLCFTX) (Continued)**

**S112009505**

Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDLCFTX91443388610  
 Chemical Inventory Record Id: TXDLCFTX91443  
 Amt Of Sub Stored Or Transported: 34128  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Battery Room 28th fl  
 Last Modified: 2/23/2013

Record Key: TXDLCFTX91443388967  
 Chemical Inventory Record Id: TXDLCFTX91443  
 Amt Of Sub Stored Or Transported: 26.2  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panel  
 Last Modified: 2/23/2013

Record Key: TXDLCFTX91443388968  
 Chemical Inventory Record Id: TXDLCFTX91443  
 Amt Of Sub Stored Or Transported: 120  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator  
 Last Modified: 2/23/2013

Mixture:

Record Key: TXDLCFTX9144377860  
 Chemical Inv Record Id: TXDLCFTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 7.81  
 Facility Id: FATR2012TXDLCFTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/23/2013

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site		Database(s) EPA ID Number

<b>223</b>	<b>FINA OIL &amp; CHEM CO</b> <b>350 N ST PAUL ST</b> <b>DALLAS, TX 75201</b>	<b>ICIS</b> <b>FINDS</b> <b>ECHO</b>	<b>1004599378</b> <b>N/A</b>
------------	---	--	---------------------------------

ICIS:

Enforcement Action ID:	HQ-1996-0021
FRS ID:	110010730432
Action Name:	FINA OIL AND CHEMICAL CO.
Facility Name:	FINA OIL & CHEM CO
Facility Address:	350 N ST PAUL ST DALLAS, TX 75201
Enforcement Action Type:	TSCA 16 Action For Penalty
Facility County:	DALLAS
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	16
Facility SIC Code:	2911
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	32.783422
Longitude in Decimal Degrees:	-96.79701
Permit Type Desc:	Not reported
Program System Acronym:	17876
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

**FINDS:**

Registry ID: 110010730432

**Environmental Interest/Information System**

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:  
 Envid: 1004599378

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

**FINA OIL & CHEM CO (Continued)**

**1004599378**

Registry ID: 110010730432  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010730432>

223

**ANDERSON FISCHEL THOMPSON  
 350 N SAINT PAUL ST 1500 ONE DALLA  
 DALLAS, TX 75201**

**RCRA NonGen / NLR 1000891246  
 TX Ind. Haz Waste TX0000141754**

RCRA NonGen / NLR:

Date form received by agency: 02/14/2001  
 Facility name: ANDERSON FISCHEL THOMPSON  
 Facility address: 350 N SAINT PAUL ST 1500 ONE DALLA  
 DALLAS, TX 75201  
 EPA ID: TX0000141754  
 Mailing address: N SAINT PAUL ST 1500 ONE DALLA  
 DALLAS, TX 75201  
 Contact: JAY A ZWERNER  
 Contact address: N SAINT PAUL ST 1500 ONE DALLA  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: 214-855-5155  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ANDERSONJOE  
 Owner/operator address: N SAINT PAUL ST 1500 ONE DALL  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 02/14/2001  
 Owner/Op end date: Not reported

Owner/operator name: ANDERSONJOE  
 Owner/operator address: N SAINT PAUL ST 1500 ONE DALL  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 02/14/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ANDERSON FISCHEL THOMPSON (Continued)**

**1000891246**

Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 03/09/1994  
 Site name: ANDERSON FISCHEL  
 Classification: Small Quantity Generator

. Waste code: UNKN  
 . Waste name: UNKN

Violation Status: No violations found

Ind. Haz Waste:

Registration Number: 81708  
 Registration Initial Notification Date: 03/10/1994  
 Registration Last Amendment Date: 02/14/2001  
 EPA Identification: TX0000141754  
 Primary NAICS Code: 541890  
 Status Change Date: 19940310  
 Land Type: PRIVATE  
 Description of Facility Site Location: 350 N Saint Paul St, 1500 One Dallas Center, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: ANDERSON, JOE  
 Contact Name: JAY A ZWERNER  
 Contact Telephone Number: 214-8555155  
 Mailing Address: 350 N SAINT PAUL ST  
 Mailing Address2: 1500 ONE DALLAS CENTER  
 Mailing City, St, Zip: DALLAS, TX 752014240  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 36759  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20030102

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ANDERSON FISCHER THOMPSON (Continued)**

**1000891246**

Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: Not reported  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Country: Not reported  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Individual  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: ANDERSON  
 Operator First Name: JOE  
 Operator Name: JOE ANDERSON  
 Operator Mailing Address: Not reported  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: Not reported  
 Operator Country: Not reported  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Individual  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: JAY ZWERNER  
 Contact Title: STUDIO MANAGER  
 Contact Role: PRICONT  
 Contact Address: 350 N SAINT PAUL ST  
 Contact Address2: 1500 ONE DALLAS CENTER  
 Contact City,St,Zip: DALLAS, TX 75201 4240  
 Contact Phone: 1-214-8555155  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit:

Unit No: 001  
 Deed Record Needed: Not reported  
 Deed Recording Date: Not reported  
 Unit Type Code: 14  
 Unit Type: Not reported  
 Unit Status: ACTIVE  
 Unit Regulatory Status: 05  
 UIC Permit Number: Not reported  
 Capacity: Not reported  
 Capacity Measurement: Not reported  
 Off Site Hazardous Waste: No  
 Off Site Class 1 Waste: Not reported  
 Off Site Class 2 Waste: Not reported  
 Off Site Class 3 Waste: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ANDERSON FISCHER THOMPSON (Continued)**

**1000891246**

Off Site Non Indstrl Sld Wst: Not reported  
 System Type Code: Not reported  
 System Type: Not reported  
 System Type Code 1: 141  
 System Type 1: Not reported  
 System Type Code 2: Not reported  
 System Type 2: Not reported  
 System Type Code 3: Not reported  
 System Type 3: Not reported  
 System Type Code 4: Not reported  
 System Type 4: Not reported  
 Permit Seq #: Not reported  
 Unit Description on NOR: 55 Gallon drum in storage area.  
 Dt Last Changed: 19940310  
 TNRCC Facility ID: Not reported  
 Unit ID: Not reported  
 Unit Description: Not reported  
 WastelD: ,

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 76540  
 Waste Description: Photographic waste.  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 00011981  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**223 TUNE HUNTER INC EDR Hist Auto 1021646763**  
**350 N SAINT PAUL ST N/A**  
**DALLAS, TX 75201**

EDR Hist Auto

Year:	Name:	Type:
2011	YIPES TRANSMISSION INC	Automotive Transmission Repair Shops
2011	EDUCARE COMMNTY LVING CORP	Gasoline Service Stations, NEC
2011	TUNE HUNTER INC	Automotive Repair Shops, NEC, NEC
2012	YIPES TRANSMISSION INC	Automotive Transmission Repair Shops
2012	TUNE HUNTER INC	Automotive Repair Shops, NEC, NEC
2013	TUNE HUNTER INC	Automotive Repair Shops, NEC, NEC
2014	SABAL TRAIL TRANSMISSION LLC	Automotive Transmission Repair Shops
2014	TUNE HUNTER INC	Automotive Repair Shops, NEC, NEC

**223 PACIFIC PLAZA TX VCP S120802971**  
**1901 PACIFIC AVE, 300, 306, 308, 312, 322, & 350 N ST PAUL S N/A**  
**DALLAS, TX 75201**

VCP TCEQ:

Region:	4
Facility ID:	2898
Facility Type:	PARK, PARKING LOT AND STREET
VCP Received:	07/24/2017
PCA Number:	68192
Project Number:	Bell
Type Lead:	OWNER
Phase:	Investigation
Lat/Long:	Not reported
Lat/Long (DD):	32.783525 / -96.795954
Acres at Site:	3.181
Contaminant Categories:	VOCS, SVOCS, HEAVY METALS
Media Affected:	SOIL
Applicant:	CITY OF DALLAS
Applicant Contact Title:	SR ENVIRONMENTAL COORDINATOR
Applicant Address:	1500 MARILLA ST 7AN
Applicant City,St,Zip:	DALLAS, TX 75201
Applicant Phone:	214-671-8967
Applicant Fax:	214-670-0134
Consultant/Attorney:	TERRACON CONSULTANTS INC
Consultant/Attorney Name:	LANCE CRABTREE
Consultant/Attorney Contact Title:	SR PM
Consultant/Attorney Address:	8901 CARPENTER FWY
Consultant/Attorney City,St,Zip:	DALLAS, TX 75247
Consultant/Attorney Phone:	214-630-1010
Consultant/Attorney Fax:	214-630-7070
TNRCC Solid Waste Registration:	Not reported
EPA Texas ID/CERCLIS Registration:	Not reported
EPA Registration:	Not reported
Application Signed By Applicant:	Not reported
Standards:	A, B
TX Risk Reduction Prgm:	2,1
Institutional Controls:	Not reported
Certificate of Completion:	Not reported
Remedy Type:	Not reported
Risk Reduction or Petroleum Storage Tank:	TRRP
Leaking Petroleum Storage Registration Tank:	Not reported
Cashier Recvd:	07/24/2017
App Accepted?:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PACIFIC PLAZA (Continued)**

**S120802971**

Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 681920  
 Contaminants Identified: LEAD, PAH  
 OffSite?: Not reported  
 Billing Company: CITY OF DALLAS  
 Billing c/o Name: LORI FRAULI TRULSON  
 Billing Address1: 1500 MARILLA ST  
 Billing Address2: 7AN  
 Billing City: DALLAS  
 Billing State: TX  
 Billing Zip: 75201  
 Billing Phone: 214-671-8967  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P  
 File Location: D2-206

224

**IRELAND S AUTO SERVICE  
 315 OLIVE  
 DALLAS, TX**

EDR Hist Auto

**1009368165  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	WALTER N C CO	AUTOMOBILE REPAIRERS
1941	IRELAND S AUTO SERVICE	AUTOMOBILE REPAIRING
1946	IRELAND S AUTO SERVICE	AUTOMOBILE REPAIRING
1951	IRELAND S AUTO SERVICE	AUTOMOBILE REPAIRING

224

**OWL GARAGE  
 316 OLIVE  
 DALLAS, TX**

EDR Hist Auto

**1009368193  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	OWL GARAGE	AUTOMOBILE REPAIRING

225

**SMITH AND WILLIAMS  
 2211 N PACIFIC AVE  
 DALLAS, TX**

EDR Hist Auto

**1009362861  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1951	RIDOUT MOTORS INC	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

226 ENOS SERVICE STATION EDR Hist Auto 1009363349  
 2301 N PACIFIC AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1951 JIMMLE S SERVICE CENTER GASOLINE STATIONS

227 TEXAS AUTO RADIATOR CO EDR Hist Auto 1009365520  
 2651 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1951 TEXAS AUTO RADIATOR CO RADIATOR REPAIRERS-AUTOMOBILE  
 1961 TEXAS AUTO RADIATOR CO AUTOMOBILE RADIATOR REPAIRERS

227 TEXAS AUTO RADIATOR CO EDR Hist Auto 1009365501  
 2649 MAIN ST N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1941 ROOP S MOTOR MECCA AUTOMOBILE REPAIRING  
 1951 TEXAS AUTO RADIATOR CO RADIATOR REPAIRERS-AUTOMOBILE  
 1956 TEXAS AUTO RADIATOR CO RADIATOR REPAIRERS AUTOMOBILE  
 1961 TEXAS AUTO RADIATOR CO AUTOMOBILE RADIATOR REPAIRERS  
 1969 TEXAS AUTO RADIATOR CO Automotive Repair Shops, NEC  
 1970 TEXAS AUTO RADIATOR CO Automotive Repair Shops, NEC  
 1971 TEXAS AUTO RADIATOR Automotive Repair Shops, NEC  
 1972 TEXAS AUTO RADIATOR Automotive Repair Shops, NEC  
 1973 TEXAS AUTO RADIATOR Automotive Repair Shops, NEC  
 1974 TEXAS AUTO RADIATOR Automotive Repair Shops, NEC  
 1976 TEXAS AUTO RADIATOR Automotive Repair Shops, NEC  
 1977 TEXAS AUTO RADIATOR Automotive Repair Shops, NEC  
 1978 TEXAS AUTO RADIATOR INC Automotive Repair Shops, NEC  
 1979 TEXAS AUTO RADIATOR INC Automotive Repair Shops, NEC  
 1980 TEXAS AUTO RADIATOR INC Automotive Repair Shops, NEC  
 1987 CLICKS RADIATOR SV & AT SUP\* Automotive Repair Shops, NEC  
 1988 CLICKS RADIATOR SV & AT SUP Automotive Repair Shops, NEC  
 1989 CLICKS RADIATOR SVC & AUTO SUP Powertrain Components Repair Services  
 1990 CLICKS RADIATOR SVC & AUTO SUP Powertrain Components Repair Services  
 1991 CLICKS RADIATOR SVC & AUTO SUP Powertrain Components Repair Services  
 1992 CLICKS RADIATOR SVC & AUTO SUP Powertrain Components Repair Services  
 1993 CLICKS RADIATOR SVC & AUTO SUP Powertrain Components Repair Services  
 1994 CLICKS RADIATOR SVC & AUTO SUP Powertrain Components Repair Services  
 1995 CLICKS RADIATOR SVC & AUTO SUP Powertrain Components Repair Services  
 1996 CLICKS RADIATOR SVC & AUTO SUP Powertrain Components Repair Services  
 1997 CLICKS RADIATOR SERVICE INC Powertrain Components Repair Services  
 1998 CLICKS RADIATOR SERVICE INC Powertrain Components Repair Services  
 1999 CLICKS RADIATOR CO INC Powertrain Components Repair Services  
 2000 CLICKS RADIATOR CO INC Powertrain Components Repair Services  
 2001 CLICKS RADIATOR CO INC Powertrain Components Repair Services  
 2002 CLICKS RADIATOR CO INC Powertrain Components Repair Services  
 2003 CLICKS RADIATOR CO INC Powertrain Components Repair Services

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TEXAS AUTO RADIATOR CO (Continued)**

**1009365501**

2004	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2005	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2006	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2007	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2008	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2009	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2010	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2011	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2012	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2013	CLICKS RADIATOR CO INC	Powertrain Components Repair Services
2014	CLICKS RADIATOR CO INC	Powertrain Components Repair Services

227

**TEXAS RADIATOR CO  
 2649 MAIN STREET  
 DALLAS, TX 75226**

**RCRA NonGen / NLR  
 FINDS  
 ECHO**

**1000156683  
 TXD026306175**

RCRA NonGen / NLR:

Date form received by agency: 01/23/2002  
 Facility name: TEXAS RADIATOR CO  
 Facility address: 2649 MAIN STREET  
 DALLAS, TX 75226  
 EPA ID: TXD026306175  
 Mailing address: MAIN STREET  
 DALLAS, TX 75226  
 Contact: NELLIE P PETERS  
 Contact address: MAIN STREET  
 DALLAS, TX 75226  
 Contact country: US  
 Contact telephone: 214-748-3019  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TEXAS RADIATOR CO  
 Owner/operator address: MAIN STREET  
 DALLAS, TX 75226  
 Owner/operator country: US  
 Owner/operator telephone: 214-748-3019  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/23/2002  
 Owner/Op end date: Not reported

Owner/operator name: TEXAS RADIATOR CO  
 Owner/operator address: MAIN STREET  
 DALLAS, TX 75226  
 Owner/operator country: US  
 Owner/operator telephone: 214-748-3019  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TEXAS RADIATOR CO (Continued)**

**1000156683**

Owner/Operator Type: Owner  
 Owner/Op start date: 01/23/2002  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 07/10/1985  
 Site name: TEXAS AUTO RADIATOR CO INC  
 Classification: Small Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110005042417

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000156683  
 Registry ID: 110005042417  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005042417>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**227 TEXAS RADIATOR  
 2649 MAIN ST  
 DALLAS, TX 75226**

**TX Ind. Haz Waste S103605489  
 N/A**

Ind. Haz Waste:  
 Registration Number: 55245  
 Registration Initial Notification Date: 07/01/1985  
 Registration Last Amendment Date: 01/23/2002  
 EPA Identification: TXD026306175  
 Primary NAICS Code: Not reported  
 Status Change Date: 19850701  
 Land Type: PRIVATE  
 Description of Facility Site Location: 2649 Main Street, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: Not reported  
 TNRCC Region: Not reported  
 Company Name: TEXAS RADIATOR CO  
 Contact Name: NELLIE P PETERS  
 Contact Telephone Number: 214-7483019  
 Mailing Address: 2649 MAIN ST  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: DALLAS, TX 752261411  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 19213  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20030828  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:  
 Owner Mailing Address: 2649 MAINST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City, St, Zip: DALLAS, TX 75226 1411  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-7483019  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: TEXAS RADIATOR CO  
 Operator First Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TEXAS RADIATOR (Continued)**

**S103605489**

Operator Name: TEXAS RADIATOR CO  
 Operator Mailing Address: 2649 MAINST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75226 1411  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-7483019  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2649 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1411  
 Contact Phone: 1-214-7483019  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: NELLIE PETERS  
 Contact Title: ENV MGR  
 Contact Role: PRICON  
 Contact Address: 2649 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1411  
 Contact Phone: 1-214-7483019  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 2649 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75226 1411  
 Contact Phone: 1-214-7483019  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

228 BERGER PAUL A EDR Hist Cleaner 1009338015  
 2004 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1925	LIBERTY DRY CLEANING CO	CLOTHES CLEANERS AND DYERS
1930	BERGER P A	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1941	BERGER PAUL A	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	BERGER PAUL A	CLEANERS AND DYERS

228 SLHEPHERD S GARAGE EDR Hist Auto 1009361270  
 2016 LIVE OAK N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1941	SLHEPHERD S GARAGE	AUTOMOBILE REPAIRING

229 A DIFFERENT TAILOR EDR Hist Cleaner 1009338058  
 201 N HAWKINS N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1930	A DIFFERENT TAILOR	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

230 W. W. GRAINGER, INC. ICIS 1006060829  
 2639 MAIN STREET FINDS N/A  
 DALLAS, TX 75202 ECHO  
 US AIRS

ICIS:

Enforcement Action ID:	06-1994-A029
FRS ID:	110001870360
Action Name:	W. W. GRAINGER, INC. 481136000190003
Facility Name:	W. W. GRAINGER, INC.
Facility Address:	2639 MAIN STREET DALLAS, TX 75202
Enforcement Action Type:	CAA 113D1 Action For Penalty
Facility County:	DALLAS
Program System Acronym:	AIR
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	113D1
Facility SIC Code:	9999
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	32.78366
Longitude in Decimal Degrees:	-96.78481
Permit Type Desc:	Not reported
Program System Acronym:	TX0000004811360001
Facility NAICS Code:	999999
Tribal Land Code:	Not reported
Enforcement Action ID:	06-1993-A026



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**W. W. GRAINGER, INC. (Continued)**

**1006060829**

FRS ID: 110001870360  
 Action Name: W. W. GRAINGER, INC. 481136000190001  
 Facility Name: W. W. GRAINGER, INC.  
 Facility Address: 2639 MAIN STREET  
 DALLAS, TX 75202  
 Enforcement Action Type: CAA 113D1 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: AIR  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 113D1  
 Facility SIC Code: 9999  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.78366  
 Longitude in Decimal Degrees: -96.78481  
 Permit Type Desc: Not reported  
 Program System Acronym: TX0000004811360001  
 Facility NAICS Code: 999999  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-1993-0167  
 FRS ID: 110001870360  
 Action Name: W.W. GRAINGER, INC.  
 Facility Name: W W GRAINGER INCORPORATED  
 Facility Address: 2639 MAIN STREET  
 DALLAS, TX 75202  
 Enforcement Action Type: CAA 113D1 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 113D1  
 Facility SIC Code: 5063  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.783513  
 Longitude in Decimal Degrees: -96.785516  
 Permit Type Desc: Not reported  
 Program System Acronym: 14157  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: W W GRAINGER INCORPORATED  
 Address: 2639 MAIN STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: 5063

Facility Name: W W GRAINGER INCORPORATED  
 Address: 2639 MAIN STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: 5075

Facility Name: W W GRAINGER INCORPORATED  
 Address: 2639 MAIN STREET  
 Tribal Indicator: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**W. W. GRAINGER, INC. (Continued)**

**1006060829**

Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: 5084

**FINDS:**

Registry ID: 110001870360

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

**AIR MINOR**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1006060829  
 Registry ID: 110001870360  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110001870360>

**US AIRS MINOR:**

Envid: 1006060829  
 Region Code: 06  
 Programmatic ID: AIR TX0000004811360001  
 Facility Registry ID: 110001870360  
 D and B Number: Not reported  
 Primary SIC Code: 9999  
 NAICS Code: 999999  
 Default Air Classification Code: MIN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**W. W. GRAINGER, INC. (Continued)**

**1006060829**

Facility Type of Ownership Code: POF  
 Air CMS Category Code: Not reported  
 HPV Status: Not reported

US AIRS MINOR:

Region Code: 06  
 Programmatic ID: AIR TX0000004811360001  
 Facility Registry ID: 110001870360  
 Air Operating Status Code: OPR  
 Default Air Classification Code: MIN  
 Air Program: Stratospheric Ozone Protection  
 Activity Date: 1993-06-10 00:00:00  
 Activity Status Date: 1993-06-10 00:00:00  
 Activity Group: Enforcement Action  
 Activity Type: Administrative - Formal  
 Activity Status: Final Order Issued

Region Code: 06  
 Programmatic ID: AIR TX0000004811360001  
 Facility Registry ID: 110001870360  
 Air Operating Status Code: OPR  
 Default Air Classification Code: MIN  
 Air Program: Stratospheric Ozone Protection  
 Activity Date: 1993-10-12 00:00:00  
 Activity Status Date: 1993-10-12 00:00:00  
 Activity Group: Enforcement Action  
 Activity Type: Administrative - Formal  
 Activity Status: Final Order Issued

US AIRS MINOR:

Envid: 1006060829  
 Region Code: 06  
 Programmatic ID: AIR TX0000004811360001  
 Facility Registry ID: 110001870360  
 D and B Number: Not reported  
 Primary SIC Code: 9999  
 NAICS Code: 999999  
 Default Air Classification Code: MIN  
 Facility Type of Ownership Code: POF  
 Air CMS Category Code: Not reported  
 HPV Status: Not reported

US AIRS MINOR:

Region Code: 06  
 Programmatic ID: AIR TX0000004811360001  
 Facility Registry ID: 110001870360  
 Air Operating Status Code: OPR  
 Default Air Classification Code: MIN  
 Air Program: Stratospheric Ozone Protection  
 Activity Date: 1993-06-10 00:00:00  
 Activity Status Date: 1993-06-10 00:00:00  
 Activity Group: Enforcement Action  
 Activity Type: Administrative - Formal  
 Activity Status: Final Order Issued

Region Code: 06  
 Programmatic ID: AIR TX0000004811360001

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**W. W. GRAINGER, INC. (Continued)**

**1006060829**

Facility Registry ID: 110001870360  
 Air Operating Status Code: OPR  
 Default Air Classification Code: MIN  
 Air Program: Stratospheric Ozone Protection  
 Activity Date: 1993-10-12 00:00:00  
 Activity Status Date: 1993-10-12 00:00:00  
 Activity Group: Enforcement Action  
 Activity Type: Administrative - Formal  
 Activity Status: Final Order Issued

**231 NORTH OF BRYAN & ERVAY STREETS INTERSECTION  
400 NORTH ERVAY AT BRYAN  
DALLAS, TX 75126**

**FINDS 1007996295  
N/A**

FINDS:

Registry ID: 110020798065

Environmental Interest/Information System

US EPA Air Quality System (AQS) contains ambient air pollution data collected by EPA, State, Local, and Tribal air pollution control agencies from thousands of monitoring stations.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**232 BURKLEY S H  
2511 MAIN  
DALLAS, TX**

**EDR Hist Auto 1009364763  
N/A**

EDR Hist Auto

Year:	Name:	Type:	
1925	BURKLEY S H	AUTOMOBILE GARAGES	

**233 EVANS SERVICE STATION AND STORAGE  
501 N AKARD  
DALLAS, TX**

**EDR Hist Auto 1009375408  
N/A**

EDR Hist Auto

Year:	Name:	Type:	
1941	EVANS SERVICE STATION AND STORA	GASOLINE AND OIL SERVICE STATIONS	

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

233 **GOSWRICK AND SON AUTO SERVICE** EDR Hist Auto 1009358525  
**1609 PATTERSON AVE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	SMISSON S GARAGE	AUTOMOBILE REPAIRERS
1936	GOSWICK AUTO SERVICE	AUTOMOBILE GARAGES
1941	GOSWRICK AND SON AUTO SERVICE	AUTOMOBILE REPAIRING

234 **FIRE STATION 18** TX LPST U001264633  
**660 N GRIFFIN ST** TX UST N/A  
**DALLAS, TX 75202**

LPST:

Facility ID:	0031275
LPST Id:	109098
Facility Location:	660 N GRIFFIN ST
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	05/27/1997
Entered Date:	02/17/1995
Priority:	4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program:	2 - REGION
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.

**Status:**

**FINAL CONCURRENCE ISSUED, CASE CLOSED**

Coordinators Primary:	2
Coordinators RPR:	RPR
Responsible Party Name:	CITY OF DALLAS
Responsible Party Contact:	ROBIN DICKENS
Responsible Party Address:	1500 MARILLA ST SUITE 1CN
Responsible Party City,St,Zip:	DALLAS, TX 75201
Responsible Party Telephone:	214/670-7053
Reported Date:	01/20/1995
Case Start Date:	02/17/1995

UST:

AI Number:	31275
Facility Type:	FLEET REFUELING
Facility Begin Date:	09/01/1988
Facility Status:	ACTIVE
Additional ID:	453339352002062
Facility Exempt Status:	N
Records Off-Site:	Yes
UST Financial Assurance Required:	No
Number Of Active UST:	1
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75202
Contact Name/Title:	PATRICK JURICEK,
Contact Organization Name:	FIRE STATION 18
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

Contact Telephone:	2146708919
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	04/21/1986
Signature Name/Title On Earliest Reg Form:	STEVE PERRY,ASST CHIEF
Application Received Date On Earliest Reg Form:	05/12/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Operator:</b>	
Princ ID:	925533122001297
Additional ID:	453339352002062
AI Number:	31275
Operator CN:	CN600331730
Operator Name:	CITY OF DALLAS
Operator Effective Begin Date:	09/01/1988
Operator Type:	CI
Operator Role:	OPRCON
Contact Name:	/
Contact Organization Name:	CITY OF DALLAS
Contact Mailing Address (Delivery):	1500 MARILLA ST DEPT L2FN
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS TX 75201-6318
Contact Phone Country Code:	1
Contact Phone Area Code:	214
Contact Phone Number:	6703824
Contact Phone Extension:	0
Contact Fax Country Code:	Not reported
Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
<b>Owner:</b>	
Owner CN:	CN600331730
Owner Last Name:	CITY OF DALLAS
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CI
Contact Mailing Address (Delivery):	2505 VALLERIA DR
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75211
Contact Mailing Zip5:	8310
Contact Phone Number/Ext:	1 214 3304631/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	925533122001297
Additional ID:	453339352002062
AI Number:	31275

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

Owner Effective Begin Date: 09/01/1988  
 State Tax ID: Not reported  
 Contact Role: OWNCON  
 Contact Name/Title: /  
 Contact Organization Name: CITY OF DALLAS

Tank:

Install Date: 01/01/1984  
 Tank Registration Date: 05/12/1986  
 Number of Compartments: 1  
 Tank Capacity: 1000  
 Tank Singlewall: Y  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 82182  
 Facility ID: 38602  
 Ai Number: 31275  
 Tank Id: 3  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 01/17/1995  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): Y  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): Y  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): Y  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FaInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): Y  
 TCPM(Ext Nonmetallic Jacket): N  
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N  
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N  
 Piping Corr Prot Method(PCPM) (Cathodic Factory Install): N  
 PCPM(Cathodic Prot-Field Install): N  
 PCPMethod (FRP Tank Or Piping(Noncorrodible): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	3
Tank Capacity:	1000
UST Comprt ID:	2378
UST ID:	82182
AI Number:	31275
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

More Self Certification:



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

Self Cert ID:	11933
Cert ID:	44498
UST Comprt ID:	110469
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	11933
Cert ID:	44500
UST Comprt ID:	110471
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	11933
Cert ID:	44499
UST Comprt ID:	110470
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A
Install Date:	01/01/1975
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	560
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	82183
Facility ID:	38602
AI Number:	31275
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/17/1995
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	560
UST Comprt ID:	2379
UST ID:	82183
AI Number:	31275
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	11933
Cert ID:	44498
UST Comprt ID:	110469
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	11933
Cert ID:	44500
UST Comprt ID:	110471
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	11933
Cert ID:	44499
UST Comprt ID:	110470
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A
Install Date:	01/01/1975
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	560
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	82184
Facility ID:	38602
AI Number:	31275
Tank Id:	1A
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/17/1995
Empty:	N
Tank Regulatory Status:	FULLY REGULATED

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FIRE STATION 18 (Continued)**

**U001264633**

Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
<b>Compartment Records:</b>	
Tank ID:	1A
Tank Capacity:	560
UST Comprt ID:	2380
UST ID:	82184
AI Number:	31275
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	11933
Cert ID:	44498
UST Comprt ID:	110469
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	11933
Cert ID:	44500
UST Comprt ID:	110471
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A
Self Cert ID:	11933
Cert ID:	44499
UST Comprt ID:	110470
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

Install Date:	01/01/1975
Tank Registration Date:	07/18/2005
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	G
UST ID:	205391
Facility ID:	38602
Ai Number:	31275
Tank Id:	1
Tank Status (Current):	IN USE
Tank Status Date:	01/01/1975
Empty:	N
Tank Regulatory Status:	WASTEWATER TREATMENT
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	Y
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	500
UST Comprt ID:	2381
UST ID:	205391
AI Number:	31275
Compartment ID:	A
Substance Stored1:	OIL WATER SEPARATOR
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
<b>More Self Certification:</b>	
Self Cert ID:	11933
Cert ID:	44498
UST Comprt ID:	110469
UST ID:	31191
AI Number:	31275
Tank ID:	1
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE STATION 18 (Continued)**

**U001264633**

Self Cert ID: 11933  
 Cert ID: 44500  
 UST Comprt ID: 110471  
 UST ID: 31191  
 AI Number: 31275  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 11933  
 Cert ID: 44499  
 UST Comprt ID: 110470  
 UST ID: 31191  
 AI Number: 31275  
 Tank ID: 1  
 Compartment ID: A

Facility Billing Contacts:

Contact Organization Name: CITY OF DALLAS  
 Contact Mailing Address (Delivery): 1500 MARILLA ST RM 7AN  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75201 6318  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 38602  
 Additional ID: 453339352002062  
 Princ ID: 925533122001297  
 AI Number: 31275  
 Facility Name: FIRE STATION 18  
 AR Number: 476  
 AR UST Number Suffix: A  
 AR AST Number Suffix: U  
 Contact Name/Title: /

234

**NO 18 FIRE STATION  
 660 N GRIFFIN ST  
 DALLAS, TX 75202**

**FINDS 1011355928  
 N/A**

FINDS:

Registry ID: 110034582075

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

235      **1900 GRIFFIN ST.  
 1900 GRIFFIN ST.  
 DALLAS, TX 75210**

HMIRS      2009052661  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional HMIRS detail in the EDR Site Report.

236      **THE BREWERY  
 703 MCKINNEY AVE  
 DALLAS, TX 75202**

TX UST      U001293215  
 N/A

UST:

AI Number:	64300
Facility Type:	RETAIL
Facility Begin Date:	03/03/1993
Facility Status:	INACTIVE
Additional ID:	638294302002117
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75201
Contact Name/Title:	,
Contact Organization Name:	THE BREWERY
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2149540099
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	03/02/1993
Signature Name/Title On Earliest Reg Form:	MARISA A BASSO,PROJECT MANAGER
Application Received Date On Earliest Reg Form:	03/02/1993
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN601104748
Owner Last Name:	SOCIETE GENERALE
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE BREWERY (Continued)**

**U001293215**

Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	628294302002117
Additional ID:	638294302002117
AI Number:	64300
Owner Effective Begin Date:	03/03/1993
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1968
Tank Registration Date:	03/02/1993
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	147866
Facility ID:	95398
AI Number:	64300
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/31/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE BREWERY (Continued)**

**U001293215**

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/11/1993
Compartment Records:	
Tank ID:	1
Tank Capacity:	1000
UST Comprt ID:	160512
UST ID:	147866
AI Number:	64300
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE BREWERY (Continued)**

**U001293215**

Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: SOCIETE GENERAL  
 Contact Mailing Address (Delivery): 2001 ROSS AVE STE 480  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75201 2911  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 95398  
 Additional ID: 638294302002117  
 Princ ID: 628294302002117  
 AI Number: 64300  
 Facility Name: THE BREWERY  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: ROBERT DELPH/

236

**DAL-TEX WIPERS & SUPPLY INC  
 703 MCKINNEY SUITE B  
 DALLAS, TX 75207**

**RCRA NonGen / NLR 1000139895  
 FINDS TXD030167993  
 ECHO**

RCRA NonGen / NLR:

Date form received by agency: 06/24/1980  
 Facility name: DAL-TEX WIPERS & SUPPLY INC  
 Facility address: 703 MCKINNEY SUITE B  
 DALLAS, TX 75207  
 EPA ID: TXD030167993  
 Mailing address: PO BOX 10361  
 DALLAS, TX 75207  
 Contact: SAM BLEND  
 Contact address: PO BOX 10361  
 DALLAS, TX 75207  
 Contact country: US  
 Contact telephone: 214-748-0541  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: BLEND SAM  
 Owner/operator address: UNKNOWN  
 UNKNOWN, TX 00000  
 Owner/operator country: Not reported  
 Owner/operator telephone: 000-000-0000  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL-TEX WIPERS & SUPPLY INC (Continued)**

**1000139895**

Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110005045922

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000139895  
 Registry ID: 110005045922  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005045922>

236

**DAL-TEX WIPERS & SUPPLY  
 703 MCKINNEY AVE STE A  
 DALLAS, TX 75202**

**TX Ind. Haz Waste**

**S110293952  
 N/A**

Ind. Haz Waste:

Registration Number: 65692  
 Registration Initial Notification Date: 09/15/1997  
 Registration Last Amendment Date: 06/04/2010  
 EPA Identification: Not reported  
 Primary NAICS Code: Not reported  
 Status Change Date: 19970915  
 Land Type: Not reported  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL-TEX WIPERS & SUPPLY (Continued)**

**S110293952**

Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	CLASS1
TNRCC Region:	Not reported
Company Name:	DAL-TEX WIPERS & SUPPLY
Contact Name:	Not reported
Contact Telephone Number:	Not reported
Mailing Address:	Not reported
Mailing Address2:	Not reported
Mailing City,St,Zip:	Not reported
Mailing County:	Not reported
Facility Country:	UNITED STATES
TNRCC Facility ID:	21126
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20100604
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	Not reported
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	Not reported
Owner Country:	Not reported
Owner Phone Number:	Not reported
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Unknown
Owner Tax Id:	Not reported
Owner Bankruptcy Code:	Not reported

Operator Records Not Found for this RegNo/Year:

Contact Records Not Found for this RegNo/Year:

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	20816

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL-TEX WIPERS & SUPPLY (Continued)**

**S110293952**

Waste Records Not Found for this RegNo/Year:

236

**DAL-TEX WASTE MATERIALS  
 703 MCKINNEY STE A  
 DALLAS, TX 75202**

**RCRA NonGen / NLR 1000139897  
 FINDS TXD041087461  
 TX Ind. Haz Waste  
 ECHO**

RCRA NonGen / NLR:

Date form received by agency: 09/22/2006  
 Facility name: DAL-TEX WASTE MATERIALS  
 Facility address: 703 MCKINNEY STE A  
 DALLAS, TX 75202  
 EPA ID: TXD041087461  
 Mailing address: PO BOX 10361  
 DALLAS, TX 75202  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: PO BOX 10361  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: 000-000-0000  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: DAL-TEX WASTE MATERIALS  
 Owner/operator address: PO BOX 10361  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Owner/operator name: DAL-TEX WASTE MATERIALS  
 Owner/operator address: PO BOX 10361  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DAL-TEX WASTE MATERIALS (Continued)**

**1000139897**

Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 07/27/2001  
 Site name: DAL-TEX WASTE MATERIALS  
 Classification: Not a generator, verified

Date form received by agency: 06/25/1980  
 Site name: DAL-TEX WASTE MATERIALS  
 Classification: Not a generator, verified

Violation Status: No violations found

**FINDS:**

Registry ID: 110009497115

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number: 65323  
 Registration Initial Notification Date: 07/27/2001  
 Registration Last Amendment Date: 07/27/2001  
 EPA Identification: TXD041087461  
 Primary NAICS Code: Not reported  
 Status Change Date: 20010727  
 Land Type: PRIVATE  
 Description of Facility Site Location: 703 McKinney, Ste A, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL-TEX WASTE MATERIALS (Continued)**

**1000139897**

Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: CLASS1  
 TNRCC Region: Not reported  
 Company Name: DAL-TEX WASTE MATERIALS  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: PO BOX 10361  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 75202  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 20816  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20060922  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: PO BOX 10361  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75202 9999  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17508579939  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: DAL-TEX WASTE MATERIALS  
 Operator First Name: Not reported  
 Operator Name: DAL-TEX WASTE MATERIALS  
 Operator Mailing Address: PO BOX 10361  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75202 9999  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17508579939  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: PO BOX 10361  
 Contact Address2: Not reported  
 Conact City,St,Zip: DALLAS, TX 75202 9999

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL-TEX WASTE MATERIALS (Continued)**

**1000139897**

Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	ENVIRONMENTAL MANAGER
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	PO BOX 10361
Contact Address2:	Not reported
Contact City, St, Zip:	DALLAS, TX 75202
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	PO BOX 10361
Contact Address2:	Not reported
Contact City, St, Zip:	DALLAS, TX 75202 9999
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	PO BOX 10361
Contact Address2:	Not reported
Contact City, St, Zip:	DALLAS, TX 75202
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Unit Records Not Found for this RegNo/Year:	
One Time Shipper Records Not Found for this RegNo/Year:	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	Not reported

Waste Records Not Found for this RegNo/Year:

**ECHO:**

Envid:	1000139897
Registry ID:	110009497115
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110009497115">http://echo.epa.gov/detailed-facility-report?fid=110009497115</a>

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>236</b>	<b>DAL-TEX WIPERS 703 MCKINNEY AVE STE A DALLAS, TX 75202</b>	<b>TX Ind. Haz Waste</b>	<b>S110293710 N/A</b>
------------	---	--------------------------	---------------------------

Ind. Haz Waste:

Registration Number:	36540
Registration Initial Notification Date:	05/04/1998
Registration Last Amendment Date:	06/04/2010
EPA Identification:	Not reported
Primary NAICS Code:	Not reported
Status Change Date:	19980504
Land Type:	Not reported
Description of Facility Site Location:	Not reported
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	CLASS1
TNRCC Region:	Not reported
Company Name:	DAL-TEX WIPERS & SUPPLY INC
Contact Name:	Not reported
Contact Telephone Number:	Not reported
Mailing Address:	Not reported
Mailing Address2:	Not reported
Mailing City,St,Zip:	Not reported
Mailing County:	Not reported
Facility Country:	UNITED STATES
TNRCC Facility ID:	13415
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20100604
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	Not reported
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	Not reported
Owner Country:	Not reported
Owner Phone Number:	Not reported
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Unknown
Owner Tax Id:	Not reported
Owner Bankruptcy Code:	Not reported

Operator Records Not Found for this RegNo/Year:

Contact Records Not Found for this RegNo/Year:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAL-TEX WIPERS (Continued)**

**S110293710**

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	20816

Waste Records Not Found for this RegNo/Year:

237

**DEE S GARAGE  
 2800 MAIN  
 DALLAS, TX**

EDR Hist Auto

**1009366042  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1956	DEE S GARAGE	AUTOMOBILE REPAIRING
1961	DEES AUTO REPAIR	AUTOMOBILE REPAIRING

238

**2625 MAIN ST.  
 2625 MAIN ST.  
 DALLAS, TX 75225**

TX ASBESTOS

**S119136688  
 N/A**

ASBESTOS:

Date of inspection:	04/10/2014
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014002255
ASB Priority:	n/a
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/12/2014
Date Routed by Supervisor:	11/26/2014
Date Routed to PSQA:	12/02/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2625 MAIN ST. (Continued)**

**S119136688**

Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

239

**DALLAS POP  
 2020 LIVE OAK, SUITE 200  
 DALLAS, TX 78023**

**TX TIER 2 S109179778  
 N/A**

TIER 2:

Facility Id/Name:	FATR200971SKHG0027B2/DALLAS POP
Reporting Year:	2009
Facility Country:	USA
Facility Department:	Network Operations
Facility Date Modified:	5/24/2010
Date Tier 2 Signed:	2/25/2009
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	50
Number Of Employess On Site:	1
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Jack L. Paxton, Supervisor TX/N. LA
Latitude:	32.7874
Longitude:	96.7989
Lat/Long Location Desc:	UN - Unknown
Lat/Long Method:	Z1 - Zip Code
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20086CJQU002WKB/DALLAS POP
Reporting Year:	2008
Facility Country:	USA
Facility Department:	Network Operations

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS POP (Continued)**

**S109179778**

Facility Date Modified:	6/30/2009
Date Tier 2 Signed:	2/27/2009
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	50.00
Number Of Emploeyess On Site:	1
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Jack Paxton
Latitude:	32.7874
Longitude:	96.7989
Lat/Long Location Desc:	UN - Unknown
Lat/Long Method:	Z1 - Zip Code
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20075NPQ0U002LCB/DALLAS POP
Reporting Year:	2007
Facility Country:	USA
Facility Department:	Network Operations
Facility Date Modified:	8/5/2008
Date Tier 2 Signed:	2/28/2008
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	50
Number Of Emploeyess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Jack Paxton, Supervisor TX/N. LA
Latitude:	32.7874
Longitude:	96.7989
Lat/Long Location Desc:	UN - Unknown
Lat/Long Method:	Z1 - Zip Code
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Notes:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS POP (Continued)**

**S109179778**

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

Facility Info:

Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/25/2010  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/25/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2020 Live Oak  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Brett Toupal  
 Title: Technician  
 Modification Date: 3/3/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 9523 Tascate  
 Contact City/State/Zip: Helotes, TX 78023  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Jack Paxton  
 Title: Supervisor  
 Modification Date: 3/13/2010

Chemical Inventory:

Facility Id: FATR200971SKHG0027B2  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR200971SL3V00FUGD  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 1500  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 3/3/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS POP (Continued)**

**S109179778**

Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR200971SL9B00GKDW  
 Chemical Inventory Record Id: CVTR200971SL3V00FUGD  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Fenced area west side of building  
 Last Modified: 3/3/2010

**Mixture:**

Record Key: CMTR200971SLBQ00HM8W  
 Chemical Inv Record Id: CVTR200971SL3V00FUGD  
 Mix Chemical: Not reported  
 Percentage: Not reported  
 Facility Id: FATR200971SKHG0027B2  
 Mixture Cas: Not reported  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/3/2010

Facility Id: FATR200971SKHG0027B2  
 Chemical Name: Sulfuric Acid Solution, Lead  
 Chemical Inv Record Id: CVTR200971SLKJ00KDD8  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 3/3/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS POP (Continued)**

**S109179778**

Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200971SLPZ00L8M6  
 Chemical Inventory Record Id: CVTR200971SLKJ00KDDB  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Open battery room, north end  
 Last Modified: 3/3/2010

Notes: Not reported

Validation: This facility passed all validation checks.

239

**DALLAS POP  
 2020 LIVE OAK  
 DALLAS, TX 75250**

**TX TIER 2 S108439264  
 N/A**

TIER 2:

Facility Id/Name: FATR20062532LZ081GTC/DALLAS POP  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/26/2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jody White / Environmental Compliance  
 Latitude: 32.783567  
 Longitude: -096.794693  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A5 - Address Matching (Primary Name)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20052532LZ081GTC/DALLAS POP  
 Reporting Year: 2005  
 Facility Country: USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS POP (Continued)**

**S108439264**

Facility Department:	Not reported
Facility Date Modified:	2/27/2007
Date Tier 2 Signed:	1/11/2006
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	Not reported
Number Of Employess On Site:	1
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Charles McKiever / Director
Latitude:	32.783567
Longitude:	-96.794693
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A5 - Address Matching (Primary Name)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Notes:	Not reported
Validation:	Not reported
Notes:	Not reported
Validation:	Not reported

239

**MCI- DGNSTX (TXDGNSTX)  
 2020 LIVE OAK ST GND FL  
 DALLAS, TX 75201**

**TX TIER 2 S112009503  
 N/A**

TIER 2:

Facility Id/Name:	FATR2012TXDGNSTX/MCI- DGNSTX (TXDGNSTX)
Reporting Year:	2012
Facility Country:	US
Facility Department:	Not reported
Facility Date Modified:	5/8/2013
Date Tier 2 Signed:	1/3/2013
Mailing Address:	2400 North Glenville
Mailing City/State/Country:	Richardson, TX US
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	No
State Fees Total:	Not reported
Number Of Employess On Site:	0
Site Map:	Not reported
Fire District:	Dallas Fire Department ID: 3307
Submitted By:	Jason Weller - Manager, Global EH&S Compliance
Latitude:	32.78428
Longitude:	-96.794658
Lat/Long Location Desc:	CE - Center of Facility

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DGNSTX (TXDGNSTX) (Continued)**

**S112009503**

Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR2011TXDGNSTX/MCI- DGNSTX (TXDGNSTX)  
 Reporting Year: 2011  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1/3/2012  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Emploeyss On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller  
 Latitude: 32.78428  
 Longitude: -96.794658  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 132745892  
 Id Type: EIN #  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DGNSTX (TXDGNSTX) (Continued)**

**S112009503**

Contact:

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DGNSTX (TXDGNSTX) (Continued)**

**S112009503**

Title: Manager  
 Modification Date: 3/30/2012

Chemical Inventory:

Facility Id: FATR2011TXDGNSTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDGNSTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 693  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/30/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDGNSTX91443388585  
 Chemical Inventory Record Id: TXDGNSTX91443  
 Amt Of Sub Stored Or Transported: 66528  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Power Room  
 Last Modified: 3/30/2012

Record Key: TXDGNSTX91443388586  
 Chemical Inventory Record Id: TXDGNSTX91443  
 Amt Of Sub Stored Or Transported: 11.7  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panel  
 Last Modified: 3/30/2012

Record Key: TXDGNSTX91443388587  
 Chemical Inventory Record Id: TXDGNSTX91443  
 Amt Of Sub Stored Or Transported: 94  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DGNSTX (TXDGNSTX) (Continued)**

**S112009503**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator Shelter  
 Last Modified: 3/30/2012

**Mixture:**

Record Key: TXDGNSTX9144377860  
 Chemical Inv Record Id: TXDGNSTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 5.98  
 Facility Id: FATR2011TXDGNSTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/30/2012

Facility Id: FATR2011TXDGNSTX  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: TXDGNSTX95968  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 29200  
 Chronic Health Risks: T  
 EHS Substance: F  
 Last Modified: 3/30/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: F  
 Sudden Release Of Pressure Haz: F  
 Pure Form: T  
 Reactive Hazard: F  
 Solid: F  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: TXDGNSTX95968292011  
 Chemical Inventory Record Id: TXDGNSTX95968  
 Amt Of Sub Stored Or Transported: 4000  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: -  
 Last Modified: 3/30/2012

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DGNSTX (TXDGNSTX) (Continued)**

**S112009503**

Facility Info:

Id:	020289070
Id Type:	Dun & Bradstreet
Description:	Not reported
Last Modified:	1/3/2013
Id:	517110
Id Type:	NAICS
Description:	Not reported
Last Modified:	1/3/2013
Id:	4813
Id Type:	SIC
Description:	TELEPHONE COM, EXCEPT RADIO
Last Modified:	1/3/2013
Id:	132745892
Id Type:	EIN #
Description:	Not reported
Last Modified:	1/3/2013

Contact:

Contact Email:	bruce.ward@verizon.com
Contact Mail Address:	1515 Aldine-Meadows Rd
Contact City/State/Zip:	Houston, TX
Contact Mail Country:	US
Contact Type 1:	Emergency Contact
Contact Name:	Carl Ward
Title:	Property Manager
Modification Date:	2/23/2013

Contact Email:	bruce.ward@verizon.com
Contact Mail Address:	1515 Aldine-Meadows Rd
Contact City/State/Zip:	Houston, TX
Contact Mail Country:	US
Contact Type 1:	Emergency Contact
Contact Name:	Carl Ward
Title:	Property Manager
Modification Date:	2/23/2013

Contact:

Contact Email:	jason.weller@verizon.com
Contact Mail Address:	2400 North Glenville
Contact City/State/Zip:	Richardson, TX 75082
Contact Mail Country:	US
Contact Type 1:	Owner / Operator
Contact Name:	Jason Weller
Title:	- Manager, Global EH&S Compliance
Modification Date:	2/24/2013

Contact Email:	jason.weller@verizon.com
Contact Mail Address:	2400 North Glenville
Contact City/State/Zip:	Richardson, TX 75082
Contact Mail Country:	US
Contact Type 1:	Owner / Operator
Contact Name:	Jason Weller
Title:	- Manager, Global EH&S Compliance
Modification Date:	2/24/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI- DGNSTX (TXDGNSTX) (Continued)**

**S112009503**

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR2012TXDGNSTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDGNSTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 693  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDGNSTX91443388585  
 Chemical Inventory Record Id: TXDGNSTX91443  
 Amt Of Sub Stored Or Transported: 66528  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Power Room  
 Last Modified: 2/23/2013



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DGNSTX (TXDGNSTX) (Continued)**

**S112009503**

Record Key: TXDGNSTX91443388586  
 Chemical Inventory Record Id: TXDGNSTX91443  
 Amt Of Sub Stored Or Transported: 11.7  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panel  
 Last Modified: 2/23/2013

Record Key: TXDGNSTX91443388587  
 Chemical Inventory Record Id: TXDGNSTX91443  
 Amt Of Sub Stored Or Transported: 94  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator Shelter  
 Last Modified: 2/23/2013

Mixture:

Record Key: TXDGNSTX9144377860  
 Chemical Inv Record Id: TXDGNSTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 5.98  
 Facility Id: FATR2012TXDGNSTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/23/2013

Facility Id: FATR2012TXDGNSTX  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: TXDGNSTX95968  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 29200  
 Chronic Health Risks: T  
 EHS Substance: F  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: F  
 Sudden Release Of Pressure Haz: F  
 Pure Form: T  
 Reactive Hazard: F  
 Solid: F  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DGNSTX (TXDGNSTX) (Continued)**

**S112009503**

Chemical Inventory Location:

Record Key: TXDGNSTX95968292011  
 Chemical Inventory Record Id: TXDGNSTX95968  
 Amt Of Sub Stored Or Transported: 4000  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Outside-Main Bldg - Tank is located behind site in fenced area.  
 Last Modified: 2/23/2013

Notes: Not reported  
 Validation: Not reported

239

**VERIZON GLOBAL NETWORKS DALLAS  
 2020 LIVE OAK ST STE 200  
 DALLAS, TX 75201**

**TX AST A100268069  
 N/A**

AST:

Facility ID: 114356  
 Additional ID: 863331192002062  
 AI Number: 74839  
 Facility Type: Not reported  
 Facility Begin Date: 04/20/2001  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 1  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75201  
 Contact Name/Title: BARRY BATTS/  
 Contact Organization Name: VERIZON GLOBAL NETWORKS DALLAS  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact CityStateZip: Not reported  
 Contact Telephone: 2148416636  
 Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date on Earliest Reg Form: 12/20/2001  
 Signature First Name on Earliest Reg Form: RICHARD  
 Application Received Date on Earliest Reg Form: 12/28/2001  
 Signature Middle Name on Earliest Reg Form: Not reported  
 Signature Last Name on Earliest Reg Form: RIDDLE  
 Signature Title on Earliest Reg Form: SITE MANAGER  
 Signature Role on Earliest Reg Form: OWNER  
 Signature Company on Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: N  
 Facility Not Inspectable Reason A: Not reported  
 Facility Not Inspectable Reason B: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VERIZON GLOBAL NETWORKS DALLAS (Continued)**

**A100268069**

Enforcement Action Date:	Not reported
Facility:	
Facility ID:	114356
Tank ID:	1
AST ID:	199072
AI Number:	74839
Install Date:	04/20/2001
Tank Registration Date:	01/11/2002
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	04/20/2001
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	4000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

239

**VERIZON GLOBAL NETWORKS DALLAS  
 2020 LIVE OAK ST  
 DALLAS, TX 75201**

**FINDS 1011381617  
 N/A**

**FINDS:**

Registry ID: 110035153758

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**239 DELTACOM  
 2020 LIVE OAK SUITE 200  
 DALLAS, TX 75201**

**TX TIER 2 S108867591  
 N/A**

TIER 2:  
 Facility Id/Name: FATR20064Z13FN002TY5/DELTACOM  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Network Operations  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 02/26/2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 50.00  
 Number Of Employess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jack Paxton/Supervisor TX/N. LA  
 Latitude: 32.7874  
 Longitude: 96.7989  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Z1 - Zip Code  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported  
  
 Notes: Not reported  
 Validation: Not reported

**239 NEUTRAL TANDEM DALLAS  
 2020 LIVE OAK ST. SUITE 700  
 DALLAS, TX 75201**

**TX TIER 2 S108879069  
 N/A**

TIER 2:  
 Facility Id/Name: FATR200653K7Y7002SWT/NEUTRAL TANDEM DALLAS  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 05-08-2007  
 Mailing Address: One S. Wacker Dr. Suite 200  
 Mailing City/State/Country: Chicago, IL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50  
 Number Of Employess On Site: 1  
 Site Map: Not reported  
 Fire District: Dallas Fire Dept  
 Submitted By: Jon Bucht -- Construction Manager  
 Latitude: 32.7840

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEUTRAL TANDEM DALLAS (Continued)**

**S108879069**

Longitude: 96.7949  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: A3 - Address Matching (Street Centerline)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

239

**LEVEL 3 - DALLAS OAK - DLLSTXAL  
 2020 LIVE OAK ST  
 DALLAS, TX 75201**

**TX TIER 2 S111051287  
 N/A**

TIER 2:

Facility Id: FATR20107PA7BW04W0A3  
 Facility Name: LEVEL 3 - DALLAS OAK - DLLSTXAL  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 1/24/2011  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 800.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental PM  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS OAK - DLLSTXAL (Continued)**

**S111051287**

Last Modified: 1/24/2011  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/24/2011  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/24/2011

**Contact:**

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd.  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Payton Michael  
 Title: Environmental PM  
 Modification Date: 1/17/2011

**Contact:**

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: NOC Level 3 Communications LLC  
 Title: Not reported  
 Modification Date: 2/16/2011

**Contact:**

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Clint Thompson  
 Title: Sr. Director  
 Modification Date: 2/16/2011

**Chemical Inventory:**

Facility Id: FATR20107PA7BW04W0A3  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR20107PA8BD053Z14  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS OAK - DLLSTXAL (Continued)**

**S111051287**

EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107PA8W00542PP  
 Chemical Inventory Record Id: CVTR20107PA8BD053Z14  
 Amt Of Sub Stored Or Transported: Not reported  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Aboveground Storage Tanks  
 Last Modified: 2/16/2011

Facility Id: FATR20107PA7BW04W0A3  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20107PA8YR055F6L  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100 - 999 pounds  
 Max Daily Amount: 100 - 999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107PA91M056Y76  
 Chemical Inventory Record Id: CVTR20107PA8YR055F6L

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS OAK - DLLSTXAL (Continued)**

**S111051287**

Amt Of Sub Stored Or Transported: 868  
 Amount Units: gallons  
 Type Of Storage: Plastic bottles or jugs  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: in building in batteries  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR20107PA9VV002C6D  
 Chemical Inv Record Id: CVTR20107PA8YR055F6L  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20107PA7BW04W0A3  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

239

**MCI - DGNSTX  
 2020 LIVE OAK STREET, 1ST FLOOR  
 DALLAS, TX 75201**

**TX TIER 2 S108877588  
 N/A**

TIER 2:

Facility Id/Name: FATR20104WB7DE022S1V/MCI - DGNSTX  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01-11-2011  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DGNSTX (Continued)**

**S108877588**

Facility Id/Name: FATR20094WB7DE022S1V/MCI DGNSTX  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02-04-2010  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20084WB7DE022S1V/MCI - DGNSTX  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/2/2009  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DGNSTX (Continued)**

**S108877588**

Facility Id/Name: FATR20074WB7DE022S1V/MCI - DDLVTX  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 1/23/2008  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20064WB7DE022S1V/MCI - DDLVTX  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/16/2007  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DGNSTX (Continued)**

**S108877588**

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/16/2007  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/16/2007  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009

Contact:

Contact Email: jason.weller@verizonbusiness.com  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management  
 Title: Not reported  
 Modification Date: 2/16/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney  
 Title: Manager  
 Modification Date: 2/16/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DGNSTX (Continued)**

**S108877588**

Chemical Inventory:

Facility Id: FATR20104WB7DE022S1V  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR20104WB7DE028S47  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20104WB7DE029S4T  
 Chemical Inventory Record Id: CVTR20104WB7DE028S47  
 Amt Of Sub Stored Or Transported: 66634  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR20104WB7DE02AS53  
 Chemical Inv Record Id: CVTR20104WB7DE028S47  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR20104WB7DE022S1V  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Facility Id: FATR20104WB7DE022S1V  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR201070EDZ801L90R  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DGNSTX (Continued)**

**S108877588**

Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201070EE4X01M5T8  
 Chemical Inventory Record Id: CVTR201070EDZ801L90R  
 Amt Of Sub Stored Or Transported: 29200  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Behind Facility In Fenced Area  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/16/2007  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/16/2007

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DGNSTX (Continued)**

**S108877588**

Title: Manager  
 Modification Date: 2/17/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management  
 Title: Not reported  
 Modification Date: 2/17/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Chemical Inventory:  
 Facility Id: FATR20094WB7DE022S1V  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR20094WB7DE028S47  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/12/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:  
 Record Key: CLTR20094WB7DE029S4T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI - DGNSTX (Continued)**

**S108877588**

Chemical Inventory Record Id: CVTR20094WB7DE028S47  
 Amt Of Sub Stored Or Transported: 66634  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room  
 Last Modified: 2/12/2010

Mixture:

Record Key: CMTR20094WB7DE02AS53  
 Chemical Inv Record Id: CVTR20094WB7DE028S47  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR20094WB7DE022S1V  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/12/2010

Facility Id: FATR20094WB7DE022S1V  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR200970EDZ801L90R  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/12/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200970EE4X01M5T8  
 Chemical Inventory Record Id: CVTR200970EDZ801L90R  
 Amt Of Sub Stored Or Transported: 29200  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Behind Facility In Fenced Area  
 Last Modified: 2/12/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DGNSTX (Continued)**

**S108877588**

Notes: Not reported  
 Validation: This facility passed all validation checks.  
 Notes: Not reported  
 Validation: This facility passed all validation checks.

239

**LEVEL 3 - DALLAS - DLLSTXAL**  
**2020 LIVE OAK ST**  
**DALLAS, TX 75201**

**TX TIER 2 S111996205**  
**N/A**

TIER 2:

Facility Id/Name: FATR20117PA7BW04W0A3/LEVEL 3 - DALLAS - DLLSTXAL  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1-25-2012  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 700.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental Project Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 1/24/2011  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/24/2011  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/24/2011



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXAL (Continued)**

**S111996205**

Chemical Inventory:

Facility Id: FATR20117PA7BW04W0A3  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20117PA8YR055F6L  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100 - 999 pounds  
 Max Daily Amount: 100 - 999 pounds  
 Max Amount In Largest Container: 18.1  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20117PA91M056Y76  
 Chemical Inventory Record Id: CVTR20117PA8YR055F6L  
 Amt Of Sub Stored Or Transported: 868  
 Amount Units: gallons  
 Type Of Storage: Plastic bottles or jugs  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: In bldg battery cage within batteries  
 Last Modified: 2/14/2012

Mixture:

Record Key: CMTR20117PA9VV002C6D  
 Chemical Inv Record Id: CVTR20117PA8YR055F6L  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20117PA7BW04W0A3  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/14/2012

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**239 NEUTRAL TANDEM DALLAS  
 2020 LIVE OAK ST., SUITE 700  
 DALLAS, TX 75201**

**TX TIER 2 S109191744  
 N/A**

TIER 2:

Facility Id/Name: FATR201053K7Y7002SWT/NEUTRAL TANDEM - DALLAS  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/28/2011  
 Mailing Address: 550 W. Adams St., Suite 900  
 Mailing City/State/Country: Chicago, IL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 50  
 Number Of Employess On Site: 2  
 Site Map: T  
 Fire District: Dallas Fire Dept  
 Submitted By: Jon Bucht / Construction Manager  
 Latitude: 32.7840  
 Longitude: 96.7949  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: A3 - Address Matching (Street Centerline)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200953K7Y7002SWT/NEUTRAL TANDEM DALLAS  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 1/14/2010  
 Mailing Address: One S. Wacker Dr., Suite 200  
 Mailing City/State/Country: Chicago, IL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50  
 Number Of Employess On Site: 2  
 Site Map: T  
 Fire District: Dallas Fire Dept  
 Submitted By: Jon Bucht / Construction Manager  
 Latitude: 32.7840  
 Longitude: 96.7949  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: A3 - Address Matching (Street Centerline)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NEUTRAL TANDEM DALLAS (Continued)**

**S109191744**

Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200853K7Y7002SWT/NEUTRAL TANDEM - DALLAS  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 01/07/2009  
 Mailing Address: One S. Wacker Dr., Suite 200  
 Mailing City/State/Country: Chicago, IL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 25.00  
 Number Of Employess On Site: 2  
 Site Map: T  
 Fire District: Dallas Fire Dept  
 Submitted By: Jon Bucht -- Construction Manager  
 Latitude: 32.7840  
 Longitude: 96.7949  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: A3 - Address Matching (Street Centerline)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200753K7Y7002SWT/NEUTRAL TANDEM DALLAS  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 02/04/2008  
 Mailing Address: One S. Wacker Dr., Suite 200  
 Mailing City/State/Country: Chicago, IL USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50  
 Number Of Employess On Site: 2  
 Site Map: Not reported  
 Fire District: Dallas Fire Dept  
 Submitted By: Jon Bucht -- Construction Manager  
 Latitude: 32.7840  
 Longitude: 96.7949  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: A3 - Address Matching (Street Centerline)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEUTRAL TANDEM DALLAS (Continued)**

**S109191744**

Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 51711  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 1/29/2008  
 Id: 68890  
 Id Type: FAC ID  
 Description: TXT2 Number  
 Last Modified: 2/4/2008  
 Id: 138926998  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 5/8/2007  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 5/8/2007

Contact:

Contact Email: jbucht@neutraltandem.com  
 Contact Mail Address: 550 W. Adams St., Suite 900  
 Contact City/State/Zip: Chicago, IL 60661  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Neutral Tandem, Inc.  
 Title: Not reported  
 Modification Date: 2/16/2011

Contact:

Contact Email: jbucht@neutraltandem.com  
 Contact Mail Address: 550 W. Adams St., Suite 900  
 Contact City/State/Zip: Chicago, IL 60661  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Type 2: Regulatory Point of Contact  
 Contact Type 3: Billing  
 Contact Name: Jon Bucht  
 Title: Construction Manager  
 Modification Date: 1/13/2011

Contact:

Contact Email: blofton@neutraltandem.com  
 Contact Mail Address: 2020 Live Oak St., Suite 700  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Bobby Lofton  
 Title: Technician

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NEUTRAL TANDEM DALLAS (Continued)**

**S109191744**

Modification Date: 2/16/2011

Contact:

Contact Email: dredmon@neutraltandem.com  
 Contact Mail Address: 21355 Melrose Ave., Bldg Q, Suite J  
 Contact City/State/Zip: Southfield, MI 48075  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Dave Redmon  
 Title: Manager  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR201053K7Y7002SWT  
 Chemical Name: Sulfuric Acid (Battery Acid)  
 Chemical Inv Record Id: CVTR201053K8HH00NGXR  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 34.44  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201053K8MM00P1B1  
 Chemical Inventory Record Id: CVTR201053K8HH00NGXR  
 Amt Of Sub Stored Or Transported: 2480  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 700  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NEUTRAL TANDEM DALLAS (Continued)**

**S109191744**

Notes: This Facility came under EPCRA reporting 4/13/2007. This is for Sara Title III reporting requirements under Sections 302 and 311.

Validation: This facility passed all validation checks.

Facility Info:

Id: 51711  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 1/29/2008  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 5/8/2007  
 Id: 68890  
 Id Type: FAC ID  
 Description: TXT2 Number  
 Last Modified: 2/4/2008  
 Id: 138926998  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 5/8/2007

Contact:

Contact Email: Not reported  
 Contact Mail Address: One S. Wacker Dr., Suite 200  
 Contact City/State/Zip: Chicago, IL 60606  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Neutral Tandem, Inc.  
 Title: Not reported  
 Modification Date: 1/29/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 21355 Melrose Ave., Bldg Q, Suite J  
 Contact City/State/Zip: Southfield, MI 48075  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Dave Redmon  
 Title: Manager  
 Modification Date: 1/29/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2020 Live Oak St., Suite 700  
 Contact City/State/Zip: Dallas, TX 75201  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Bobby Lofton  
 Title: Technician  
 Modification Date: 1/29/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEUTRAL TANDEM DALLAS (Continued)**

**S109191744**

Contact:

Contact Email: Not reported  
 Contact Mail Address: One S. Wacker Dr. Suite 200  
 Contact City/State/Zip: Chicago, IL 60606  
 Contact Mail Country: USA  
 Contact Type 1: Submitter  
 Contact Type 2: Regulatory Point of Contact  
 Contact Type 3: Billing  
 Contact Name: Jon Bucht  
 Title: Construction Manager  
 Modification Date: 2/7/2008

Chemical Inventory:

Facility Id: FATR200953K7Y7002SWT  
 Chemical Name: Sulfuric Acid (Battery Acid)  
 Chemical Inv Record Id: CVTR200953K8HH00NGXR  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100 - 999 pounds  
 Max Daily Amount: 100 - 999 pounds  
 Max Amount In Largest Container: 34.44  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200953K8MM00P1B1  
 Chemical Inventory Record Id: CVTR200953K8HH00NGXR  
 Amt Of Sub Stored Or Transported: 827  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 700  
 Last Modified: 1/29/2010

Facility Id: FATR200953K7Y7002SWT  
 Chemical Name: Sulfuric Acid (Battery Acid)  
 Chemical Inv Record Id: CVTR20096W7ES100KF90  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NEUTRAL TANDEM DALLAS (Continued)**

**S109191744**

Average Daily Amount: 100 - 999 pounds  
 Max Daily Amount: 100 - 999 pounds  
 Max Amount In Largest Container: 34.44  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 1/29/2010  
 Days On Site: 118  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20096Z2B16004262  
 Chemical Inventory Record Id: CVTR20096W7ES100KF90  
 Amt Of Sub Stored Or Transported: 827  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite 700  
 Last Modified: 1/29/2010

Notes: This Facility came under EPCRA reporting 4/13/2007. This is for Sara Title III reporting requirements under Sections 302 and 311. Added 2nd string of Batteries on Sept 9th 2009.

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

240

**FUTURE RESTAURANT  
 2702 MAIN ST.  
 DALLAS, TX 75225**

**TX ASBESTOS S119146541  
 N/A**

ASBESTOS:

Date of inspection: 04/10/2014  
 Reason for Inspection: Discretionary  
 Violation: Yes  
 Complaint Date: Not reported  
 Notification Number: N/A  
 ASB Priority: n/a  
 PIF State: Not reported  
 Detained: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FUTURE RESTAURANT (Continued)**

**S119146541**

Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/12/2014
Date Routed by Supervisor:	11/26/2014
Date Routed to PSQA:	12/02/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

240

**LAMBETH R C AUTO PAINT AND BODY WORKS**  
**2708 MAIN**  
**DALLAS, TX**

EDR Hist Auto

**1009365700**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1941	LAMBETH R C AUTO PAINT AND BODY	AUTOMOBILE REPAIRING
1977	LAMBETH R C BUDDY	General Automotive Repair Shops
1978	LAMBETH R C BUDDY	General Automotive Repair Shops
1979	LAMBETH R C BUDDY	General Automotive Repair Shops
1980	LAMBETH R C BUDDY	General Automotive Repair Shops
1982	LAMBETH R C BUDDY	General Automotive Repair Shops
1983	LAMBETH R C BUDDY	General Automotive Repair Shops
1985	LAMBETH R C BUDDY	General Automotive Repair Shops
1986	LAMBETH R C BUDDY	General Automotive Repair Shops
1987	LAMBETH R C BUDDY	General Automotive Repair Shops
1988	LAMBETH R C BUDDY	General Automotive Repair Shops

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**LAMBETH R C AUTO PAINT AND BODY WORKS (Continued)**

**1009365700**

1989	LAMBETH R C BUDDY	General Automotive Repair Shops
1990	LAMBETH R C BUDDY	General Automotive Repair Shops
1991	LAMBETH R C BUDDY	General Automotive Repair Shops
1992	LAMBETH R C BUDDY	General Automotive Repair Shops

**241 CADELL SERVICE STATION  
2901 COMMERCE  
DALLAS, TX**

**EDR Hist Auto 1009366519  
N/A**

EDR Hist Auto

Year:	Name:	Type:
1951	GRIMES SUPER SERVICE	GASOLINE STATIONS
1956	MUNGER S SERVICE	GASOLINE STATIONS
1961	CADELL SERVICE STATION	GASOLINE STATIONS
1972	RODGERS BIG D TEXACO	Gasoline Service Stations
1973	RODGERS BIG D TEXACO	Gasoline Service Stations
1974	RODGERS BIG D TEXACO	Gasoline Service Stations
1989	WELLS BRAKE STOP	Automotive Transmission Repair Shops
1991	WELLS BRAKE STOP	Automotive Transmission Repair Shops
1992	WELLS BRAKE STOP	Automotive Transmission Repair Shops
1993	WELLS BRAKE STOP	Automotive Transmission Repair Shops
1994	WELLS BRAKE STOP	Automotive Transmission Repair Shops

**241 WELLS BRAKE SHOP  
2901 COMMERCE ST  
DALLAS, TX 75226**

**TX LPST S103930640  
N/A**

LPST:

Facility ID:	Not reported
LPST Id:	109167
Facility Location:	2901 COMMERCE
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	02/22/2005
Entered Date:	03/16/1995
Priority:	4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program:	1 - RPR
CA Status:	6A - FINAL CONCURRENCE ISSUED
Priority Description:	Groundwater is affected.
<b>Status:</b>	<b>FINAL CONCURRENCE ISSUED, CASE CLOSED</b>
Coordinators Primary:	1/1P/1/2
Coordinators RPR:	SJ
Responsible Party Name:	RAGLAND HORTON TRUST
Responsible Party Contact:	CRUGER RAGLAND
Responsible Party Address:	3838 OAKLAWN AVE
Responsible Party City,St,Zip:	DALLAS, TX 75219
Responsible Party Telephone:	214/522-4880
Reported Date:	11/17/1992
Case Start Date:	03/16/1995

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

242 NISBETT S GARAGE EDR Hist Auto 1009364019  
 2401 ELM N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1941 NISBETT S GARAGE AUTOMOBILE REPAIRING  
 1951 NISBETT S GARAGE AUTOMOBILE REPAIRING

242 NISBETT S GARAGE EDR Hist Auto 1009364063  
 2403 ELM N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1946 NISBETT S GARAGE AUTOMOBILE REPAIRING

242 PEOPLES CLEANING AND PRESSING CLUB EDR Hist Cleaner 1009339776  
 2421 ELM N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1930 PEOPLES CLEANING AND PRESSING C CLOTHES PRESSERS, CLEANERS AND REPAIRERS

242 GRIFFIN AND GRIFFIN GARAGE EDR Hist Auto 1009352765  
 108 S HAWKINS N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 GRIFFIN AND GRIFFIN GARAGE AUTOMOBILE GARAGES

242 LYNN S REPAIR SHOP EDR Hist Auto 1009352959  
 110 N HAWKINS N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1951 LYNN S REPAIR SHOP REPAIR SHOPS

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

<b>243</b>	<b>CONDUIT FOR CSD FIELD STREET DALLAS, TX 75202</b>	<b>FINDS ECHO</b>	<b>1005529819 N/A</b>
------------	--	-----------------------	---------------------------

FINDS:

Registry ID: 110009782958

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1005529819  
 Registry ID: 110009782958  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009782958>

<b>244</b>	<b>DIAMOND ALKALI CO OF TEXAS S LAMAR AT LENWAY GREEN 1812 GRIFFIN DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009359882 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1946	DIAMOND ALKALI CO OF TEXAS S LA	AUTOMOBILE REPAIRING

<b>245</b>	<b>SCIENTIFIC AUTOMOTIVE 2819 COMMERCE ST DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009366256 N/A</b>
------------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1925	PRINGLE POSTAL MOTOR CO	AUTOMOBILE REPAIRERS
1961	SCIENTIFIC AUTOMOTIVE	AUTOMOBILE REPAIRING
1969	RELIABLE TRANSMISSION SHOP	Automotive Repair Shops, NEC
1970	SCIENTIFIC AUTOMOTIVE	General Automotive Repair Shops
1970	RELIABLE TRANSMISSION SHOP	Automotive Repair Shops, NEC
1980	SUN ENGINE & TRANSMISSION SLS	General Automotive Repair Shops
1982	SUN ENGINE & TRANSMISSION SLS	General Automotive Repair Shops
1983	SUN ENGINE & TRANSMISSION SLS	General Automotive Repair Shops
1985	SUN ENGINE & TRANSMISSION SLS*	General Automotive Repair Shops
1986	SUN ENGINE & TRANSMISSION SLS*	General Automotive Repair Shops
1987	SUN ENGINE & TRANSMISSION SLS	General Automotive Repair Shops
1992	SUN ENGINE TRANSMISSION SALES	General Automotive Repair Shops
1993	SUN ENGINE TRANSMISSION SALES	General Automotive Repair Shops
1994	SUN ENGINE TRANSMISSION SALES	General Automotive Repair Shops

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**245      SUN ENGINE & TRNSMSN SALES  
 2819 COMMERCE  
 DALLAS, TX 75226**

**RCRA-CESQG      1004785125  
 FINDS            TXD988023172  
 ECHO**

RCRA-CESQG:

Date form received by agency: 12/27/1990  
 Facility name:                    SUN ENGINE & TRNSMSN SALES  
 Facility address:                2819 COMMERCE  
    DALLAS, TX 75226  
 EPA ID:                            TXD988023172  
 Mailing address:                REGAL ROW  
    DALLAS, TX 75226  
 Contact:                            JIMMIE PRITCHETT  
 Contact address:                1011 REGAL ROW  
    DALLAS, TX 75226  
 Contact country:                US  
 Contact telephone:            214-905-8165  
 Contact email:                    Not reported  
 EPA Region:                      06  
 Classification:                  Conditionally Exempt Small Quantity Generator  
 Description:                      Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:            THE LEWIS CO  
 Owner/operator address:        ONE GALLERIA TWR 12255 NOEL RD  
    DALLAS, TX 75240  
 Owner/operator country:        Not reported  
 Owner/operator telephone:    214-702-7390  
 Owner/operator email:            Not reported  
 Owner/operator fax:              Not reported  
 Owner/operator extension:    Not reported  
 Legal status:                      Private  
 Owner/Operator Type:            Owner  
 Owner/Op start date:            Not reported  
 Owner/Op end date:              Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:    No  
 Mixed waste (haz. and radioactive):    No  
 Recycler of hazardous waste:            No  
 Transporter of hazardous waste:        No  
 Treater, storer or disposer of HW:      No  
 Underground injection activity:          No  
 On-site burner exemption:                No  
 Furnace exemption:                        No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SUN ENGINE & TRNSMSN SALES (Continued)**

**1004785125**

Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005126979

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1004785125  
 Registry ID: 110005126979  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005126979>

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

245 GARAGE COURTIER EDR Hist Auto 1009366226  
2815 COMMERCE ST N/A  
DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1969	HOPPYS TRANSMISSION FACTORIES*	Automotive Repair Shops, NEC
1981	GARAGE COURTIER	AUTOMOBILE REPAIRING
1982	COURTER ROBERT L	General Automotive Repair Shops
1983	COURTER ROBERT L	General Automotive Repair Shops

246 MARATHON LATINDRY EDR Hist Cleaner 1009343869  
411 N ERVAY N/A  
DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1941	MARATHON HAND LAUNDRY	LAUNDRIES
1946	MARATHON HAND LAUNDRY	LAUNDRIES
1951	MARATHON LATINDRY	LAUNDRIES
1956	MARATHON LAUNDRY AND CLEANERS	LAUNDRIES
1961	MARATHON LAUNDRY AND CLEANERS	LAUNDRIES

246 PALACE CLEANERS EDR Hist Cleaner 1009343961  
413 N ERVAY N/A  
DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1941	PALACE CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	PAT S CLEANERS	CLEANERS AND DYERS

247 CITY CHEVROLET CO EDR Hist Auto 1009365486  
2642 MAIN N/A  
DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	CITY CHEVROLET CO	AUTOMOBILE REPAIRERS
1969	AUTO GLASS CO	Automotive Repair Shops, NEC
1970	AUTO GLASS CO	Automotive Repair Shops, NEC
1971	AUTO GLASS CO	Automotive Repair Shops, NEC
1972	AUTO GLASS CO	Automotive Repair Shops, NEC
1973	AUTO GLASS CO	Automotive Repair Shops, NEC
1974	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1975	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1976	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1977	ESCO AUTO GLASS CO	Automotive Repair Shops, NEC
1977	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1978	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1979	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1980	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1982	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**CITY CHEVROLET CO (Continued)**

**1009365486**

1983	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1985	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC
1986	MERRILL AUTO GLASS CO INC	Automotive Repair Shops, NEC

<b>247</b>	<b>CITY CHEVROLET CO</b>	<b>EDR Hist Auto</b>	<b>1009365491</b>
	<b>2644 MAIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1930	CITY CHEVROLET CO	AUTOMOBILE REPAIRERS

<b>247</b>	<b>JERNIGANS TEXACO SERVICE</b>	<b>EDR Hist Auto</b>	<b>1009365530</b>
	<b>2656 MAIN ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75226</b>		

EDR Hist Auto

Year:	Name:	Type:
1930	CITY CHEVROLET CO	AUTOMOBILE REPAIRERS
1972	JERNIGANS TEXACO SERVICE	Gasoline Service Stations
1973	JERNIGANS TEXACO SERVICE	Gasoline Service Stations

<b>247</b>	<b>TABOO TATTOO</b>	<b>TX ASBESTOS</b>	<b>S119158068</b>
	<b>2650 MAIN STREET</b>		<b>N/A</b>
	<b>DALLAS, TX 75226</b>		

**ASBESTOS:**

Date of inspection:	09/09/2015
Reason for Inspection:	Routine
Violation:	Yes
Complaint Date:	Not reported
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	2
Travel Time:	0.25
Mileage:	25.2
Reg:	03
Init:	CCG
Seq:	01
Facility Type:	Tattooing
Inspector Name:	Charlotte C. Gray
Date Report Received:	09/14/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	09/18/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	09/18/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TABOO TATTOO (Continued)**

**S119158068**

Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

**247 CITY CHEVROLET CO  
 2650 MAIN  
 DALLAS, TX**

**EDR Hist Auto 1009365513  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1930 CITY CHEVROLET CO AUTOMOBILE REPAIRERS

**247 CITY CHEVROLET CO  
 2646 MAIN  
 DALLAS, TX**

**EDR Hist Auto 1009365496  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1930 CITY CHEVROLET CO AUTOMOBILE REPAIRERS

**247 CITY CHEVROLET CO  
 2648 MAIN  
 DALLAS, TX**

**EDR Hist Auto 1009365500  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1930 CITY CHEVROLET CO AUTOMOBILE REPAIRERS

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
247				<b>CITY CHEVROLET CO</b> 2652 MAIN DALLAS, TX	EDR Hist Auto	1009365521	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 CITY CHEVROLET CO	AUTOMOBILE REPAIRERS		
247				<b>CITY CHEVROLET CO</b> 2654 MAIN DALLAS, TX	EDR Hist Auto	1009365523	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 CITY CHEVROLET CO	AUTOMOBILE REPAIRERS		
248				<b>PALACE SHOP</b> 2813 COMMERCE DALLAS, TX	EDR Hist Auto	1009366208	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1925 PALACE SHOP	AUTOMOBILE REPAIRERS		
				1930 UNITED SERVICE GARAGE	AUTOMOBILE REPAIRERS		
249				<b>AKARD SERVICE STATION</b> 420 N AKARD DALLAS, TX	EDR Hist Auto	1009372643	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1936 CADDELL S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS		
				1941 CADDELL S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS		
				1951 AKARD SERVICE STATION	GASOLINE STATIONS		
249				<b>S F ILY AUTOMOBILE SERVICE STATIONS</b> 418 N AKARD CEDAR SPRINGS ANDI MAPLE AVE DALLAS, TX	EDR Hist Auto	1009372581	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1925 S F ILY AUTOMOBILE SERVICE STAT	AUTOMOBILE OILS AND GASOLINE		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

250 **FAMBRO CLEANERS** EDR Hist Cleaner 1009339769  
**2420 ELM**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1946	FAMBRO CLEANERS	CLEANERS AND DYERS
1956	ANGELO CLEANERS	CLEANERS AND DYERS

251 **GERLACH A W** EDR Hist Auto 1009365358  
**2620 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1930	A-1 AUTO SERVICE	AUTOMOBILE REPAIRERS
1936	GERLACH A W	AUTOMOBILE REPAIRING

251 **GARLAND AND LABERTEW** EDR Hist Auto 1009365396  
**2626 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1930	GARLAND AND LABERTEW	AUTOMOBILE REPAIRERS
1941	FORSTER WM J	AUTOMOBILE REPAIRING
1941	WILLIAMS ROY L GARAGE	AUTOMOBILE REPAIRING
1988	ACCURATE MACHINE WORKS INC	Industrial Machinery, NEC
1989	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1990	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1991	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1992	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1993	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1994	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1995	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1996	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1997	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1998	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
1999	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
2000	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
2001	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
2002	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
2003	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
2004	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
2005	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work
2006	ACCURATE MACHINE WORKS INC	Machine And Other Job Shop Work

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**251 A-1 AUTO SERVICE** EDR Hist Auto **1009365375**  
**2622 MAIN** N/A  
**DALLAS, TX**  
 EDR Hist Auto  
 Year: Name: Type:  
 1930 A-1 AUTO SERVICE AUTOMOBILE REPAIRERS

**251 GARLAND AND LABERTEW** EDR Hist Auto **1009365383**  
**2624 MAIN** N/A  
**DALLAS, TX**  
 EDR Hist Auto  
 Year: Name: Type:  
 1930 GARLAND AND LABERTEW AUTOMOBILE REPAIRERS

**252 NELSON AUTO SERVICE AND PARKING** EDR Hist Auto **1009358348**  
**1601 FEDERAL** N/A  
**DALLAS, TX**  
 EDR Hist Auto  
 Year: Name: Type:  
 1941 NELSON AUTO SERVICE AUTOMOBILE REPAIRING  
 1956 NELSON AUTO SERVICE AND PARKING AUTOMOBILE REPAIRING

**253 PIONEER STEEL RULE & DIE** RCRA NonGen / NLR **1000312394**  
**1801 GRIFFIN ST** FINDS **TXD007345507**  
**DALLAS, TX 75202** TX Ind. Haz Waste  
 ECHO  
 RCRA NonGen / NLR:  
 Date form received by agency:07/27/2001  
 Facility name: PIONEER STEEL RULE & DIE  
 Facility address: 1801 GRIFFIN ST  
 DALLAS, TX 75202  
 EPA ID: TXD007345507  
 Mailing address: N GRIFFIN ST  
 DALLAS, TX 75202  
 Contact: ENVIROMENTAL MANAGER  
 Contact address: N GRIFFIN ST  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste  
 Owner/Operator Summary:  
 Owner/operator name: PIONEER STEEL RULE & DIE  
 Owner/operator address: N GRIFFIN ST  
 DALLAS, TX 75202  
 Owner/operator country: US

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PIONEER STEEL RULE & DIE (Continued)**

**1000312394**

Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Other  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Owner/operator name: PIONEER STEEL RULE & DIE  
 Owner/operator address: N GRIFFIN ST  
 DALLAS, TX 75202

Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Other  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 06/23/1980  
 Site name: PIONEER STEEL RULE & DIE CO#  
 Classification: Not a generator, verified

Violation Status: No violations found

**FINDS:**

Registry ID: 110005033971

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PIONEER STEEL RULE & DIE (Continued)**

**1000312394**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number:	65762
Registration Initial Notification Date:	07/27/2001
Registration Last Amendment Date:	07/27/2001
EPA Identification:	TXD007345507
Primary NAICS Code:	Not reported
Status Change Date:	20010727
Land Type:	OTHER
Description of Facility Site Location:	1801 Griffin St, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	CLASS1
TNRCC Region:	Not reported
Company Name:	PIONEER STEEL RULE & DIE
Contact Name:	Not reported
Contact Telephone Number:	Not reported
Mailing Address:	1801 N GRIFFIN ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752021503
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	21184
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20100624
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	1801 N GRIFFIN ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75202 1503

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PIONEER STEEL RULE & DIE (Continued)**

**1000312394**

Owner Country:	UNITED STA
Owner Phone Number:	Not reported
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Other/Misc
Owner Tax Id:	17514050180
Owner Bankruptcy Code:	Not reported
<b>Operator:</b>	
Operator Last Name:	PIONEER STEEL RULE & DIE
Operator First Name:	Not reported
Operator Name:	PIONEER STEEL RULE & DIE
Operator Mailing Address:	1801 N GRIFFIN ST
Operator Mailing Address 2:	Not reported
Operator Mailing City,St,Zip:	DALLAS, TX 75202 1503
Operator Country:	UNITED STA
Operator Phone:	Not reported
Operator Fax:	Not reported
Operator Email:	Not reported
Operator Business Type:	Other/Misc
Operator Tax Id:	17514050180
Operator Bankruptcy Code:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICON
Contact Address:	1801 N GRIFFIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 1503
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	1801 N GRIFFIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 1503
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	1801 N GRIFFIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 1503
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Unit Records Not Found for this RegNo/Year:	
One Time Shipper Records Not Found for this RegNo/Year:	
Receiver Type:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

**PIONEER STEEL RULE & DIE (Continued)**

**1000312394**

Transporter for hire:	0	
Transport own waste:	0	
Eq 01, if transport waste type = 1:	Not reported	
Eq 02, if transport waste type = 2:	Not reported	
Eq 03, if transport waste type = 3:	Not reported	
Eq 04, if transport waste type = H:	Not reported	
Target TCEQ unique facid for discarded(merged) facility:		Not reported

Waste Records Not Found for this RegNo/Year:

**ECHO:**

Envid:	1000312394
Registry ID:	110005033971
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110005033971">http://echo.epa.gov/detailed-facility-report?fid=110005033971</a>

<b>254</b>	<b>MC CLELLAN AUTO REPAIR AND BODY CO</b>	<b>EDR Hist Auto</b>	<b>1009361803</b>
	<b>2100 N PACIFIC AVE</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1936	MC CLELLAN AUTO REPAIR AND BODY	AUTOMOBILE REPAIRING
1941	MC CLELLAN AUTO REPAIR AND BODY	AUTOMOBILE REPAIRING
1946	MC CLELLAN AUTO REPR AND BODY C	AUTOMOBILE REPAIRING

<b>255</b>	<b>HATCH SERVICE STATION</b>	<b>EDR Hist Auto</b>	<b>1009364775</b>
	<b>2513 MAIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1936	HATCH SERVICE STATION	AUTOMOBILE REPAIRING
1946	LAKE CARL GARAGE	AUTOMOBILE REPAIRING
1951	LAKE CARL GARAGE	AUTOMOBILE REPAIRING

<b>255</b>	<b>LAKE CAOL</b>	<b>EDR Hist Auto</b>	<b>1009364815</b>
	<b>2519 MAIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1936	LAKE CARL	AUTOMOBILE REPAIRING
1936	BUNTIN S MOTOR SERVICE	AUTOMOBILE REPAIRING
1941	BU LNTIN S MOTOR SERVICE	AUTOMOBILE REPAIRING
1941	LAKE CAOL	AUTOMOBILE REPAIRING
1946	ACME AUTO TOP AND BODY WORKS	AUTOMOBILE REPAIRING



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>256</b>	<b>DUNLAP SWAIN CO 2000 PACIFIC AVE DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009360951 N/A</b>
------------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1956	DUNLAP SWAIN CO	AUTOMOBILE GARAGES
1956	DUNLAP SWAIN CO	GASOLINE STATIONS
1961	DUNLAP SWAIN CO	GASOLINE STATIONS
1966	DUNLAP SWAIN SERVICE STATION	GASOLINE STATIONS

<b>256</b>	<b>EDWARDS FRANK AND FRED OIL CO INC NO 1 2001 N PACIFIC AVE DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009360984 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1930	EDWARDS FRANK AND FRED OIL CO	GASOLINE AND OIL SERVICE STATIONS
1930	TOBIAN GARAGE	AUTOMOBILE GARAGES
1946	JOHNSON S GARAGE	AUTOMOBILE REPAIRING

<b>257</b>	<b>HILLE OTTO A 2600 MAIN DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009365120 N/A</b>
------------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1925	HILLE OTTO A	AUTOMOBILE REPAIRERS

<b>257</b>	<b>EDWARDS ALIGNMENT CO 2604 MAIN ST DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009365214 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1936	LIBERTY GARAGE	AUTOMOBILE REPAIRING
1946	TEXAS AUTO GLASS CO	AUTOMOBILE REPAIRING
1951	EDWARDS ALIGNMENT SERVICE	AUTOMOBILE REPAIRING
1951	MILlicAN AUTO RADIATOR CO	RADIATOR REPAIRERS-AUTOMOBILE
1956	EDWARDS ALIGNMENT SERVICE	AUTOMOBILE REPAIRING
1961	EDWARDS ALIGNMENT CO	AUTOMOBILE REPAIRING
1970	ANDREWS TRANSMISSION	Automotive Repair Shops, NEC
1971	ANDREWS TRANSMISSION SERVICE*	Automotive Repair Shops, NEC
1975	A-ONE AUTO ENGINES	General Automotive Repair Shops
1976	A-ONE AUTO ENGINES	General Automotive Repair Shops
1977	A-ONE AUTO ENGINES	General Automotive Repair Shops

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

257 **CHUCK S FORD CHEVROLET SERVICE** EDR Hist Auto 1009365272  
**2610 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1936	CHUCK S FORD CHEVROLET SERVICE	AUTOMOBILE REPAIRING
1936	VINING NEAL	AUTOMOBILE REPAIRING

257 **HATCH SERVICE STATION** EDR Hist Auto 1009364779  
**2514 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1925	HATCH SERVICE STATION	AUTOMOBILE REPAIRERS
1930	HATCH SERVICE STATION	AUTOMOBILE GARAGES
1951	MOTOR BEARING AND GRINDING CO	AUTOMOBILE REPAIRING

257 **LEE S REO SERVICE** EDR Hist Auto 1009364927  
**2528 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1936	LEE S REO SERVICE	AUTOMOBILE REPAIRING

257 **ACMNIE AUTO TOP AND BODY WORKS** EDR Hist Auto 1009364920  
**2526 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1941	ACMNIE AUTO TOP AND BODY WORKS	AUTOMOBILE REPAIRING

257 **HATCH SERVICE STATION** EDR Hist Auto 1009364870  
**2522 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1941	GLOVER S GARAGE	AUTOMOBILE REPAIRING
1941	HATCH SERVICE STATION	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**257 TIGGERS BODY ART GALLERY  
 2602 MAIN STREET  
 DALLAS, TX 75226**

**TX ASBESTOS S119158937  
 N/A**

ASBESTOS:  
 Date of inspection: 09/09/2015  
 Reason for Inspection: Routine  
 Violation: Yes  
 Complaint Date: Not reported  
 Notification Number: Not reported  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: 2  
 Travel Time: 0.25  
 Mileage: 0.1  
 Reg: 03  
 Init: CCG  
 Seq: 02  
 Facility Type: Tattooing and Body Piercing  
 Inspector Name: Charlotte C. Gray  
 Date Report Received: 09/14/2015  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: 09/18/2015  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: 09/18/2015  
 Date Rtn to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtn to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtn to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

258 HALL GABBY GARTAGE EDR Hist Auto 1009364599  
 2500 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 HALL J M AUTOMOBILE REPAIRING  
 1941 HALL GABBY GARTAGE AUTOMOBILE REPAIRING

258 RIEK S GARAGE EDR Hist Auto 1009364734  
 2508 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 RIEK S GARAGE AUTOMOBILE GARAGES

258 EDWARD S GARAGE EDR Hist Auto 1009364738  
 2509 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1956 EDWARD S GARAGE AUTOMOBILE REPAIRING

259 MILLER S PHIL AUTO PARK EDR Hist Auto 1009359030  
 1701 BRYAN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 MILLER S PHIL AUTO PARK AUTOMOBILE LAUNDRIES

260 GREEN LOUIS EDR Hist Cleaner 1009343727  
 405 N AKARD N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1930 GREEN LOUIS CLOTHES PRESSERS, CLEANERS AND REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**260 FORMER MAYFLOWER BLDG  
 411 N. AKARD ST.  
 DALLAS, TX 75201**

**TX ASBESTOS S119145945  
 N/A**

ASBESTOS:  
 Date of inspection: 01/05/2016  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: Unknown  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 04  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: 02/23/2016  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

260 EFESTIDES HARRY EDR Hist Cleaner 1009343959  
 413 N AKARD N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 EFESTIDES HARRY CLOTHES CLEANERS AND DYERS

261 MODEL TAILORS THE EDR Hist Cleaner 1009339329  
 2308 ELM N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1941 MODEL TAILORS THE CLOTHES CLEANERS AND PRESSERS

261 LOUIS CLEANERS EDR Hist Cleaner 1009338056  
 201 N CENTRAL AVE N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1951 FOSTER S BARGAIN STORE CLEANERS AND DYERS

261 CHAMBERS TAILORING CO EDR Hist Cleaner 1009338464  
 211 N CENTRAL AVE N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1956 CHAMBERS TAILORING CO CLEANERS AND DYERS

261 CANNON BALL MFG TX Ind. Haz Waste S105835351  
 2221 ELM ST N/A  
 DALLAS, TX 75201

Ind. Haz Waste:

Registration Number: 65678  
 Registration Initial Notification Date: 07/27/2001  
 Registration Last Amendment Date: 07/27/2001  
 EPA Identification: Not reported  
 Primary NAICS Code: Not reported  
 Status Change Date: 20010727  
 Land Type: Not reported  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CANNON BALL MFG (Continued)**

**S105835351**

Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: CLASS1  
 TNRCC Region: Not reported  
 Company Name: CANNON BALL MFG CO INC  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 2221 ELM ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 75201  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 21112  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20031018  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 2221 ELM ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 9999  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: CANNON BALL MFG CO INC  
 Operator First Name: Not reported  
 Operator Name: CANNON BALL MFG CO INC  
 Operator Mailing Address: 2221 ELM ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 9999  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 2221 ELM ST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CANNON BALL MFG (Continued)**

**S105835351**

Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	2221 ELM ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 9999
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	2221 ELM ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 9999
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Unit Records Not Found for this RegNo/Year:	
One Time Shipper Records Not Found for this RegNo/Year:	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	13226
Waste Records Not Found for this RegNo/Year:	

261

**CANNON BALL MANUFACTURING**  
**2221 ELM ST**  
**DALLAS, TX 75201**

**TX Ind. Haz Waste S103602578**  
**N/A**

Ind. Haz Waste:

Registration Number:	36343
Registration Initial Notification Date:	07/27/2001
Registration Last Amendment Date:	07/27/2001
EPA Identification:	TXD007334006
Primary NAICS Code:	Not reported
Status Change Date:	20010727
Land Type:	PRIVATE
Description of Facility Site Location:	Not reported
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CANNON BALL MANUFACTURING (Continued)**

**S103602578**

Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: CLASS1  
 TNRCC Region: Not reported  
 Company Name: CANNON BALL MFG CO INC  
 Contact Name: ENVIRONMENTAL MANAGER  
 Contact Telephone Number: Not reported  
 Mailing Address: 2221 ELM ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 75201  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 13226  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20110911  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 2221 ELM ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 9999  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: CANNON BALL MFG CO INC  
 Operator First Name: Not reported  
 Operator Name: CANNON BALL MFG CO INC  
 Operator Mailing Address: 2221 ELM ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 9999  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CANNON BALL MANUFACTURING (Continued)**

**S103602578**

Contact Address: 2221 ELM ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 9999  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2221 ELM ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 9999  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: ENVIRONMENTAL MANAGER  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONTE  
 Contact Address: 2221 ELM ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:  
 Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

261

**CANNON BALL MANUFACTURING CO**  
**2221 ELM ST**  
**DALLAS, TX 75201**

**RCRA NonGen / NLR 1000318485**  
**FINDS TXD007334006**  
**ECHO**

RCRA NonGen / NLR:  
 Date form received by agency: 07/27/2001  
 Facility name: CANNON BALL MANUFACTURING CO  
 Facility address: 2221 ELM ST  
 DALLAS, TX 75201  
 EPA ID: TXD007334006  
 Mailing address: ELM ST  
 DALLAS, TX 75201  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: ELM ST  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CANNON BALL MANUFACTURING CO (Continued)**

**1000318485**

Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CANNON BALL MANUFACTURING CO  
 Owner/operator address: ELM ST  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Owner/operator name: CANNON BALL MANUFACTURING CO  
 Owner/operator address: ELM ST  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/30/1980  
 Site name: CANNON BALL MFG CO  
 Classification: Not a generator, verified

Violation Status: No violations found

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CANNON BALL MANUFACTURING CO (Continued)**

**1000318485**

**FINDS:**

Registry ID: 110005033579

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000318485  
 Registry ID: 110005033579  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005033579>

**262 EDWARDS FRANK AND FRED OIL CO INC NO 2  
 2653 COMMERCE  
 DALLAS, TX**

**EDR Hist Auto 1009365522  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1930 EDWARDS FRANK AND FRED OIL CO GASOLINE AND OIL SERVICE STATIONS

**262 FORMER L B STRANGE SERVICE STATION  
 2653 COMMERCE ST  
 DALLAS, TX**

**TX LPST S121510835  
 N/A**

**LPST:**

Facility ID: Not reported  
 LPST Id: 120413  
 Facility Location: Not reported  
 TCEQ Region# and City: 4  
 Region City: Not reported  
 Reported Date: 12/31/3000  
 Entered Date: 02/08/2018  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1 - RPR  
 CA Status: 1 - RELEASE DETERMINATION  
 Priority Description: Not reported  
**Status: Not reported**  
 Coordinators Primary: Not reported  
 Coordinators RPR: Not reported  
 Responsible Party Name: AP DEEP ELLUM LLC  
 Responsible Party Contact: Not reported  
 Responsible Party Address: Not reported  
 Responsible Party City,St,Zip: Not reported  
 Responsible Party Telephone: Not reported  
 Reported Date: 12/14/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**FORMER L B STRANGE SERVICE STATION (Continued)**

**S121510835**

Case Start Date: 02/08/2018

263 **DUNLAP SWAIN CO** EDR Hist Auto 1009386537  
**N HARWOOD & PACIFIC** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 DUNLAP SWAIN CO INC N GASOLINE AND OIL SERVICE STATIONS

263 **TOBIAN GARAGE** EDR Hist Auto 1009367014  
**300 N HARWOOD** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 TOBIAN GARAGE AUTOMOBILE GARAGES

264 **HALL CLAUDE E GRILLE AND FENDER SHOP** EDR Hist Auto 1009365690  
**2707 COMMERCE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1946 HALL CLAUDE E GRILLE AND FENDER AUTOMOBILE REPAIRING

265 **DENTON R B** EDR Hist Cleaner 1009349561  
**819 MCKINNEY AVE** N/A  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1925 DENTON R B CLOTHES CLEANERS AND DYERS

266 **NELSON KNUTE** EDR Hist Auto 1009356837  
**1409 PATTERSON AVE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1925 NELSON KNUTE AUTOMOBILE REPAIRERS  
 1925 SAFETY SERVICE AUTO STORAGE AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

266 **FOSTER J C SHORTY** EDR Hist Auto 1009356904  
**1411 PATTERSON AVE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1956	CENTRAL GARAGE AND BODY SHOP	AUTOMOBILE REPAIRING
1961	FOSTER J C SHORTY	AUTOMOBILE REPAIRING

266 **BURTON PICKENS GARAGE** EDR Hist Auto 1009356988  
**1415 PATTERSON AVE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1925	BURTON PICKENS GARAGE	AUTOMOBILE GARAGES

267 **LIBERTY GARAGE** EDR Hist Auto 1009366270  
**2820 COMMERCE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1941	LIBERTY GARAGE	AUTOMOBILE REPAIRING

268 **MAYFLOWER GARAGE** EDR Hist Auto 1009356815  
**1408 PATTERSON AVE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1971	MAYFLOWER GARAGE	AUTOMOBILE GARAGES

268 **MAYFLOWER GARAGE** EDR Hist Auto 1009356879  
**1410 PATTERSON AVE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1966	MAYFLOWER GARAGE	AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

269 TWO COMMERCIAL OFFICE BUILDING  
 1900 PACIFIC AVE.  
 DALLAS, TX 75201

TX ASBESTOS S119159461  
 N/A

ASBESTOS:  
 Date of inspection: 08/21/2013  
 Reason for Inspection: Complaint  
 Violation: PENoDINoG  
 Complaint Date: Not reported  
 Notification Number: N/A  
 ASB Priority: n/a  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 01  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: Not reported  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date RtnD to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date RtnD to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date RtnD to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**269 DE LUXE AUTO SERVICE** **EDR Hist Auto** **1009360465**  
**1906 N PACIFIC AVE** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 DE LUXE AUTO SERVICE AUTOMOBILE REPAIRING

**269 TOWER GARAGE** **EDR Hist Auto** **1009360567**  
**1916 N PACIFIC AVE** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 NICLHOLS BROS GARAGE AND AUTO P AUTOMOBILE GARAGES  
 1946 TOWER GARAGE AUTOMOBILE GARAGES

**269 TOWER BUILDING** **TX UST** **U002112371**  
**1900 PACIFIC AVE** **N/A**  
**DALLAS, TX 75201**

UST:

AI Number: 66272  
 Facility Type: Not reported  
 Facility Begin Date: 08/31/1987  
 Facility Status: INACTIVE  
 Additional ID: 394020382002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: ,  
 Contact Organization Name: Not reported  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: Not reported  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 12/13/1994  
 Signature Name/Title On Earliest Reg Form: STEVEN R WEMPLE,CONSULTANT  
 Application Received Date On Earliest Reg Form: 12/16/1994  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600809651  
 Owner Last Name: PACIFIC AVENUE ASSOCIATES  
 Owner First Name: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TOWER BUILDING (Continued)**

**U002112371**

Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	386020382002062
Additional ID:	394020382002062
AI Number:	66272
Owner Effective Begin Date:	08/31/1987
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported

**Tank:**

Install Date:	01/01/1929
Tank Registration Date:	12/16/1994
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	172993
Facility ID:	99347
AI Number:	66272
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	04/12/1994
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TOWER BUILDING (Continued)**

**U002112371**

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	165424
UST ID:	172993
AI Number:	66272
Compartment ID:	A
Substance Stored1:	NEW OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TOWER BUILDING (Continued)**

**U002112371**

SOPE(Spill Cont/Bucket/Sump): N  
 SOPE(DelShut-Off Valve ): N  
 SOPE(FlowRestrictorValue: N  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: N  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: N  
 Piping Release Detection Compliance Flag ): N  
 Spill/OverfillPreventionCompliance Flag: N  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: PACIFIC AVENUE ASSOCIATES  
 Contact Mailing Address (Delivery): 555 5TH AVE STE 1916  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: NEW YORK, NY 10017 2416  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 99347  
 Additional ID: 394020382002062  
 Princ ID: 386020382002062  
 AI Number: 66272  
 Facility Name: TOWER BUILDING  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: MARSHALL FIELD/

269

**SUITATORIUM THE  
 1916 LIVE OAK  
 DALLAS, TX**

**EDR Hist Cleaner 1009337760  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	SUITATORIUM THE NO 1	CLOTHES CLEANERS AND DYERS
1930	SUITATORIUM THE	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1941	BARTLETT CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
269				<b>COOK BERT CADILLAC SERVICE</b> 1911 LIVE OAK DALLAS, TX	EDR Hist Auto	1009360524	N/A
				EDR Hist Auto			
				Year: Name: Type:			
				1946 COOK BERT CADILLAC SERVICE			AUTOMOBILE REPAIRING
269				<b>PREMIER GARAGE</b> 1913 LIVE OAK DALLAS, TX	EDR Hist Auto	1009360541	N/A
				EDR Hist Auto			
				Year: Name: Type:			
				1925 PREMIER GARAGE			AUTOMOBILE GARAGES
269				<b>LE FEVRE E J</b> 1919 LIVE OAK DALLAS, TX	EDR Hist Cleaner	1009337777	N/A
				EDR Hist Cleaner			
				Year: Name: Type:			
				1925 LE FEVRE E J			CLOTHES CLEANERS AND DYERS
269				<b>MODERN CLEANERS</b> 1923 LIVE OAK DALLAS, TX	EDR Hist Cleaner	1009337811	N/A
				EDR Hist Cleaner			
				Year: Name: Type:			
				1930 MODERN CLEANERS			CLOTHES PRESSERS, CLEANERS AND REPAIRERS
270				<b>VINES FISHER CLEANING CO</b> 315 N SAINT PAUL DALLAS, TX	EDR Hist Cleaner	1009341893	N/A
				EDR Hist Cleaner			
				Year: Name: Type:			
				1941 VINES FISHER CLEANING CO			CLOTHES PRESSERS, CLEANERS AND REPAIRERS
				1946 VILLAGE VINES AND .FISHER CLEAN			CLEANERS AND DYERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**270 KNIGHT S MOTOR HOTEL EDR Hist Auto 1009368231**  
**317 N SAINT PAUL N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	COX	AUTOMOBILE OILS AND GASOLINE
1925	COX	AUTOMOBILE GARAGES
1930	COX INC	AUTOMOBILE GARAGES
1936	KNIGHT MOTOR HOTEL	AUTOMOBILE GARAGES
1941	KNIGHT S MOTOR HOTEL	AUTOMOBILE GARAGES
1946	KNIGHTS MOTOR HOTEL	AUTOMOBILE GARAGES

**270 COX INC EDR Hist Auto 1009368280**  
**319 N SAINT PAUL N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	COX INC	AUTOMOBILE GARAGES

**270 REPUBLIC CENTER TX ASBESTOS S121362265**  
**325 N SAINT PAUL ST N/A**  
**DALLAS, TX 75201**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Melvin Balcarcel
Violation:	Not reported
Complaint Date:	11/18/2017
Notification Number:	2017008140
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/01/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REPUBLIC CENTER (Continued)**

**S121362265**

Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/01/2017
Certification Statement Phone:	214-243-7859
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	11/15/2017

270

**REPUBLIC CENTER  
 325 N SAINT PAUL ST SUITE 2710  
 DALLAS, TX 75201**

**TX ASBESTOS S121362264  
 N/A**

**ASBESTOS:**

Date of inspection:	Not reported
Reason for Inspection:	Melvin Balcarcel
Violation:	Not reported
Complaint Date:	09/11/2017
Notification Number:	2017006312
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/25/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	08/25/2017
Certification Statement Phone:	214-243-7859

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REPUBLIC CENTER (Continued)**

**S121362264**

Is The Facility a School or K-12?: Y  
 Region: 03  
 Priority: HIGH  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 09/08/2017

270

**M. L. BEILER TANK BATTERY, ANDERSON COUNTY, TX.  
 325 N SAINT PAUL ST  
 DALLAS, TX 75201**

**ICIS 1006263537  
 FINDS N/A  
 ECHO**

ICIS:

Enforcement Action ID: 06-1998-0805  
 FRS ID: 110010776302  
 Action Name: DOUBLE DIAMOND PETROLEUM, INC. - M. L. BEILER TANK BATTERY  
 Facility Name: M. L. BEILER TANK BATTERY, ANDERSON COUNTY, TX.  
 Facility Address: 325 N SAINT PAUL ST  
 DALLAS, TX 752016852  
 Enforcement Action Type: CWA 311B6A1 AO For Class I Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 311B6A1  
 Facility SIC Code: 1382  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.783243  
 Longitude in Decimal Degrees: -96.79675  
 Permit Type Desc: Not reported  
 Program System Acronym: 16997  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: M. L. BEILER TANK BATTERY, ANDERSON COUNTY, TX.  
 Address: 325 N SAINT PAUL ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 1311

Facility Name: M. L. BEILER TANK BATTERY, ANDERSON COUNTY, TX.  
 Address: 325 N SAINT PAUL ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 1382

FINDS:

Registry ID: 110010776302

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**M. L. BEILER TANK BATTERY, ANDERSON COUNTY, TX. (Continued)**

**1006263537**

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1006263537  
 Registry ID: 110010776302  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010776302>

270

**J. B. ANDERSON LEASE, ANDERSON COUNTY, TX.  
 325 N SAINT PAUL ST  
 DALLAS, TX 75201**

**ICIS 1006263536  
 FINDS N/A  
 ECHO**

ICIS:

Enforcement Action ID: 06-1998-0804  
 FRS ID: 110010776295  
 Action Name: DOUBLE DIAMOND PETROLEUM, INC. - J. B. ANDERSON LEASE  
 Facility Name: J. B. ANDERSON LEASE, ANDERSON COUNTY, TX.  
 Facility Address: 325 N SAINT PAUL ST  
 DALLAS, TX 752016852  
 Enforcement Action Type: CWA 311B6A1 AO For Class I Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 311B6A1  
 Facility SIC Code: 1382  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.783243  
 Longitude in Decimal Degrees: -96.79675  
 Permit Type Desc: Not reported  
 Program System Acronym: 16998  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: J. B. ANDERSON LEASE, ANDERSON COUNTY, TX.  
 Address: 325 N SAINT PAUL ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 1311



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**J. B. ANDERSON LEASE, ANDERSON COUNTY, TX. (Continued)**

**1006263536**

Facility Name: J. B. ANDERSON LEASE, ANDERSON COUNTY, TX.  
 Address: 325 N SAINT PAUL ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 1382

**FINDS:**

Registry ID: 110010776295

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1006263536  
 Registry ID: 110010776295  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010776295>

270

**BROYLES & WOLVERTON LEASE, RRC ID NO. 00776  
 325 N SAINT PAUL ST  
 DALLAS, TX 75201**

**ICIS 1006263538  
 FINDS N/A  
 ECHO**

**ICIS:**

Enforcement Action ID: 06-1998-0807  
 FRS ID: 110010776311  
 Action Name: DOUBLE DIAMOND PETROLEUM, INC. - BROYLES & WOLVERTON LEASE  
 Facility Name: BROYLES & WOLVERTON LEASE, RRC ID NO. 00776  
 Facility Address: 325 N SAINT PAUL ST  
 DALLAS, TX 752016852  
 Enforcement Action Type: CWA 311B6A1 AO For Class I Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 311B6A1  
 Facility SIC Code: 1382  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.783243  
 Longitude in Decimal Degrees: -96.79675  
 Permit Type Desc: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BROYLES & WOLVERTON LEASE, RRC ID NO. 00776 (Continued)**

**1006263538**

Program System Acronym: 16995  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: BROYLES & WOLVERTON LEASE, RRC ID NO. 00776  
 Address: 325 N SAINT PAUL ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 1311

Facility Name: BROYLES & WOLVERTON LEASE, RRC ID NO. 00776  
 Address: 325 N SAINT PAUL ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 1382

**FINDS:**

Registry ID: 110010776311

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1006263538  
 Registry ID: 110010776311  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010776311>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

270 EDNA TUCKER TANK BATTERY, ANDERSON COUNTY, TX. ICIS 1006263720  
 325 N SAINT PAUL ST FINDS N/A  
 DALLAS, TX 75201 ECHO

ICIS:

Enforcement Action ID: 06-1998-0806  
 FRS ID: 110010782297  
 Action Name: DOUBLE DIAMOND PETROLEUM, INC. - EDNA TUCKER TANK BATTERY  
 Facility Name: EDNA TUCKER TANK BATTERY, ANDERSON COUNTY, TX.  
 Facility Address: 325 N SAINT PAUL ST  
 DALLAS, TX 752016852  
 Enforcement Action Type: CWA 311B6A1 AO For Class I Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 311B6A1  
 Facility SIC Code: 1382  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.783243  
 Longitude in Decimal Degrees: -96.79675  
 Permit Type Desc: Not reported  
 Program System Acronym: 16996  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: EDNA TUCKER TANK BATTERY, ANDERSON COUNTY, TX.  
 Address: 325 N SAINT PAUL ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 1311

Facility Name: EDNA TUCKER TANK BATTERY, ANDERSON COUNTY, TX.  
 Address: 325 N SAINT PAUL ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 1382

FINDS:

Registry ID: 110010782297

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EDNA TUCKER TANK BATTERY, ANDERSON COUNTY, TX. (Continued)**

**1006263720**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1006263720  
 Registry ID: 110010782297  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010782297>

**270 COX INC EDR Hist Auto 1009368698**  
**325 N SAINT PAUL N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	COX INC	AUTOMOBILE GARAGES
2011	SHADE TREE STUDIOS	General Automotive Repair Shops
2012	SHADE TREE STUDIOS	General Automotive Repair Shops
2013	SHADE TREE STUDIOS	General Automotive Repair Shops
2014	SHADE TREE STUDIOS	General Automotive Repair Shops

**270 COX INC EDR Hist Auto 1009368463**  
**321 N SAINT PAUL N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	COX INC	AUTOMOBILE GARAGES

**270 COX INC EDR Hist Auto 1009368623**  
**323 N SAINT PAUL N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	COX INC	AUTOMOBILE GARAGES

**270 ONE HOUR CLEANERS EDR Hist Cleaner 1009342318**  
**331 N SAINT PAUL N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1956	ONE HOUR CLEANERS	CLEANERS AND DYERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

270 **MULLER DYE WORKS** EDR Hist Cleaner 1009342400  
**333 N SAINT PAUL**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year: Name: Type:  
 1930 MULLER DYE WORKS CLOTHES PRESSERS, CLEANERS AND REPAIRERS

271 **BAONE R L CO** EDR Hist Auto 1009363986  
**2400 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 TENISON AND BAIR CO AUTOMOBILE REPAIRERS  
 1941 BAONE R L CO AUTOMOBILE REPAIRING  
 1946 BAYNE R L CO AUTOMOBILE REPAIRING

271 **LSUCAS AUTO CO** EDR Hist Auto 1009364077  
**2404 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1936 LUCUS J W AUTO SERV AUTOMOBILE REPAIRING  
 1941 WILLIAMS CLAUDE H AUTOMOBILE REPAIRING  
 1941 LSUCAS AUTO CO AUTOMOBILE REPAIRING  
 1941 CRAIG BODY SHOP AUTOMOBILE REPAIRING  
 1946 RED DRUM CARBONIC CO AUTOMOBILE REPAIRING

271 **IDEAL GARAGE** EDR Hist Auto 1009364118  
**2408 MAIN**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1941 IDEAL GARAGE AUTOMOBILE REPAIRING  
 1946 IDEAL GARAGE AUTOMOBILE REPAIRING  
 1951 IDEAL GARAGE AUTOMOBILE REPAIRING  
 1956 IDEAL GARAGE AUTOMOBILE REPAIRING  
 1961 REED S IDEAL GARAGE AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

271 FISHER 0 W SERVICE STATION EDR Hist Auto 1009364316  
 2424 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1961 FISHER 0 W SERVICE STATION GASOLINE STATIONS

271 HUMBLE MAIN AND DOVE FILLING STATION EDR Hist Auto 1009364333  
 2426 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 HUMBLE OIL AND REFINING CO SERV GASOLINE AND OIL SERVICE STATIONS  
 1941 JOLES SERVICE STATION GASOLINE AND OIL SERVICE STATIONS  
 1946 HUMBLE MAIN AND DOVE FILLING ST GASOLINE AND OIL SERVICE STATIONS

271 MANNING WIN L EDR Hist Auto 1009364108  
 2407 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 MANNING S GARAGE AUTOMOBILE REPAIRING  
 1941 MANNING WIN L AUTOMOBILE REPAIRING

271 NISBETT R A EDR Hist Auto 1009364172  
 2411 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 NISBETT R A AUTOMOBILE GARAGES  
 1930 NISBETT R A AUTOMOBILE REPAIRERS  
 1946 BOWSER ,JOTBN M DISTRIBUTORS AUTOMOBILE REPAIRING  
 1951 MC CORKLE L D AUTO CO AUTOMOBILE REPAIRING

271 YOUNG STREET GARAGE EDR Hist Auto 1009364281  
 2421 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1946 YOUNG STREET GARAGE AUTOMOBILE GARAGES

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>272</b>	<b>MEDICAL ARTS CLEANERS</b> <b>1642 BRYAN</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009336872</b> N/A
	EDR Hist Cleaner		
	Year: Name:	Type:	
	1951 MEDICAL ARTS CLEANERS	CLEANERS AND DYERS	

<b>272</b>	<b>PATE W W REAR</b> <b>1609 BRYAN</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009358517</b> N/A
	EDR Hist Auto		
	Year: Name:	Type:	
	1925 PATE W W REAR	AUTOMOBILE REPAIRERS	
	1925 POST OFFICE AUTO PARK	AUTOMOBILE REPAIRERS	

<b>272</b>	<b>EASTERN ENERGY SP ZOO</b> <b>1601 BRYAN ST</b> <b>DALLAS, TX 75201</b>	<b>EDR Hist Auto</b>	<b>1021853312</b> N/A
	EDR Hist Auto		
	Year: Name:	Type:	
	2010 ARCO OIL AND GAS CORPORATION	Gasoline Service Stations, NEC	
	2011 ARCO OIL AND GAS CORPORATION	Gasoline Service Stations, NEC	
	2012 ARCO OIL AND GAS CORPORATION	Gasoline Service Stations, NEC	

<b>272</b>	<b>ARCO OIL AND GAS COMPANY</b> <b>1601 BRYAN ST</b> <b>DALLAS, TX 75201</b>	<b>RCRA NonGen / NLR</b>	<b>1000326355</b> <b>FINDS TXD001812932</b> <b>ECHO</b>
	RCRA NonGen / NLR:		
	Date form received by agency:	08/23/2001	
	Facility name:	ARCO OIL AND GAS COMPANY	
	Facility address:	1601 BRYAN ST DALLAS, TX 75201	
	EPA ID:	TXD001812932	
	Mailing address:	W PLANO PKWY PLANO, TX 75075	
	Contact:	MICHAEL R SCOGGINS	
	Contact address:	W PLANO PKWY PLANO, TX 75075	
	Contact country:	US	
	Contact telephone:	214-754-3000	
	Contact email:	Not reported	
	EPA Region:	06	
	Classification:	Non-Generator	
	Description:	Handler: Non-Generators do not presently generate hazardous waste	
	Owner/Operator Summary:		
	Owner/operator name:	ARCO OIL AND GAS COMPANY	
	Owner/operator address:	W PLANO PKWY PLANO, TX 75075	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARCO OIL AND GAS COMPANY (Continued)**

**1000326355**

Owner/operator country: US  
 Owner/operator telephone: 214-754-3000  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Owner/operator name: ARCO OIL AND GAS COMPANY  
 Owner/operator address: W PLANO PKWY  
 PLANO, TX 75075

Owner/operator country: US  
 Owner/operator telephone: 214-754-3000  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001

. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002

. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ARCO OIL AND GAS COMPANY (Continued)**

**1000326355**

- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: F001
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 02/22/1988  
 Site name: ARCO OIL & GAS CO  
 Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
  
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ARCO OIL AND GAS COMPANY (Continued)**

**1000326355**

DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D011  
 . Waste name: SILVER

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005031795

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000326355  
 Registry ID: 110005031795  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005031795>

272

**LUMINANT  
 1601 BRYAN STREET  
 DALLAS, TX 75201**

**FINDS 1023200470  
 N/A**

**FINDS:**

Registry ID: 110064698885

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**LUMINANT (Continued)**

**1023200470**

Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**272 MONTICELLO STEAM ELECTRIC STATION  
 1601 BRYAN STREET  
 DALLAS, TX 75201**

**TSCA 1016950450  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional TSCA detail in the EDR Site Report.

**272 MARTIN LAKE STEAM ELECTRIC STATION  
 1601 BRYAN STREET  
 DALLAS, TX 75201**

**TSCA 1016950281  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional TSCA detail in the EDR Site Report.

**272 1601 BRYAN ST  
 DALLAS, TX 75201**

**ERNS 2013069736  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**272 CLEANERS INCORPORATED  
 1601 BRYAN  
 DALLAS, TX 75201**

**EDR Hist Cleaner 1018422898  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1986	THE CLEANERS INCORPORATED	Garment Pressing And Cleaners' Agents
1987	THE CLEANERS INCORPORATED	Garment Pressing And Cleaners' Agents
1988	CLEANERS INCORPORATED	Garment Pressing And Cleaners' Agents
1989	CLEANERS INCORPORATED	Garment Pressing And Cleaners' Agents
1990	CLEANERS INCORPORATED	Garment Pressing And Cleaners' Agents
1991	CLEANERS INCORPORATED	Garment Pressing And Cleaners' Agents
1992	CLEANERS INCORPORATED	Garment Pressing And Cleaners' Agents
1993	CLEANERS INCORPORATED	Garment Pressing And Cleaners' Agents

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

273 RIDDLE CLEANING CO EDR Hist Cleaner 1009341567  
 307 N ERVAY N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 RIDDLE CLEANING CO CLOTHES CLEANERS AND DYERS

273 SNOW WHITE CLEANERS EDR Hist Cleaner 1009341724  
 311 N ERVAY N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 SNOW WHITE CLEANERS CLOTHES CLEANERS AND DYERS

273 WHITE S ONE HOUR CLEANERS EDR Hist Cleaner 1009342218  
 327 N ERVAY ST N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1966 WHITE S ONE HOUR CLEANERS CLEANERS AND DYERS  
 1969 WHITES ONE HOUR CLEANERS Drycleaning Plants, Except Rugs  
 1970 WHITES ONE HOUR CLEANERS Drycleaning Plants, Except Rugs  
 1971 WHITE S ONE HOUR CLEANERS CLEANERS AND DYERS  
 1971 WHITES ONE HOUR CLEANERS Drycleaning Plants, Except Rugs  
 1972 WHITES ONE HOUR CLEANERS Drycleaning Plants, Except Rugs

273 GILBERT AND SANDLIN EDR Hist Cleaner 1009342317  
 331 N ERVAY N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 GILBERT AND SANDLIN CLOTHES CLEANERS AND DYERS

273 GABLES REPUBLIC TOWER ICIS 1011907345  
 350 NORTH ERVAY ST. FINDS N/A  
 DALLAS, TX 75201 ECHO

ICIS:

Enforcement Action ID: 06-2010-6119  
 FRS ID: 110037245442  
 Action Name: Ervay Residential Limited Partnership  
 Facility Name: GABLES REPUBLIC TOWER  
 Facility Address: 350 NORTH ERVAY ST.  
 DALLAS, TX 75201  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GABLES REPUBLIC TOWER (Continued)**

**1011907345**

Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 16  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.782848  
 Longitude in Decimal Degrees: -96.797894  
 Permit Type Desc: Not reported  
 Program System Acronym: 1400004224  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-2009-6117  
 FRS ID: 110037245442  
 Action Name: Ervay Residential Limited  
 Facility Name: GABLES REPUBLIC TOWER  
 Facility Address: 350 NORTH ERVAY ST.  
 DALLAS, TX 75201

Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 16  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.782848  
 Longitude in Decimal Degrees: -96.797894  
 Permit Type Desc: Not reported  
 Program System Acronym: 1400004224  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: GABLES REPUBLIC TOWER  
 Address: 350 NORTH ERVAY ST.  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: GABLES REPUBLIC TOWER  
 Address: 350 NORTH ERVAY ST.  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: Not reported

**FINDS:**

Registry ID: 110037245442

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GABLES REPUBLIC TOWER (Continued)**

**1011907345**

Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1011907345  
 Registry ID: 110037245442  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110037245442>

274

**ABANDONED PROPERTY PARKING LOT  
 1310 PATTERSON AVE  
 DALLAS, TX 75200**

**TX LPST S106256266  
 N/A**

LPST:

Facility ID: Not reported  
 LPST Id: 99704  
 Facility Location: PATTERSON AVE @ FIELD AVE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 12/09/1993  
 Entered Date: 08/05/1991  
 Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP  
 Program: 2 - REGION  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 2  
 Coordinators RPR: RPR  
 Responsible Party Name: FIRST INTERSTATE BANK  
 Responsible Party Contact: JOHN WYNE  
 Responsible Party Address: 1445 ROSS AVE  
 Responsible Party City,St,Zip: DALLAS, TX 75202  
 Responsible Party Telephone: 214/000-0000  
 Reported Date: 07/17/1991  
 Case Start Date: 08/05/1991

274

**AUTO STORAGE CO  
 1302 PATTERSON AVE  
 DALLAS, TX**

**EDR Hist Auto 1009355672  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1925 AUTO STORAGE CO AUTOMOBILE GARAGES

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

274 VACANT TX LPST S113415007  
 500 N FIELD ST TX GCC N/A  
 DALLAS, TX 75202

LPST:  
 Facility ID: Not reported  
 LPST Id: 119016  
 Facility Location: 500 N FIELD ST  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 12/21/2012  
 Entered Date: 12/21/2012  
 Priority: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.

**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**

Coordinators Primary: 1  
 Coordinators RPR: JLR  
 Responsible Party Name: HEADINGTON REALTY  
 Responsible Party Contact: NICK GALEN  
 Responsible Party Address: 2711 N HASKELL AVE STE 2800  
 Responsible Party City,St,Zip: DALLAS, TX 75204  
 Responsible Party Telephone: 214/696-7717  
 Reported Date: 10/17/2012  
 Case Start Date: 12/21/2012

GCC:

Division: REM/PST  
 New Cases: \*  
 File Number: 119016  
 Contamination Description: UNKNOWN  
 Date Of Earliest Known Contamination Confirmation: 12/21/2012  
 Enforcement Status - Level Of Agency Response: 2  
 Enforcement Status - Site Activity Status: 6  
 Data Quality 1: E,Q  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

274 ALLISON BROS EDR Hist Auto 1009375250  
 500 N FIELD N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1941 ALLISON BROS GASOLINE AND OIL SERVICE STATIONS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**274 DE LUXE AUTO SERVICE EDR Hist Auto 1009376112**  
**516 N FIELD N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1956	DE LUXE AUTO SERVICE	AUTOMOBILE REPAIRING
1961	DE LUXE AUTO SERVICE	AUTOMOBILE REPAIRING

**275 HALL WYMAN H EDR Hist Auto 1009365748**  
**2714 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1941	HALL WYMAN H	AUTOMOBILE REPAIRING

**276 COOK BERT OLDSMOBILE SERVICE EDR Hist Auto 1009354859**  
**1217 PATTERSON AVE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1956	COOK BERT OLDSMOBILE SERVICE	AUTOMOBILE REPAIRING

**276 GIBBS BARNEY L EDR Hist Auto 1009375412**  
**501-07 NO FIELD N/A**  
**DALLAS, TX 75202**

EDR Hist Auto

Year:	Name:	Type:
1951	GIBBS AUTO SERVICE	AUTOMOBILE REPAIRING
1956	GIBBS AUTO SERVICE	AUTOMOBILE REPAIRING
1961	GIBBS AUTO SERVICE	AUTOMOBILE REPAIRING
1969	GIBBS BARNEY L	Not reported
1970	GIBBS BARNEY L	Not reported
1971	GIBBS BARNEY L	General Automotive Repair Shops
1972	GIBBS BARNEY L	General Automotive Repair Shops
1973	GIBBS BARNEY L	General Automotive Repair Shops
1974	GIBBS BARNEY L	General Automotive Repair Shops
1975	GIBBS BARNEY L	General Automotive Repair Shops
1976	GIBBS BARNEY L	General Automotive Repair Shops
1977	GIBBS BARNEY L	General Automotive Repair Shops
1978	GIBBS BARNEY L	General Automotive Repair Shops
1979	GIBBS BARNEY L	General Automotive Repair Shops
1980	GIBBS BARNEY L	General Automotive Repair Shops
1982	GIBBS BARNEY L	General Automotive Repair Shops
1983	GIBBS BARNEY L	General Automotive Repair Shops



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

277 EDWARDS FRANK OIL CO EDR Hist Auto 1009365607  
 2701 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	EDWARDS FRANK OIL CO	AUTOMOBILE LAUNDRIES
1941	KEEL S AUTO STEAM CLEANING PLAN	AUTOMOBILE LAUNDRIES
1946	KEEL S AUTO STEAM CLEANING PLAN	AUTOMOBILE LAUNDRIES

278 CENTRAL OLDSMOBILE EDR Hist Auto 1009363523  
 2312 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1941	CENTRAL OLDSMOBILE	AUTOMOBILE REPAIRING

278 JOHNSON S GARAGE EDR Hist Auto 1009363397  
 2303 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1951	JOHNSON S GARAGE	AUTOMOBILE REPAIRING

278 SHELTON J H EDR Hist Auto 1009363442  
 2307 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	SHELTON J H	AUTOMOBILE REPAIRERS

278 SHELTON J H EDR Hist Auto 1009363467  
 2309 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	SHELTON J H	AUTOMOBILE REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

278 SHELTON J H EDR Hist Auto 1009363511  
 2311 MAIN N/A  
 DALLAS, TX  
 EDR Hist Auto  
 Year: Name: Type:  
 1925 SHELTON J H AUTOMOBILE GARAGES  
 1925 SHELTON J H AUTOMOBILE REPAIRERS  
 1930 SHELTON J H AUTOMOBILE REPAIRERS

278 SHELTON J H EDR Hist Auto 1009363527  
 2313 MAIN N/A  
 DALLAS, TX  
 EDR Hist Auto  
 Year: Name: Type:  
 1930 SHELTON J H AUTOMOBILE REPAIRERS

278 SHELTON J H EDR Hist Auto 1009363544  
 2315 MAIN N/A  
 DALLAS, TX  
 EDR Hist Auto  
 Year: Name: Type:  
 1930 SHELTON J H AUTOMOBILE REPAIRERS

278 SHELTON J H EDR Hist Auto 1009363569  
 2317 MAIN N/A  
 DALLAS, TX  
 EDR Hist Auto  
 Year: Name: Type:  
 1930 SHELTON J H AUTOMOBILE REPAIRERS

279 REDS CLEANERS INC RCRA NonGen / NLR 1000652918  
 1320 PATTERSON ST FINDS TXD988026548  
 DALLAS, TX 75202 ECHO  
 RCRA NonGen / NLR:  
 Date form received by agency: 10/30/2001  
 Facility name: REDS CLEANERS INC  
 Facility address: 1320 PATTERSON ST  
 DALLAS, TX 75202  
 EPA ID: TXD988026548  
 Mailing address: PATTERSON ST  
 DALLAS, TX 75202  
 Contact: BILL JOSEPH  
 Contact address: PATTERSON ST  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: 214-954-4459

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**REDS CLEANERS INC (Continued)**

**1000652918**

Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: REDS CLEANERS INC  
 Owner/operator address: PATTERSON ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-954-4459  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 10/30/2001  
 Owner/Op end date: Not reported

Owner/operator name: REDS CLEANERS INC  
 Owner/operator address: PATTERSON ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-954-4459  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 10/30/2001  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REDS CLEANERS INC (Continued)**

**1000652918**

OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 03/11/1991  
 Site name: REDS CLEANERS INC  
 Classification: Small Quantity Generator

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110005128209

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000652918  
 Registry ID: 110005128209  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005128209>

279

**REDS CLEANERS  
 1320 PATTERSON ST  
 DALLAS, TX 75202**

**TX Ind. Haz Waste S102756480  
 N/A**

Ind. Haz Waste:

Registration Number: 75357  
 Registration Initial Notification Date: 05/13/1991  
 Registration Last Amendment Date: 10/30/2001  
 EPA Identification: TXD988026548  
 Primary NAICS Code: Not reported  
 Status Change Date: 19910513  
 Land Type: PRIVATE  
 Description of Facility Site Location: 1320 Patterson St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REDS CLEANERS (Continued)**

**S102756480**

Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: REDS CLEANERS INC  
 Contact Name: BILL JOSEPH  
 Contact Telephone Number: 214-9544459  
 Mailing Address: 1320 PATTERSON ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752022706  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 29710  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20031118  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

**Owner:**

Owner Mailing Address: 1320 PATTERSON ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75202 2706  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-9544459  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 17520211966  
 Owner Bankruptcy Code: Not reported

**Operator:**

Operator Last Name: REDS CLEANERS INC  
 Operator First Name: Not reported  
 Operator Name: REDS CLEANERS INC  
 Operator Mailing Address: 1320 PATTERSON ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75202 2706  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-9544459  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17520211966  
 Operator Bankruptcy Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REDS CLEANERS (Continued)**

**S102756480**

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1320 PATTERSON ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75202 2706  
 Contact Phone: 1-214-9544459  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1320 PATTERSON ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75202 2706  
 Contact Phone: 1-214-9544459  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: BILL JOSEPH  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 1320 PATTERSON ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75202 2706  
 Contact Phone: 1-214-9544459  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

279

**RED S ONE HOUR CLEANING SERVICE  
 1320 PATTERSON AVE  
 DALLAS, TX**

**EDR Hist Cleaner 1009335477  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1969	REDS ONE HOUR CLEANERS	Drycleaning Plants, Except Rugs
1970	REDS ONE HOUR CLEANERS	Drycleaning Plants, Except Rugs
1971	RED S ONE HOUR CLEANING SERVICE	CLEANERS AND DYERS
1971	REDS ONE HOUR CLEANERS	Drycleaning Plants, Except Rugs
1973	REDS ONE HOUR CLEANERS	Drycleaning Plants, Except Rugs
1974	REDS ONE HOUR CLEANERS	Drycleaning Plants, Except Rugs

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RED S ONE HOUR CLEANING SERVICE (Continued)**

**1009335477**

1975	REDS ONE HOUR CLEANERS	Drycleaning Plants, Except Rugs
1976	REDS ONE HOUR CLEANERS	Drycleaning Plants, Except Rugs
1977	RED S ONE HOUR CLEANING SERVICE	CLEANERS AND DYERS
1977	REDS ONE HOUR CLEANERS	Drycleaning Plants, Except Rugs
1978	REDS ONE HOUR CLEANERS	Garment Pressing And Cleaners' Agents
1979	REDS ONE HOUR CLEANERS	Garment Pressing And Cleaners' Agents
1980	REDS ONE HOUR CLEANERS	Garment Pressing And Cleaners' Agents
1981	RED S ONE HOUR CLEANING SERVICE	CLEANERS AND DYERS
1982	REDS ONE HOUR CLEANERS	Garment Pressing And Cleaners' Agents
1983	REDS ONE HOUR CLEANERS	Garment Pressing And Cleaners' Agents
1985	REDS ONE HOUR CLEANERS	Garment Pressing And Cleaners' Agents
1986	RED S CLEANERS INC	CLEANERS AND DYERS
1986	REDS CLEANERS INC	Garment Pressing And Cleaners' Agents
1987	REDS CLEANERS INC	Garment Pressing And Cleaners' Agents
1988	REDS CLEANERS	Garment Pressing And Cleaners' Agents
1989	REDS CLEANERS INC	Laundry And Drycleaner Agents
1990	REDS CLEANERS INC	Laundry And Drycleaner Agents
1991	REDS CLEANERS INC	Laundry And Drycleaner Agents
1992	REDS CLEANERS INC	Laundry And Drycleaner Agents
1993	REDS CLEANERS INC	Laundry And Drycleaner Agents
1994	REDS CLEANERS INC	Laundry And Drycleaner Agents
1995	M & L LAUNDRY INC	Laundry And Drycleaner Agents
1996	M & L LAUNDRY INC	Laundry And Drycleaner Agents
1997	M & L LAUNDRY INC	Laundry And Drycleaner Agents
1998	M & L LAUNDRY INC	Laundry And Drycleaner Agents

280

**FEDERAL AUTO STORAGE  
 1411 FEDERAL  
 DALLAS, TX**

EDR Hist Auto

**1009356896  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	FEDERAL AUTO STORAGE	AUTOMOBILE GARAGES

280

**CAILRTWRIGHT S SERVICE  
 1419 FEDERAL  
 DALLAS, TX**

EDR Hist Auto

**1009357050  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	FEDERAL AUTO STORAGE	AUTOMOBILE GARAGES
1941	CAILRTWRIGHT S SERVICE	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

281 **FISHBURNS WEST END** EDR Hist Cleaner 1019988772  
**1200 SAN JACINTO ST 11**  
**DALLAS, TX 75202** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1991	FISHBURNS WEST END	Drycleaning Plants, Except Rugs
1992	FISHBURNS WEST END	Drycleaning Plants, Except Rugs
1993	FISHBURNS WEST END	Drycleaning Plants, Except Rugs

282 **RICHMAN AND GOREN** EDR Hist Cleaner 1009339063  
**2222 ELM**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1930	RICHMAN AND GOREN	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

283 **STLRANGE SERVICE STATION** EDR Hist Auto 1009365451  
**2635 COMMERCE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1941	STLRANGE SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

283 **GRILLE MAN THE** EDR Hist Auto 1009365464  
**2637 COMMERCE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1946	HAMILTON S GARAGE	AUTOMOBILE GARAGES
1946	GRILLE MAN THE	AUTOMOBILE REPAIRING

284 **DOWNTOWN TEXACO NO 1 & NO 2** EDR Hist Auto 1020769840  
**2601 COMMERCE**  
**DALLAS, TX 75226** N/A

EDR Hist Auto

Year:	Name:	Type:
1969	DOWNTOWN TEXACO NO 1 & NO 2	Gasoline Service Stations
1970	DOWNTOWN TEXACO NO 1 & NO 2	Gasoline Service Stations



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

285 **AKARD PRESS SHOP** EDR Hist Cleaner 1009341566  
 307 N AKARD  
 DALLAS, TX N/A

EDR Hist Cleaner

Year: Name: Type:  
 1930 AKARD PRESS SHOP CLOTHES PRESSERS, CLEANERS AND REPAIRERS

285 **PETE S HAT WORKS** EDR Hist Cleaner 1009341597  
 309 N AKARD  
 DALLAS, TX N/A

EDR Hist Cleaner

Year: Name: Type:  
 1951 PETE S HAT WORKS HAT CLEANERS AND BLOCKERS  
 1961 PETE S HAT WORKS HAT CLEANERS AND BLOCKERS

285 **HATITORIUM CLEANERS** EDR Hist Cleaner 1009341892  
 315 N AKARD  
 DALLAS, TX N/A

EDR Hist Cleaner

Year: Name: Type:  
 1941 HATITORIUM THE CLOTHES PRESSERS, CLEANERS AND REPAIRERS  
 1946 HATITORIUM THE CLEANERS AND DYERS  
 1951 HATITORIUM CLEANERS HAT CLEANERS AND BLOCKERS

285 **SHENANDOAH TAILORING CO** EDR Hist Cleaner 1009341934  
 317 N AKARD  
 DALLAS, TX N/A

EDR Hist Cleaner

Year: Name: Type:  
 1925 SHENANDOAH TAILORING CO CLOTHES CLEANERS AND DYERS

285 **GOLDBERG JOS** EDR Hist Cleaner 1009341957  
 319 N AKARD  
 DALLAS, TX N/A

EDR Hist Cleaner

Year: Name: Type:  
 1930 GOLDBERG JOS CLOTHES PRESSERS, CLEANERS AND REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**286**      **COMMERCE & HENRY**  
**2700, 2712, 2718 COMMERCE ST**  
**DALLAS, TX 75226**

**TX VCP**      **S118719760**  
**TX GCC**      **N/A**

VCP TCEQ:

Region: 4  
 Facility ID: 2816  
 Facility Type: SELF SERVE PARKING LOT  
 VCP Received: 05/03/2016  
 PCA Number: 68111  
 Project Number: Mercier  
 Type Lead: OWNER  
 Phase: Investigation  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.782748 / -96.784075  
 Acres at Site: 0.78  
 Contaminant Categories: VOCS, CHLORINATED SOLVENTS  
 Media Affected: GROUNDWATER  
 Applicant: WESTDALE PROPERTIES AMERICA I LTD  
 Applicant Contact Title: VP  
 Applicant Address: 3100 MONTICELLO AVE STE 100  
 Applicant City,St,Zip: DALLAS, TX 75205  
 Applicant Phone: 214-515-7000  
 Applicant Fax: Not reported  
 Consultant/Attorney: LOCKE LORD LLP  
 Consultant/Attorney Name: SUSAN RAINEY  
 Consultant/Attorney Contact Title: Not reported  
 Consultant/Attorney Address: 2200 ROSS AVE STE 2800  
 Consultant/Attorney City,St,Zip: DALLAS, TX 75201  
 Consultant/Attorney Phone: 214-740-8137  
 Consultant/Attorney Fax: Not reported  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 05/02/2016  
 App Accepted?: Y  
 Date Accepted: 06/14/2016  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 681110  
 Contaminants Identified: CIS-1,2-DCE, TRANS-1,2-DCE, MTBE, PCA, TCE, VC  
 OffSite?: Not reported  
 Billing Company: SLR TEXAS DEVELOPMENT LLC  
 Billing c/o Name: GREG COUTANT  
 Billing Address1: 3102 OAK LAWN AVE  
 Billing Address2: STE 800  
 Billing City: DALLAS  
 Billing State: TX  
 Billing Zip: 75219  
 Billing Phone: 214-420-2965  
 IOP No.: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMMERCE & HENRY (Continued)**

**S118719760**

Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D200-11/CR

**GCC:**

Division: REM/VC  
 New Cases: \*  
 File Number: 2816  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 6/14/2016  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 1A  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

<b>286</b>	<b>DALLAS QUALITY MOTORS INC</b> <b>2712 COMMERCE</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009365737</b> <b>N/A</b>
	EDR Hist Auto		
	Year: Name:	Type:	
	1961 DALLAS QUALITY MOTORS INC	AUTOMOBILE REPAIRING	

<b>287</b>	<b>MANHATTAN TAILORS .5</b> <b>2212 ELM</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009338981</b> <b>N/A</b>
	EDR Hist Cleaner		
	Year: Name:	Type:	
	1930 MANHATTAN TAILORS .5	CLOTHES PRESSERS, CLEANERS AND REPAIRERS	

<b>288</b>	<b>WARD MOTOR REBUILDERS</b> <b>204 HENRY ST</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009361495</b> <b>N/A</b>
	EDR Hist Auto		
	Year: Name:	Type:	
	1966 WARD MOTOR REBUILDERS	AUTOMOBILE REPAIRING	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**289 INDUSTRIAL TOWEL CO EDR Hist Cleaner 1009339994**  
**2511 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1941	INDUSTRIAL TOWEL CO	LAUNDRIES

**290 MC GILL AND CLIFTON GARAGE EDR Hist Auto 1009354829**  
**1215 PATTERSON AVE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	BURNETT ROSS	AUTOMOBILE REPAIRERS
1930	ORANGE STREET GARAGE	AUTOMOBILE GARAGES
1936	MC GILL AND CLIFTON	AUTOMOBILE REPAIRING
1941	MC GILL AND CLIFTON	AUTOMOBILE REPAIRING
1946	MC GILL AND CLIFTON GARAGE	AUTOMOBILE REPAIRING
1951	COOK BERT CADILLAC AND OLDSMOBI	AUTOMOBILE REPAIRING
1956	COOK BERT CADILLAC SERVICE	AUTOMOBILE REPAIRING
1961	COOK BERT SERVICE	AUTOMOBILE REPAIRING
1966	COOK BERT SERVICE	AUTOMOBILE REPAIRING
1971	BERT COOK SERVICE INC	General Automotive Repair Shops
1972	BERT COOK SERVICE INC	General Automotive Repair Shops
1973	BERT COOK SERVICE INC	General Automotive Repair Shops
1974	BERT COOK SERVICE INC	General Automotive Repair Shops
1975	BERT COOK SERVICE INC	General Automotive Repair Shops

**291 DALLAS GASKET AND PACKING TX Ind. Haz Waste S102740532**  
**2630 COMMERCE ST N/A**  
**DALLAS, TX 75226**

Ind. Haz Waste:

Registration Number:	32848
Registration Initial Notification Date:	04/14/1983
Registration Last Amendment Date:	02/14/2001
EPA Identification:	TXD007371800
Primary NAICS Code:	339991
Status Change Date:	19830414
Land Type:	PRIVATE
Description of Facility Site Location:	2630 Commerce St, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	SQG
TNRCC Region:	Not reported
Company Name:	DALLAS GASKET & PACKING CO INC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS GASKET AND PACKING (Continued)**

**S102740532**

Contact Name: GARY TIMBES  
 Contact Telephone Number: 214-7473101  
 Mailing Address: PO BOX 270370  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752270370  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 10378  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20040123  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: PO BOX 270370  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75227 0370  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-7473101  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 17511816773  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: DALLAS GASKET AND PACKING CO INC  
 Operator First Name: Not reported  
 Operator Name: DALLAS GASKET AND PACKING CO INC  
 Operator Mailing Address: PO BOX 270370  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75227 0370  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-7473101  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17511816773  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: PO BOX 270370  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75227 0370  
 Contact Phone: 1-214-7473101  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: GARY TIMBES  
 Contact Title: ENVIRONMENTAL MANAGER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GASKET AND PACKING (Continued)**

**S102740532**

Contact Role: PRICONT  
 Contact Address: PO BOX 270370  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75227 0370  
 Contact Phone: 1-214-7473101  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: PO BOX 270370  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75227 0370  
 Contact Phone: 1-214-7473101  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

**291 DALLAS PUMP SERVICE CO  
 2630 COMMERCE  
 DALLAS, TX**

**EDR Hist Auto 1009365424  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1966 DALLAS PUMP SERVICE CO SERVICE STATION EQUIPMENT

**291 DALLAS GASKET & PACKING  
 2630 COMMERCE ST  
 DALLAS, TX 75226**

**RCRA NonGen / NLR 1000277672  
 FINDS TXD007371800  
 ECHO**

RCRA NonGen / NLR:  
 Date form received by agency: 02/14/2001  
 Facility name: DALLAS GASKET AND PACKING CO INC  
 Facility address: 2630 COMMERCE ST  
 DALLAS, TX 75226  
 EPA ID: TXD007371800  
 Mailing address: PO BOX 270370  
 DALLAS, TX 75227  
 Contact: GARY TIMBES  
 Contact address: PO BOX 270370  
 DALLAS, TX 75227  
 Contact country: US

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GASKET & PACKING (Continued)**

**1000277672**

Contact telephone: 214-747-3101  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: DALLAS GASKET AND PACKING CO INC  
 Owner/operator address: PO BOX 270370  
 DALLAS, TX 75227  
 Owner/operator country: US  
 Owner/operator telephone: 214-747-3101  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 02/14/2001  
 Owner/Op end date: Not reported

Owner/operator name: DALLAS GASKET AND PACKING CO INC  
 Owner/operator address: PO BOX 270370  
 DALLAS, TX 75227  
 Owner/operator country: US  
 Owner/operator telephone: 214-747-3101  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 02/14/2001  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 07/14/1980  
 Site name: DALLAS GASKET & PACKING CO INC  
 Classification: Small Quantity Generator  
 . Waste code: U013

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**DALLAS GASKET & PACKING (Continued)**

**1000277672**

Waste name: Not Defined

Violation Status: No violations found

**FINDS:**

Registry ID: 110005034747

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000277672  
 Registry ID: 110005034747  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005034747>

<b>291</b>	<b>TRAPHAGAN ELECTRICAL SERVICE</b>	<b>EDR Hist Auto</b>	<b>1009365395</b>
	<b>2626 CONMERCE</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1925	TRAPHAGAN ELECTRICAL SERVICE	AUTOMOBILE REPAIRERS

<b>292</b>	<b>FLAG PETROLEUM INC</b>	<b>EDR Hist Auto</b>	<b>1021701301</b>
	<b>1111 SAN JACINTO</b>		<b>N/A</b>
	<b>DALLAS, TX 75202</b>		

EDR Hist Auto

Year:	Name:	Type:
1982	FLAG PETROLEUM INC	Gasoline Service Stations



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>293</b>	<b>MC DONALD W F 2223 MAIN DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009363030 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:	
1936	MC DONALD W F	AUTOMOBILE REPAIRING	

<b>294</b>	<b>107 POWELL DR., HUBBARD TX. POLE #3094-812-5408 107 POWELL DR., HUBBARD TX. POLE #3094-812-5408 , TX</b>	<b>TX SPILLS</b>	<b>S107013951 N/A</b>
------------	---	------------------	---------------------------

**SPILLS:**

Spill Address:	107 POWELL DR., HUBBARD TX. POLE #3094-812-5408
Incident Number:	Not reported
Facility Id:	Not reported
Date of Spill:	04/23/1995
Seq Num:	Not reported
Responsible Party Name:	TU ELECTRIC
Responsible Party Address:	1604 Bryan
Responsible Party City:	DALLAS
Responsible Party State:	Tx
Responsible Party Zip:	75201-3144
Responsible Party Telephone:	2148128408
Substance:	Mineral Oil/ pcb 356ppm
Material Code:	1099
Media Affected:	L
Permit Number:	Not reported
District:	09
Origin:	001
Cause:	002
Basin Code:	Not reported
Notify Date:	Not reported
Adequate Clean:	001
Classification:	005
Basin Name:	Not reported
Water Affected:	none
Amnt Spilled:	.5 gal.
Amnt in Water:	0
Latitude:	Not reported
Longitude:	Not reported
Inspected By:	Not reported
Interim Report:	Not reported
Enforce:	Not reported
Information Final:	X
Coordinator:	D. Naylor
Time Reported:	13:52
Spill Time:	21:30
Incident Type:	Not reported
Near City Name:	Not reported
Importance Level:	Not reported
Received Date:	Not reported
Start Date:	Not reported
Status Date:	Not reported
Media Name:	Not reported
Customer:	Not reported
Effect:	Not reported
Num Complaining:	Not reported
Frequency:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**107 POWELL DR., HUBBARD TX. POLE #3094-812-5408 (Continued)**

**S107013951**

Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

**295 PI FOLLY UNION LIFE OARA KGE  
 318 N AKARD  
 DALLAS, TX**

**EDR Hist Auto 1009368249  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1961 PI FOLLY UNION LIFE OARA KGE AUTOMOBILE GARAGES

**296 LAWSROSS  
 1001 ROSS AVE  
 DALLAS, TX 75202**

**TX UST U001289987  
 N/A**

UST:

AI Number: 60672  
 Facility Type: UNKNOWN  
 Facility Begin Date: 10/21/1991  
 Facility Status: INACTIVE  
 Additional ID: 668852642002061  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202  
 Contact Name/Title: ,  
 Contact Organization Name: LAWSROSS LTD  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2149535934  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 10/08/1991  
 Signature Name/Title On Earliest Reg Form: BRYAN BIRKELAND,PRES  
 Application Received Date On Earliest Reg Form: 10/08/1991  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600808786  
 Owner Last Name: LAWS ROSS LTD  
 Owner First Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LAWSROSS (Continued)**

**U001289987**

Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	658852632002061
Additional ID:	668852642002061
AI Number:	60672
Owner Effective Begin Date:	10/21/1991
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported

**Tank:**

Install Date:	08/31/1987
Tank Registration Date:	10/08/1991
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	142495
Facility ID:	90358
AI Number:	60672
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	05/27/1992
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LAWSROSS (Continued)**

**U001289987**

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	0
UST Comprt ID:	149326
UST ID:	142495
AI Number:	60672
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LAWSROSS (Continued)**

**U001289987**

SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	LAWS ROSS LTD
Contact Mailing Address (Delivery):	901 MAIN ST STE 6000
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75202 3748
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	90358
Additional ID:	668852642002061
Princ ID:	658852632002061
AI Number:	60672
Facility Name:	LAWSROSS
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	BRYAN BIRKELAND/

296

**CVS PHARMACY 8391**  
**1001 ROSS AVE STE 112**  
**DALLAS, TX 75202**

**RCRA-CESQG 1014961788**  
**TXR000081047**

RCRA-CESQG:

Date form received by agency:	12/22/2017
Facility name:	CVS PHARMACY 8391
Facility address:	1001 ROSS AVE STE 112 DALLAS, TX 75202-1956
EPA ID:	TXR000081047
Mailing address:	1 CVS DR MAIL CODE 2340 WOONSOCKET, RI 02895-6146
Contact:	NICOLE WILKINSON
Contact address:	1 CVS DR MAIL CODE 2340 WOONSOCKET, RI 02895-6146
Contact country:	US
Contact telephone:	401-770-7132
Contact email:	Not reported
EPA Region:	06
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time;

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY 8391 (Continued)**

**1014961788**

or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: CVS PHARMACY INC  
 Owner/operator address: 1 CVS DR MAIL CODE 2340  
 WOONSOCKET, RI 02895  
 Owner/operator country: US  
 Owner/operator telephone: 401-770-7132  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 12/01/2016  
 Owner/Op end date: Not reported

Owner/operator name: CVS PHARMACY INC  
 Owner/operator address: 1 CVS DR MAIL CODE 2340  
 WOONSOCKET, RI 02895  
 Owner/operator country: US  
 Owner/operator telephone: 401-770-7132  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 12/01/2016  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY 8391 (Continued)**

**1014961788**

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
  
- . Waste code: P001
- . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
  
- . Waste code: P075
- . Waste name: NICOTINE, & SALTS
  
- . Waste code: U002
- . Waste name: ACETONE (I)

Historical Generators:

Date form received by agency: 07/25/2012  
 Site name: CVS PHARMACY #8391  
 Classification: Conditionally Exempt Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
  
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
  
- . Waste code: P001
- . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
  
- . Waste code: P042
- . Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)-
  
- . Waste code: P075
- . Waste name: NICOTINE, & SALTS
  
- . Waste code: P081
- . Waste name: NITROGLYCERINE (R)

Violation Status: No violations found

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

296 CVS PHARMACY 8391  
 1001 ROSS AVE STE 112  
 DALLAS, TX 75202

TX LPST S107695420  
 TX Ind. Haz Waste N/A

LPST:

Facility ID: 0060672  
 LPST Id: 116739  
 Facility Location: 1001 ROSS AVE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 01/12/2006  
 Entered Date: 01/06/2006  
 Priority: 4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED  
 Program: 1P - PRIVATIZATION CONTRACTOR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: 4.0  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1P  
 Coordinators RPR: DB2  
 Responsible Party Name: JEFFERSON ON ROSS LP  
 Responsible Party Contact: JEFF ASKEW  
 Responsible Party Address: 600 E LAS COLINAS BLVD STE 1800  
 Responsible Party City,St,Zip: IRVING, TX 75039  
 Responsible Party Telephone: 972/556-1700  
 Reported Date: 10/05/2005  
 Case Start Date: 01/06/2006

Ind. Haz Waste:

Registration Number: 96651  
 Registration Initial Notification Date: 12/01/2016  
 Registration Last Amendment Date: 12/22/2017  
 EPA Identification: TXR000081047  
 Primary NAICS Code: 446110  
 Status Change Date: 20161201  
 Land Type: PRIVATE  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: Yes  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: CVS PHARMACY INC  
 Contact Name: NICOLE WILKINSON  
 Contact Telephone Number: 401-7707132  
 Mailing Address: 1 CVS DR MAIL CODE 2340  
 Mailing Address2: ATTN NICOLE WILKINSON  
 Mailing City,St,Zip: WOONSOCKET, RI 028956146  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 131990  
 Site Owner Tax ID: 50340626



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 8391 (Continued)**

**S107695420**

Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20171222  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 1 CVS DR MAIL CODE 2340  
 Owner Mailing Address2: ATTN NICOLE WILKINSON  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: WOONSOCKET, RI 02895 6146  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-401-7707132  
 Owner Fax Number: Not reported  
 Owner Email Address: NICOLE.WILKINSON@CVSHEALTH.COM  
 Owner Business Type: Corporation  
 Owner Tax Id: 10503406265  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNOPRCON  
 Contact Address: 1 CVS DR MAIL CODE 2340  
 Contact Address2: ATTN NICOLE WILKINSON  
 Contact City,St,Zip: WOONSOCKET, RI 02895 6146  
 Contact Phone: 1-401-7707132  
 Contact Fax: Not reported  
 Contact Email: NICOLE.WILKINSON@CVSHEALTH.COM

Contact:

Contact Name: NICOLE WILKINSON  
 Contact Title: DIRECTOR CORPORATE ENVIRO  
 Contact Role: PRICONT  
 Contact Address: 1 CVS DR MAIL CODE 2340  
 Contact Address2: ATTN NICOLE WILKINSON  
 Contact City,St,Zip: WOONSOCKET, RI 02895 6146  
 Contact Phone: 1-401-7707132  
 Contact Fax: 1-401-6521901  
 Contact Email: NICOLE.WILKINSON@CVSHEALTH.COM

Unit:

Unit No: 001  
 Deed Record Needed: Not reported  
 Deed Recording Date: Not reported  
 Unit Type Code: 14  
 Unit Type: Not reported  
 Unit Status: ACTIVE  
 Unit Regulatory Status: 03  
 UIC Permit Number: Not reported  
 Capacity: Not reported  
 Capacity Measurement: Not reported  
 Off Site Hazardous Waste: No  
 Off Site Class 1 Waste: Not reported  
 Off Site Class 2 Waste: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 8391 (Continued)**

**S107695420**

Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	10 GALLON CONTAINERS ARE STORED IN THE BACK STORAGE AREA.
Dt Last Changed:	20161201
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	390757, 391414,
<b>Unit:</b>	
Unit No:	002
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	14
Unit Type:	Not reported
Unit Status:	ACTIVE
Unit Regulatory Status:	13
UIC Permit Number:	Not reported
Capacity:	10
Capacity Measurement:	Galons
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	10 gallon containers in the pharmacy
Dt Last Changed:	20170404
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	391415,
<b>One Time Shipper Records Not Found for this RegNo/Year:</b>	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 8391 (Continued)**

**S107695420**

Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 391415  
 Waste Description: Acute Toxic Solids  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0125004H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: ACUTE TOXIC SOLIDS  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W004  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 391414  
 Waste Description: Flam Aerosol and Gas  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0011801H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: FLAM AEROSOL AND GAS  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W801  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 390757  
 Waste Description: FLAMMABLE LIQUIDS, DAMMAGED OR RETURNED GOODS  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 8391 (Continued)**

**S107695420**

Texas Waste Code 2: 0015001H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

296

**CVS PHARMACY #8391  
 1001 ROSS AVE, STE 112  
 DALLAS, TX 75202**

**FINDS 1015980899  
 ECHO N/A**

**FINDS:**

Registry ID: 110046406670

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1015980899  
 Registry ID: 110046406670  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110046406670>

297

**PIONEER CLEANERS  
 2000 ELM ST  
 DALLAS, TX 75201**

**TX DRYCLEANERS S109361737  
 N/A**

**DRYCLEANERS:**

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PIONEER CLEANERS (Continued)**

**S109361737**

Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2009  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2010  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2011  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PIONEER CLEANERS (Continued)**

**S109361737**

AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2012  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2013  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2004  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: Not reported

RN Number: RN105008536

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PIONEER CLEANERS (Continued)**

**S109361737**

Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2005  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: Not reported

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2006  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2007  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PIONEER CLEANERS (Continued)**

**S109361737**

Gross Receipts: \$150,000 OR LESS

RN Number: RN105008536  
 Region: 4  
 CN Number: CN603071374  
 DCR Number: Not reported  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: IQSYED786@HOTMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: PIONEER CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2008  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN105008536  
 Region: REGION 04 - DFW METROPLEX  
 CN Number: CN603071374  
 DCR Number: DCR14703  
 AR Number: 24005466  
 Principal Name: JAFFRI, RIFAT  
 Bill Addr1: 4100 LIVE OAK ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75204 6731  
 EMail: HAMZA.SYED.01@GMAIL.COM  
 Phone Number: 214 5178591  
 Site Name: Not reported  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2017  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

297

**PIONEER CLEANERS  
 2000 ELM ST  
 DALLAS, TX 75201**

**FINDS 1011407300  
 N/A**

FINDS:

Registry ID: 110035398192

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**PIONEER CLEANERS (Continued)**

**1011407300**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

297	<b>ELM STREET GARAGE</b> <b>2100 ELM ST</b> <b>DALLAS, TX 75201</b>	TX UST	U001278104 N/A
-----	---	--------	-------------------

UST:

AI Number:	46687
Facility Type:	RETAIL
Facility Begin Date:	12/07/1988
Facility Status:	INACTIVE
Additional ID:	11574402002062
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	MICHAEL HORSTMAN,
Contact Organization Name:	ELM STREET GARAGE
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2146581626
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	10/07/1988
Signature Name/Title On Earliest Reg Form:	DOUGLAS H CAMERON,VP
Application Received Date On Earliest Reg Form:	10/17/1988
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN601242639
Owner Last Name:	MAIN STREET PARTNERS LP
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	PA
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	911052182002150

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM STREET GARAGE (Continued)**

**U001278104**

Additional ID: 11574402002062  
 AI Number: 46687  
 Owner Effective Begin Date: 12/02/1997  
 State Tax ID: 17527295285  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

**Tank:**

Install Date: 01/01/1986  
 Tank Registration Date: 10/17/1988  
 Number of Compartments: 1  
 Tank Capacity: 8000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 122118  
 Facility ID: 78176  
 Ai Number: 46687  
 Tank Id: 2  
 Tank Status (Current): PERM FILLED IN PLACE  
 Tank Status Date: 08/14/1998  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): Y  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): Y  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FacInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): Y  
 TCPM(Ext Nonmetallic Jacket): N  
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N  
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N  
 Piping Corr Prot Method(PCPM) (Cathodic Factory Install): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM STREET GARAGE (Continued)**

**U001278104**

PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	122000
UST ID:	122118
AI Number:	46687
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM STREET GARAGE (Continued)**

**U001278104**

Install Date:	01/01/1986
Tank Registration Date:	10/17/1988
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	122119
Facility ID:	78176
Ai Number:	46687
Tank Id:	3
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	08/14/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM STREET GARAGE (Continued)**

**U001278104**

Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	3
Tank Capacity:	Not reported
UST Comprt ID:	122001
UST ID:	122119
AI Number:	46687
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1986
Tank Registration Date:	10/17/1988
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	122120

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM STREET GARAGE (Continued)**

**U001278104**

Facility ID:	78176
Ai Number:	46687
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	08/14/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM STREET GARAGE (Continued)**

**U001278104**

UST Comprt ID:	122002
UST ID:	122120
AI Number:	46687
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	MAIN STREET PARTNERS LP
Contact Mailing Address (Delivery):	1717 MAIN ST STE 2450
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 7344
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	78176
Additional ID:	11574402002062
Princ ID:	911052182002150
AI Number:	46687
Facility Name:	ELM STREET GARAGE
AR Number:	Not reported
AR UST Number Suffix:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**ELM STREET GARAGE (Continued)**

**U001278104**

AR AST Number Suffix: Not reported  
 Contact Name/Title: MICHAEL HORSTMAN/

**297 ELM STREET GARAGE TX IHW CORR ACTION S113416793**  
**2100 ELM ST N/A**  
**DALLAS, TX 75201**

IHW CORR ACTION:  
 Program Id: T1559  
 Location Desc: Not reported  
 RN NUM: RN101558278  
 Status: INACTIVE  
 Status Date: 03/11/2002  
 EDR Link ID: T1559

**298 BETTER BUILT MOTORS EDR Hist Auto 1009365293**  
**2612 COMMERCE ST N/A**  
**DALLAS, TX**

EDR Hist Auto  
 Year: Name: Type:  
 1981 BETTER BUILT MOTORS AUTOMOBILE REPAIRING

**298 BEDELL AUTOMOTIVE SERVICE EDR Hist Auto 1009365329**  
**2616 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto  
 Year: Name: Type:  
 1936 BEDELL AUTOMOTIVE SERVICE AUTOMOBILE REPAIRING

**299 SOUTHCROSS GULF CAST TRNSM LTD EDR Hist Auto 1020653858**  
**1700 PACIFIC AVE N/A**  
**DALLAS, TX 75201**

EDR Hist Auto  
 Year: Name: Type:  
 2012 SOUTHCROSS GULF CAST TRNSM LTD Automotive Transmission Repair Shops  
 2013 SOUTHCROSS GULF CAST TRNSM LTD Automotive Transmission Repair Shops  
 2014 SOUTHCROSS GULF CAST TRNSM LTD Automotive Transmission Repair Shops



MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

299 APPROX. 4 MILES WEST - SOUTHWEST OF DECARTUR TX SPILLS S107001397  
 APPROX. 4 MILES WEST - SOUTHWEST OF DECARTUR N/A  
 , TX

SPILLS:

Spill Address: APPROX. 4 MILES WEST - SOUTHWEST OF DECARTUR  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 05/04/1992  
 Seq Num: Not reported  
 Responsible Party Name: DEL HI  
 Responsible Party Address: 1700 PACIFIC AVENUE  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2149542238  
 Substance: NATURAL GASOLINE  
 Material Code: 9000  
 Media Affected: Not reported  
 Permit Number: 0  
 District: 04  
 Origin: 003  
 Cause: 001  
 Basin Code: 0810  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 003  
 Basin Name: TRINITY  
 Water Affected: UNNAMED CREEK  
 Amnt Spilled: 10 GAL  
 Amnt in Water: 10 GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: S. BARRETT  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

299 14 MILE WEST OF THE INTERSECTION OF FM 2546 AND SH TX SPILLS S107004442  
 14 MILE WEST OF THE INTERSECTION OF FM 2546 AND SH 71 NEAR E N/A  
 , TX

SPILLS:

Spill Address: 14 MILE WEST OF THE INTERSECTION OF FM 2546 AND SH 71 NEAR EL  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 02/01/1993  
 Seq Num: Not reported  
 Responsible Party Name: DELHI GAS PIPELINE  
 Responsible Party Address: 1700 PACIFIC AVE.  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2149542238  
 Substance: CONDENSATE FROM PIPE  
 Material Code: 9000  
 Media Affected: Not reported  
 Permit Number: NONE  
 District: 07  
 Origin: 001  
 Cause: 007  
 Basin Code: 1502  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 006  
 Basin Name: COLORADO RIVER  
 Water Affected: UNNAMED BAR DITCH  
 Amnt Spilled: 42 GAL  
 Amnt in Water: <2 GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: A. ATHAVAKY  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**300 SMITH AND WILLIAMSON GARAGE EDR Hist Auto 1009362858**  
**2211 MAIN SMITTY N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1936	HILLE ELECTRIC CO	AUTOMOBILE REPAIRING
1936	NISBETT S GARAGE	AUTOMOBILE REPAIRING
1941	SMIITLH AND WILLIAMSON	AUTOMOBILE REPAIRING

**300 LUCAS J W AUTOMOTIVE SERVICE EDR Hist Auto 1009362894**  
**2215 MAIN N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1946	LUCAS J W AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING
1951	LUCAS J W AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING
1961	LUCTS J W AUTOMOBILE SERVICE	AUTOMOBILE REPAIRING

**301 PALACE PRESS SHOP EDR Hist Cleaner 1009336886**  
**1647 PACIFIC AVE N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	PALACE PRESS SHOP	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

**302 PARKMOOR EDR Hist Auto 1009361775**  
**210 N HARWOOD N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	PARKMOOR	AUTOMOBILE OILS AND GASOLINE
1925	PARKMOOR	AUTOMOBILE GARAGES

**303 JACOBS F L EDR Hist Auto 1009359219**  
**1709 N PACIFIC AVE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	JACOBS F L	AUTOMOBILE REPAIRERS
1936	TOBIAN THEATRE GARAGE	AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**303 MEDICAL ARTS AUTO STORAGE** **EDR Hist Auto** **1009359287**  
**1713 N PACIFIC AVE** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	MEDICAL ARTS AUTO STORAGE	AUTOMOBILE GARAGES
1936	MEDICAL ARTS AUTO STORAGE	AUTOMOBILE GARAGES

**304 GAMBLE STORAGE AND TIRE CO** **EDR Hist Auto** **1009367012**  
**300 N AKARD** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1936	GAMBLE STORAGE AND TIRE CO	AUTOMOBILE GARAGES

**305 MAJESTIC THEATRE, 5TH FLOOR RENOVATION** **TX ASBESTOS** **S121063366**  
**1925 ELM ST** **N/A**  
**DALLAS, TX 75201**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Thomas Chandler
Violation:	Not reported
Complaint Date:	05/27/2017
Notification Number:	2017003583
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/10/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	05/10/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAJESTIC THEATRE, 5TH FLOOR RENOVATION (Continued)**

**S121063366**

Certification Statement Phone:	817-907-5993
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	4
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/24/2017
Date of inspection:	Not reported
Reason for Inspection:	Thomas Chandler
Violation:	Not reported
Complaint Date:	01/29/2017
Notification Number:	2017000429
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/16/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/16/2017
Certification Statement Phone:	817-907-5993
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAJESTIC THEATRE, 5TH FLOOR RENOVATION (Continued)**

**S121063366**

High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/28/2017
Date of inspection:	Not reported
Reason for Inspection:	Thomas Chandler
Violation:	Not reported
Complaint Date:	01/31/2017
Notification Number:	2017000429
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/30/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	01/30/2017
Certification Statement Phone:	817-907-5993
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/30/2017
Date of inspection:	Not reported
Reason for Inspection:	Thomas Chandler
Violation:	Not reported
Complaint Date:	01/31/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAJESTIC THEATRE, 5TH FLOOR RENOVATION (Continued)**

**S121063366**

Notification Number: 2017000429  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 01/26/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 01/26/2017  
 Certification Statement Phone: 817-907-5993  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 01/30/2017

306

**NEWKIRK THOS  
 103 N CENTRAL  
 DALLAS, TX**

**EDR Hist Cleaner 1009333523  
 N/A**

EDR Hist Cleaner

Year: Name:  
 1925 NEWKIRK THOS

Type:  
 CLOTHES CLEANERS AND DYERS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>306</b>	<b>TOWNE CENTRAL 100 N CENTRAL EXPY DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1011387765 N/A</b>
------------	--	--------------	---------------------------

FINDS:

Registry ID: 110034962627

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>306</b>	<b>WASHINGTON ROY 107 N CENTRAL AVE DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009333749 N/A</b>
------------	--	-------------------------	---------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1930	WASHINGTON ROY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS	

<b>306</b>	<b>FAMBRO CLEANERS 112 N CENTRAL AVE DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009334199 N/A</b>
------------	---	-------------------------	---------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1941	FAMBRO CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS	

<b>307</b>	<b>7-ELEVEN 34997 1010 ROSS AVE DALLAS, TX 75202</b>	<b>TX UST</b>	<b>U004191835 N/A</b>
------------	--	---------------	---------------------------

UST:

AI Number:	84904
Facility Type:	RETAIL
Facility Begin Date:	07/12/2012
Facility Status:	ACTIVE
Additional ID:	750353992012205
Facility Exempt Status:	N
Records Off-Site:	Yes
UST Financial Assurance Required:	Yes
Number Of Active UST:	2
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Site Location (Location Zip):	75202
Contact Name/Title:	PEGGIE BETZ,ENV COMP SPEC
Contact Organization Name:	7-ELEVEN 34997
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	9728287805
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	07/13/2012
Signature Name/Title On Earliest Reg Form:	SCOTT JOHNSON,GAS & ENV COMP MGR
Application Received Date On Earliest Reg Form:	07/18/2012
Signature Role On Earliest Reg Form:	OWNER
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No
<b>Operator:</b>	
Princ ID:	959578622001257
Additional ID:	750353992012205
Ai Number:	84904
Operator CN:	CN600240329
Operator Name:	7-ELEVEN INC
Operator Effective Begin Date:	07/12/2012
Operator Type:	CO
Operator Role:	OPRCON
Contact Name:	CRAIG ZIMMER/
Contact Organization Name:	7-ELEVEN INC
Contact Mailing Address (Delivery):	1202 RICHARDSON DR
Contact Mailing Address (Internal Delivery):	STE 400
Contact Mailing City/State/Zip:	RICHARDSON TX 75080-4402
Contact Phone Country Code:	0
Contact Phone Area Code:	214
Contact Phone Number:	8611274
Contact Phone Extension:	0
Contact Fax Country Code:	0
Contact Fax Area Code:	214
Contact Fax Number:	8611270
Contact Fax Extension:	0
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
<b>Owner:</b>	
Owner CN:	CN600240329
Owner Last Name:	7-ELEVEN INC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	1500 CORSICANA HWY
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	HILLSBORO
Contact Mailing State:	TX
Contact Mailing Zip:	76645
Contact Mailing Zip5:	2720
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	959578622001257
Additional ID:	750353992012205
AI Number:	84904
Owner Effective Begin Date:	07/12/2012
State Tax ID:	17510851318
Contact Role:	OWNOPRCON
Contact Name/Title:	/
Contact Organization Name:	7-ELEVEN INC
Self Certification:	
Self Cert ID:	130018
Cert ID:	296694
AI Number:	84904
Self Certification Date:	12/29/2017
Signature Name/Title:	Raymond Mcniece Env. Mgr
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2019
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	130018
Cert ID:	280929
AI Number:	84904
Self Certification Date:	01/19/2017
Signature Name/Title:	Raymond Mcniece Environmental Manage
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2018
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	130018
Cert ID:	263463
AI Number:	84904
Self Certification Date:	01/15/2016
Signature Name/Title:	Raymond Mcniece Environmental Mgr
Signature Type Role:	LEGAL AUTH REP OWNER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2017
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	130018
Cert ID:	247142
AI Number:	84904
Self Certification Date:	01/16/2015
Signature Name/Title:	Raymond Mcniece Environmental Mgr
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2016
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	130018
Cert ID:	230156
AI Number:	84904
Self Certification Date:	01/13/2014
Signature Name/Title:	Raymond Mcniece Environmental Mgr
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2015
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	130018
Cert ID:	217666
AI Number:	84904
Self Certification Date:	01/04/2013
Signature Name/Title:	SCOTT T JOHNSON GAS MGR
Signature Type Role:	LEGAL AUTH REP OWNER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN 34997 (Continued)**

**U004191835**

Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 01/31/2014  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 130018  
 Cert ID: 217665  
 AI Number: 84904  
 Self Certification Date: 07/13/2012  
 Signature Name/Title: SCOTT JOHNSON GAS & ENV COMP MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 01/31/2013  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Tank:

Install Date: 07/12/2012  
 Tank Registration Date: 07/18/2012  
 Number of Compartments: 2  
 Tank Capacity: 20000  
 Tank Singlewall: N  
 Tank Doublewall: Y  
 Pipe Type: P  
 UST ID: 216867  
 Facility ID: 130018  
 AI Number: 84904  
 Tank Id: 2  
 Tank Status (Current): IN USE  
 Tank Status Date: 07/12/2012  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

7-ELEVEN 34997 (Continued)

U004191835

Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	07/13/2012
Compartment Records:	
Tank ID:	2
Tank Capacity:	8000
UST Comprt ID:	181545
UST ID:	216867
AI Number:	84904
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	Y
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	TWO POINT SYSTEM
Stage 1 Installation Date:	07/12/2012
Tank ID:	2
Tank Capacity:	12000
UST Comprt ID:	181546
UST ID:	216867
AI Number:	84904
Compartment ID:	B
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	Y
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Compartment Release Det Compliance Flag: Y  
 Piping Release Detection Compliance Flag ): Y  
 Spill/OverfillPreventionCompliance Flag: Y  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: TWO POINT SYSTEM  
 Stage 1 Installation Date: 07/12/2012

Install Date: 07/12/2012  
 Tank Registration Date: 07/18/2012  
 Number of Compartments: 1  
 Tank Capacity: 20000  
 Tank Singlewall: N  
 Tank Doublewall: Y  
 Pipe Type: P  
 UST ID: 216866  
 Facility ID: 130018  
 Ai Number: 84904  
 Tank Id: 1  
 Tank Status (Current): IN USE  
 Tank Status Date: 07/12/2012  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): Y  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): Y  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FaInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): Y  
 TCPM(Ext Nonmetallic Jacket): N  
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N  
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	07/13/2012
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	20000
UST Comprt ID:	181544
UST ID:	216866
AI Number:	84904
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	Y
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	TWO POINT SYSTEM
Stage 1 Installation Date:	07/12/2012



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Construction Notification:

NOC ID:	22513
Facility ID:	130018
AI Number:	84904
Application Received Date:	02/07/2012
Scheduled Construction Date:	05/21/2012
UST Improvement:	N
UST Installation:	Y
UST Removal:	N
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	NONE
Waiver Flag:	N
Late Filing Flag:	N
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported
Signature Role:	Not reported
Owner Name At Time Of Construction:	Not reported
Owner CN At Time Of Construction:	Not reported
Owner AR At Time Of Construction:	3971
General Desc Of Proposed Construction:	INSTALLATION OF (1) 20,000 GAL UNLEADED AND (1) 20,000 SPLIT (8,000 PREMIUM UNLEADED/12,000 DIESEL WITH (4) MPDS AND ASSOCIATED PIPING AND VAPOR LINES.*AMENDED CONSTRUCTION DATE FROM 03/21/12 TO 04/05/12**4/17/12 - AMENDED CONSTRUCTION DATE FROM 4/

Contractor, Consultant and Installer:

Cont/Cons/Installer ID:	23472
UST ID:	Not reported
NOC ID:	22513
AI Number:	84904
Type Of Contact:	CONSULTANT
Contractor CRP Number Or Installer ILP Number:	Not reported
Company Name:	SHAW ENVIRONMENTAL
Representative Name:	JENNIFER DART
Mailing Address (Delivery):	6330 COMMERCE DR
Mailing Address (Internal Delivery):	Not reported
Mailing City:	IRVING
Mailing State:	TX
Mailing Zip:	75063
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	214
Phone Number:	2777818
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Email Address:	Not reported
Cont/Cons/Installer ID:	40837
UST ID:	216866
NOC ID:	Not reported
AI Number:	84904
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000665
Company Name:	Turnkey Construction Co., Inc.
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	40838
UST ID:	216867
NOC ID:	Not reported
AI Number:	84904
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000665
Company Name:	Turnkey Construction Co., Inc.
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	23471
UST ID:	Not reported
NOC ID:	22513
AI Number:	84904
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000003
Company Name:	TURNKEY CONST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Representative Name: GARY MARTINIE  
 Mailing Address (Delivery): 10755 SANDHILL RD  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: DALLAS  
 Mailing State: TX  
 Mailing Zip: 75238  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: 214  
 Phone Number: 5036555  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 55977  
 UST ID: 216866  
 NOC ID: Not reported  
 AI Number: 84904  
 Type Of Contact: INSTALLER  
 Contractor CRP Number Or Installer ILP Number: ILP001089  
 Company Name: Not reported  
 Representative Name: PABLO MARTINEZ  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 23473  
 UST ID: Not reported  
 NOC ID: 22513  
 AI Number: 84904  
 Type Of Contact: INSTALLER  
 Contractor CRP Number Or Installer ILP Number: ILP000003  
 Company Name: Not reported  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34997 (Continued)**

**U004191835**

Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	55978
UST ID:	216867
NOC ID:	Not reported
AI Number:	84904
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP001089
Company Name:	Not reported
Representative Name:	PABLO MARTINEZ
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Facility Billing Contacts:	
Contact Organization Name:	7-ELEVEN INC
Contact Mailing Address (Delivery):	PO BOX 711
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75221 0711
Phone Number/Ext:	210 8293545/0
Contact Fax Number/Ext:	/
Contact Email Address:	raymond.mcniece@7-11.com
Contact Address Deliverable:	Y
Facility ID:	130018
Additional ID:	750353992012205
Princ ID:	959578622001257
AI Number:	84904
Facility Name:	7-ELEVEN 34997
AR Number:	3971
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	U
Contact Name/Title:	RAYMOND MCNIECE/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

307 CLIFTON WALTER S GARAGE EDR Hist Auto 1009351646  
 1012 ROSS AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1951	CLIFTON WALTER S GARAGE	AUTOMOBILE REPAIRING
1956	CLIFTON WALTER S GARAGE	AUTOMOBILE REPAIRING

307 CLIFTON WALTER S GARAGE EDR Hist Auto 1009351922  
 1020 ROSS AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1951	CLIFTON WALTER S GARAGE	AUTOMOBILE REPAIRING

308 CENTRAL FIRE STATION DALLAS TX UST U001264593  
 2111 MAIN ST N/A  
 DALLAS, TX 75201

UST:

AI Number:	31234
Facility Type:	UNKNOWN
Facility Begin Date:	11/14/1986
Facility Status:	INACTIVE
Additional ID:	987420462002117
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75201
Contact Name/Title:	THOMAS HENRY,BLDG MGR
Contact Organization Name:	CENTRAL FIRE STATION DALLAS
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2146704816
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/07/1986
Signature Name/Title On Earliest Reg Form:	MARK FERRARO,REP
Application Received Date On Earliest Reg Form:	05/12/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN600331730
Owner Last Name:	CITY OF DALLAS
Owner First Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL FIRE STATION DALLAS (Continued)**

**U001264593**

Owner Middle Name:	Not reported
Owner Type:	CI
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	925533122001297
Additional ID:	987420462002117
AI Number:	31234
Owner Effective Begin Date:	11/14/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1961
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	5000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	82067
Facility ID:	38562
AI Number:	31234
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	01/30/1983
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL FIRE STATION DALLAS (Continued)**

**U001264593**

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	2262
UST ID:	82067
AI Number:	31234
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL FIRE STATION DALLAS (Continued)**

**U001264593**

SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
 More Self Certification:	
Self Cert ID:	11914
Cert ID:	32351
UST Comprt ID:	104298
UST ID:	34100
AI Number:	31234
Tank ID:	2
Compartment ID:	A
Self Cert ID:	11914
Cert ID:	32358
UST Comprt ID:	104291
UST ID:	34100
AI Number:	31234
Tank ID:	2
Compartment ID:	A
Self Cert ID:	11914
Cert ID:	32356
UST Comprt ID:	104293
UST ID:	34100
AI Number:	31234
Tank ID:	2
Compartment ID:	A
Self Cert ID:	11914
Cert ID:	32353
UST Comprt ID:	104296
UST ID:	34100
AI Number:	31234
Tank ID:	2
Compartment ID:	A
Self Cert ID:	11914
Cert ID:	32348
UST Comprt ID:	104299
UST ID:	34100
AI Number:	31234
Tank ID:	2
Compartment ID:	A
Self Cert ID:	11914
Cert ID:	32357



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL FIRE STATION DALLAS (Continued)**

**U001264593**

UST Compr ID: 104292  
 UST ID: 34100  
 AI Number: 31234  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 11914  
 Cert ID: 32354  
 UST Compr ID: 104295  
 UST ID: 34100  
 AI Number: 31234  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 11914  
 Cert ID: 32349  
 UST Compr ID: 104300  
 UST ID: 34100  
 AI Number: 31234  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 11914  
 Cert ID: 32355  
 UST Compr ID: 104294  
 UST ID: 34100  
 AI Number: 31234  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 11914  
 Cert ID: 219174  
 UST Compr ID: 628106  
 UST ID: 34100  
 AI Number: 31234  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 11914  
 Cert ID: 32350  
 UST Compr ID: 104301  
 UST ID: 34100  
 AI Number: 31234  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 11914  
 Cert ID: 32359  
 UST Compr ID: 104290  
 UST ID: 34100  
 AI Number: 31234  
 Tank ID: 2  
 Compartment ID: A

Self Cert ID: 11914  
 Cert ID: 32352  
 UST Compr ID: 104297

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL FIRE STATION DALLAS (Continued)**

**U001264593**

UST ID: 34100  
 AI Number: 31234  
 Tank ID: 2  
 Compartment ID: A

Facility Billing Contacts:

Contact Organization Name: CITY OF DALLAS  
 Contact Mailing Address (Delivery): 1500 MARILLA ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75201 6318  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 38562  
 Additional ID: 987420462002117  
 Princ ID: 925533122001297  
 AI Number: 31234  
 Facility Name: CENTRAL FIRE STATION DALLAS  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: /

308

**GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS  
 2121 MAIN ST  
 DALLAS, TX 75201**

**FTTS 1005623974  
 HIST FTTS N/A  
 ICIS**

FTTS:

Case Number: Not reported  
 Docket Number: 6-011-99  
 Complaint Issue Date: 02/01/99  
 Abatement Amount: 0.0000  
 Proposed Penalty: 3300.0000  
 Final Assessment: 0.0000  
 Final Order Date: 07/13/99  
 Close Date: / /  
 Violations(s): Asbestos, Inspect

FTTS INSP:

Inspection Number: 19980903TX068 1  
 Region: 06  
 Inspection Date: 09/03/98  
 Inspector: FERGUSON HOLLY  
 Violation occurred: Yes  
 Investigation Type: AHERA, Enforcement, State Conducted  
 Investigation Reason: Neutral Scheme, State  
 Legislation Code: TSCA  
 Facility Function: User

HIST FTTS:

Case Number: Not reported  
 Docket Number: 6-011-99

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS (Continued)**

**1005623974**

Complaint Issue Date: 02/01/1999  
 Abatement Amount: 0.0000  
 Proposed Penalty: 3300.0000  
 Final Assessment: 0.0000  
 Final Order Date: 07/13/1999  
 Close Date: / /  
 Violations(s): Asbestos, Inspect

**HIST FTTS INSP:**

Inspection Number: 19980903TX068 1  
 Region: 06  
 Inspection Date: Not reported  
 Inspector: FERGUSON HOLLY  
 Violation occurred: Yes  
 Investigation Type: AHERA, Enforcement, State Conducted  
 Investigation Reason: Neutral Scheme, State  
 Legislation Code: TSCA  
 Facility Function: User

**ICIS:**

Enforcement Action ID: 06-1999-0216  
 FRS ID: 110011398834  
 Action Name: GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOL  
 Facility Name: GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS  
 Facility Address: 2121 MAIN ST  
 DALLAS, TX 752014360  
 Enforcement Action Type: TSCA 207 AO For Asbestos/Schools (LEA)  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 207  
 Facility SIC Code: 9411  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.782115  
 Longitude in Decimal Degrees: -96.792153  
 Permit Type Desc: Not reported  
 Program System Acronym: 11605  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS  
 Address: 2121 MAIN STREET  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 9411

Facility Name: GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS  
 Address: 2121 MAIN STREET  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 9411

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS (Continued)**

**1005623974**

Facility Name: GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS  
 Address: 2121 MAIN STREET  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 9411

308

**2121 MAIN STREET  
 2121 MAIN STREET  
 DALLAS, TX 75201**

**TX ASBESTOS**

**S121359127  
 N/A**

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: Kevin M. Sonnonstine  
 Violation: Not reported  
 Complaint Date: 04/24/2017  
 Notification Number: 2017002720  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 04/24/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 2  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 04/24/2017  
 Certification Statement Phone: 817-560-1613  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 155  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment with RFCI  
 Analytical Method: PLM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2121 MAIN STREET (Continued)**

**S121359127**

Start Date:	04/21/2017
Date of inspection:	Not reported
Reason for Inspection:	Kevin M. Sonnonstine
Violation:	Not reported
Complaint Date:	04/30/2017
Notification Number:	2017002720
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	04/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	04/20/2017
Certification Statement Phone:	817-560-1613
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	155
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	04/21/2017
Date of inspection:	Not reported
Reason for Inspection:	Kevin M. Sonnonstine
Violation:	Not reported
Complaint Date:	04/30/2017
Notification Number:	2017002720
ASB Priority:	Not reported
PIF State:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2121 MAIN STREET (Continued)**

**S121359127**

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	04/06/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	04/06/2017
Certification Statement Phone:	817-560-1613
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	119
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	04/21/2017

308

**GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS  
 2121 MAIN STREET  
 DALLAS, TX 75201**

**FINDS 1016285406  
 ECHO N/A**

FINDS:

Registry ID: 110011398834

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GENESIS SCHOOLS D.B.A. PEGASUS CHARTER SCHOOLS (Continued)**

**1016285406**

complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016285406  
 Registry ID: 110011398834  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110011398834>

309

**FABRIK CLEANER  
 2000 ELM ST  
 DALLAS, TX 75201**

**EDR Hist Cleaner**

**1019985454  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1992	RIO GRANDE DRY CLEANERS	Drycleaning Plants, Except Rugs
1993	RIO GRANDE DRY CLEANERS	Drycleaning Plants, Except Rugs
2006	FABRIK CLEANER	Drycleaning Plants, Except Rugs
2007	FABRIK CLEANER	Drycleaning Plants, Except Rugs
2008	FABRIK CLEANER	Drycleaning Plants, Except Rugs
2009	FABRIK CLEANER	Drycleaning Plants, Except Rugs
2010	FABRIK CLEANER	Drycleaning Plants, Except Rugs
2011	FABRIK CLEANER	Drycleaning Plants, Except Rugs
2012	FABRIK CLEANER	Drycleaning Plants, Except Rugs

309

**PLAYER S CLEANERS  
 2024 A ELM  
 DALLAS, TX**

**EDR Hist Cleaner**

**1009338177  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1941	PLAYER S CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**309 ROLNICK HAT CO A EDR Hist Cleaner 1009338112**  
**2016 ELM N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1930 ROLNICK HAT CO A HAT CLEANERS AND BLOCKERS

**310 THOMPSON S SAFETY BRAKE SERV EDR Hist Auto 1009354728**  
**1210 PATTERSON N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 THOMPSON S SAFETY BRAKE SERV AUTOMOBILE REPAIRING

**310 OVERSTREET GARAGE AND STORAGE EDR Hist Auto 1009354631**  
**1207 PATTERSON AVE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1961	OVERSTREET GARAGE AND STORAGE	AUTOMOBILE REPAIRING
1966	OVERSTREET GARAGE C STORAGE	AUTOMOBILE REPAIRING
1969	OVERSTREET GARAGE & STORAGE	General Automotive Repair Shops
1970	OVERSTREET GARAGE & STORAGE	General Automotive Repair Shops
1971	OVERSTREET GARAGE & STORAGE	General Automotive Repair Shops
1972	OVERSTREET GARAGE & STORAGE	General Automotive Repair Shops
1973	OVERSTREET GARAGE & STORAGE	General Automotive Repair Shops
1974	OVERSTREET GARAGE & STORAGE	General Automotive Repair Shops
1975	OVERSTREET GARAGE AND STORAGE	General Automotive Repair Shops
1976	OVERSTREET GARAGE AND STORAGE	General Automotive Repair Shops
1977	OVERSTREET GARAGE AND STORAGE	General Automotive Repair Shops
1978	OVERSTREET GARAGE AND STORAGE	General Automotive Repair Shops
1979	OVERSTREET GARAGE AND STORAGE	General Automotive Repair Shops
1980	OVERSTREET GARAGE AND STORAGE	General Automotive Repair Shops
1982	OVERSTREET GARAGE AND STORAGE	General Automotive Repair Shops
1983	OVERSTREET GARAGE AND STORAGE	General Automotive Repair Shops

**310 OVERSTREET GARAGE AND STORAGE EDR Hist Auto 1009354674**  
**1209 PATTERSON N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1946 OVERSTREET GARAGE AND STORAGE AUTOMOBILE REPAIRING  
 1951 OVERSTREET GARAGE AND STORAGE AUTOMOBILE REPAIRING



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**310 HARRISON AUTO STORAGE** EDR Hist Auto 1009354753  
 1211 PATTERSON AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 HARRISON AUTO STORAGE AUTOMOBILE GARAGES

**311 OWL SERVICE STATION** EDR Hist Auto 1009361928  
 2103 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 OWL SERVICE STATION GASOLINE AND OIL SERVICE STATIONS

**311 WHATLEY BROS GARAGE** EDR Hist Auto 1009361832  
 2101 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 WHATLEY BROS GARAGE AUTOMOBILE GARAGES  
 1930 OWL SERVICE STATION GASOLINE AND OIL SERVICE STATIONS  
 1936 COSDEN OIL CORP GASOLINE AND OIL SERVICE STATIONS

**312 LOWREY C C** EDR Hist Cleaner 1009333664  
 105 N PEARL N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1930 LOWREY C C CLOTHES PRESSERS, CLEANERS AND REPAIRERS  
 1941 LOWREY S TAILOR SHOP CLOTHES PRESSERS, CLEANERS AND REPAIRERS  
 1946 LOWREY S CLEANERS AND TAILORS CLEANERS AND DYERS  
 1951 LOWREY S CLEANERS AND TAILORS CLEANERS AND DYERS  
 1956 QUICK SERVICE CLEANERS AND TAIL CLEANERS AND DYERS

**313 RICHARDSON NETTLES AUTOMOBILE SERVICE CADILLAC AND** EDR Hist Auto 1009362815  
 2208 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 RICHARDSON NETTLES AUTOMOBILE S AUTOMOBILE REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

313 ROOP S MOTOR MECCA EDR Hist Auto 1009362848  
 2210 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 ROOP S MOTOR MECCA AUTOMOBILE REPAIRING

313 RICHARDSON NETTLES AUTO SERVICE EDR Hist Auto 1009362780  
 2204 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 RICHARDSON NETTLES AUTOMOBILE S AUTOMOBILE REPAIRERS  
 1936 RICHARDSON NETTLES AUTO SERVICE AUTOMOBILE REPAIRING

313 RICHARDSON NETTLES AUTOMOBILE SERVICE CADILLAC AND EDR Hist Auto 1009362795  
 2206 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 RICHARDSON NETTLES AUTOMOBILE S AUTOMOBILE REPAIRERS

314 WHITE WAY GARAGE EDR Hist Auto 1009356632  
 1401 N PACIFIC AVE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 WHITE WAY GARAGE AUTOMOBILE REPAIRERS

315 ON THE BORDER FINDS 1005592667  
 1801 N. LAMAR ECHO N/A  
 DALLAS, TX 75202

FINDS:

Registry ID: 110009745491

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ON THE BORDER (Continued)**

**1005592667**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1005592667  
 Registry ID: 110009745491  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009745491>

**316 BANK GARAGE THE EDR Hist Auto 1009356576**  
**1400 N PACIFIC AVE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1936	KELLER AND DEWITT INC	AUTOMOBILE GARAGES
1936	BANK GARAGE THE	AUTOMOBILE GARAGES

**316 MARLEY S GARAGE INC EDR Hist Auto 1009356789**  
**1406 N PACIFIC AVE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	SIMPSON PRICE	AUTOMOBILE GARAGES
1936	MARLEY S GARAGE INC	AUTOMOBILE GARAGES

**316 DO IT-RIGHT LAUNDRY EDR Hist Cleaner 1009333293**  
**101 S AKARD N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	DO IT-RIGHT LAUNDRY	LAUNDRIES
1936	DO IT-RIGHT	LAUNDRIES
1941	DO IT-RIGHT LAUNDRY	LAUNDRIES
1946	DO IT-RIGHT LAUNDRY	LAUNDRIES
1951	DO IT RIGHT LAUNDRY	LAUNDRIES

**316 J B HATITORIUM EDR Hist Cleaner 1009333522**  
**103 N AKARD N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	J B HATITORIUM	HAT CLEANERS AND BLOCKERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

316 **EMPIRE HAT WORKS AND CLEANING CO** EDR Hist Cleaner 1009334415  
 115 N AKARD  
 DALLAS, TX N/A

EDR Hist Cleaner

Year:	Name:	Type:
1925	EMPIRE HAT WORKS AND CLEANING C	CLOTHES CLEANERS AND DYERS
1930	EMPIRE HAT WORKS AND CLEANING C	HAT CLEANERS AND BLOCKERS

316 **CARTWRIGHT SERVICE** EDR Hist Auto 1009356757  
 1405 N PACIFIC AVE  
 DALLAS, TX N/A

EDR Hist Auto

Year:	Name:	Type:
1936	PACIFIC AVENUE STORAGE	AUTOMOBILE GARAGES
1946	CARTWRIGHT SERVICE	AUTOMOBILE REPAIRING

316 **WHITE WAY GARAGE** EDR Hist Auto 1009356705  
 1403 N PACIFIC AVE  
 DALLAS, TX N/A

EDR Hist Auto

Year:	Name:	Type:
1930	WHITE WAY GARAGE	AUTOMOBILE REPAIRERS

316 **WOOD AND EDWARDS** EDR Hist Cleaner 1009336319  
 1507 N PACIFIC AVE  
 DALLAS, TX N/A

EDR Hist Cleaner

Year:	Name:	Type:
1930	WOOD AND EDWARDS	HAT CLEANERS AND BLOCKERS

316 **WOOD AND EDWARDS** EDR Hist Cleaner 1009336301  
 1505 N PACIFIC AVE  
 DALLAS, TX N/A

EDR Hist Cleaner

Year:	Name:	Type:
1930	WOOD AND EDWARDS	HAT CLEANERS AND BLOCKERS

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

316 1511 BRYAN ST.,DALLAS TX TX SPILLS S121977099  
 1511 BRYAN ST.,DALLAS TX N/A  
 DALLAS, TX

SPILLS:

Spill Address: 1511 BRYAN ST.,DALLAS TX  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 08/04/1991  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES ELECTRIC CO.  
 Responsible Party Address: 400 N. OLIVE ST.  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2148128699  
 Substance: COOLING TOWER /CHROM  
 Material Code: 3541  
 Media Affected: Not reported  
 Permit Number: 0  
 District: 04  
 Origin: 001  
 Cause: 003  
 Basin Code: 0805  
 Notify Date: Not reported  
 Adequate Clean: 003  
 Classification: 005  
 Basin Name: TRINITY  
 Water Affected: STORM SEWER  
 Amnt Spilled: 5 GAL  
 Amnt in Water: UNK GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: X  
 Enforce: Not reported  
 Information Final: Not reported  
 Coordinator: T. SEWELL  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

**316 TEXAS UTILITIES ELECTRIC SALVAGE YARD** **FTTS 1004602595**  
**1511 BRYAN ST SALVAGE YARD-100 PAYNE ST** **HIST FTTS N/A**  
**DALLAS, TX 75201**

FTTS INSP:  
 Inspection Number: 19890125TX002 1  
 Region: 06  
 Inspection Date: 01/25/89  
 Inspector: TADIN  
 Violation occurred: No  
 Investigation Type: Section 6 PCB State Conducted  
 Investigation Reason: Neutral Scheme, State  
 Legislation Code: TSCA  
 Facility Function: User

HIST FTTS INSP:  
 Inspection Number: 19890125TX002 1  
 Region: 06  
 Inspection Date: Not reported  
 Inspector: TADIN  
 Violation occurred: No  
 Investigation Type: Section 6 PCB State Conducted  
 Investigation Reason: Neutral Scheme, State  
 Legislation Code: TSCA  
 Facility Function: User

**316 TEXAS UTILITIES ELECTRIC SALVAGE YARD** **FINDS 1016286386**  
**1511 BRYAN ST SALVAGE YARD-100 PAYNE ST** **N/A**  
**DALLAS, TX 75201**

FINDS:  
 Registry ID: 110011418448  
 Environmental Interest/Information System  
 NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**316 UNION TOWER** **TX LPST S107812088**  
**1511 BRYAN ST** **N/A**  
**DALLAS, TX 75201**

LPST:  
 Facility ID: 0039213  
 LPST Id: 103557  
 Facility Location: 1511 BRYAN ST JUST OUTSIDE PARKING GARAGE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 05/12/1995

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**S107812088**

Entered Date: 07/21/1992  
 Priority: 2F - GROUP 3 GROUNDWATER OFF-SITE MIGRATION UNLIKELY  
 Program: 2 - REGION  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: GROUP 3 GROUNDWATER, OFF-SITE MIGRATION UNLIKELY  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 2  
 Coordinators RPR: HELEN WELCH  
 Responsible Party Name: TU ELECTRIC  
 Responsible Party Contact: GERALD JOHNSON  
 Responsible Party Address: 400 N OLIVE LB 31  
 Responsible Party City,St,Zip: DALLAS, TX 75201  
 Responsible Party Telephone: 214/812-8476  
 Reported Date: 06/11/1992  
 Case Start Date: 07/21/1992

316

**UNION TOWER  
 1511 BRYAN ST  
 DALLAS, TX 75201**

**TX UST U001271772  
 N/A**

UST:

AI Number: 39213  
 Facility Type: Not reported  
 Facility Begin Date: 09/01/1989  
 Facility Status: INACTIVE  
 Additional ID: 309074762002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: DANA CRISSEY,SUP ENG & DRAFTING  
 Contact Organization Name: UNION TOWER  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2149545328  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 05/05/1986  
 Signature Name/Title On Earliest Reg Form: DANA R CRISSEY,SUP ENG & DRAFTING  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600128490  
 Owner Last Name: TU ELECTRIC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	534392472001134
Additional ID:	309074762002062
AI Number:	39213
Owner Effective Begin Date:	09/01/1989
State Tax ID:	17518373554
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1952
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	103582
Facility ID:	92573
AI Number:	39213
Tank Id:	6
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1952
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	6
Tank Capacity:	550
UST Comprt ID:	145903
UST ID:	103582
AI Number:	39213
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1952
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	103583
Facility ID:	92573
Ai Number:	39213
Tank Id:	7
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1952
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	7
Tank Capacity:	550
UST Comprt ID:	145904
UST ID:	103583
AI Number:	39213
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1973
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	103576
Facility ID:	92573
Ai Number:	39213
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/19/1992
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	550
UST Comprt ID:	145897
UST ID:	103576
AI Number:	39213
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1973
Tank Registration Date:	05/08/1986
Number of Compartments:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	103577
Facility ID:	92573
Ai Number:	39213
Tank Id:	3
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/19/1992
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	3
Tank Capacity:	550
UST Comprt ID:	145898
UST ID:	103577
AI Number:	39213
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1973
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	103578
Facility ID:	92573
AI Number:	39213
Tank Id:	2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/19/1992
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	550
UST Comprt ID:	145899
UST ID:	103578
AI Number:	39213



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1973
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	103579
Facility ID:	92573
Ai Number:	39213
Tank Id:	4
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/19/1992
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	4
Tank Capacity:	550
UST Comprt ID:	145900
UST ID:	103579
AI Number:	39213
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1952
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	103580
Facility ID:	92573
Ai Number:	39213
Tank Id:	5
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1952
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	5
Tank Capacity:	550
UST Comprt ID:	145901
UST ID:	103580
AI Number:	39213
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

PRDM(Mthly Piping Tightness Test) @.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1952
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	103581
Facility ID:	92573
Ai Number:	39213
Tank Id:	8
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/01/1952
Empty:	Y
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	8
Tank Capacity:	550
UST Comprt ID:	145902
UST ID:	103581
AI Number:	39213
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNION TOWER (Continued)**

**U001271772**

SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	TU ELECTRIC
Contact Mailing Address (Delivery):	1601 BRYAN ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 3401
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	92573
Additional ID:	309074762002062
Princ ID:	534392472001134
AI Number:	39213
Facility Name:	UNION TOWER
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	JAY TINSLEY/

**316 ZIP SIXTY MINIT CLEANERS**  
**212 N AKARD ST**  
**DALLAS, TX**

**EDR Hist Cleaner 1009338564**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1951	ZIP	CLEANERS AND DYERS
1956	ZIP SIXTY MINIT CLEANERS	CLEANERS AND DYERS
1961	ZIP CLEANERS	CLOTHES PRESSERS AND CLEANERS

**316 HAMILTON WM**  
**1517 BRYAN**  
**DALLAS, TX**

**EDR Hist Auto 1009357887**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	HAMILTON WM	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

317 DEEP ELLUM LIVE BAR  
 2727 CANTON STREET  
 DALLAS, TX 75226

TX ASBESTOS S121062707  
 N/A

ASBESTOS:

Date of inspection:	05/31/2017
Reason for Inspection:	Julie Carmichael
Violation:	Not reported
Complaint Date:	06/01/2017
Notification Number:	2017003688
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/01/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	06/01/2017
Certification Statement Phone:	817-695-6519
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/30/2017

Date of inspection:	05/31/2017
Reason for Inspection:	Julie Carmichael
Violation:	Not reported
Complaint Date:	06/03/2017
Notification Number:	2017003688
ASB Priority:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DEEP ELLUM LIVE BAR (Continued)**

**S121062707**

PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/19/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	05/19/2017
Certification Statement Phone:	817-695-6519
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/30/2017
Date of inspection:	05/31/2017
Reason for Inspection:	Julie Carmichael
Violation:	Not reported
Complaint Date:	06/03/2017
Notification Number:	2017003688
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DEEP ELLUM LIVE BAR (Continued)**

**S121062707**

Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 05/15/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtned to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtned to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtned to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 05/15/2017  
 Certification Statement Phone: 817-695-6519  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 3  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 05/30/2017

317

**THE BOMB FACTORY- DEEP ELLUM LIVE BAR  
 2727 CANTON  
 DALLAS, TX 75226**

**TX ASBESTOS S121064178  
 N/A**

ASBESTOS:  
 Date of inspection: 08/29/2017  
 Reason for Inspection: Chris Wells  
 Violation: Not reported  
 Complaint Date: 09/01/2017  
 Notification Number: 2017006135  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 08/15/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE BOMB FACTORY- DEEP ELLUM LIVE BAR (Continued)**

**S121064178**

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	08/15/2017
Certification Statement Phone:	214-353-8087
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/29/2017
Date of inspection:	Not reported
Reason for Inspection:	Chris Wells
Violation:	Not reported
Complaint Date:	09/20/2017
Notification Number:	2017006510
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Cancelled

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE BOMB FACTORY- DEEP ELLUM LIVE BAR (Continued)**

**S121064178**

Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 09/06/2017  
 Certification Statement Phone: 214-353-8087  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 09/20/2017

**318 BETTS AUTOMOTIVE SERVICE  
 401 N FIELD  
 DALLAS, TX**

**EDR Hist Auto 1009371708  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1946	BETTS AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING

**318 GOSWICK S AUTO SERVICE  
 411 N FIELD  
 DALLAS, TX**

**EDR Hist Auto 1009372274  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1946	GOSWICK S AUTO SERVICE	AUTOMOBILE REPAIRING
1951	GOSWICK S AUTO SERVICE	AUTOMOBILE REPAIRING
1956	GOSWICK S AUTO SERVICE	AUTOMOBILE REPAIRING
1961	GOSWITK S AUTO SERVICE	AUTOMOBILE REPAIRING
1969	GOSWICK AUTO SERVICE	General Automotive Repair Shops
1970	GOSWICK AUTO SERVICE	General Automotive Repair Shops
1971	GOSWICK AUTO SERVICE	General Automotive Repair Shops

**318 DIXON S SERVICE STATION  
 400 N FIELD  
 DALLAS, TX**

**EDR Hist Auto 1009371564  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1941	DIXON S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**319** **400 NORTH HOUSTON** **ERNS** **2010957927**  
**DALLAS, TX** **N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**320** **OFFICE BUILDING** **TX ASBESTOS** **S119152542**  
**211 N. ERVAY** **N/A**  
**DALLAS, TX 75201**

ASBESTOS:

Date of inspection:	01/11/2013
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2012010080
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	02
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	02/01/2013
Date Routed by Supervisor:	02/19/2013
Date Routed to PSQA:	02/28/2013
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**OFFICE BUILDING (Continued)**

**S119152542**

Analytical Method:	Not reported
Start Date:	Not reported

<b>320</b>	<b>CAR WASH SYSTEMS INC</b>	<b>EDR Hist Auto</b>	<b>1020909086</b>
	<b>211 N ERVAY BLDG STE 1413</b>		<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

EDR Hist Auto

Year:	Name:	Type:
1974	CAR WASH SYSTEMS INC	Carwashes
1975	CAR WASH SYSTEMS INC	Carwashes
1976	CAR WASH SYSTEMS INC	Carwashes
1977	CAR WASH SYSTEMS INC	Carwashes
1978	EZELL ENTERPRISES INC	Gasoline Service Stations
1978	CAR WASH SYSTEMS INC	Carwashes
1979	CAR WASH SYSTEMS INC	Carwashes
1979	EZELL ENTERPRISES INC	Gasoline Service Stations
1980	CAR WASH SYSTEMS INC	Carwashes
1980	EZELL ENTERPRISES INC	Gasoline Service Stations
1982	CAR WASH SYSTEMS INC	Carwashes
1983	CAR WASH SYSTEMS INC	Carwashes

<b>320</b>	<b>NORTH ERVAY PRESS SHOP</b>	<b>EDR Hist Cleaner</b>	<b>1009338339</b>
	<b>208 N ERVAY</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:
1930	NORTH ERVAY PRESS SHOP	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

<b>321</b>	<b>DORAN CHEVROLET INC</b>	<b>EDR Hist Auto</b>	<b>1009363008</b>
	<b>2222 MAIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1951	DORAN CHEVROLET INC	AUTOMOBILE REPAIRING
1956	DORAN CHEVROLET INC	AUTOMOBILE REPAIRING
1961	DORAN CHEVROLET INC	AUTOMOBILE REPAIRING

<b>322</b>	<b>PETRO-HUNT CORP</b>	<b>RCRA-CESQG</b>	<b>1001225674</b>
	<b>1601 ELM ST</b>		<b>TXR000002469</b>
	<b>DALLAS, TX 75201</b>		

RCRA-CESQG:

Date form received by agency:	03/23/1995
Facility name:	PETRO-HUNT CORP
Facility address:	1601 ELM ST DALLAS, TX 75201-9969
EPA ID:	TXR000002469

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PETRO-HUNT CORP (Continued)**

**1001225674**

Mailing address: ELM ST  
 DALLAS, TX 75201-9969

Contact: DAVID CLARK  
 Contact address: 1601 ELM ST  
 DALLAS, TX 75201-9969

Contact country: US  
 Contact telephone: 214-922-0135  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: PETRO HUNT CORP  
 Owner/operator address: 1601 ELM ST  
 DALLAS, TX 75201

Owner/operator country: Not reported  
 Owner/operator telephone: 214-922-0135  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: Yes  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PETRO-HUNT CORP (Continued)**

**1001225674**

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F037  
 . Waste name: PETROLEUM REFINERY PRIMARY OIL/WATER/SOLIDS SEPARATION SLUDGE-ANY SLUDGE GENERATED FROM THE GRAVITATIONAL SEPARATION OF OIL/WATER/SOLIDS DURING THE STORAGE OR TREATMENT OF PROCESS WASTEWATERS AND OILY COOLING WASTEWATERS FROM PETROLEUM REFINERIES. SUCH SLUDGES INCLUDE, BUT ARE NOT LIMITED TO, THOSE GENERATED IN: OIL/WATER/SOLIDS SEPARATORS; TANKS AND IMPOUNDMENTS; DITCHES AND OTHER CONVEYANCES; SUMPS; AND STORMWATER UNITS RECEIVING DRY WEATHER FLOW. SLUDGE GENERATED IN STORMWATER UNITS THAT DO NOT RECEIVE DRY WEATHER FLOW, SLUDGES GENERATED FROM NON-CONTACT ONCE-THROUGH COOLING WATERS SEGREGATED FOR TREATMENT FROM OTHER PROCESS OR OILY COOLING WATERS, SLUDGES GENERATED IN AGGRESSIVE BIOLOGICAL TREATMENT UNITS AS DEFINED IN SECTION 261.31(B)(2) (INCLUDING SLUDGES GENERATED IN ONE OR MORE ADDITIONAL UNITS AFTER WASTEWATERS HAVE BEEN TREATED IN AGGRESSIVE BIOLOGICAL TREATMENT UNITS) AND K051 WASTES ARE NOT INCLUDED IN THIS LISTING.

Violation Status: No violations found



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**322 PLACID OIL CO FTTS 1007290319**  
**3900 THANKSGIVING SQ (1601 ELM) HIST FTTS N/A**  
**DALLAS, TX 75202**

FTTS INSP:

Inspection Number: 1992010844470 1  
 Region: 06  
 Inspection Date: 01/08/92  
 Inspector: PESINA  
 Violation occurred: No  
 Investigation Type: Section 6 PCB Federal Conducted  
 Investigation Reason: Neutral Scheme, Region  
 Legislation Code: TSCA  
 Facility Function: User

HIST FTTS INSP:

Inspection Number: 1992010844470 1  
 Region: 06  
 Inspection Date: Not reported  
 Inspector: PESINA  
 Violation occurred: No  
 Investigation Type: Section 6 PCB Federal Conducted  
 Investigation Reason: Neutral Scheme, Region  
 Legislation Code: TSCA  
 Facility Function: User

**322 PETRO-HUNT L.L.C. FINDS 1007128854**  
**3900 THANKSGIVING TOWER- 1601 ELM STREET ECHO N/A**  
**DALLAS, TX 75201**

FINDS:

Registry ID: 110015754343

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PETRO-HUNT L.L.C. (Continued)**

**1007128854**

Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1007128854  
 Registry ID: 110015754343  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110015754343>

322

**HUNT PETROLEUM CORPORATION  
 1601 ELM STREET, SUITE 3400  
 DALLAS, TX 75201**

**ICIS 1016079216  
 FINDS N/A  
 ECHO**

ICIS:

Enforcement Action ID: 06-2006-2711  
 FRS ID: 110005164133  
 Action Name: Hunt Petroleum Corporation  
 Facility Name: HUNT PETROLEUM CORPORATION  
 Facility Address: 1601 ELM STREET, SUITE 3400  
 DALLAS, TX 75201  
 Enforcement Action Type: CWA 309A AO For Compliance  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 309A  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.781573  
 Longitude in Decimal Degrees: -96.798558  
 Permit Type Desc: Not reported  
 Program System Acronym: 2659086  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-2003-4803  
 FRS ID: 110005164133  
 Action Name: Hunt Petroleum Corporation  
 Facility Name: HUNT PETROLEUM CORPORATION  
 Facility Address: 1601 ELM STREET, SUITE 3400  
 DALLAS, TX 75201  
 Enforcement Action Type: CWA 311B6B1 AO For Class I Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 311B6B1  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.781573  
 Longitude in Decimal Degrees: -96.798558  
 Permit Type Desc: Not reported  
 Program System Acronym: 2659086

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Facility Name:	HUNT PETROLEUM CORPORATION
Address:	1601 ELM STREET SUITE 3400
Tribal Indicator:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: HUNT PETROLEUM CORPORATION  
 Address: 1601 ELM STREET SUITE 3400  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

**FINDS:**

Registry ID: 110005164133

Environmental Interest/Information System  
 AIR EMISSIONS CLASSIFICATION UNKNOWN

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HUNT PETROLEUM CORPORATION (Continued)**

**1016079216**

that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016079216  
 Registry ID: 110005164133  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005164133>

322

**METROPOLE CLEANERS AND HATTERS  
 1601 ELM  
 DALLAS, TX**

**EDR Hist Cleaner 1009336611  
 N/A**

EDR Hist Cleaner

Year: 1930 Name: METROPOLE CLEANERS AND HATTERS Type: CLOTHES PRESSERS, CLEANERS AND REPAIRERS

322

**OFFICE BUILDING  
 1601 ELM ST SUITE 2323  
 DALLAS, TX 75201**

**TX Ind. Haz Waste S105835544  
 TX ASBESTOS N/A**

Ind. Haz Waste:

Registration Number: 67602  
 Registration Initial Notification Date: 09/30/1985  
 Registration Last Amendment Date: 01/06/2002  
 EPA Identification: Not reported  
 Primary NAICS Code: Not reported  
 Status Change Date: 19850930  
 Land Type: Not reported  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: GSX CORPORATION  
 Contact Name: BILL PARSON  
 Contact Telephone Number: Not reported  
 Mailing Address: 1601 ELM ST STE 700  
 Mailing Address2: STE 700  
 Mailing City, St, Zip: DALLAS, TX 752017211  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 22715

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S105835544**

Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20021106  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

**Owner:**

Owner Mailing Address: 1601 ELM ST STE 700  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 7211  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 19429479504  
 Owner Bankruptcy Code: Not reported

**Operator:**

Operator Last Name: GSX CORPORATION  
 Operator First Name: Not reported  
 Operator Name: GSX CORPORATION  
 Operator Mailing Address: 1601 ELM ST STE 700  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 7211  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 19429479504  
 Operator Bankruptcy Code: Not reported

**Contact:**

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1601 ELM ST STE 700  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 7211  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

**Contact:**

Contact Name: BILL PARSON  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 1601 ELM ST STE 700  
 Contact Address2: STE 700  
 Contact City,St,Zip: DALLAS, TX 75201 7211  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S105835544**

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1601 ELM ST STE 700  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75201 7211  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: Melvin Balcarcel  
 Violation: Not reported  
 Complaint Date: 02/18/2017  
 Notification Number: 2017001088  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 02/06/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S105835544**

Work Type Flag:	A
Certification Statement Date:	02/06/2017
Certification Statement Phone:	214-243-7859
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	02/18/2017
Date of inspection:	Not reported
Reason for Inspection:	Melvin Balcarcel
Violation:	Not reported
Complaint Date:	03/18/2017
Notification Number:	2017001856
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/06/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	03/06/2017
Certification Statement Phone:	214-243-7859
Is The Facility a School or K-12?:	Y
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S105835544**

Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: RFCI Only  
 Analytical Method: PLM  
 Start Date: 03/18/2017

**322 OSSF 1601 ELM ST STE 3400  
 1601 ELM ST STE 3400  
 DALLAS, TX 75201**

**FINDS 1011345518  
 N/A**

**FINDS:**

Registry ID: 110034618607

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**322 PETRO-HUNT L.L.C.  
 3900 THANKSGIVING TOWER- 1601 ELM STREET  
 DALLAS, TX 75201**

**ICIS 1011601188  
 N/A**

**ICIS:**

Enforcement Action ID: 06-2003-4808  
 FRS ID: 110015754343  
 Action Name: Petro-Hunt L.L.C.  
 Facility Name: PETRO-HUNT L.L.C.  
 Facility Address: 3900 THANKSGIVING TOWER- 1601 ELM STREET  
 DALLAS, TX 75201  
 Enforcement Action Type: CWA 311B6B1 AO For Class I Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 311B6B1  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.783441  
 Longitude in Decimal Degrees: -96.789642  
 Permit Type Desc: Not reported  
 Program System Acronym: 5414811  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: PETRO-HUNT L.L.C.  
 Address: 3900 THANKSGIVING TOWER- 1601 ELM STREET

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**PETRO-HUNT L.L.C. (Continued)**

**1011601188**

Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: PETRO-HUNT L.L.C.  
 Address: 3900 THANKSGIVING TOWER- 1601 ELM STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

Facility Name: PETRO-HUNT L.L.C.  
 Address: 3900 THANKSGIVING TOWER- 1601 ELM STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: Not reported

**322 BECK HENRY C COMPANY**  
**1700 PACIFIC AVE**  
**DALLAS, TX 75201**

**FINDS 1010714160**  
**N/A**

FINDS:

Registry ID: 110033384530

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**322 TONKAWA GAS PROCESSING COMPANY**  
**1700 PACIFIC AVENUE**  
**DALLAS, TX 75201**

**FTTS 1007296715**  
**HIST FTTS N/A**

FTTS INSP:

Inspection Number: 19950312IURRS 1  
 Region: 11  
 Inspection Date: 03/12/95  
 Inspector: Not reported  
 Violation occurred: Yes  
 Investigation Type: Section 8 Inventory Rule  
 Investigation Reason: Neutral Scheme, Headquarters  
 Legislation Code: TSCA  
 Facility Function: Manufacturer

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**TONKAWA GAS PROCESSING COMPANY (Continued)**

**1007296715**

HIST FTTS INSP:

Inspection Number: 19950312IURRS 1  
 Region: 11  
 Inspection Date: Not reported  
 Inspector: Not reported  
 Violation occurred: Yes  
 Investigation Type: Section 8 Inventory Rule  
 Investigation Reason: Neutral Scheme, Headquarters  
 Legislation Code: TSCA  
 Facility Function: Manufacturer

**322 SOUTHCROSS ENERGY  
 1700 PACIFIC AVENUE SUITE 2900  
 DALLAS, TX 75201**

**FINDS 1015980327  
 N/A**

FINDS:

Registry ID: 110044865991

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**322 TONKAWA GAS PROCESSING CO  
 1700 PACIFIC AVE  
 DALLAS, TX 75201**

**ICIS 1004599679  
 FINDS N/A  
 ECHO**

ICIS:

Enforcement Action ID: HQ-1995-0076  
 FRS ID: 110010682546  
 Action Name: TONKAWA GAS PROCESSING COMPANY  
 Facility Name: TONKAWA GAS PROCESSING CO  
 Facility Address: 1700 PACIFIC AVE  
 DALLAS, TX 75201  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 16

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**TONKAWA GAS PROCESSING CO (Continued)**

**1004599679**

Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	32.782552
Longitude in Decimal Degrees:	-96.797573
Permit Type Desc:	Not reported
Program System Acronym:	8266
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

**FINDS:**

Registry ID: 110010682546

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid:	1004599679
Registry ID:	110010682546
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110010682546">http://echo.epa.gov/detailed-facility-report?fid=110010682546</a>

**322 FIRST CITY CENTER  
1700 PACIFIC AVE  
DALLAS, TX 75201**

**FINDS 1010762600  
N/A**

**FINDS:**

Registry ID: 110033868116

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**FIRST CITY CENTER (Continued)**

**1010762600**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>322</b>	<b>PACIFIC ENTERPRISES OIL CO.          1700 PACIFIC AVENUE, SUITE 1200          DALLAS, TX 75201</b>	<b>ICIS          FINDS          ECHO</b>	<b>1006800037          N/A</b>
------------	---	--	------------------------------------

ICIS:

Enforcement Action ID:	06-2002-1957
FRS ID:	110013706347
Action Name:	Pacific Enterprises Oil Co. (GMG290121)
Facility Name:	PACIFIC ENTERPRISES OIL CO.
Facility Address:	1700 PACIFIC AVENUE, SUITE 1200 DALLAS, TX 752014697
Enforcement Action Type:	CWA 309A AO For Compliance
Facility County:	DALLAS
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	309A
Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	32.782552
Longitude in Decimal Degrees:	-96.797573
Permit Type Desc:	Not reported
Program System Acronym:	2655897
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Facility Name:	PACIFIC ENTERPRISES OIL CO.
Address:	1700 PACIFIC AVENUE, SUITE 1200
Tribal Indicator:	N
Fed Facility:	Not reported
NAIC Code:	Not reported
SIC Code:	1381

**FINDS:**

Registry ID: 110013706347

**Environmental Interest/Information System**

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PACIFIC ENTERPRISES OIL CO. (Continued)**

**1006800037**

Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1006800037  
 Registry ID: 110013706347  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110013706347>

322

**1700 PACIFIC AVENUE  
 1700 PACIFIC AVE STE 2300  
 DALLAS, TX 75201**

**TX UST  
 TX ASBESTOS**

**U001287006  
 N/A**

UST:

AI Number: 57024  
 Facility Type: EMERGENCY GENERATOR  
 Facility Begin Date: 12/06/1990  
 Facility Status: ACTIVE  
 Additional ID: 543753082002150  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: Yes  
 Number Of Active UST: 1  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: LAURIE GARCIA,  
 Contact Organization Name: 1700 PACIFIC AVENUE  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2147405011  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 09/11/2015  
 Signature Name/Title On Earliest Reg Form: JERI HADSELL,SNR PROP MGR  
 Application Received Date On Earliest Reg Form: 09/14/2015  
 Signature Role On Earliest Reg Form: LEGAL AUTH REP OWNER  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: No  
 Facility Not Inspectable: No

Operator:

Princ ID: 153546132015076  
 Additional ID: 543753082002150  
 Ai Number: 57024

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1700 PACIFIC AVENUE (Continued)**

**U001287006**

Operator CN:	CN604773689
Operator Name:	OLYMBEC USA LLC
Operator Effective Begin Date:	07/22/2014
Operator Type:	CO
Operator Role:	OPRCON
Contact Name:	JAMES STONE/
Contact Organization Name:	OLYMBEC USA LLC
Contact Mailing Address (Delivery):	1700 PACIFIC AVE STE 2300
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS TX 75201-4698
Contact Phone Country Code:	0
Contact Phone Area Code:	214
Contact Phone Number:	7405026
Contact Phone Extension:	0
Contact Fax Country Code:	Not reported
Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN604773689
Owner Last Name:	OLYMBEC USA LLC
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	1700 PACIFIC AVE STE 2300
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75201
Contact Mailing Zip5:	4698
Contact Phone Number/Ext:	0 214 7405011/0
Contact Fax Country Code:	0
Contact Fax Number/Ext:	214 8553725/0
Contact Email Address:	LGARCIA@LPC.COM
Contact Address Deliverable:	Not reported
Princ ID:	153546132015076
Additional ID:	543753082002150
AI Number:	57024
Owner Effective Begin Date:	07/22/2014
State Tax ID:	32054493153
Contact Role:	OWNCON
Contact Name/Title:	LAURA GARCIA/
Contact Organization Name:	OLYMBEC USA LLC
Self Certification:	
Self Cert ID:	86978
Cert ID:	260157
AI Number:	57024
Self Certification Date:	09/11/2015
Signature Name/Title:	JERI HADSELL SNR PROP MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1700 PACIFIC AVENUE (Continued)**

**U001287006**

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	10/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	86978
Cert ID:	250555
AI Number:	57024
Self Certification Date:	03/11/2015
Signature Name/Title:	LAURIE A GARCIA SR PROP MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	10/31/2015
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	86978
Cert ID:	232980
AI Number:	57024
Self Certification Date:	02/25/2014
Signature Name/Title:	LAURIE A GARCIA SR PROPERTY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2015
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	86978
Cert ID:	134429
AI Number:	57024
Self Certification Date:	02/27/2013
Signature Name/Title:	RANDY DAUGHERTY BLDG OPER MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1700 PACIFIC AVENUE (Continued)**

**U001287006**

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2014
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	86978
Cert ID:	134428
AI Number:	57024
Self Certification Date:	03/30/2012
Signature Name/Title:	RANDY DAUGHERTY BLDG OPS MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	86978
Cert ID:	134427
AI Number:	57024
Self Certification Date:	01/17/2006
Signature Name/Title:	RANDY DAUGHERTY BLDG OPER MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	86978
Cert ID:	134426
AI Number:	57024
Self Certification Date:	01/16/2006
Signature Name/Title:	RANDY DAUGHERTY BLDG OPER MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1700 PACIFIC AVENUE (Continued)**

**U001287006**

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Tank:	
Install Date:	04/01/1982
Tank Registration Date:	12/05/1990
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	137228
Facility ID:	86978
Ai Number:	57024
Tank Id:	1
Tank Status (Current):	IN USE
Tank Status Date:	04/01/1982
Empty:	N
Tank Regulatory Status:	EMERG POWER GENERATOR
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

1700 PACIFIC AVENUE (Continued)

U001287006

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	2000
UST Comprt ID:	129581
UST ID:	137228
AI Number:	57024
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1700 PACIFIC AVENUE (Continued)**

**U001287006**

Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: OLYMBEC USA LLC  
 Contact Mailing Address (Delivery): 1700 PACIFIC AVE STE 2300  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75201 4698  
 Phone Number/Ext: 214 7405011/0  
 Contact Fax Number/Ext: 214 8553725/0  
 Contact Email Address: LGARCIA@LPC.COM  
 Contact Address Deliverable: Y  
 Facility ID: 86978  
 Additional ID: 543753082002150  
 Princ ID: 153546132015076  
 AI Number: 57024  
 Facility Name: 1700 PACIFIC AVENUE  
 AR Number: 76690  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: U  
 Contact Name/Title: LAURA GARCIA/

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: MELVIN BALCARCEL  
 Violation: Not reported  
 Complaint Date: 05/05/2017  
 Notification Number: 2017003029  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 04/19/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1700 PACIFIC AVENUE (Continued)**

**U001287006**

Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 04/19/2017  
 Certification Statement Phone: 214-243-7859  
 Is The Facility a School or K-12?: Y  
 Region: 03  
 Priority: HIGH  
 ARU: 22  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment with RFCI  
 Analytical Method: PLM  
 Start Date: 05/03/2017

323

**OAK CREEK MOBILE VILLAGE INC  
 1600 PACIFIC AVE STE 3020  
 DALLAS, TX 75201**

EDR Hist Auto

**1020404308  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
2001	OAK CREEK MOBILE VILLAGE INC	Gasoline Service Stations
2002	OAK CREEK MOBILE VILLAGE INC	Gasoline Service Stations
2003	ANAHEIM GARAGE CORP	General Automotive Repair Shops
2003	OAK CREEK MOBILE VILLAGE INC	Gasoline Service Stations
2004	ANAHEIM GARAGE CORP	General Automotive Repair Shops
2004	OAK CREEK MOBILE VILLAGE INC	Gasoline Service Stations
2005	ANAHEIM GARAGE CORP	General Automotive Repair Shops

323

**FORMER LTV TOWER  
 1600 PACIFIC AVE  
 DALLAS, TX 75201**

TX AST

**A100306546  
 N/A**

AST:

Facility ID: 121586  
 Additional ID: 785666642007233  
 AI Number: 78692  
 Facility Type: Not reported  
 Facility Begin Date: 08/31/1987  
 Facility Status: INACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 0  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75201  
 Contact Name/Title: RICK SHAW/BLDG MGR  
 Contact Organization Name: FORMER LTV TOWER  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER LTV TOWER (Continued)**

**A100306546**

Contact CityStateZip:	Not reported
Contact Telephone:	2147400012
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	07/20/2007
Signature First Name on Earliest Reg Form:	CURTIS
Application Received Date on Earliest Reg Form:	07/23/2007
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	LOCKEY
Signature Title on Earliest Reg Form:	MANAGING MEMBER
Signature Role on Earliest Reg Form:	OWNER
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	121586
Tank ID:	1
AST ID:	208670
AI Number:	78692
Install Date:	01/01/1964
Tank Registration Date:	07/20/2007
Mult Comp:	N
Tank Status:	OUT OF USE
Tank Status Date:	12/31/2005
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	2000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

323

**ARCADE CLEANERS  
 1604 N PACIFIC AVE  
 DALLAS, TX**

**EDR Hist Cleaner 1009336646  
 N/A**

EDR Hist Cleaner

Year: Name:  
 1930 ARCADE CLEANERS

Type:  
 CLOTHES PRESSERS, CLEANERS AND REPAIRERS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>323</b>	<b>BILTMORE AUTO STORAGE</b> <b>1612 N PACIFIC AVE</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009358573</b> N/A
------------	--	----------------------	--------------------------

EDR Hist Auto

Year:	Name:	Type:	
1936	BILTMORE AUTO HOTEL	AUTOMOBILE GARAGES	
1946	BILTMORE AUTO STORAGE	AUTOMOBILE GARAGES	

<b>324</b>	<b>RACKLEY AND DAVIS</b> <b>2120 MAIN</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009362238</b> N/A
------------	---	----------------------	--------------------------

EDR Hist Auto

Year:	Name:	Type:	
1936	RACKLEY AND DAVIS	AUTOMOBILE REPAIRING	

<b>325</b>	<b>CHANNEL 4-KDFW-TV (CBS AFFILIATE)</b> <b>400 N. GRIFFIN</b> <b>DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1004603617</b> N/A
------------	--	--------------	--------------------------

FINDS:

Registry ID: 110011447826

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>325</b>	<b>CHANNEL 4 KDFW-TV</b> <b>400 N GRIFFIN</b> <b>DALLAS, TX 75202</b>	<b>HIST FTTS</b>	<b>1008177069</b> N/A
------------	---	------------------	--------------------------

HIST FTTS INSP:

Inspection Number:	1989061519840 1
Region:	06
Inspection Date:	Not reported
Inspector:	MCLAUGHLIN
Violation occurred:	Yes
Investigation Type:	Section 6 PCB Federal Conducted
Investigation Reason:	Neutral Scheme, Region
Legislation Code:	TSCA
Facility Function:	User

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

**325 CHANNEL 4 (KDFW-TV)  
 400 N. GRIFFIN  
 DALLAS, TX 75202**

**HIST FTTS 1008177068  
 N/A**

HIST FTTS:  
 Case Number: Not reported  
 Docket Number: VI-442C-T  
 Complaint Issue Date: 09/27/1989  
 Abatement Amount: 0.0000  
 Proposed Penalty: 19000.0000  
 Final Assessment: 11500.0000  
 Final Order Date: 04/24/1990  
 Close Date: / /  
 Violations(s): PCB, Failure to Maintain Records  
 PCB, Use

**325 CHANNEL 4 KDFW-TV  
 400 N GRIFFIN  
 DALLAS, TX 75202**

**FTTS 1010002196  
 N/A**

FTTS INSP:  
 Inspection Number: 1989061519840 1  
 Region: 06  
 Inspection Date: 06/15/89  
 Inspector: MCLAUGHLIN  
 Violation occurred: Yes  
 Investigation Type: Section 6 PCB Federal Conducted  
 Investigation Reason: Neutral Scheme, Region  
 Legislation Code: TSCA  
 Facility Function: User

**325 CHANNEL 4 (KDFW-TV)  
 400 N. GRIFFIN  
 DALLAS, TX 75202**

**FTTS 1010002195  
 N/A**

FTTS:  
 Case Number: Not reported  
 Docket Number: VI-442C-T  
 Complaint Issue Date: 09/27/89  
 Abatement Amount: 0.0000  
 Proposed Penalty: 19000.0000  
 Final Assessment: 11500.0000  
 Final Order Date: 04/24/90  
 Close Date: / /  
 Violations(s): PCB, Failure to Maintain Records  
 PCB, Use

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**325 QUEEN GRAAGE 1101 PATTERSON AVE DALLAS, TX EDR Hist Auto 1009353068 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	QUEEN GRAAGE	AUTOMOBILE GARAGES
1936	GIBBS AUTO SERVICE	AUTOMOBILE GARAGES
1936	GIBBS AUTO SERVICE	AUTOMOBILE REPAIRING

**325 QUEEN GRAAGE 1103 PATTERSON AVE DALLAS, TX EDR Hist Auto 1009353162 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	QUEEN GRAAGE	AUTOMOBILE GARAGES
1941	KELLY S AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING
1946	GIBBS AUTO SERVICE	AUTOMOBILE REPAIRING

**325 COOK S GARAGE 1107 PATTERSON AVE DALLAS, TX EDR Hist Auto 1009353240 N/A**

EDR Hist Auto

Year:	Name:	Type:
1951	COOK BROS GARAGE	AUTOMOBILE REPAIRING

**325 ALLEN E C AUTO STORAGE 1111 PATTERSON AVE DALLAS, TX EDR Hist Auto 1009353378 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	ALLEN E C AUTO STORAGE	AUTOMOBILE GARAGES

**325 SIEBENHAUSEN C H 1113 PATTERSON AVE DALLAS, TX EDR Hist Auto 1009353431 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	SIEBENHAUSEN C H	AUTOMOBILE REPAIRERS
1925	STEVE S GARAGE	AUTOMOBILE GARAGES
1930	STEVE S GARAGE	AUTOMOBILE GARAGES
1936	ELAM E F	AUTOMOBILE REPAIRING
1941	STEVE S GARAGE	AUTOMOBILE REPAIRING
1946	MILLER ED AUOTOMOTIVE SERVICE	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**325 STEVE S GARAGE** EDR Hist Auto **1009353469**  
**1115 PATTERSON AVE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1930 STEVE S GARAGE AUTOMOBILE GARAGES

**325 ALLEN E C AUTO STORAGE** EDR Hist Auto **1009353271**  
**1109 PATTERSON AVE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1925 ALLEN E C AUTO STORAGE AUTOMOBILE GARAGES  
 1930 ALLEN E C AUTO STORAGE AUTOMOBILE GARAGES

**326 INDUSTRIAL BLVD TEXACO** EDR Hist Auto **1021209821**  
**1636 N MARKET CENTER** N/A  
**DALLAS, TX 75207**

EDR Hist Auto

Year: Name: Type:  
 1988 INDUSTRIAL BLVD TEXACO Gasoline Service Stations  
 1989 INDUSTRIAL BLVD TEXACO Gasoline Service Stations  
 1990 INDUSTRIAL BLVD TEXACO Gasoline Service Stations

**327 CUNNINGHAM S GARAGE** EDR Hist Auto **1009361983**  
**2106 MAIN** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 CUNNINGHAM S GARAGE AUTOMOBILE GARAGES

**327 MORRIS GARAGE** EDR Hist Auto **1009362076**  
**2110 MAIN** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 MORRIS GARAGE AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**327      SOUTHWESTERN BLUEPRINT  
 2108 MAIN ST  
 DALLAS, TX 75201**

**TX Ind. Haz Waste      S102748736  
 N/A**

Ind. Haz Waste:  
 Registration Number: 61897  
 Registration Initial Notification Date: 08/23/2001  
 Registration Last Amendment Date: 08/23/2001  
 EPA Identification: Not reported  
 Primary NAICS Code: Not reported  
 Status Change Date: 20010823  
 Land Type: Not reported  
 Description of Facility Site Location: 2108 Main St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: SOUTHWESTERN BLUEPRINT COMPANY  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 2108 MAIN ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752014322  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 20235  
 Site Owner Tax ID: 751170219  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20030313  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:  
 Owner Mailing Address: 2108 MAINST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 4322  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17511702197  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: SOUTHWESTERN BLUEPRINT COMPANY  
 Operator First Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOUTHWESTERN BLUEPRINT (Continued)**

**S102748736**

Operator Name: SOUTHWESTERN BLUEPRINT COMPANY  
 Operator Mailing Address: 2108 MAINST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 4322  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: 17511702197  
 Operator Bankruptcy Code: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 2108 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 4322  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2108 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 4322  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 2108 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 4322  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**328      RENAISSANCE TOWER PARKING GARAGE**  
**1201 PACIFIC AVENUE**  
**DALLAS, TX 75223**

**TX IOP    S109028728**  
**TX VCP    N/A**  
**TX GCC**

**IOP:**

IOP ID:	0649
IOP recvd:	10/26/2007
Region:	04
Phase:	Terminated
Interest In Site:	Owner
Property Use:	Parking Garage
Project Manager:	Riggle
Lat/Long:	Not reported
Lat/Long (dms):	32.46915 / -96.48104
Acres:	2.2558
Media Affected:	Soils/Groundwater
LPST Number:	Not reported
VCP ID:	Not reported
Cert Issued:	Not reported
Solid Waste Regn Number:	Not reported
EPA TX ID/Cerclis regn Number:	Not reported
Contaminant Categories:	VOCs, Chlorinated Solvents
Applicant Information:	TrizecHahn Renaissance Tower, LP
Applicant Name:	Norman Butler
Applicant Title:	Chief Engineer
Applicant Address:	1201 Elm Street, Suite 3838
Applicant City,St,Zip:	Dallas, TX 75270-2102
Applicant Phone:	214-571-6254
Applicant Fax:	214-571-6255
Consultant/Attorney:	ATC Associates, Inc.
Consultant/Attorney Name:	Michael Boos, PG
Consultant/Attorney Title:	Senior Project Manager
Consultant/Attorney Address:	1555 Valwood Parkway, Suite 160
Consultant/Attorney City,St,Zip:	Carrollton, TX 75067
Consultant/Attorney Phone:	972-919-3300
Consultant/Attorney Fax:	972-919-3395
EDR Link ID:	0649

**VCP TCEQ:**

Region:	4
Facility ID:	2269
Facility Type:	Parking Garage
VCP Received:	05/19/2009
PCA Number:	34462
Project Number:	Riggle
Type Lead:	Operator
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.46555 / -96.48069
Acres at Site:	0.6996
Contaminant Categories:	VOCs, Heavy Metals
Media Affected:	Soils/Groundwater
Applicant:	Bank of America N.A. as Trustee for Bank of
Applicant Contact Title:	Vice President for Bank of America
Applicant Address:	101 South Tryon Street, 11th Floor
Applicant City,St,Zip:	Charlotte, NC 28255
Applicant Phone:	704-875-0100
Applicant Fax:	704-875-0102
Consultant/Attorney:	W&M Environmental Group Inc.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RENAISSANCE TOWER PARKING GARGE (Continued)**

**S109028728**

Consultant/Attorney Name: Nic Andreani  
 Consultant/Attorney Contact Title: Consultant  
 Consultant/Attorney Address: 3706 Speedway  
 Consultant/Attorney City,St,Zip: Austin, TX 78705  
 Consultant/Attorney Phone: 512-493-9691  
 Consultant/Attorney Fax: 512-493-6859  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 06/23/2009  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 09/30/2009  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 05/18/2009  
 App Accepted?: Y  
 Date Accepted: 06/09/2009  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 344620  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Bank of America NA as Trustee  
 Billing c/o Name: Addison B.Causey Jr NC10021107  
 Billing Address1: 101 South Tryon Street  
 Billing Address2: 11th Floor  
 Billing City: Charlotte  
 Billing State: NC  
 Billing Zip: 28280  
 Billing Phone: 980-386-8417  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

**GCC:**

Division: RMD/VCIO  
 New Cases: Not reported  
 File Number: 649  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 10/26/2007  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RENAISSANCE TOWER PARKING GARGE (Continued)**

**S109028728**

Data Quality 2:	Not reported
Division:	REM/VCIO
New Cases:	Not reported
File Number:	649
Contamination Description:	VOCS, CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	10/26/2007
Enforcement Status - Level Of Agency Response:	Not reported
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VC
New Cases:	*
File Number:	2269
Contamination Description:	VOCS, HEAVY METALS
Date Of Earliest Known Contamination Confirmation:	5/19/2009
Enforcement Status - Level Of Agency Response:	6
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VCIO
New Cases:	Not reported
File Number:	649
Contamination Description:	VOCS, CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	10/26/2007
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VCIO
New Cases:	Not reported
File Number:	649
Contamination Description:	VOCS, CHLORINATED SOLVENTS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RENAISSANCE TOWER PARKING GARGE (Continued)**

**S109028728**

Date Of Earliest Known Contamination Confirmation: 10/26/2007  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/VCIO  
 New Cases: Not reported  
 File Number: 649  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 10/26/2007  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/VCIO  
 New Cases: Not reported  
 File Number: 649  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 10/26/2007  
 Enforcement Status - Level Of Agency Response: 0  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 649  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 10/26/2007  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RENAISSANCE TOWER PARKING GARGE (Continued)**

**S109028728**

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 649  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 10/26/2007  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VCIO  
 New Cases: Not reported  
 File Number: 649  
 Contamination Description: VOCS, CHLORINATED SOLVENTS  
 Date Of Earliest Known Contamination Confirmation: 10/26/2007  
 Enforcement Status - Level Of Agency Response: Not reported  
 Enforcement Status - Site Activity Status: 0  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

328

**RENAISSANCE TOWER PARKING GARAGE  
 1201 S PACIFIC AVE  
 DALLAS, TX 75223**

**FINDS 1011409754  
 N/A**

FINDS:

Registry ID: 110035417260

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RENAISSANCE TOWER PARKING GARAGE (Continued)**

**1011409754**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**329 DODD S GARAGE EDR Hist Auto 1009363975**  
**2400 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1951 DODD S GARAGE AUTOMOBILE REPAIRING

**329 JOHNSON JOHNSON EDR Hist Auto 1009364151**  
**2410 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1946 JOHNSON JOHNSON AUTOMOBILE REPAIRING

**329 RED S STARTER AND GENERATOR REPAIR SHOP EDR Hist Auto 1009364288**  
**2422 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1946 RED S STARTER AND GENERATOR REP AUTOMOBILE REPAIRING

**329 KENNARD S BODY SHOP EDR Hist Auto 1009364338**  
**2428 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1941 KENNARD S BODY SHOP AUTOMOBILE REPAIRING  
 1946 KENNARD S BODY SHOP AUTOMOBILE REPAIRING

**329 HARRIS KING EDR Hist Auto 1009364331**  
**2426 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1941 HARRIS KING AUTOMOBILE REPAIRING  
 1941 PORTER FRED AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

330 TRINITY BATTERY AND ELECTRIC CO EDR Hist Auto 1009363464  
 2309 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1925	QUICK SERVICE GARAGE	AUTOMOBILE GARAGES
1930	PRESTON SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1946	TRINITY BATTERY AND ELECTRIC CO	AUTOMOBILE REPAIRING

330 CREEL AND SINCLAIR EDR Hist Auto 1009364167  
 2411 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	CREEL AND SINCLAIR	AUTOMOBILE REPAIRERS

330 CREEL AND SINCLAIR EDR Hist Auto 1009364128  
 2409 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	CREEL AND SINCLAIR	AUTOMOBILE REPAIRERS

330 MARBLE RAMBO AND SONS EDR Hist Auto 1009364103  
 2407 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1925	DAVIS F B	AUTOMOBILE REPAIRERS
1930	MARBLE RAMBO AND SONS	AUTOMOBILE REPAIRERS

330 DECATUR JACK EDR Hist Auto 1009364243  
 2419 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1930	DECATUR JACK	AUTOMOBILE REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**330 PETERSON SYSTEM INC  
 2215 COMMERCE ST  
 DALLAS, TX 75201**

**RCRA NonGen / NLR 1000218740  
 FINDS TXD059762781  
 ECHO**

RCRA NonGen / NLR:

Date form received by agency: 07/27/2001  
 Facility name: PETERSON SYSTEM INC  
 Facility address: 2215 COMMERCE ST  
 DALLAS, TX 75201  
 EPA ID: TXD059762781  
 Mailing address: COMMERCE ST  
 DALLAS, TX 75201  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: COMMERCE ST  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: PETERSON SYSTEM INC  
 Owner/operator address: COMMERCE ST  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Owner/operator name: PETERSON SYSTEM INC  
 Owner/operator address: COMMERCE ST  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/27/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PETERSON SYSTEM INC (Continued)**

**1000218740**

Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/23/1980  
 Site name: PETERSON SYSTEM INC THE  
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005055563

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000218740  
 Registry ID: 110005055563  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005055563>

330

**PETERSON SYSTEM  
 2215 COMMERCE ST  
 DALLAS, TX 75201**

**TX Ind. Haz Waste**

**S103606062  
 N/A**

Ind. Haz Waste:

Registration Number: 65322  
 Registration Initial Notification Date: 07/27/2001  
 Registration Last Amendment Date: 07/27/2001  
 EPA Identification: TXD059762781  
 Primary NAICS Code: Not reported  
 Status Change Date: 20010727  
 Land Type: PRIVATE  
 Description of Facility Site Location: 2215 Commerce St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PETERSON SYSTEM (Continued)**

**S103606062**

Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: CLASS1  
 TNRCC Region: Not reported  
 Company Name: PETERSON SYSTEM INC  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 2215 COMMERCE ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752014345  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 20815  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20040315  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 2215 COMMERCE ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 4345  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 12511011335  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: PETERSON SYSTEM INC  
 Operator First Name: Not reported  
 Operator Name: PETERSON SYSTEM INC  
 Operator Mailing Address: 2215 COMMERCE ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 4345  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 12511011335  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 2215 COMMERCE ST  
 Contact Address2: Not reported  
 Conact City,St,Zip: DALLAS, TX 75201 4345

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PETERSON SYSTEM (Continued)**

**S103606062**

Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	ENVIRONMENTAL MANAGER
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	2215 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 4345
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	2215 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 4345
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	2215 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 4345
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Unit Records Not Found for this RegNo/Year:	
One Time Shipper Records Not Found for this RegNo/Year:	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	Not reported
Waste Records Not Found for this RegNo/Year:	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

331 CANTON AND HENRY SERVICE STATION EDR Hist Auto 1009365311  
 2615 CANTON N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 CANTON AND HENRY SERVICE STATIO GASOLINE AND OIL SERVICE STATIONS

332 FARRELL MOTOR AND BATTERY CO EDR Hist Auto 1009372107  
 409 N LAMAR N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 FARRELL MOTOR AND BATTERY CO AUTOMOBILE REPAIRING

332 HILL HOWARD H EDR Hist Auto 1009372534  
 416 N LAMAR N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 HILL HOWARD SERVICE STATION GASOLINE AND OIL SERVICE STATIONS  
 1941 HILL HOWARD H GASOLINE AND OIL SERVICE STATIONS

332 MEISEL PHOTOCHROME TX UST U001291110  
 902 ROSS AVE N/A  
 DALLAS, TX 75202

UST:

AI Number: 61889  
 Facility Type: OTHER  
 Facility Begin Date: 12/05/1991  
 Facility Status: INACTIVE  
 Additional ID: 366192362002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202  
 Contact Name/Title: ,  
 Contact Organization Name: MEISEL PHOTOCHROME  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2143639036  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 11/18/1991

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

Signature Name/Title On Earliest Reg Form:	MELINDA G JAYSON,TRUSTEE
Application Received Date On Earliest Reg Form:	11/25/1991
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600813851
Owner Last Name:	JAYSON TRUST
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	376192362002062
Additional ID:	366192362002062
AI Number:	61889
Owner Effective Begin Date:	12/05/1991
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	11/25/1991
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	144060
Facility ID:	90392
Ai Number:	61889
Tank Id:	5
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/20/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MEISEL PHOTOCHROME (Continued)

U001291110

Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	06/01/1990
Compartment Records:	
Tank ID:	5
Tank Capacity:	Not reported
UST Comprt ID:	150076
UST ID:	144060
AI Number:	61889
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MEISEL PHOTOCHROME (Continued)

U001291110

PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	11/25/1991
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	144061
Facility ID:	90392
Ai Number:	61889
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/20/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	06/01/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	150077
UST ID:	144061
AI Number:	61889
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	11/25/1991
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	144062
Facility ID:	90392
Ai Number:	61889
Tank Id:	3
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/20/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	06/01/1990
<b>Compartment Records:</b>	
Tank ID:	3
Tank Capacity:	Not reported
UST Comprt ID:	150078
UST ID:	144062
AI Number:	61889
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	11/25/1991
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	144063
Facility ID:	90392
Ai Number:	61889
Tank Id:	4
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/20/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	06/01/1990
Compartment Records:	
Tank ID:	4
Tank Capacity:	Not reported
UST Comprt ID:	150079
UST ID:	144063
AI Number:	61889
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

Install Date:	08/31/1987
Tank Registration Date:	11/25/1991
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	144059
Facility ID:	90392
Ai Number:	61889
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	02/20/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	06/01/1990
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	150075
UST ID:	144059
AI Number:	61889
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
<b>Facility Billing Contacts:</b>	
Contact Organization Name:	JAYSON TRUST
Contact Mailing Address (Delivery):	1700 PACIFIC AVE STE 4100
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 4624
Phone Number/Ext:	/
Contact Fax Number/Ext:	/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEISEL PHOTOCHROME (Continued)**

**U001291110**

Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 90392  
 Additional ID: 366192362002062  
 Princ ID: 376192362002062  
 AI Number: 61889  
 Facility Name: MEISEL PHOTOCHROME  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: MELINDA JAYSON/

**333 HENLEY AND STURM INC EDR Hist Auto 1009359057**  
**1701 N LAMAR N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	HENLEY AND STURM INC	GASOLINE AND OIL SERVICE STATIONS
1936	BURNHAM S GARAGE	AUTOMOBILE REPAIRING

**334 PALACE TAILOR SHOP EDR Hist Cleaner 1009336764**  
**1617 ELM N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	PALACE TAILOR SHOP	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

**335 MAIN GARAGE INC EDR Hist Auto 1009360980**  
**2001 MAIN N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	EVER-READY SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1936	MAIN GARAGE INC	AUTOMOBILE GARAGES

**335 EVER-READY SERVICE STATION EDR Hist Auto 1009361054**  
**2003 MAIN N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	EVER-READY SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

335 **MAIN STREET CLEANERS** EDR Hist Cleaner 1009338031  
**2007 MAIN** N/A  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1941	MAIN STREET CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1956	MAIN STREET CLEANERS	CLEANERS AND DYERS

336 **WESTERN UNION TELEGRAPH** TX UST U001263699  
**2030 MAIN ST** N/A  
**DALLAS, TX 75201**

UST:

Al Number:	30215
Facility Type:	UNKNOWN
Facility Begin Date:	11/03/1986
Facility Status:	INACTIVE
Additional ID:	530858012002138
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75201
Contact Name/Title:	E ZUNIGA,OPER MGR
Contact Organization Name:	WESTERN UNION TELEGRAPH CO
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2149391949
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	06/24/1986
Signature Name/Title On Earliest Reg Form:	J B RICHARDS,DIST MGR
Application Received Date On Earliest Reg Form:	06/30/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN600977441
Owner Last Name:	NEW VALLEY CORP
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WESTERN UNION TELEGRAPH (Continued)**

**U001263699**

Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	578505132002087
Additional ID:	530858012002138
AI Number:	30215
Owner Effective Begin Date:	11/03/1986
State Tax ID:	11354820505
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1966
Tank Registration Date:	06/30/1986
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	79581
Facility ID:	64730
Ai Number:	30215
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	06/30/1984
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

WESTERN UNION TELEGRAPH (Continued)

U001263699

TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	72961
UST ID:	79581
AI Number:	30215
Compartment ID:	A
Substance Stored1:	CONCRETE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

**WESTERN UNION TELEGRAPH (Continued)**

**U001263699**

Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	NEW VALLEY CORP
Contact Mailing Address (Delivery):	14962 BEAR VALLEY RD STE 6192
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	VICTORVILLE, CA 92395 9224
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	64730
Additional ID:	530858012002138
Princ ID:	578505132002087
AI Number:	30215
Facility Name:	WESTERN UNION TELEGRAPH
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	R A CONFAIR/

---

<b>336</b>	<b>CENTRAL GARAGE</b>	<b>EDR Hist Auto</b>	<b>1009361271</b>
	<b>2016 MAIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1936	CENTRAL GARAGE	AUTOMOBILE GARAGES	

---

<b>336</b>	<b>CENTRAL GARAGE</b>	<b>EDR Hist Auto</b>	<b>1009361287</b>
	<b>2018 MAIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1930	CENTRAL GARAGE	AUTOMOBILE GARAGES	

---

<b>336</b>	<b>TEXAS SHOE SHOP</b>	<b>EDR Hist Cleaner</b>	<b>1009338179</b>
	<b>2024 MAIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:	
1930	TEXAS SHOE SHOP	CLOTHES PRESSERS, CLEANERS AND REPAIRERS	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

337 **CRYSTAL CLEANERS AND DYERS** EDR Hist Cleaner 1009334421  
 115 S HARWOOD N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1930	CRYSTAL CLEANERS AND DYERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1941	CRYSTAL CLEATTERS AND DYERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	CRYSTAL CLEANERS AND TAILORS	CLEANERS AND DYERS
1951	CRYSTAL CLEANERS	CLEANERS AND DYERS

337 **FORMER MUNICIPLE BUILDING** TX ASBESTOS S121062930  
 106 S. HARWOOD N/A  
 DALLAS, TX 75219

ASBESTOS:

Date of inspection:	07/20/2017
Reason for Inspection:	Fernando Avila
Violation:	Not reported
Complaint Date:	07/28/2017
Notification Number:	2017004916
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/30/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	06/30/2017
Certification Statement Phone:	817-477-9995
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	18
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER MUNICIPLE BUILDING (Continued)**

**S121062930**

High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	07/14/2017
Date of inspection:	07/20/2017
Reason for Inspection:	Fernando Avila
Violation:	Not reported
Complaint Date:	07/28/2017
Notification Number:	2017004916
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/13/2017
Certification Statement Phone:	817-477-9995
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	18
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	07/17/2017
Date of inspection:	07/20/2017
Reason for Inspection:	Fernando Avila
Violation:	Not reported
Complaint Date:	08/04/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER MUNICIPLE BUILDING (Continued)**

**S121062930**

Notification Number: 2017004916  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 07/14/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 2  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 07/14/2017  
 Certification Statement Phone: 817-477-9995  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 18  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 07/20/2017

337

**UNT FUTURE COLLEGE OF LAW  
 106 S. HARWOOD  
 DALLAS, TX 75219**

**TX ASBESTOS S121363252  
 N/A**

ASBESTOS:  
 Date of inspection: Not reported  
 Reason for Inspection: Fernando Avila  
 Violation: Not reported  
 Complaint Date: 12/20/2017  
 Notification Number: 2017009164  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

UNT FUTURE COLLEGE OF LAW (Continued)

S121363252

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/11/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/11/2017
Certification Statement Phone:	817-477-9995
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	12/20/2017
Date of inspection:	Not reported
Reason for Inspection:	Fernando Avila
Violation:	Not reported
Complaint Date:	12/20/2017
Notification Number:	2017009164
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/06/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNT FUTURE COLLEGE OF LAW (Continued)**

**S121363252**

Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 12/06/2017  
 Certification Statement Phone: 817-477-9995  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 12/20/2017

337

**FORMER MUNICIPLE BUILDING/NEW COLLEGE OF LAW  
 106 S. HARWOOD  
 DALLAS, TX 75219**

**TX ASBESTOS**

**S121062931  
 N/A**

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: Fernando Avila  
 Violation: Not reported  
 Complaint Date: 05/19/2017  
 Notification Number: 2017003222  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 04/28/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER MUNICIPLE BUILDING/NEW COLLEGE OF LAW (Continued)**

**S121062931**

Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	04/28/2017
Certification Statement Phone:	817-477-9995
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	37
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	05/15/2017
Date of inspection:	Not reported
Reason for Inspection:	Fernando Avila
Violation:	Not reported
Complaint Date:	10/15/2017
Notification Number:	2017007152
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/29/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER MUNICIPLE BUILDING/NEW COLLEGE OF LAW (Continued)**

**S121062931**

Work Type Flag:	A
Certification Statement Date:	09/29/2017
Certification Statement Phone:	817-477-9995
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/13/2017
Date of inspection:	Not reported
Reason for Inspection:	Fernando Avila
Violation:	Not reported
Complaint Date:	05/26/2017
Notification Number:	2017003222
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/11/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtned to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtned to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtned to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	05/11/2017
Certification Statement Phone:	817-477-9995
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	37
Is this a phased abatement project?:	N
Ordered:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER MUNICIPLE BUILDING/NEW COLLEGE OF LAW (Continued)**

**S121062931**

Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	05/22/2017
Date of inspection:	Not reported
Reason for Inspection:	Fernando Avila
Violation:	Not reported
Complaint Date:	06/02/2017
Notification Number:	2017003222
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/16/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	05/16/2017
Certification Statement Phone:	817-477-9995
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	37
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	05/29/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

337 **WHITE PLAZA HOTEL VALET SERVICE** EDR Hist Cleaner 1009337846  
 1931 MAIN N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1941	WHITE PLAZA HOTEL VALET SERVICE	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	WHITE PLAZA HOTEL VALET SERVICE	CLEANERS AND DYERS
1951	WHITE PLAZA HOTEL VALET SERVICE	CLEANERS AND DYERS

337 **WHITE PLAZA HOTEL VALET SERVICE** EDR Hist Cleaner 1009337857  
 1937 MAIN N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1951	WHITE PLAZA HOTEL VALET SERVICE	CLEANERS AND DYERS

337 **LOUDERMILK G W CO** EDR Hist Auto 1009360725  
 1937 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1921	LOUDERMILK G W CO	AUTOMOBILE AMBULANCE SERVICE

337 **LOUDERMILK G W CO** EDR Hist Auto 1009360712  
 1935 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year:	Name:	Type:
1921	LOUDERMILK G W CO	AUTOMOBILE AMBULANCE SERVICE

338 **PLACID** FINDS 1014839945  
**UNKNOWN** N/A  
**DALLAS, TX 00000**

FINDS:

Registry ID: 110041461673

Environmental Interest/Information System  
 AIR MINOR

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**339 STORAGE CHOICE  
 2409 & 2425 CANTON ST  
 DALLAS, TX 75226**

**TX AUL S118195448  
 TX VCP N/A**

AUL:

Facility ID:	2764	Facility Type:	STORAGE/WAREHOUSE
Phase:	Post Closure	VCP Received:	07/31/2015
Rules:	TRRP	Standards:	B
Pca No.:	34957	Certificate Issued:	01/18/2018
Type Lead:	PROPERTY OWNER	Project Manager:	Saldana
Lat/Long:	Not reported	Lat/Long (dms):	32.781794 / -96.788166
Acres:	0.9118	Media Affected:	SOIL, GROUNDWATER
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	Not reported
Region:	4	Type:	Not reported
Type Remedy:	Not reported		
Contaminant:	VOCS, HEAVY METALS, TPH		
Inst Controls:	Deed Record - MSD		
BGF Number:	Not reported		
Applicant:	STORAGE CHOICE - FARMERS MARKET LTD		
Applicant Name:	PAUL GLOVER		
Applicant Title:	MANAGER		
Applicant Address:	2727 ROUTH ST		
Applicant City,St,Zip:	DALLAS, TX 75201-1977		
Applicant Phone:	214-651-3023		
Applicant Fax:	Not reported		
Consultant/Attorney:	ENVIROPHASE INC		
Consultant/Attorney Name:	KEVIN W ALMAGUER		
Consultant/Attorney Title:	GEOLOGIST		
Consultant/Attorney Address:	703 MCKINNEY AVE STE 332		
Consultant/Attorney City,St,Zip:	DALLAS, TX 75202		
Consultant/Attorney Phone:	214-392-7179		
Consultant/Attorney Fax:	214-853-5799		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		
Inst Control Req?:	Not reported		
Eng Control Req?:	Not reported		
Notes:	Not reported		
Filing Type:	Not reported		
Filing Date:	Not reported		
Filings Sup Tract:	Not reported		
Lien Amt:	Not reported		
Property Description:	Not reported		

VCP TCEQ:

Region:	4
Facility ID:	2764
Facility Type:	STORAGE/WAREHOUSE
VCP Received:	07/31/2015
PCA Number:	34957
Project Number:	Saldana
Type Lead:	PROPERTY OWNER
Phase:	Post Closure
Lat/Long:	Not reported
Lat/Long (DD):	32.781794 / -96.788166

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**STORAGE CHOICE (Continued)**

**S118195448**

Acres at Site: 0.9118  
 Contaminant Categories: VOCS, HEAVY METALS, TPH  
 Media Affected: SOIL, GROUNDWATER  
 Applicant: STORAGE CHOICE - FARMERS MARKET LTD  
 Applicant Contact Title: MANAGER  
 Applicant Address: 2727 ROUTH ST  
 Applicant City,St,Zip: DALLAS, TX 75201-1977  
 Applicant Phone: 214-651-3023  
 Applicant Fax: Not reported  
 Consultant/Attorney: ENVIROPHASE INC  
 Consultant/Attorney Name: KEVIN W ALMAGUER  
 Consultant/Attorney Contact Title: GEOLOGIST  
 Consultant/Attorney Address: 703 MCKINNEY AVE STE 332  
 Consultant/Attorney City,St,Zip: DALLAS, TX 75202  
 Consultant/Attorney Phone: 214-392-7179  
 Consultant/Attorney Fax: 214-853-5799  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: B  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Deed Record - MSD  
 Certificate of Completion: 01/18/2018  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 07/31/2015  
 App Accepted?: Y  
 Date Accepted: 08/20/2015  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 349570  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Not reported  
 Billing c/o Name: Not reported  
 Billing Address1: Not reported  
 Billing Address2: Not reported  
 Billing City: Not reported  
 Billing State: Not reported  
 Billing Zip: Not reported  
 Billing Phone: Not reported  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: P/E  
 File Location: D293/CR



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS AREA RAPID TRANSIT (Continued)**

**1000392194**

EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: DALLAS AREA RAPID TRANSIT  
 Owner/operator address: PO BOX 660163  
 DALLAS, TX 75266  
 Owner/operator country: US  
 Owner/operator telephone: 214-749-2976  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/03/2000  
 Owner/Op end date: Not reported

Owner/operator name: DALLAS AREA RAPID TRANSIT  
 Owner/operator address: PO BOX 660163  
 DALLAS, TX 75266  
 Owner/operator country: US  
 Owner/operator telephone: 214-749-2976  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/03/2000  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS AREA RAPID TRANSIT (Continued)

1000392194

- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
  
- . Waste code: D003
- . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: U151
- . Waste name: MERCURY

Historical Generators:

Date form received by agency: 08/28/1989  
 Site name: DART HAZARDOUS MATERIALS LAB  
 Classification: Small Quantity Generator

- . Waste code: D001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS AREA RAPID TRANSIT (Continued)**

**1000392194**

. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D005  
 . Waste name: BARIUM

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U151  
 . Waste name: MERCURY

Violation Status: No violations found

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS AREA RAPID TRANSIT (Continued)**

**1000392194**

**FINDS:**

Registry ID: 110005113670

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000392194  
 Registry ID: 110005113670  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005113670>

342

**DALLAS AREA RAPID TRANSIT MARKET ST  
 1701 N MARKET ST STE 326  
 DALLAS, TX 75202**

**TX Ind. Haz Waste**

**S104273901  
 N/A**

**Ind. Haz Waste:**

Registration Number: 73704  
 Registration Initial Notification Date: 08/04/1989  
 Registration Last Amendment Date: 01/03/2000  
 EPA Identification: TXD987981545  
 Primary NAICS Code: 485999  
 Status Change Date: 19890804  
 Land Type: Not reported  
 Description of Facility Site Location: 1701 N Market, LB2 STE 326, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, SQG  
 TNRCC Region: Not reported  
 Company Name: DALLAS AREA RAPID TRANSIT  
 Contact Name: THURMAN SCHWEITZER  
 Contact Telephone Number: 214-7492976  
 Mailing Address: PO BOX 660163  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: DALLAS, TX 752660163  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 28115  
 Site Owner Tax ID: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS AREA RAPID TRANSIT MARKET ST (Continued)**

**S104273901**

Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20020418  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

**Owner:**

Owner Mailing Address: PO BOX 660163  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75266 0163  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-7492976  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Local Government  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

**Operator:**

Operator Last Name: DALLAS AREA RAPID TRANSIT  
 Operator First Name: Not reported  
 Operator Name: DALLAS AREA RAPID TRANSIT  
 Operator Mailing Address: PO BOX 660163  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75266 0163  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-7492976  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Local Government  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

**Contact:**

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: PO BOX 660163  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75266 0163  
 Contact Phone: 1-214-7492976  
 Contact Fax: Not reported  
 Contact Email: Not reported

**Contact:**

Contact Name: THURMAN SCHWEITZER  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: PO BOX 660163  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75266 0163  
 Contact Phone: 1-214-7492976  
 Contact Fax: Not reported  
 Contact Email: Not reported

**Contact:**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS AREA RAPID TRANSIT MARKET ST (Continued)**

**S104273901**

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: PO BOX 660163  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75266 0163  
 Contact Phone: 1-214-7492976  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 120532  
 Waste Description: Waste liquid mercury.  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0013117H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 485999  
 EPA Waste Form Code: W117  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 120517  
 Waste Description: Spent caustic.  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 00151091  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS AREA RAPID TRANSIT MARKET ST (Continued)**

**S104273901**

Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	UNKNOWN
EPA Haz Waste:	Not reported

Waste:

Waste ID:	120516
Waste Description:	Nonhazardous photographic chem. waste (inorganic)
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	00141981
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	1
Waste is Radioactive:	No
Waste Treated Off Site:	1
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	UNKNOWN
EPA Haz Waste:	Not reported

343

**TOWNCREEK EXXON GP INC**  
**1601 ELM ST STE 3300**  
**DALLAS, TX 75201**

**EDR Hist Auto 1020710063**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
2001	TOWNCREEK EXXON GP INC	Gasoline Service Stations
2002	TOWNCREEK EXXON GP INC	Gasoline Service Stations
2003	TOWNCREEK EXXON GP INC	Gasoline Service Stations
2004	TOWNCREEK EXXON GP INC	Gasoline Service Stations
2010	GULFTEX OIL & GAS LLC	Gasoline Service Stations, NEC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**344**      **TENISON ELMO C**      **EDR Hist Auto**      **1009362115**  
**2113 COMMERCE**      **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1925 TENISON ELMO C AUTOMOBILE GARAGES

**345**      **GALBRAITH AND LOVE**      **EDR Hist Auto**      **1009362792**  
**2206 COMMERCE**      **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1925 GALBRAITH AND LOVE AUTOMOBILE GARAGES

**346**      **GRIGSBY R L**      **EDR Hist Cleaner**      **1009336723**  
**1612 ELM**      **N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1925 GRIGSBY R L CLOTHES CLEANERS AND DYERS

**346**      **RETAIL STORE**      **TX ASBESTOS**      **S119155450**  
**1610 ELM ST.**      **N/A**  
**DALLAS, TX 75204**

ASBESTOS:

Date of inspection: 09/22/2014  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: 2014006103  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 01  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: 11/14/2014  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: 12/15/2014  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: 12/11/2014  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RETAIL STORE (Continued)**

**S119155450**

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

347

**ST FRANCIS CLEANERS  
 1909 MAIN  
 DALLAS, TX**

**EDR Hist Cleaner**

**1009337715  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	ST FRANCIS CLEANERS	CLOTHES CLEANERS AND DYERS

348

**KNOWLES GEO W SERVICE  
 1209 N PACIFIC AVE  
 DALLAS, TX**

**EDR Hist Auto**

**1009354672  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1941	KNOWLES GEO W SERVICE	GASOLINE AND OIL SERVICE STATIONS
1946	KNOWLES GEO W SERVICE	GASOLINE AND OIL SERVICE STATIONS

349

**LANDRY'S SEAFOOD HOUSE  
 306 N. MARKET ST.  
 DALLAS, TX 75202**

**FINDS  
 ECHO**

**1005529758  
 N/A**

FINDS:

Registry ID: 110006801522

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**LANDRY'S SEAFOOD HOUSE (Continued)**

**1005529758**

States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1005529758
Registry ID:	110006801522
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110006801522

349

**KITTNER MYLES  
310 N MARKET  
DALLAS, TX 75202**

**EDR Hist Auto**

**1021056373  
N/A**

EDR Hist Auto

Year:	Name:	Type:
1974	KITTNER NYLES	Automotive Repair Shops, NEC
1975	KITTNER MYLES	Gasoline Service Stations
1976	KITTNER MYLES	Gasoline Service Stations
1977	KITTNER MYLES	Gasoline Service Stations
1978	KITTNER MYLES	Gasoline Service Stations
1979	KITTNER MYLES	Gasoline Service Stations
1989	KITTNER MYLES	Gasoline Service Stations
1990	KITTNER MYLES	Gasoline Service Stations
1991	KITTNER MYLES	Gasoline Service Stations
1992	KITTNER MYLES	Gasoline Service Stations

349

**TUGGLE G W TEXACO SERVICE STATION  
318 N MARKET  
DALLAS, TX**

**EDR Hist Auto**

**1009368251  
N/A**

EDR Hist Auto

Year:	Name:	Type:
1941	INTERSTATE GARAGE	AUTOMOBILE REPAIRING
1951	TUGGLE G W TEXACO SERVICE STATI	GASOLINE STATIONS

350

**ELM BUILDING  
1505 ELM STREET  
DALLAS, TX**

**TX VCP  
TX GCC**

**S106023240  
N/A**

VCP TCEQ:

Region:	4
Facility ID:	0786
Facility Type:	Office Building/Parking Garage
VCP Received:	06/05/1998
PCA Number:	31696
Project Number:	Bell
Type Lead:	Owner

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM BUILDING (Continued)**

**S106023240**

Phase: Terminated  
 Lat/Long: 32-42-54 / 96-47-59  
 Lat/Long (DD): Not reported  
 Acres at Site: 0.46  
 Contaminant Categories: Solvents  
 Media Affected: Soils/Groundwater  
 Applicant: Dallas-Minnesota Investment, L.L.C.  
 Applicant Contact Title: Assistant Chief Manager  
 Applicant Address: 3433 Broadway Street, NE, Suite 225  
 Applicant City,St,Zip: Minneapolis, MN 55413  
 Applicant Phone: 612-378-1007  
 Applicant Fax: 612-378-0392  
 Consultant/Attorney: HBC Engineering, Inc.  
 Consultant/Attorney Name: Jack Spriggs  
 Consultant/Attorney Contact Title: Senior Project Manager  
 Consultant/Attorney Address: 8901 John Carpenter Freeway, Suite 100  
 Consultant/Attorney City,St,Zip: Dallas, TX 75247  
 Consultant/Attorney Phone: 214-630-1010  
 Consultant/Attorney Fax: 214-630-7070  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 10/14/1998  
 Standards: 3  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: Not reported  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: RRR  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 06/05/1998  
 App Accepted?: Y  
 Date Accepted: Not reported  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 316960  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Dallas-Minnesota Investment  
 Billing c/o Name: Barry L. Blomquist  
 Billing Address1: 3433 Broadway Street , NE  
 Billing Address2: Suite 225 Broadway Place  
 Billing City: Minneapolis  
 Billing State: MN  
 Billing Zip: 55413  
 Billing Phone: 612-378-1007  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: E  
 File Location: CR

**GCC:**

Division: RMD  
 New Cases: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM BUILDING (Continued)**

**S106023240**

File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012
Agency:	TCEQ
Section:	VC
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM BUILDING (Continued)**

**S106023240**

Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1999

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM BUILDING (Continued)**

**S106023240**

Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2015
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	Not reported
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2014
Agency:	TCEQ
Section:	VC/IOP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	786
Contamination Description:	SOLVENTS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	786

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM BUILDING (Continued)**

**S106023240**

Contamination Description:	SOLVENTS	
Date Of Earliest Known Contamination Confirmation:		Not reported
Enforcement Status - Level Of Agency Response:		0
Enforcement Status - Site Activity Status:		6C
Data Quality 1:		Not reported
Section 5236:		Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009	
Agency:		TCEQ
Section:		VC/VCP
Year Deleted:		1999
Location:		Not reported
Data Quality 2:		Not reported
Division:		RMD
New Cases:		Not reported
File Number:		786
Contamination Description:	SOLVENTS	
Date Of Earliest Known Contamination Confirmation:		Not reported
Enforcement Status - Level Of Agency Response:		0
Enforcement Status - Site Activity Status:		6C
Data Quality 1:		Not reported
Section 5236:		Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008	
Agency:		TCEQ
Section:		VC/VCP
Year Deleted:		1998
Location:		Not reported
Data Quality 2:		Not reported
Division:		RMD
New Cases:		Not reported
File Number:		786
Contamination Description:	SOLVENTS	
Date Of Earliest Known Contamination Confirmation:		Not reported
Enforcement Status - Level Of Agency Response:		0
Enforcement Status - Site Activity Status:		6C
Data Quality 1:		Not reported
Section 5236:		Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008	
Agency:		TCEQ
Section:		VC/VCP
Year Deleted:		1999
Location:		Not reported
Data Quality 2:		Not reported
Division:		REM
New Cases:		Not reported
File Number:		786
Contamination Description:	SOLVENTS	
Date Of Earliest Known Contamination Confirmation:		Not reported
Enforcement Status - Level Of Agency Response:		0
Enforcement Status - Site Activity Status:		6C
Data Quality 1:		Not reported
Section 5236:		Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM BUILDING (Continued)**

**S106023240**

Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013	
Agency:	TCEQ	
Section:	VC/VCP	
Year Deleted:	1998	
Location:	Not reported	
Data Quality 2:	Not reported	
Division:	REM	
New Cases:	Not reported	
File Number:	786	
Contamination Description:	SOLVENTS	
Date Of Earliest Known Contamination Confirmation:	Not reported	
Enforcement Status - Level Of Agency Response:	0	
Enforcement Status - Site Activity Status:	6C	
Data Quality 1:	Not reported	
Section 5236:	Not reported	
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013	
Agency:	TCEQ	
Section:	VC/VCP	
Year Deleted:	1999	
Location:	Not reported	
Data Quality 2:	Not reported	

350

**ELM BUILDING  
 1505 ELM ST  
 DALLAS, TX 75201**

**FINDS 1011321982  
 N/A**

**FINDS:**

Registry ID: 110034267905

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

351

**300 S SAINT PAUL  
 DALLAS, TX 75201**

**ERNS 94215391  
 N/A**

Click this hyperlink while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

351 **ZIP CLEANERS** EDR Hist Cleaner 1009333614  
**104 S SAINT PAUL ST** N/A  
**DALLAS, TX**  
 EDR Hist Cleaner  
 Year: Name: Type:  
 1977 ZIP CLEANERS CLEANERS AND DYERS  
 1981 ZIP CLEANERS CLEANERS AND DYERS  
 1986 ZIP CLEANERS CLEANERS AND DYERS

351 **JOSKES DEPARTMENT STORE** RCRA NonGen / NLR 1000269736  
**1901 MAIN ST** FINDS TXD007928393  
**DALLAS, TX 75201** ECHO  
 RCRA NonGen / NLR:  
 Date form received by agency: 08/23/2001  
 Facility name: JOSKES DEPARTMENT STORE  
 Facility address: 1901 MAIN ST  
 DALLAS, TX 75201  
 EPA ID: TXD007928393  
 Mailing address: MAIN ST  
 DALLAS, TX 75201  
 Contact: JOHN P JONES  
 Contact address: MAIN ST  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: 214-749-7500  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste  
 Owner/Operator Summary:  
 Owner/operator name: JOSKES DEPARTMENT STORE  
 Owner/operator address: MAIN ST  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-749-7500  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported  
 Owner/operator name: JOSKES DEPARTMENT STORE  
 Owner/operator address: MAIN ST  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-749-7500  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JOSKES DEPARTMENT STORE (Continued)**

**1000269736**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 07/28/1986  
 Site name: JOSKES DEPARTMENT STORE  
 Classification: Large Quantity Generator

. Waste code: D000  
 . Waste name: Not Defined

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D011  
 . Waste name: SILVER

Violation Status: No violations found

**FINDS:**

Registry ID: 110005035434

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**JOSKES DEPARTMENT STORE (Continued)**

**1000269736**

Envid: 1000269736  
 Registry ID: 110005035434  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005035434>

351

**JOSKES DOWNTOWN DALLAS  
 1901 MAIN ST  
 DALLAS, TX 75201**

**TX UST U001260457  
 N/A**

UST:

AI Number: 26528  
 Facility Type: UNKNOWN  
 Facility Begin Date: 10/14/1986  
 Facility Status: INACTIVE  
 Additional ID: 53757422002149  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: J BROWN,OPS MGR  
 Contact Organization Name: JOSKES DOWNTOWN DALLAS  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2147491029  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 05/02/1986  
 Signature Name/Title On Earliest Reg Form: J P JONES,VP  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN601240427  
 Owner Last Name: ALSTORES REALTY  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 61757412002149

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JOSKES DOWNTOWN DALLAS (Continued)**

**U001260457**

Additional ID:	53757422002149
AI Number:	26528
Owner Effective Begin Date:	10/14/1986
State Tax ID:	11318590392
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1936
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	69083
Facility ID:	62369
AI Number:	26528
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	01/01/1986
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	Y
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JOSKES DOWNTOWN DALLAS (Continued)**

**U001260457**

PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	02/03/1992
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	69870
UST ID:	69083
AI Number:	26528
Compartment ID:	A
Substance Stored1:	DISTILLATE FUEL OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JOSKES DOWNTOWN DALLAS (Continued)**

**U001260457**

Facility Billing Contacts:

Contact Organization Name:	ALSTORES REALTY
Contact Mailing Address (Delivery):	1901 MAIN ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 5222
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	62369
Additional ID:	53757422002149
Princ ID:	61757412002149
AI Number:	26528
Facility Name:	JOSKES DOWNTOWN DALLAS
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

351

**JOSKES DEPARTMENT STORE  
 1901 MAIN ST  
 DALLAS, TX 75201**

**TX Ind. Haz Waste S102751292  
 N/A**

Ind. Haz Waste:

Registration Number:	68379
Registration Initial Notification Date:	03/31/1986
Registration Last Amendment Date:	08/23/2001
EPA Identification:	TXD007928393
Primary NAICS Code:	Not reported
Status Change Date:	19860331
Land Type:	PRIVATE
Description of Facility Site Location:	1901 Main St, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	NON INDUS, CESQG
TNRCC Region:	Not reported
Company Name:	JOSKES DEPARTMENT STORE
Contact Name:	JOHN P JONES
Contact Telephone Number:	214-7497500
Mailing Address:	1901 MAIN ST
Mailing Address2:	Not reported
Mailing City, St, Zip:	DALLAS, TX 752015222
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	23327
Site Owner Tax ID:	0
Site Location Latitude:	-00.000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JOSKES DEPARTMENT STORE (Continued)**

**S102751292**

Site Location Longitude: -000.000  
 Last Update to NOR Data: 20031008  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 1901 MAINST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 5222  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-7497500  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: JOSKES DEPARTMENT STORE  
 Operator First Name: Not reported  
 Operator Name: JOSKES DEPARTMENT STORE  
 Operator Mailing Address: 1901 MAINST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 5222  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-7497500  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Unknown  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: JOHN JONES  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 1901 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 5222  
 Contact Phone: 1-214-7497500  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1901 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 5222  
 Contact Phone: 1-214-7497500  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JOSKES DEPARTMENT STORE (Continued)**

**S102751292**

Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1901 MAINST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 5222  
 Contact Phone: 1-214-7497500  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

352

**TEATRO DALLAS  
 2204 COMMERCE ST  
 DALLAS, TX 75201**

**TX UST U003289152  
 N/A**

UST:

AI Number: 70317  
 Facility Type: RETAIL  
 Facility Begin Date: 08/31/1987  
 Facility Status: INACTIVE  
 Additional ID: 337659292002256  
 Facility Exempt Status: Y  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75226  
 Contact Name/Title: CURTIS CROW,  
 Contact Organization Name: TEATRO DALLAS  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 9727445738  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 01/12/1998  
 Signature Name/Title On Earliest Reg Form: JAMES NORTHRUP,VP  
 Application Received Date On Earliest Reg Form: 01/14/1998  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TEATRO DALLAS (Continued)**

**U003289152**

Owner:

Owner CN: CN601452782  
 Owner Last Name: DALLAS INTERNATIONAL LTD  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 346659292002256  
 Additional ID: 337659292002256  
 AI Number: 70317  
 Owner Effective Begin Date: 08/31/1987  
 State Tax ID: Not reported  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

Tank:

Install Date: 08/31/1987  
 Tank Registration Date: 01/14/1998  
 Number of Compartments: 1  
 Tank Capacity: Not reported  
 Tank Singlewall: Y  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 185481  
 Facility ID: 106844  
 Ai Number: 70317  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 12/31/1997  
 Empty: N  
 Tank Regulatory Status: EXEMPT REM WITHIN 60 DAYS  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): Y  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TEATRO DALLAS (Continued)**

**U003289152**

Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	0
UST Comprt ID:	166306
UST ID:	185481
AI Number:	70317
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TEATRO DALLAS (Continued)**

**U003289152**

PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	26827
Cert ID:	144300
UST Comprt ID:	405669
UST ID:	143635
AI Number:	70317
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26827
Cert ID:	144301
UST Comprt ID:	405667
UST ID:	143635
AI Number:	70317
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26827
Cert ID:	144302
UST Comprt ID:	405666
UST ID:	143635
AI Number:	70317
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26827
Cert ID:	144299
UST Comprt ID:	405668
UST ID:	143635
AI Number:	70317
Tank ID:	1
Compartment ID:	A
Install Date:	08/31/1987
Tank Registration Date:	01/14/1998
Number of Compartments:	1
Tank Capacity:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

TEATRO DALLAS (Continued)

U003289152

Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	185482
Facility ID:	106844
Ai Number:	70317
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/31/1997
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TEATRO DALLAS (Continued)**

**U003289152**

Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	0
UST Comprt ID:	166307
UST ID:	185482
AI Number:	70317
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	26827
Cert ID:	144300
UST Comprt ID:	405669
UST ID:	143635
AI Number:	70317
Tank ID:	1
Compartment ID:	A
Self Cert ID:	26827
Cert ID:	144301
UST Comprt ID:	405667

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TEATRO DALLAS (Continued)**

**U003289152**

UST ID: 143635  
 AI Number: 70317  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 26827  
 Cert ID: 144302  
 UST Comprt ID: 405666  
 UST ID: 143635  
 AI Number: 70317  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 26827  
 Cert ID: 144299  
 UST Comprt ID: 405668  
 UST ID: 143635  
 AI Number: 70317  
 Tank ID: 1  
 Compartment ID: A

**Facility Billing Contacts:**

Contact Organization Name: DALLAS INTERNATIONAL LTD  
 Contact Mailing Address (Delivery): 2811 MCKINNEY AVE  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75204 8600  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 106844  
 Additional ID: 337659292002256  
 Princ ID: 346659292002256  
 AI Number: 70317  
 Facility Name: TEATRO DALLAS  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: CURTIS CROW/

353

**DALLAS MOTOR SERVICE  
 2025 COMMERCE  
 DALLAS, TX**

**EDR Hist Auto 1009361387  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	DALLAS MOTOR SERVICE	AUTOMOBILE GARAGES
1930	DALLAS MOTOR SERVICE	AUTOMOBILE REPAIRERS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>353</b>	<b>DALLAS MOTOR SERVICE</b> <b>2027 COMMERCE</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009361398</b> <b>N/A</b>
------------	--	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:	
1930	DALLAS MOTOR SERVICE	AUTOMOBILE GARAGES	
1930	DALLAS MOTOR SERVICE	AUTOMOBILE REPAIRERS	

<b>354</b>	<b>DALLAS TIMES HERALD</b> <b>1101 PACIFIC AVE</b> <b>DALLAS, TX 75202</b>	<b>RCRA NonGen / NLR</b>	<b>1000277674</b> <b>FINDS</b> <b>TXD052128121</b> <b>ECHO</b>
------------	--	--------------------------	---

RCRA NonGen / NLR:

Date form received by agency: 09/22/1992

Facility name: DALLAS TIMES HERALD

Facility address: 1101 PACIFIC  
DALLAS, TX 75202-0000

EPA ID: TXD052128121

Contact: GENE JANSKI

Contact address: Not reported

Contact country: Not reported

Contact telephone: 214-744-6111

Contact email: Not reported

EPA Region: 06

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: DALLAS TIMES HERALD

Owner/operator address: PACIFIC AVE  
DALLAS, TX 75202

Owner/operator country: US

Owner/operator telephone: 214-744-6111

Owner/operator email: Not reported

Owner/operator fax: Not reported

Owner/operator extension: Not reported

Legal status: Not reported

Owner/Operator Type: Owner

Owner/Op start date: 03/30/1990

Owner/Op end date: Not reported

Owner/operator name: DALLAS TIMES HERALD

Owner/operator address: PACIFIC AVE  
DALLAS, TX 75202

Owner/operator country: US

Owner/operator telephone: 214-744-6111

Owner/operator email: Not reported

Owner/operator fax: Not reported

Owner/operator extension: Not reported

Legal status: Not reported

Owner/Operator Type: Operator

Owner/Op start date: 03/30/1990

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS TIMES HERALD (Continued)**

**1000277674**

Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 03/30/1990

Site name: DALLAS TIMES HERALD  
 Classification: Not a generator, verified

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Date form received by agency: 03/01/1990

Site name: DALLAS TIMES HERALD  
 Classification: Large Quantity Generator

Date form received by agency: 07/28/1986

Site name: DALLAS TIMES HERALD  
 Classification: Not a generator, verified

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: F007  
 . Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS TIMES HERALD (Continued)**

**1000277674**

. Waste code: K086  
 . Waste name: SOLVENT WASHES AND SLUDGES, CAUSTIC WASHES AND SLUDGES, OR WATER WASHES AND SLUDGES FROM CLEANING TUBS AND EQUIPMENT USED IN THE FORMULATION OF INK FROM PIGMENTS, DRIERS, SOAPS, AND STABILIZERS CONTAINING CHROMIUM AND LEAD.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005051781

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000277674  
 Registry ID: 110005051781  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005051781>

355

**COBB S PENNY LAUNDRY**  
**1800 MAIN**  
**DALLAS, TX**

**EDR Hist Cleaner**

**1009337288**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1930	COBB S PENNY LAUNDRY	LAUNDRIES
1936	COBB S PENNY LAUNDRY	LAUNDRIES

355

**MERCANTILE BUILDING**  
**1800 MAIN ST**  
**DALLAS, TX 75201**

**TX ASBESTOS**

**S121063439**  
**N/A**

**ASBESTOS:**

Date of inspection:	Not reported
Reason for Inspection:	LINDA PATRINO
Violation:	Not reported
Complaint Date:	08/08/2017
Notification Number:	2017005555
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MERCANTILE BUILDING (Continued)**

**S121063439**

Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/26/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	07/24/2017
Certification Statement Phone:	214-227-5640
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	9
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	08/07/2017
Date of inspection:	Not reported
Reason for Inspection:	LINDA PATRINO
Violation:	Not reported
Complaint Date:	08/09/2017
Notification Number:	2017005555
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/09/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MERCANTILE BUILDING (Continued)**

**S121063439**

Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 08/07/2017  
 Certification Statement Phone: 214-227-5640  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 9  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 08/08/2017

355

**11819 GOVERNOR RD., DALLAS, TX  
 11819 GOVERNOR RD., DALLAS, TX  
 DALLAS, TX**

**TX SPILLS S107014667  
 N/A**

**SPILLS:**

Spill Address: 11819 GOVERNOR RD., DALLAS, TX  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 07/20/1995  
 Seq Num: Not reported  
 Responsible Party Name: GILLIS THOMAS  
 Responsible Party Address: 1717 MAIN ST., SUITE 4100  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2147614358  
 Substance: LEAD & CHROMIUM CONTAMINATED SOIL  
 Material Code: Not reported  
 Media Affected: Not reported  
 Permit Number: Not reported  
 District: 04  
 Origin: 001  
 Cause: 007  
 Basin Code: 0805  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 005  
 Basin Name: TRINITY  
 Water Affected: Not reported  
 Amnt Spilled: UNK  
 Amnt in Water: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**11819 GOVERNOR RD., DALLAS, TX (Continued)**

**S107014667**

Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: SAMUEL BARRETT  
 Time Reported: 09:55  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

**355 COTTON BELT COMPRESSOR STATION  
 2400 COPPELL RD  
 DFW AIRPORT, TX 75261**

**FINDS 1014909474  
 ECHO N/A**

**FINDS:**

Registry ID: 110043796595  
 Environmental Interest/Information System  
 GREENHOUSE GAS REPORTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1014909474  
 Registry ID: 110043796595  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110043796595>

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>355</b>	<b>BIG B SHINE PARLOR</b> <b>1703 MAIN</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009337003</b> <b>N/A</b>
------------	--	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1925	BIG B SHINE PARLOR	CLOTHES CLEANERS AND DYERS	

<b>355</b>	<b>FL RICH GAS SERVICES</b> <b>1717 MAIN STREET SUITE 5200</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1023667874</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID: 110070082328

Environmental Interest/Information System  
GREENHOUSE GAS REPORTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1023667874
Registry ID:	110070082328
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110070082328">http://echo.epa.gov/detailed-facility-report?fid=110070082328</a>

<b>355</b>	<b>BANK ONE CENTER</b> <b>1717 MAIN ST</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1010718803</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID: 110033528966

Environmental Interest/Information System  
Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**355 COMERICA BANK TOWER  
 1717 MAIN ST.  
 DALLAS, TX 75201**

**TX ASBESTOS S121062554  
 N/A**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Chris Welch
Violation:	Not reported
Complaint Date:	03/24/2017
Notification Number:	2017002046
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtned to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtned to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtned to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/13/2017
Certification Statement Phone:	214-744-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/24/2017
Date of inspection:	Not reported
Reason for Inspection:	Chris Welch
Violation:	Not reported
Complaint Date:	03/24/2017
Notification Number:	2017002046
ASB Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMERICA BANK TOWER (Continued)**

**S121062554**

PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/10/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	03/10/2017
Certification Statement Phone:	214-744-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/24/2017
Date of inspection:	Not reported
Reason for Inspection:	Joy Pope
Violation:	Not reported
Complaint Date:	11/08/2017
Notification Number:	2017007985
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMERICA BANK TOWER (Continued)**

**S121062554**

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/08/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	11/08/2017
Certification Statement Phone:	214-774-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	11/08/2017
Date of inspection:	Not reported
Reason for Inspection:	Joy Pope
Violation:	Not reported
Complaint Date:	11/09/2017
Notification Number:	2017007985
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/25/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMERICA BANK TOWER (Continued)**

**S121062554**

Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/25/2017
Certification Statement Phone:	214-774-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	11/08/2017
Date of inspection:	Not reported
Reason for Inspection:	Chris Welch
Violation:	Not reported
Complaint Date:	07/14/2017
Notification Number:	2017004827
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/27/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMERICA BANK TOWER (Continued)**

**S121062554**

Certification Statement Date:	06/27/2017
Certification Statement Phone:	214-774-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	Assumed Asbestos
Start Date:	07/14/2017
Date of inspection:	Not reported
Reason for Inspection:	Joy Pope
Violation:	Not reported
Complaint Date:	12/13/2017
Notification Number:	2017008803
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/29/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date RtnD to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date RtnD to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date RtnD to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/29/2017
Certification Statement Phone:	214-774-9599
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMERICA BANK TOWER (Continued)**

**S121062554**

Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 12/13/2017

355

**BANK ONE CENTER  
 1717 MAIN ST  
 DALLAS, TX 75201**

**TX AST A100117790  
 N/A**

AST:

Facility ID: 78177  
 Additional ID: 919052182002150  
 AI Number: 61669  
 Facility Type: Not reported  
 Facility Begin Date: 11/18/1991  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 1  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75201  
 Contact Name/Title: GARU LINDENBERGER/GROUP MANAGER  
 Contact Organization Name: BANK ONE CENTER  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact CityStateZip: Not reported  
 Contact Telephone: 2147611717  
 Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date on Earliest Reg Form: 11/11/1991  
 Signature First Name on Earliest Reg Form: GARY  
 Application Received Date on Earliest Reg Form: 11/15/1991  
 Signature Middle Name on Earliest Reg Form: Not reported  
 Signature Last Name on Earliest Reg Form: LINDEUBERGER  
 Signature Title on Earliest Reg Form: GROUP MANAGER  
 Signature Role on Earliest Reg Form: Not reported  
 Signature Company on Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: N  
 Facility Not Inspectable Reason A: Not reported  
 Facility Not Inspectable Reason B: Not reported  
 Enforcement Action Date: Not reported

Facility:

Facility ID: 78177  
 Tank ID: 1  
 AST ID: 165491  
 AI Number: 61669  
 Install Date: 01/01/1986  
 Tank Registration Date: 11/15/1991  
 Mult Comp: N  
 Tank Status: IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BANK ONE CENTER (Continued)**

**A100117790**

Tank Status Date:	01/01/1986
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	1500
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

**356 TD LACY L R SERVICE STATION  
 2118 COMMERCE  
 DALLAS, TX**

**EDR Hist Auto 1009362184  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	MAGNOLIA PETROLEUM CO NO 110	AUTOMOBILE OILS AND GASOLINE
1930	MAGNOLIA PETROLEUM CO AUTOMOBIL	AUTOMOBILE OILS AND GASOLINE
1930	MAGNOLIA PETROLEUM CO AUTOMOBIL	GASOLINE AND OIL SERVICE STATIONS
1941	WALKER J L SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1946	VERMILLIAN BROS SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1951	VERMILLION JOE D FILLING STATIO	GASOLINE STATIONS
1956	TD LACY L R SERVICE STATION	GASOLINE STATIONS

**357 DALLAS GAS AND FUEL COMPANY  
 NW CORNER OF ROSS AND RECORD STREET  
 DALLAS, TX**

**TX GCC S110148636  
 N/A**

GCC:

Division:	REM
New Cases:	Not reported
File Number:	165
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2012
Agency:	TCEQ
Section:	VC
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GAS AND FUEL COMPANY (Continued)**

**S110148636**

Division:	RMD
New Cases:	Not reported
File Number:	165
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	165
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2011
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	165
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2009
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	165
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GAS AND FUEL COMPANY (Continued)**

**S110148636**

Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2007
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD
New Cases:	Not reported
File Number:	165
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2008
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM
New Cases:	Not reported
File Number:	165
Contamination Description:	VOCS
Date Of Earliest Known Contamination Confirmation:	Not reported
Enforcement Status - Level Of Agency Response:	0
Enforcement Status - Site Activity Status:	6C
Data Quality 1:	Not reported
Section 5236:	Not reported
Type:	HISTORIC GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY ALL AGENCIES, 1994-2013
Agency:	TCEQ
Section:	VC/VCP
Year Deleted:	1998
Location:	Not reported
Data Quality 2:	Not reported

357

**DALLAS GAS AND FUEL COMPANY  
 595 ROSS AVENUE  
 DALLAS, TX 75202**

**TX VCP S107632291  
 TX BROWNFIELDS N/A  
 TX GCC**

VCP TCEQ:  
 Region: 4  
 Facility ID: 1914  
 Facility Type: Coal Gasification Plant  
 VCP Received: 03/28/2006  
 PCA Number: 78250  
 Project Number: Bell  
 Type Lead: Purchaser  
 Phase: Terminated

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS GAS AND FUEL COMPANY (Continued)**

**S107632291**

Lat/Long: Not reported  
 Lat/Long (DD): 32.46490 / -96.48310  
 Acres at Site: 5.5  
 Contaminant Categories: SVOCs  
 Media Affected: Soils/Groundwater  
 Applicant: Brownfields Stewardship Fund  
 Applicant Contact Title: Executive Director  
 Applicant Address: 9111A Research Boulevard  
 Applicant City,St,Zip: Austin, TX 78758  
 Applicant Phone: 512-425-2090  
 Applicant Fax: 512-425-2099  
 Consultant/Attorney: Not reported  
 Consultant/Attorney Name: Not reported  
 Consultant/Attorney Contact Title: Not reported  
 Consultant/Attorney Address: Not reported  
 Consultant/Attorney City,St,Zip: Not reported  
 Consultant/Attorney Phone: Not reported  
 Consultant/Attorney Fax: Not reported  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 04/21/2006  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 10/22/2007  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 03/28/2006  
 App Accepted?: Y  
 Date Accepted: 04/21/2006  
 Region?: Y  
 Alt VCP Id: 0165  
 Project No.: 782500  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Brownfields Stewardship Fund  
 Billing c/o Name: Charles Epperson  
 Billing Address1: 9111A Research Boulevard  
 Billing Address2: Not reported  
 Billing City: Austin  
 Billing State: TX  
 Billing Zip: 78758  
 Billing Phone: 512-425-2090  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR  
  
 Region: 4  
 Facility ID: 2502  
 Facility Type: Parking Lot  
 VCP Received: 05/15/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GAS AND FUEL COMPANY (Continued)**

**S107632291**

PCA Number: 34695  
 Project Number: Beckage  
 Type Lead: Owner  
 Phase: Completed  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.78180 / -96.80830  
 Acres at Site: 3.0235  
 Contaminant Categories: Not reported  
 Media Affected: Soil  
 Applicant: Dorbet, Inc  
 Applicant Contact Title: Vice President  
 Applicant Address: 1919 S. Shiloh Rd. Ste. 612  
 Applicant City,St,Zip: Garland, TX 75042  
 Applicant Phone: 972-271-3200  
 Applicant Fax: 972-926-1238  
 Consultant/Attorney: Preservation Assessment Serv, LLC  
 Consultant/Attorney Name: James W Crawford  
 Consultant/Attorney Contact Title: Vice President  
 Consultant/Attorney Address: 3316 Oak Grove Ave. Ste. 200  
 Consultant/Attorney City,St,Zip: Dallas, TX 75209  
 Consultant/Attorney Phone: 214-871-9200  
 Consultant/Attorney Fax: 214-871-9217  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: Not reported  
 Standards: Not reported  
 TX Risk Reduction Prgm: Not reported  
 Institutional Controls: Not reported  
 Certificate of Completion: 12/17/2014  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: Not reported  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 05/16/2012  
 App Accepted?: Y  
 Date Accepted: 06/29/2012  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 346950  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Dorbet Inc.  
 Billing c/o Name: E.B. Tomlinson  
 Billing Address1: 1919 S Shiloh Rd  
 Billing Address2: Suite 612  
 Billing City: Garland  
 Billing State: TX  
 Billing Zip: 75042  
 Billing Phone: 972-271-3200  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: E  
 File Location: CR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GAS AND FUEL COMPANY (Continued)**

**S107632291**

**BROWNFIELDS:**

BF Site Assessment Received: 03/28/2006  
 PCA number: 78226  
 BF Grant Number: G094  
 Facility Type: Coal Gasification Plant  
 Lead Type: Purchaser  
 Project manager: KLIVINGS  
 Phase: TRANSFER TO VCP  
 Lat/Long: Not reported  
 Lat/Long (deg): 32.464900 / -96.483100  
 Acres: 5.5  
 TCEQ Region: 04  
 Facility Type: BSA  
 Contaminant Categories: SVOCs  
 Media Affected: Soils/Groundwater  
 Applicant: Brownfields Stewardship Fund  
 Applicant Title: Executive Director  
 Applicant Address: 9111A Research Boulevard  
 Applicant City,St,Zip: Austin, TX 78758  
 Applicant Phone: 512-425-2090  
 Applicant Fax: 512-425-2099  
 Consultant Attorney: Not reported  
 Consultant Atty Name: Not reported  
 Consultant Atty Title: Not reported  
 Consultant Atty Addr: Not reported  
 Consultant Atty City,St,Zip: Not reported  
 Consultant Atty Phone: Not reported  
 Consultant Atty Fax: Not reported  
 SW Number: Not reported  
 LPST Number: Not reported  
 EPA TX id/registration: Not reported  
 Risk Reduction Rules: Texas Risk Reduction Program  
 Risk Reduction Standard: Texas Risk Reduction Program Standard A  
 TRRP Tier: 1  
 Certificate Issued: Not reported  
 Conditional Or Final Certificate: Not reported  
 Institutional Controls: Not reported  
 Type Remedy: Not reported

**GCC:**

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 1914  
 Contamination Description: SVOCs  
 Date Of Earliest Known Contamination Confirmation: 3/28/2006  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 1B  
 Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION  
 ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GAS AND FUEL COMPANY (Continued)**

**S107632291**

Division:	RMD/VCBSA
New Cases:	Not reported
File Number:	G094
Contamination Description:	SVOCS
Date Of Earliest Known Contamination Confirmation:	3/28/2006
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VC
New Cases:	Not reported
File Number:	1914
Contamination Description:	SVOCS
Date Of Earliest Known Contamination Confirmation:	3/28/2006
Enforcement Status - Level Of Agency Response:	1B
Enforcement Status - Site Activity Status:	1B
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VC
New Cases:	*
File Number:	2502
Contamination Description:	VOCS, CHLORINATED SOLVENTS,TPH
Date Of Earliest Known Contamination Confirmation:	6/29/2012
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	2A
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VC
New Cases:	Not reported
File Number:	1914
Contamination Description:	SVOCS
Date Of Earliest Known Contamination Confirmation:	3/28/2006
Enforcement Status - Level Of Agency Response:	1B

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GAS AND FUEL COMPANY (Continued)**

**S107632291**

Enforcement Status - Site Activity Status:	1B
Data Quality 1:	E
Section 5236:	Not reported
Type:	TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	RMD/VCBSA
New Cases:	Not reported
File Number:	G094
Contamination Description:	SVOCS
Date Of Earliest Known Contamination Confirmation:	3/28/2006
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	0
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VC
New Cases:	Not reported
File Number:	1914
Contamination Description:	VOCS, CHLORINATED SOLVENTS
Date Of Earliest Known Contamination Confirmation:	3/28/2006
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VC
New Cases:	Not reported
File Number:	2502
Contamination Description:	VOCS, CHLORINATED SOLVENTS, TPH
Date Of Earliest Known Contamination Confirmation:	6/29/2012
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS GAS AND FUEL COMPANY (Continued)**

**S107632291**

Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/VC  
 New Cases: Not reported  
 File Number: 1914

Contamination Description: SVOCS  
 Date Of Earliest Known Contamination Confirmation: 3/28/2006  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 1B  
 Data Quality 1: E

Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2502  
 Contamination Description: VOCS, CHLORINATED SOLVENTS,TPH  
 Date Of Earliest Known Contamination Confirmation: 6/29/2012  
 Enforcement Status - Level Of Agency Response: 0B  
 Enforcement Status - Site Activity Status: 2A

Data Quality 1: E  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

357

**DALLAS GAS & FUEL CO  
 595 ROSS AVE  
 DALLAS, TX 75202**

**FINDS 1011352263  
 N/A**

FINDS:

Registry ID: 110034728908

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

358 SHAWS RESTAURANT & COFFEE SHOP EDR Hist Auto 1022182783  
 1802 MAIN N/A  
 DALLAS, TX 75201

EDR Hist Auto

Year: Name: Type:  
 1975 SHAWS RESTAURANT & COFFEE SHOP Eating Places  
 1976 SHAWS RESTAURANT & COFFEE SHOP Eating Places

358 LUGGAGE REPAIR SHOP THE EDR Hist Auto 1009359785  
 1804 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1951 LUGGAGE REPAIR SHOP THE REPAIR SHOPS

358 ST FRANCIS CLEANERS TAILORS EDR Hist Cleaner 1009337420  
 1816 MAIN N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1941 ST FRANCIS CLEANERS TAILORS CLOTHES PRESSERS, CLEANERS AND REPAIRERS  
 1946 ST FRANCIS CLEANERS TAILORS CLEANERS AND DYERS

358 RADY HOWARD C EDR Hist Cleaner 1020071068  
 1818 MAIN ST N/A  
 DALLAS, TX 75201

EDR Hist Cleaner

Year: Name: Type:  
 1969 RADY HOWARD C Drycleaning Plants, Except Rugs  
 1970 RADY HOWARD C Drycleaning Plants, Except Rugs

358 BROOKS LUGGAGE AND BAG REPAIR SHOP EDR Hist Auto 1009359898  
 1813 MAIN N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1951 BROOKS LUGGAGE AND BAG REPAIR S REPAIR SHOPS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**358 ST FRANCIS PRESS SHOP EDR Hist Cleaner 1009337447**  
**1819 MAIN N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1930 ST FRANCIS PRESS SHOP CLOTHES PRESSERS, CLEANERS AND REPAIRERS

**359 2015 COMMERCE ST. BUILDING FINDS 1008205757**  
**2015 COMMERCE ST. N/A**  
**DALLAS, TX 75201**

FINDS:

Registry ID: 110020907991

Environmental Interest/Information System

US EPA Air Quality System (AQS) contains ambient air pollution data collected by EPA, State, Local, and Tribal air pollution control agencies from thousands of monitoring stations.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**359 2015 COMMERCE STREET ERNS 2008887915**  
**DALLAS, TX 75201 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**360 DALLAS MKT YARD TX UST U001293411**  
**555 ROSS AVE N/A**  
**DALLAS, TX 75202**

UST:

AI Number: 49114  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 10/24/1989  
 Facility Status: INACTIVE  
 Additional ID: 223111072002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75235  
 Contact Name/Title: MORLE ROSS,ENVIR. ENG. MAINT.  
 Contact Organization Name: DALLAS MKT YARD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS MKT YARD (Continued)**

**U001293411**

Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	7133507632
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	08/24/1989
Signature Name/Title On Earliest Reg Form:	CURTIS G HULL, SR. GEOLOGIST
Application Received Date On Earliest Reg Form:	08/25/1989
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600131098
Owner Last Name:	UNION PACIFIC RAILROAD COMPANY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	661513082001135
Additional ID:	223111072002062
AI Number:	49114
Owner Effective Begin Date:	10/24/1989
State Tax ID:	19460013238
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	11/13/1989
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	129140
Facility ID:	61562
AI Number:	49789
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/04/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	10/21/1989
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	3000
UST Comprt ID:	74882
UST ID:	129140
AI Number:	49789
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	19120
Cert ID:	112388
UST Comprt ID:	329779
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112389
UST Comprt ID:	329778
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112390
UST Comprt ID:	329777
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

Self Cert ID:	19120
Cert ID:	112387
UST Comprt ID:	329782
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112392
UST Comprt ID:	329775
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112385
UST Comprt ID:	329780
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112386
UST Comprt ID:	329781
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112391
UST Comprt ID:	329776
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Install Date:	08/31/1987
Tank Registration Date:	08/25/1989
Number of Compartments:	1
Tank Capacity:	100
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	127599
Facility ID:	61556
AI Number:	49114
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/31/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	12/18/1991
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	100
UST Comprt ID:	74871
UST ID:	127599
AI Number:	49114
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	18866
Cert ID:	49164
UST Comprt ID:	131756
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49163
UST Comprt ID:	131757
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49165
UST Comprt ID:	131755
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS MKT YARD (Continued)**

**U001293411**

Self Cert ID: 18866  
 Cert ID: 49168  
 UST Comprt ID: 131752  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 18866  
 Cert ID: 49162  
 UST Comprt ID: 131760  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 18866  
 Cert ID: 49170  
 UST Comprt ID: 131750  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 18866  
 Cert ID: 49167  
 UST Comprt ID: 131753  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 18866  
 Cert ID: 49160  
 UST Comprt ID: 131758  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 18866  
 Cert ID: 49171  
 UST Comprt ID: 131749  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 18866  
 Cert ID: 49169  
 UST Comprt ID: 131751  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 18866

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS MKT YARD (Continued)**

**U001293411**

Cert ID: 49161  
 UST Comprt ID: 131759  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

Self Cert ID: 18866  
 Cert ID: 49166  
 UST Comprt ID: 131754  
 UST ID: 49041  
 AI Number: 49114  
 Tank ID: 1  
 Compartment ID: A

**Facility Billing Contacts:**

Contact Organization Name: UNION PACIFIC RAILROAD COMPANY  
 Contact Mailing Address (Delivery): 1400 DOUGLAS ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: OMAHA, NE 68179 1001  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 61556  
 Additional ID: 223111072002062  
 Princ ID: 661513082001135  
 AI Number: 49114  
 Facility Name: DALLAS MKT YARD  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: DON JENKS/

AI Number: 49789  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 09/01/1987  
 Facility Status: INACTIVE  
 Additional ID: 276700122002086  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75235  
 Contact Name/Title: STEVE MCNAUGHTON,  
 Contact Organization Name: MKT FREIGHT HOUSE  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 4022712219  
 Facility Contact Address Deliverable: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	11/10/1989
Signature Name/Title On Earliest Reg Form:	CURTIS HULL,SR GEOLOGIST
Application Received Date On Earliest Reg Form:	11/13/1989
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600131098
Owner Last Name:	UNION PACIFIC RAILROAD COMPANY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	661513082001135
Additional ID:	276700122002086
AI Number:	49789
Owner Effective Begin Date:	09/01/1987
State Tax ID:	19460013238
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	11/13/1989
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	129140
Facility ID:	61562
Ai Number:	49789
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/04/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	10/21/1989
Compartment Records:	
Tank ID:	1
Tank Capacity:	3000
UST Comprt ID:	74882
UST ID:	129140
AI Number:	49789
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	19120
Cert ID:	112388
UST Comprt ID:	329779
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112389
UST Comprt ID:	329778
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112390
UST Comprt ID:	329777
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112387
UST Comprt ID:	329782
UST ID:	112268



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS MKT YARD (Continued)**

**U001293411**

AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112392
UST Comprt ID:	329775
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112385
UST Comprt ID:	329780
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112386
UST Comprt ID:	329781
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Self Cert ID:	19120
Cert ID:	112391
UST Comprt ID:	329776
UST ID:	112268
AI Number:	49789
Tank ID:	1
Compartment ID:	A
Install Date:	08/31/1987
Tank Registration Date:	08/25/1989
Number of Compartments:	1
Tank Capacity:	100
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	127599
Facility ID:	61556
AI Number:	49114
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/31/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	12/18/1991
Compartment Records:	
Tank ID:	1
Tank Capacity:	100
UST Comprt ID:	74871
UST ID:	127599
AI Number:	49114
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS MKT YARD (Continued)**

**U001293411**

CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	18866
Cert ID:	49164
UST Comprt ID:	131756
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49163
UST Comprt ID:	131757
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49165
UST Comprt ID:	131755
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49168
UST Comprt ID:	131752
UST ID:	49041

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS MKT YARD (Continued)**

**U001293411**

AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49162
UST Comprt ID:	131760
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49170
UST Comprt ID:	131750
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49167
UST Comprt ID:	131753
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49160
UST Comprt ID:	131758
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49171
UST Comprt ID:	131749
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49169
UST Comprt ID:	131751
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49161
UST Comprt ID:	131759
UST ID:	49041
AI Number:	49114

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**DALLAS MKT YARD (Continued)**

**U001293411**

Tank ID:	1
Compartment ID:	A
Self Cert ID:	18866
Cert ID:	49166
UST Comprt ID:	131754
UST ID:	49041
AI Number:	49114
Tank ID:	1
Compartment ID:	A

Facility Billing Contacts:

Contact Organization Name:	UNION PACIFIC RAILROAD COMPANY
Contact Mailing Address (Delivery):	1400 DOUGLAS ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	OMAHA, NE 68179 1001
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	61562
Additional ID:	276700122002086
Princ ID:	661513082001135
AI Number:	49789
Facility Name:	MKT FREIGHT HOUSE
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	DON JENKS/

360

**DRIVER & WHITE INC**  
**555 ROSS**  
**DALLAS, TX 75202**

**EDR Hist Auto**    **1020251748**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1973	DRIVER & WHITE INC	Local Trucking, Without Storage
1974	DRIVER & WHITE INC	Local Trucking, Without Storage

361

**RENAISSANCE TOWER**  
**1201 ELM STREET**  
**DALLAS, TX 75270**

**TX ASBESTOS**    **S121362260**  
**N/A**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Dwayne Ealy
Violation:	Not reported
Complaint Date:	11/29/2017
Notification Number:	2017006528
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RENAISSANCE TOWER (Continued)**

**S121362260**

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/15/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/15/2017
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	268
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	Assumed Asbestos
Start Date:	09/25/2017
Date of inspection:	Not reported
Reason for Inspection:	Dwayne Ealy
Violation:	Not reported
Complaint Date:	11/29/2017
Notification Number:	2017006528
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/20/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RENAISSANCE TOWER (Continued)**

**S121362260**

Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/20/2017
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	268
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	Assumed Asbestos
Start Date:	09/26/2017
Date of inspection:	Not reported
Reason for Inspection:	Dwayne Ealy
Violation:	Not reported
Complaint Date:	11/29/2017
Notification Number:	2017006528
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/25/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RENAISSANCE TOWER (Continued)**

**S121362260**

Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/25/2017
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	268
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	09/27/2017
Date of inspection:	Not reported
Reason for Inspection:	Dwayne Ealy
Violation:	Not reported
Complaint Date:	11/29/2017
Notification Number:	2017006528
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/06/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	09/06/2017
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RENAISSANCE TOWER (Continued)**

**S121362260**

Region: 03  
 Priority: HIGH  
 ARU: 731  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: Assumed Asbestos  
 Start Date: 09/20/2017

361

**MOBIL OIL CORPORATION  
 1201 ELM ST  
 DALLAS, TX 75270**

EDR Hist Auto

**1020287585  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1989	MOBIL OIL CORPORATION	Gasoline Service Stations
1989	MOBIL OIL CORP	Gasoline Service Stations
1990	MOBIL OIL CORPORATION	Gasoline Service Stations
1991	MOBIL OIL CORPORATION	Gasoline Service Stations
1992	MOBIL OIL CORPORATION	Gasoline Service Stations
1993	MOBIL OIL CORPORATION	Gasoline Service Stations
1994	MOBIL OIL CORPORATION	Gasoline Service Stations
1995	MOBIL OIL CORPORATION	Gasoline Service Stations
1996	MOBIL OIL CORPORATION	Gasoline Service Stations
1997	MOBIL OIL CORPORATION	Gasoline Service Stations
1998	MOBIL OIL CORPORATION	Gasoline Service Stations
1999	MOBIL OIL CORPORATION	Gasoline Service Stations
2000	MOBIL OIL CORPORATION	Gasoline Service Stations
2001	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations
2002	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations
2003	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations
2004	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations
2005	MOBIL RESEARCH AND DEV CORP	Gasoline Service Stations, NEC
2006	MOBIL RESEARCH AND DEV CORP	Gasoline Service Stations, NEC

362

**THE DREVER  
 1401 ELM ST  
 DALLAS, TX 75202**

TX AST

**A100117778  
 N/A**

AST:

Facility ID: 85877  
 Additional ID: 992849062002155  
 AI Number: 56023  
 Facility Type: EMERGENCY GENERATOR  
 Facility Begin Date: 01/01/1964  
 Facility Status: Inactive  
 Facility Exempt Status: N  
 Records Off-Site: Y  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 0  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THE DREVER (Continued)**

**A100117778**

Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75202
Contact Name/Title:	CLARENCE FISHER/VP
Contact Organization Name:	NCNB - ELM PLACE
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2147477070
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	02/20/2017
Signature First Name on Earliest Reg Form:	STEVEN
Application Received Date on Earliest Reg Form:	02/24/2017
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	MCCOY
Signature Title on Earliest Reg Form:	OWN REP
Signature Role on Earliest Reg Form:	OWNER
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	N
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	85877
Tank ID:	1
AST ID:	162074
AI Number:	56023
Install Date:	01/01/1964
Tank Registration Date:	10/01/1990
Mult Comp:	N
Tank Status:	OUT OF USE
Tank Status Date:	10/27/2016
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	6000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	
Facility ID:	85877
Tank ID:	3
AST ID:	162075
AI Number:	56023
Install Date:	01/01/1964

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THE DREVER (Continued)**

**A100117778**

Tank Registration Date:	10/01/1990
Mult Comp:	N
Tank Status:	OUT OF USE
Tank Status Date:	10/27/2016
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	6000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	85877
Tank ID:	2
AST ID:	162076
AI Number:	56023
Install Date:	01/01/1964
Tank Registration Date:	10/01/1990
Mult Comp:	N
Tank Status:	OUT OF USE
Tank Status Date:	10/27/2016
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	6000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**362 ELM PLACE - DALLAS OPERATIONS CENTER  
 1401 ELM STREET  
 DALLAS, TX 75202**

**TX TIER 2 S108868910  
 N/A**

TIER 2:

Facility Id: FATR20094YJ81L037PCT  
 Facility Name: BANK OF AMERICA ELM PLACE DALLAS OPERATIONS CENTER  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 2/17/2010  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: SATISH NATARAJAN  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20084YJ81L037PCT  
 Facility Name: BANK OF AMERICA - ELM PLACE - DALLAS OPERATIONS CENTER  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/20/2009  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 150  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Stacey L McFadden  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ELM PLACE - DALLAS OPERATIONS CENTER (Continued)**

**S108868910**

Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20074YJ81L037PCT  
 Facility Name: ELM PLACE - DALLAS OPERATIONS CENTER  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/18/2008  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Frank Silva/Authorized Representative  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20064YJ81L037PCT  
 Facility Name: ELM PLACE - DALLAS OPERATIONS CENTER  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 02-22-2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Kurt Gilliam Program Manager  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM PLACE - DALLAS OPERATIONS CENTER (Continued)**

**S108868910**

Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 52211  
 Id Type: NAICS  
 Description: Commercial Banking  
 Last Modified: 2/20/2009  
 Id: 6021  
 Id Type: SIC  
 Description: NATIONAL COMMERCIAL BANKS  
 Last Modified: 2/19/2007  
 Id: 055169452  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/19/2007

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1201 Main Street  
 Contact City/State/Zip: Dallas, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Terri Starwalt  
 Title: Property Manager  
 Modification Date: 3/13/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1201 Main Street 18th Floor  
 Contact City/State/Zip: Dallas, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Jimmy Brown  
 Title: Senior Chief Engineer  
 Modification Date: 3/13/2010

Contact:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM PLACE - DALLAS OPERATIONS CENTER (Continued)**

**S108868910**

Contact Email: Not reported  
 Contact Mail Address: 214 N Tryon Street Suite 4000  
 Contact City/State/Zip: Charlotte, NC 28202  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Name: Frank Silva  
 Title: Env. Manager  
 Modification Date: 2/11/2009

Chemical Inventory:

Facility Id: FATR20094YJ81L037PCT  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20094YKPEZ0091RR  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 406.72  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20094YKPMV00AZLT  
 Chemical Inventory Record Id: CVTR20094YKPEZ0091RR  
 Amt Of Sub Stored Or Transported: 14060  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS Room (320 batteries)  
 Last Modified: 3/13/2010

Facility Id: FATR20094YJ81L037PCT  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20094YKPNG00BHV7  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 249.28

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ELM PLACE - DALLAS OPERATIONS CENTER (Continued)**

**S108868910**

Chronic Health Risks:	Not reported
EHS Substance:	T
Last Modified:	3/13/2010
Days On Site:	365
Fire Hazard:	Not reported
Gas:	Not reported
Liquid:	T
Mixture Form:	Not reported
Sudden Release Of Pressure Haz:	Not reported
Pure Form:	T
Reactive Hazard:	T
Solid:	Not reported
Trade Secret:	Not reported
Contact Label:	Not reported
Label Code:	TX2009
Trade Secret:	Not reported

Chemical Inventory Location:

Record Key:	CLTR20094YKPPU00CPVH
Chemical Inventory Record Id:	CVTR20094YKPNG00BHV7
Amt Of Sub Stored Or Transported:	4360
Amount Units:	pounds
Type Of Storage:	Other
Number Code/Storage Pressure:	1
Number Code/Storage Temperature:	4
Desc of Loc(Or Transported) Subs:	UPS Room (320 batteries)
Last Modified:	3/13/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

362

**NCNB - ELM PLACE  
 1401 ELM ST  
 DALLAS, TX 75202**

**FINDS 1011373613  
 N/A**

FINDS:

Registry ID: 110034797708

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**NCNB - ELM PLACE (Continued)**

**1011373613**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>362</b>	<b>R S P HOLDING CO INC</b> <b>1401 ELM ST</b> <b>DALLAS, TX 75202</b>	<b>RCRA NonGen / NLR</b> <b>FINDS</b> <b>TX Ind. Haz Waste</b> <b>TX ASBESTOS</b> <b>ECHO</b>	<b>1000127058</b> <b>TXD068959220</b>
------------	--	---	--

RCRA NonGen / NLR:

Date form received by agency: 01/28/2002  
Facility name: R S P HOLDING CO INC  
Facility address: 1401 ELM ST  
DALLAS, TX 75202  
EPA ID: TXD068959220  
Mailing address: ELM ST  
DALLAS, TX 75202  
Contact: ENVIRONMENTAL MANAGER  
Contact address: ELM ST  
DALLAS, TX 75202  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 06  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: R S P HOLDING CO INC  
Owner/operator address: ELM ST  
DALLAS, TX 75202  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 01/28/2002  
Owner/Op end date: Not reported

Owner/operator name: R S P HOLDING CO INC  
Owner/operator address: ELM ST  
DALLAS, TX 75202  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 01/28/2002  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**R S P HOLDING CO INC (Continued)**

**1000127058**

Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 07/17/1980  
 Site name: R S P HOLDING COMPANY INC  
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005059346

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number: 65276  
 Registration Initial Notification Date: 01/28/2002  
 Registration Last Amendment Date: 01/28/2002  
 EPA Identification: TXD068959220  
 Primary NAICS Code: Not reported  
 Status Change Date: 20020128  
 Land Type: PRIVATE  
 Description of Facility Site Location: 1401 Elm St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

Mexican Facility: Not reported  
 Type of Generator: CLASS1  
 TNRCC Region: Not reported  
 Company Name: R S P HOLDING CO INC  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 1401 ELM ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752022910  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 20770  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20031118  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

**Owner:**

Owner Mailing Address: 1401 ELM ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75202 2910  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 17511678470  
 Owner Bankruptcy Code: Not reported

**Operator:**

Operator Last Name: R S P HOLDING CO INC  
 Operator First Name: Not reported  
 Operator Name: R S P HOLDING CO INC  
 Operator Mailing Address: 1401 ELM ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75202 2910  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17511678470  
 Operator Bankruptcy Code: Not reported

**Contact:**

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1401 ELM ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 2910  
 Contact Phone: Not reported  
 Contact Fax: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

Contact Email:	Not reported
Contact:	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	1401 ELM ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 2910
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact:	
Contact Name:	Not reported
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	1401 ELM ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 2910
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	Not reported

Waste Records Not Found for this RegNo/Year:

ASBESTOS:

Date of inspection:	09/22/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	02/24/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	09/25/2014
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/14/2014
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	12/15/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	12/11/2014
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	11/04/2014
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/17/2014
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	01/22/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	01/14/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	12/03/2014
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	n/a
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	03
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	05/07/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	05/21/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	05/18/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

Date of inspection:	02/13/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	03/03/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	n/a
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	01/20/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**R S P HOLDING CO INC (Continued)**

**1000127058**

Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	04/15/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/28/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	08/06/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	08/04/2015
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**R S P HOLDING CO INC (Continued)**

**1000127058**

Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	06/03/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	08/03/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	08/06/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	08/04/2015
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	07/24/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014006164
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	03
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	02/22/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	03/30/2016
Date Reviewed by PSQA:	2016-03-30 00:00:00
Date Routed by Supervisor1:	03/25/2016
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	Not reported
Reason for Inspection:	Jim Metcalf
Violation:	Not reported
Complaint Date:	02/11/2017
Notification Number:	2017000562
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date RtnD to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date RtnD to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date RtnD to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/20/2017
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	7
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/03/2017
Date of inspection:	Not reported
Reason for Inspection:	Steven R Chappell
Violation:	Not reported
Complaint Date:	03/30/2017
Notification Number:	2017002492
ASB Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**R S P HOLDING CO INC (Continued)**

**1000127058**

PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 03/29/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 03/29/2017  
 Certification Statement Phone: 972-271-1583  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 3  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: Y  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 03/30/2017

**ECHO:**

Envid: 1000127058  
 Registry ID: 110005059346  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005059346>

363

**1921 COMMERCE  
 DALLAS, TX**

**ERNS 89134339  
 N/A**

Click this hyperlink while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site		Database(s) EPA ID Number

<b>364</b>	<b>POST PROPERTY MANAGEMENT</b>	<b>ICIS</b>	<b>1006800036</b>
	<b>1623 MAIN STREET</b>	<b>FINDS</b>	<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

ICIS:

Enforcement Action ID:	06-200004513
FRS ID:	110013706338
Action Name:	Post Property Management
Facility Name:	POST PROPERTY MANAGEMENT
Facility Address:	1623 MAIN STREET DALLAS, TX 75201
Enforcement Action Type:	Notice of Noncompliance Issued
Facility County:	DALLAS
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Administrative - Informal
EA Type Code:	NONC
Facility SIC Code:	Not reported
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	32.780882
Longitude in Decimal Degrees:	-96.798054
Permit Type Desc:	Not reported
Program System Acronym:	2657701
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

FINDS:

Registry ID: 110013706338

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**365 BUILDING  
 2036 COMMERCE  
 DALLAS, TX 75201**

**TX ASBESTOS S121359784  
 N/A**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Atul H Rajani
Violation:	Not reported
Complaint Date:	12/02/2017
Notification Number:	2017008573
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/19/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/19/2017
Certification Statement Phone:	972-768-1235
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	12/02/2017



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>366</b>	<b>ELM PRESS SHOP</b> 1211 ELM DALLAS, TX	<b>EDR Hist Cleaner</b>	<b>1009334778</b> N/A
------------	---	-------------------------	--------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1941	ELM PRESS SHOP		CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	ELM PRESS SHOP		CLEANERS AND DYERS

---

<b>366</b>	<b>TARPON TRANSMISSION CO</b> 4665 RENAISSANCE TWR DALLAS, TX	<b>EDR Hist Auto</b>	<b>1009374397</b> N/A
------------	---	----------------------	--------------------------

EDR Hist Auto

Year:	Name:	Type:	
1986	TARPON TRANSMISSION CO		AUTOMOBILE REPAIRING

---

<b>367</b>	<b>CITY CLEANERS</b> 1324 ELM ST DALLAS, TX 75202	<b>FINDS</b>	<b>1011341298</b> N/A
------------	---	--------------	--------------------------

FINDS:

Registry ID: 110034556219

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

---

<b>367</b>	<b>TOWER CLEANERS</b> 1324 ELM ST DALLAS, TX 75202	<b>TX DRYCLEANERS</b>	<b>S107982957</b> N/A
------------	--	-----------------------	--------------------------

DRYCLEANERS:

RN Number:	RN104061718
Region:	REGION 04 - DFW METROPLEX
CN Number:	CN602474132
DCR Number:	DCR12846
AR Number:	24000395
Principal Name:	MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS
Bill Addr1:	1445 ROSS AVE STE B105
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75202 2716
E-Mail:	Not reported
Phone Number:	214 3161486
Site Name:	TOWER CLEANERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TOWER CLEANERS (Continued)**

**S107982957**

Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2015  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 1  
 Part Stat: YES  
 Gross Receipts: > \$150,000

RN Number: RN104061718  
 Region: REGION 04 - DFW METROPLEX  
 CN Number: CN605070689  
 DCR Number: DCR12846  
 AR Number: 24007355  
 Principal Name: SOMM CORPORATION  
 Bill Addr1: 1324 ELM ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 4016  
 EMail: Not reported  
 Phone Number: 214 3161486  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2016  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 60  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602507436  
 DCR Number: Not reported  
 AR Number: 24001571  
 Principal Name: CHA YOUNG HO  
 Bill Addr1: 1324 ELM ST  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 4016  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2004  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 0  
 Part Stat: YES  
 Gross Receipts: \$100,000 OR LESS

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602766677  
 DCR Number: Not reported  
 AR Number: 24002970  
 Principal Name: WAN TAE LIM  
 Bill Addr1: Not reported  
 Bill Addr2: Not reported  
 Bill City/State/Zip: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TOWER CLEANERS (Continued)**

**S107982957**

EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2005  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 60  
 Part Stat: YES  
 Gross Receipts: \$100,000 OR LESS

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602766677  
 DCR Number: Not reported  
 AR Number: 24002970  
 Principal Name: WAN TAE LIM  
 Bill Addr1: Not reported  
 Bill Addr2: Not reported  
 Bill City/State/Zip: Not reported  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2006  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 40  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602766677  
 DCR Number: Not reported  
 AR Number: 24002970  
 Principal Name: WAN TAE LIM  
 Bill Addr1: Not reported  
 Bill Addr2: Not reported  
 Bill City/State/Zip: Not reported  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2007  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 30  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602766677  
 DCR Number: Not reported  
 AR Number: 24002970  
 Principal Name: WAN TAE LIM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TOWER CLEANERS (Continued)**

**S107982957**

Bill Addr1: Not reported  
 Bill Addr2: Not reported  
 Bill City/State/Zip: Not reported  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2008  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 60  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602474132  
 DCR Number: Not reported  
 AR Number: 24000395  
 Principal Name: MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS  
 Bill Addr1: 1445 ROSS AVE STE B105  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 2716  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2009  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 100  
 Part Stat: YES  
 Gross Receipts: > \$150,000

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602474132  
 DCR Number: Not reported  
 AR Number: 24000395  
 Principal Name: MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS  
 Bill Addr1: 1445 ROSS AVE STE B105  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 2716  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2010  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 65  
 Part Stat: YES  
 Gross Receipts: > \$150,000

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602474132

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TOWER CLEANERS (Continued)**

**S107982957**

DCR Number: Not reported  
 AR Number: 24000395  
 Principal Name: MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS  
 Bill Addr1: 1445 ROSS AVE STE B105  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 2716  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2011  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 60  
 Part Stat: YES  
 Gross Receipts: > \$150,000

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602474132  
 DCR Number: Not reported  
 AR Number: 24000395  
 Principal Name: MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS  
 Bill Addr1: 1445 ROSS AVE STE B105  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 2716  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2012  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 60  
 Part Stat: YES  
 Gross Receipts: > \$150,000

RN Number: RN104061718  
 Region: 4  
 CN Number: CN602474132  
 DCR Number: Not reported  
 AR Number: 24000395  
 Principal Name: MIKYUNG LIM DBA FOUNTAIN PLACE CLEANERS  
 Bill Addr1: 1445 ROSS AVE STE B105  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75202 2716  
 EMail: Not reported  
 Phone Number: 214 7540402  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2013  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 60  
 Part Stat: YES  
 Gross Receipts: > \$150,000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TOWER CLEANERS (Continued)**

**S107982957**

RN Number: RN104061718  
 Region: REGION 04 - DFW METROPLEX  
 CN Number: CN605070689  
 DCR Number: DCR12846  
 AR Number: 24007355  
 Principal Name: SOMM CORPORATION  
 Bill Addr1: Not reported  
 Bill Addr2: Not reported  
 Bill City/State/Zip: Not reported  
 EMail: Not reported  
 Phone Number: 0 0  
 Site Name: TOWER CLEANERS  
 Site Type: FACILITY REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2017  
 Solvent: PERCHLOROETHYLENE (TETRACHLOROETHYLENE)  
 Gallons: 60  
 Part Stat: YES  
 Gross Receipts: > \$150,000

367

**CITICLEANERS**  
**1324 ELM ST**  
**DALLAS, TX 75202**

**EDR Hist Cleaner 1018674552**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
2003	CITICLEANERS	Laundry And Drycleaner Agents
2004	CITICLEANERS	Laundry And Drycleaner Agents
2005	CITICLEANERS	Laundry And Drycleaner Agents
2006	CITICLEANERS	Laundry And Drycleaner Agents
2007	CITICLEANERS	Laundry And Drycleaner Agents
2008	CITICLEANERS	Laundry And Drycleaner Agents
2009	CITICLEANERS	Laundry And Drycleaner Agents
2010	CITICLEANERS	Laundry And Drycleaner Agents
2011	CITICLEANERS	Laundry And Drycleaner Agents
2012	TOWER CLEANERS	Laundry And Drycleaner Agents
2013	TOWER CLEANERS	Laundry And Drycleaner Agents
2014	TOWER CLEANERS	Laundry And Drycleaner Agents

368

**STEPHENS REPAIR SHOP**  
**2024 COMMERCE**  
**DALLAS, TX**

**EDR Hist Auto 1009361380**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	STEPHENS REPAIR SHOP	REPAIR SHOPS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

369 C P A BY SKEFLINGTON EDR Hist Cleaner 1009338034  
 2008 COMMERCE ST N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1971 C P A BY SKEFLINGTON CLEANERS AND DYERS

369 DALLAS TIRE REBUILDERS EDR Hist Auto 1009361068  
 2004 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 DALLAS TIRE REBUILDERS AUTOMOBILLE SERVICE STATIONS

370 METROPOLE CLEANERS AND HATTERS EDR Hist Cleaner 1009336353  
 1511 MAIN N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 METROPOLE CLEANERS AND HATTERS CLOTHES CLEANERS AND DYERS

371 BELL CLEANERS EDR Hist Cleaner 1009337856  
 1937 COMMERCE ST N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1986 BELL CLEANERS CLEANERS AND DYERS  
 1988 BELL DRY CLEANERS Garment Pressing And Cleaners' Agents  
 1989 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1990 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1991 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1992 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1993 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1994 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1995 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1996 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1997 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1998 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 1999 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2000 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2001 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2002 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2003 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2004 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2005 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2006 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2007 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2008 BELL DRY CLEANERS Laundry And Drycleaner Agents  
 2009 BELL DRY CLEANERS Laundry And Drycleaner Agents

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**BELL CLEANERS (Continued)**

**1009337856**

2010 BELL DRY CLEANERS

Laundry And Drycleaner Agents

371

**BELL CLEANERS  
1937 COMMERCE ST  
DALLAS, TX 75201**

**FINDS 1010696016  
N/A**

FINDS:

Registry ID: 110033272768

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

371

**BELL CLEANERS  
1937 COMMERCE ST  
DALLAS, TX 75201**

**TX DRYCLEANERS S109361728  
N/A**

DRYCLEANERS:

RN Number:	RN104105788
Region:	4
CN Number:	CN602542912
DCR Number:	Not reported
AR Number:	24002276
Principal Name:	KAE, LEE C
Bill Addr1:	1937 COMMERS ST
Bill Addr2:	Not reported
Bill City/State/Zip:	DALLAS, TX 75201
E-Mail:	Not reported
Phone Number:	Not reported
Site Name:	BELL CLEANERS
Site Type:	DROP STATION REGISTRATION
Site Status:	ACTIVE
Fiscal Year:	FY2004
Solvent:	Not reported
Gallons:	Not reported
Part Stat:	YES
Gross Receipts:	Not reported



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>372</b>	<b>800 PACIFIC DALLAS, TX</b>	<b>ERNS</b>	<b>2015136245 N/A</b>
------------	-----------------------------------	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

<b>373</b>	<b>SHAMROCK SERVICE 1612 MAIN ST DALLAS, TX 75201</b>	<b>EDR Hist Auto</b>	<b>1021293837 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:	
1992	SHAMROCK SERVICE	Gasoline Service Stations	
1993	SHAMROCK SERVICE	Gasoline Service Stations	
1994	SHAMROCK SERVICE	Gasoline Service Stations	

<b>374</b>	<b>CROSS CLEANERS AND TUXEDO RENTALS CO 1108 ELM DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009334023 N/A</b>
------------	---	-------------------------	---------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1981	CROSS CLEANERS AND TUXEDO RENTA	DRY CLEANERS	

<b>375</b>	<b>THIRD RAIL LOFTS 1415 MAIN STREET DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1011907062 N/A</b>
------------	---	--------------	---------------------------

FINDS:

Registry ID: 110037245415

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**376 MCGUIRE CLEANING AND DYEING CO INC BRANCHES A EDR Hist Cleaner 1009336623**  
**1602 MAIN N/A**  
**DALLAS, TX**  
 EDR Hist Cleaner  
 Year: Name: Type:  
 1930 MCGUIRE CLEANING AND DYEING CO CLEANERS AND DYERS

**377 SOUTHERN CLEANERS AND LAUNDRY SUPPLY CO INC EDR Hist Cleaner 1009333245**  
**1007 ELM N/A**  
**DALLAS, TX**  
 EDR Hist Cleaner  
 Year: Name: Type:  
 1956 SOUTHERN CLEANERS AND LAUNDRY S CLEANERS AND DYERS

**377 TRIPLE A OIL CO INC EDR Hist Auto 1020283493**  
**1015 ELM ST STE 2006 N/A**  
**DALLAS, TX 75202**  
 EDR Hist Auto  
 Year: Name: Type:  
 1991 TRIPLE A OIL COMPANY INC Petroleum Bulk Stations And Terminals, NEC  
 1992 TRIPLE A OIL COMPANY INC Petroleum Bulk Stations And Terminals, NEC  
 1993 TRIPLE A OIL CO INC Petroleum Bulk Stations And Terminals, NEC  
 1994 TRIPLE A OIL CO INC Petroleum Bulk Stations And Terminals, NEC  
 1995 TRIPLE A OIL CO INC Petroleum Bulk Stations And Terminals, NEC  
 1996 TRIPLE A OIL CO INC Petroleum Bulk Stations And Terminals, NEC  
 1997 TRIPLE A OIL CO INC Petroleum Bulk Stations And Terminals, NEC  
 1998 TRIPLE A OIL CO INC Petroleum Bulk Stations And Terminals, NEC  
 1999 TRIPLE A OIL CO INC Petroleum Bulk Stations And Terminals, NEC

**378 GIBBS PRINTING COMPANY RCRA NonGen / NLR 1000165022**  
**1803 COMMERCE FINDS TXD041091307**  
**DALLAS, TX 75201 TX Ind. Haz Waste ECHO**  
 RCRA NonGen / NLR:  
 Date form received by agency: 01/06/2002  
 Facility name: GIBBS PRINTING COMPANY  
 Facility address: 1803 COMMERCE  
 DALLAS, TX 75201  
 EPA ID: TXD041091307  
 Mailing address: COMMERCE  
 DALLAS, TX 75201  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: COMMERCE  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIBBS PRINTING COMPANY (Continued)**

**1000165022**

Owner/Operator Summary:

Owner/operator name: GIBBS PRINTING COMPANY  
 Owner/operator address: COMMERCE  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/06/2002  
 Owner/Op end date: Not reported

Owner/operator name: GIBBS PRINTING COMPANY  
 Owner/operator address: COMMERCE  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/06/2002  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/24/1980  
 Site name: GIBBS PRINTING COMPANY  
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005047500

Environmental Interest/Information System

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GIBBS PRINTING COMPANY (Continued)**

**1000165022**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number:	65227
Registration Initial Notification Date:	01/06/2002
Registration Last Amendment Date:	01/06/2002
EPA Identification:	TXD041091307
Primary NAICS Code:	Not reported
Status Change Date:	20020106
Land Type:	PRIVATE
Description of Facility Site Location:	1803 Commerce, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	NON INDUS, CESQG
TNRCC Region:	Not reported
Company Name:	GIBBS PRINTING COMPANY
Contact Name:	Not reported
Contact Telephone Number:	Not reported
Mailing Address:	1803 COMMERCE ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752015330
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	20722
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20020107
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	1803 COMMERCE ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75201 5330
Owner Country:	UNITED STA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIBBS PRINTING COMPANY (Continued)**

**1000165022**

Owner Phone Number:	Not reported
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Corporation
Owner Tax Id:	17420454989
Owner Bankruptcy Code:	Not reported
<b>Operator:</b>	
Operator Last Name:	GIBBS PRINTING COMPANY
Operator First Name:	Not reported
Operator Name:	GIBBS PRINTING COMPANY
Operator Mailing Address:	1803 COMMERCE ST
Operator Mailing Address 2:	Not reported
Operator Mailing City,St,Zip:	DALLAS, TX 75201 5330
Operator Country:	UNITED STA
Operator Phone:	Not reported
Operator Fax:	Not reported
Operator Email:	Not reported
Operator Business Type:	Corporation
Operator Tax Id:	17420454989
Operator Bankruptcy Code:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	1803 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 5330
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	1803 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 5330
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	1803 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 5330
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	0

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

**GIBBS PRINTING COMPANY (Continued)**

**1000165022**

Transport own waste:	0	
Eq 01, if transport waste type = 1:		Not reported
Eq 02, if transport waste type = 2:		Not reported
Eq 03, if transport waste type = 3:		Not reported
Eq 04, if transport waste type = H:		Not reported
Target TCEQ unique facid for discarded(merged) facility:		Not reported

Waste Records Not Found for this RegNo/Year:

**ECHO:**

Envid:	1000165022
Registry ID:	110005047500
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110005047500">http://echo.epa.gov/detailed-facility-report?fid=110005047500</a>

<b>379</b>	<b>MAJESTIC SERVICE STATIONS</b>	<b>EDR Hist Auto</b>	<b>1009360316</b>
	<b>1900 COMMERCE</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1930	MAJESTIC SERVICE STATIONS	GASOLINE AND OIL SERVICE STATIONS

<b>379</b>	<b>BRANTLEY CLEANING AND DYEING</b>	<b>EDR Hist Cleaner</b>	<b>1009337739</b>
	<b>1912 COMMERCE</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:
1930	BRANTLEY CLEANING AND DYEING	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

<b>379</b>	<b>AKIN FRANK</b>	<b>EDR Hist Auto</b>	<b>1009360620</b>
	<b>1920 COMMERCE</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:
1936	AKIN FRANK	AUTOMOBILE REPAIRING
1936	LIBRARY AUTO STORAGE	AUTOMOBILE GARAGES
1941	BRVAN BILL CHEVROLET SERVICE	AUTOMOBILE REPAIRING

<b>380</b>	<b>ZENITH-CASINO INC A</b>	<b>EDR Hist Cleaner</b>	<b>1009336407</b>
	<b>1516 MAIN</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:
1925	CASINO HAT CLEANING AND PRESSIN	CLOTHES CLEANERS AND DYERS
1930	ZENITH-CASINO INC A	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1930	ZENITH-CASINO INC A	DYERS AND CLEANERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ZENITH-CASINO INC A (Continued)**

**1009336407**

1930 ZENITH CASINO A HAT CLEANERS AND BLOCKERS  
 1930 ZENITH-CASINO INC CLEANERS AND DYERS  
 1930 ZENITH-CASINO INC A DRY CLEANERS

**380**

**JOULE HOTEL  
 1530 MAIN STREET  
 DALLAS, TX 75201**

**TX VCP S106116480  
 N/A**

VCP TCEQ:

Region: 4  
 Facility ID: 1650  
 Facility Type: Heating Oil UST  
 VCP Received: 10/15/2003  
 PCA Number: 33850  
 Project Number: Silkworth  
 Type Lead: Purchaser  
 Phase: Completed  
 Lat/Long: Not reported  
 Lat/Long (DD): 32.78100 / -96.79800  
 Acres at Site: 0.1217  
 Contaminant Categories: TPH  
 Media Affected: Groundwater  
 Applicant: Dunhill 1530 Main, LP  
 Applicant Contact Title: Not reported  
 Applicant Address: 7557 Rambler Road, Suite 1100  
 Applicant City,St,Zip: Dallas, TX 753231  
 Applicant Phone: 214-651-3080  
 Applicant Fax: 214-651-3081  
 Consultant/Attorney: Smith Stern & Friedman  
 Consultant/Attorney Name: Hap Stern  
 Consultant/Attorney Contact Title: Esquire  
 Consultant/Attorney Address: 6688 North Central Expressway, Suite 550  
 Consultant/Attorney City,St,Zip: Dallas, TX 75206  
 Consultant/Attorney Phone: 214-739-0606  
 Consultant/Attorney Fax: 214-739-0608  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 10/18/2004  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: Not reported  
 Certificate of Completion: 05/14/2007  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 10/14/2003  
 App Accepted?: Y  
 Date Accepted: 10/23/2003  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 338500  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: Dunhill 1530 Main, LP  
 Billing c/o Name: Keith Bunch  
 Billing Address1: 7557 Rambler Road  
 Billing Address2: Suite 1100

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JOULE HOTEL (Continued)**

**S106116480**

Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 752312310  
 Billing Phone: 214-651-3080  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: F  
 File Location: CR

**380 JOULE HOTEL  
 1530 MAIN ST  
 DALLAS, TX 75201**

**FINDS 1010769602  
 N/A**

**FINDS:**

Registry ID: 110034046495

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**380 FORMER CLUB SINN  
 1520 MAIN ST.  
 DALLAS, TX 75262**

**TX ASBESTOS S119145724  
 N/A**

**ASBESTOS:**

Date of inspection: 06/15/2015  
 Reason for Inspection: Discretionary  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: N/A  
 ASB Priority: N/A  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 01  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: 08/03/2015



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER CLUB SINN (Continued)**

**S119145724**

Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: 2015-08-05 00:00:00  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

381

**DLLSTX1W WILTEL COMMUNICATIONS (WILLIAMS)  
 "1201 MAIN ST, STE C-112"  
 DALLAS, TX**

**TX TIER 2 S108438658  
 N/A**

TIER 2:

Facility Id: FATR20052V070800T6PC  
 Facility Name: DLLSTX1W WILTEL COMMUNICATIONS (WILLIAMS)  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/17/2006  
 Mailing Address: One Technology Center  
 Mailing City/State/Country: Tulsa, OK USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Amelia London  
 Latitude: 32.780472  
 Longitude: -96.801050  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DLLSTX1W WILTEL COMMUNICATIONS (WILLIAMS) (Continued)**

**S108438658**

Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

381

**MCI- DLBNTX (TXDLBNTX)  
 1201 MAIN ST  
 DALLAS, TX 75202**

**TX TIER 2 S113702576  
 TX ASBESTOS N/A**

TIER 2:

Facility Id/Name: FATR2012TXDLBNTX/MCI- DLBNTX (TXDLBNTX)  
 Reporting Year: 2012  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 1/3/2013  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller - Manager, Global EH&S Compliance  
 Latitude: 32.78051  
 Longitude: -96.80191  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 132745892  
 Id Type: EIN #

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S113702576**

Description: Not reported  
 Last Modified: 1/3/2013  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2013

Contact:

Contact Email: bruce.ward@verizon.com  
 Contact Mail Address: 1515 Aldine-Meadows Rd  
 Contact City/State/Zip: Houston, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Carl Ward  
 Title: Property Manager  
 Modification Date: 2/23/2013

Contact Email: bruce.ward@verizon.com  
 Contact Mail Address: 1515 Aldine-Meadows Rd  
 Contact City/State/Zip: Houston, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Carl Ward  
 Title: Property Manager  
 Modification Date: 2/23/2013

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 2/24/2013

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S113702576**

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 2/24/2013

**Chemical Inventory:**

Facility Id: FATR2012TXDLBNTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDLBNTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 795  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: TXDLBNTX91443383742  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.10  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443384804  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 286200  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW #2 Batt. rm.  
 Last Modified: 2/23/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S113702576**

Record Key: TXDLBNTX91443385406  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 49896  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW #1  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443385452  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 66528  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - TERMINAL  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443385594  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.09  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443385926  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 3040  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - UPS  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443386487  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 68256  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW #1 Batt. rm.  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443386604  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S113702576**

Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 8.31  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443386610  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.11  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443386785  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 8.32  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443386796  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.06  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443386797  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.07  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443386798  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.08  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443388378  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 30  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S113702576**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panel  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443388379  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 94  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator Room  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443388389  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 202  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator Shelter  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX91443388390  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 35.1  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panels  
 Last Modified: 2/23/2013

**Mixture:**

Record Key: TXDLBNTX9144377860  
 Chemical Inv Record Id: TXDLBNTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 4.23  
 Facility Id: FATR2012TXDLBNTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/23/2013

Facility Id: FATR2012TXDLBNTX  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: TXDLBNTX95968  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 7300  
 Chronic Health Risks: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S113702576**

EHS Substance: F  
 Last Modified: 2/23/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: F  
 Sudden Release Of Pressure Haz: F  
 Pure Form: T  
 Reactive Hazard: F  
 Solid: F  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDLBNTX95968290464  
 Chemical Inventory Record Id: TXDLBNTX95968  
 Amt Of Sub Stored Or Transported: 1000  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Outside-Main Bldg -  
 Last Modified: 2/23/2013

Record Key: TXDLBNTX95968290699  
 Chemical Inventory Record Id: TXDLBNTX95968  
 Amt Of Sub Stored Or Transported: 1000  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Outside-Main Bldg -  
 Last Modified: 2/23/2013

Notes: Not reported  
 Validation: Not reported

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: Melvin Balcarcel  
 Violation: Not reported  
 Complaint Date: 10/24/2017  
 Notification Number: 2017007529  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S113702576**

Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/10/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/10/2017
Certification Statement Phone:	214-243-7859
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	10/24/2017
Date of inspection:	04/15/2015
Reason for Inspection:	Discretionary
Violation:	No
Complaint Date:	Not reported
Notification Number:	Not reported
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S113702576**

Date Rtn'd to Inspector Corrections: 2015-07-28 00:00:00  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

381

**LEVEL 3 - DALLAS TELECOM**  
**1201 MAIN STREET**  
**DALLAS, TX 75250**

**TX TIER 2 S108867255**  
**N/A**

TIER 2:

Facility Id/Name: FATR20082538N3001XLL/LEVEL 3 - DALLAS TELECOM  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/10/2009  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 950  
 Number Of Employess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental PM  
 Latitude: 32.780013  
 Longitude: -096.801581  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A5 - Address Matching (Primary Name)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS TELECOM (Continued)**

**S108867255**

Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20072538N3001XLL/LEVEL 3 - DALLAS TELECOM
Reporting Year:	2007
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	8/5/2008
Date Tier 2 Signed:	2/27/2008
Mailing Address:	1025 Eldorado Blvd.
Mailing City/State/Country:	Broomfield, CO USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Emploeyss On Site:	1
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Robert Gurdikian, Environmental Project Manager
Latitude:	32.780013
Longitude:	-096.801581
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A5 - Address Matching (Primary Name)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20062538N3001XLL/DALLAS TELECOM
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	1/26/2007
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	Not reported
Number Of Emploeyss On Site:	1
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Jody White / Environmental Compliance
Latitude:	32.780013
Longitude:	-096.801581
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A5 - Address Matching (Primary Name)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS TELECOM (Continued)**

**S108867255**

Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

381

**"MCI - DLBOTX, DLMPTX, DLBNTX"**  
**"1201 MAIN STREET (C-100 (BASEMENT), 14TH FLOOR, 5TH FLOOR)"**  
**DALLAS, TX 75202**

**TX TIER 2 S108439838**  
**N/A**

TIER 2:

Facility Id: FATR200523NHRV019WZM  
 Facility Name: "MCI - DLBOTX, DLMPTX, DLBNTX"  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/19/2006  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Env. Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EDR ID Number EPA ID Number

381 LEVEL 3 - DALLAS (DLLSTX1W) TX TIER 2 S108867805  
 1201 MAIN ST, STE C-112 N/A  
 DALLAS, TX 75202

TIER 2:

Facility Id/Name: FATR20082V070800T6PC/LEVEL 3 - DALLAS (DLLSTX1W)  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/10/2009  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 950  
 Number Of Emploeyess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental PM  
 Latitude: 32.780472  
 Longitude: -96.801050  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20072V070800T6PC/LEVEL 3 - DALLAS (DLLSTX1W)  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/25/2008  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Emploeyess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental Project Manager  
 Latitude: 32.780472  
 Longitude: -96.801050  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS (DLLSTX1W) (Continued)**

**S108867805**

Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20062V070800T6PC/DLLSTX1W
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	1/26/2007
Mailing Address:	1025 Eldorado Blvd.
Mailing City/State/Country:	Broomfield, CO USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	Not reported
Number Of Employess On Site:	1
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Jody White / Environmental Compliance
Latitude:	32.780472
Longitude:	-96.801050
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Notes:	Not reported
Validation:	Not reported
Notes:	Not reported
Validation:	This facility passed all validation checks.
Notes:	Not reported
Validation:	Not reported

381

**LEVEL 3 - DALLAS MAIN  
 1201 MAIN ST  
 DALLAS, TX 75202**

**TX TIER 2 S111033778  
 N/A**

TIER 2:

Facility Id/Name:	FATR20102V070800T6PC/LEVEL 3 - DALLAS MAIN
Reporting Year:	2010
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	6/1/2011
Date Tier 2 Signed:	1/24/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS MAIN (Continued)**

**S111033778**

Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 800.00  
 Number Of Emploeyess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental PM  
 Latitude: 32.780472  
 Longitude: -96.801050  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/26/2007  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/9/2004  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009

Contact:

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd.  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Payton Michael  
 Title: Environmental PM  
 Modification Date: 1/17/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd.  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications, LLC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS MAIN (Continued)**

**S111033778**

Title: Not reported  
 Modification Date: 2/16/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Clint Thompson  
 Title: Sr. Director  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR20102V070800T6PC  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20102V078B0126QG  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 18.5  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20102V4GFT003Y09  
 Chemical Inventory Record Id: CVTR20102V078B0126QG  
 Amt Of Sub Stored Or Transported: 6286  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: In side battery room , Ste C-112  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR201071B29E004DQ8  
 Chemical Inv Record Id: CVTR20102V078B0126QG



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS MAIN (Continued)**

**S111033778**

Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20102V070800T6PC  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Facility Id: FATR20102V070800T6PC  
 Chemical Name: lead  
 Chemical Inv Record Id: CVTR20103JLSLJ003Y8K  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 170  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20103JLSN0004850  
 Chemical Inventory Record Id: CVTR20103JLSLJ003Y8K  
 Amt Of Sub Stored Or Transported: 55553  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: contained in batteries inside bldg  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

381 LEVEL 3 - DALLAS - DLLSTX64 TX TIER 2 S111990567  
 1201 MAIN ST N/A  
 DALLAS, TX 75202

TIER 2:

Facility Id/Name: FATR20122V070800T6PC/LEVEL 3 - DALLAS - DLLSTX64  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 1/30/2013  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Chris Van Natta on behalf of Level 3 Communications  
 Latitude: 32.78046  
 Longitude: -96.80207  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20112V070800T6PC/LEVEL 3 - DALLAS - DLLSTX64  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1-25-2012  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 700.00  
 Number Of Employess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental Project Manager  
 Latitude: 32.780472  
 Longitude: -96.801050  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX64 (Continued)**

**S111990567**

Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/26/2007  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/9/2004  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact:

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Payton Michael  
 Title: Environmental Project Manager  
 Modification Date: 3/8/2013

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Payton Michael

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTX64 (Continued)**

**S111990567**

Title: Environmental Project Manager  
 Modification Date: 3/8/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Level 3 Communications N.O.C.  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Level 3 Communications N.O.C.  
 Title: Not reported  
 Modification Date: 3/8/2013

Chemical Inventory:

Facility Id: FATR20122V070800T6PC  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20122V078B0126QG  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 21  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20122V4GFT003Y09  
 Chemical Inventory Record Id: CVTR20122V078B0126QG  
 Amt Of Sub Stored Or Transported: 2952  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTX64 (Continued)**

**S111990567**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C112 Witel Colo  
 Last Modified: 3/8/2013

Record Key: CLTR20128CMK19007C74  
 Chemical Inventory Record Id: CVTR20122V078B0126QG  
 Amt Of Sub Stored Or Transported: 153  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C140 LGN  
 Last Modified: 3/8/2013

Record Key: CLTR20128CMK2X008SP7  
 Chemical Inventory Record Id: CVTR20122V078B0126QG  
 Amt Of Sub Stored Or Transported: 450  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Un-named location  
 Last Modified: 3/8/2013

Facility Id: FATR20122V070800T6PC  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20123JLSLJ003Y8K  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 140  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:  
 Record Key: CLTR20123JLSN0004850  
 Chemical Inventory Record Id: CVTR20123JLSLJ003Y8K  
 Amt Of Sub Stored Or Transported: 20160  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX64 (Continued)**

**S111990567**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C112 Wiltel Colo  
 Last Modified: 3/8/2013

Record Key: CLTR20128CMKH30091BY  
 Chemical Inventory Record Id: CVTR20123JLSLJ003Y8K  
 Amt Of Sub Stored Or Transported: 1226  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C140 LGN  
 Last Modified: 3/8/2013

Record Key: CLTR20128CMKKT00ACN0  
 Chemical Inventory Record Id: CVTR20123JLSLJ003Y8K  
 Amt Of Sub Stored Or Transported: 3087  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Un-named location  
 Last Modified: 3/8/2013

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/26/2007  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/9/2004  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009

Chemical Inventory:

Facility Id: FATR20112V070800T6PC  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20112V078B0126QG  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 20.5  
 Chronic Health Risks: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX64 (Continued)**

**S111990567**

EHS Substance: T  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20112V4GFT003Y09  
 Chemical Inventory Record Id: CVTR20112V078B0126QG  
 Amt Of Sub Stored Or Transported: 8280  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C-112 within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118CMK19007C74  
 Chemical Inventory Record Id: CVTR20112V078B0126QG  
 Amt Of Sub Stored Or Transported: 957  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C-135 within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118CMK2X008SP7  
 Chemical Inventory Record Id: CVTR20112V078B0126QG  
 Amt Of Sub Stored Or Transported: 154  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C-140 within batteries  
 Last Modified: 2/14/2012

Mixture:

Record Key: CMTR201171B29E004DQ8  
 Chemical Inv Record Id: CVTR20112V078B0126QG  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20112V070800T6PC  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX64 (Continued)**

**S111990567**

Mixture Last Modified: 2/14/2012

Facility Id: FATR20112V070800T6PC  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20113JLSLJ003Y8K  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 170  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113JLSN0004850  
 Chemical Inventory Record Id: CVTR20113JLSLJ003Y8K  
 Amt Of Sub Stored Or Transported: 69120  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C-112 within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118CMKH30091BY  
 Chemical Inventory Record Id: CVTR20113JLSLJ003Y8K  
 Amt Of Sub Stored Or Transported: 6593  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C-135 within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118CMKKT00ACN0  
 Chemical Inventory Record Id: CVTR20113JLSLJ003Y8K  
 Amt Of Sub Stored Or Transported: 1226  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Suite C-140 within batteries



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTX64 (Continued)**

**S111990567**

Last Modified: 2/14/2012

Notes: Not reported  
 Validation: Not reported

381

**MCI- DLBNTX (TXDLBNTX)  
 1201 MAIN ST STE 500 AND 550  
 DALLAS, TX 75202**

**TX TIER 2 S112009504  
 N/A**

TIER 2:

Facility Id/Name: FATR2011TXDLBNTX/MCI- DLBNTX (TXDLBNTX)  
 Reporting Year: 2011  
 Facility Country: US  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1/3/2012  
 Mailing Address: 2400 North Glenville  
 Mailing City/State/Country: Richardson, TX US  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: No  
 State Fees Total: Not reported  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Dallas Fire Department ID: 3307  
 Submitted By: Jason Weller  
 Latitude: 32.78051  
 Longitude: -96.80191  
 Lat/Long Location Desc: CE - Center of Facility  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/3/2012  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/3/2012  
 Id: 132745892  
 Id Type: EIN #  
 Description: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S112009504**

Last Modified: 1/3/2012

Contact:

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact Email: wimburne.phinney@one.verizon.com  
 Contact Mail Address: 1515 Irene Drive  
 Contact City/State/Zip: Irving, TX  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Wimburne Phinney  
 Title: Property Manager  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Owner / Operator  
 Contact Name: Jason Weller  
 Title: - Manager, Global EH&S Compliance  
 Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US  
 Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com  
 Contact Mail Address: 2400 North Glenville  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: US

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S112009504**

Contact Type 1: Emergency Contact  
 Contact Name: Jason Weller  
 Title: Manager  
 Modification Date: 3/30/2012

Chemical Inventory:

Facility Id: FATR2011TXDLBNTX  
 Chemical Name: LEAD ACID BATTERIES  
 Chemical Inv Record Id: TXDLBNTX91443  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 795  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/30/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: F  
 Pure Form: F  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDLBNTX91443383742  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.10  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443384804  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 286200  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW #2 Batt. rm.  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443385406  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 49896

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S112009504**

Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW #1  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443385452  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 66528  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - TERMINAL  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443385594  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.09  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443385926  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 3040  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - UPS  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443386487  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 68256  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - SW #1 Batt. rm.  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443386604  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 8.31  
 Last Modified: 3/30/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S112009504**

Record Key: TXDLBNTX91443386610  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.11  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443386785  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 8.32  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443386796  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.06  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443386797  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.07  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443386798  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 1500  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - DP 27.08  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443388378  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 30  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S112009504**

Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panel  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443388379  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 94  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator Room  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443388389  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 202  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Generator Shelter  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX91443388390  
 Chemical Inventory Record Id: TXDLBNTX91443  
 Amt Of Sub Stored Or Transported: 35.1  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Inside-Main Bldg - Fire Panels  
 Last Modified: 3/30/2012

Mixture:

Record Key: TXDLBNTX9144377860  
 Chemical Inv Record Id: TXDLBNTX91443  
 Mix Chemical: SULFURIC ACID  
 Percentage: 4.23  
 Facility Id: FATR2011TXDLBNTX  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/30/2012

Facility Id: FATR2011TXDLBNTX  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: TXDLBNTX95968  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: N  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 7300  
 Chronic Health Risks: T  
 EHS Substance: F  
 Last Modified: 3/30/2012  
 Days On Site: 365

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MCI- DLBNTX (TXDLBNTX) (Continued)**

**S112009504**

Fire Hazard: T  
 Gas: F  
 Liquid: T  
 Mixture Form: F  
 Sudden Release Of Pressure Haz: F  
 Pure Form: T  
 Reactive Hazard: F  
 Solid: F  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TXDLBNTX95968290464  
 Chemical Inventory Record Id: TXDLBNTX95968  
 Amt Of Sub Stored Or Transported: 1000  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Outside-Main Bldg -  
 Last Modified: 3/30/2012

Record Key: TXDLBNTX95968290699  
 Chemical Inventory Record Id: TXDLBNTX95968  
 Amt Of Sub Stored Or Transported: 1000  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Outside-Main Bldg -  
 Last Modified: 3/30/2012

Notes: Not reported  
 Validation: Not reported

381

**MCI DLMPTX, DLBNTX  
 1201 MAIN STREET (14TH FLOOR, 5TH FLOOR)  
 DALLAS, TX 75202**

**TX TIER 2 S108877591  
 N/A**

TIER 2:

Facility Id/Name: FATR201023NHRV019WZM/MCI - DLMPTX, DLBNTX  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01-11-2011  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMPTX, DLBNTX (Continued)**

**S108877591**

Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200923NHRV019WZM/MCI DLMPTX, DLBNTX  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02-04-2010  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jason Weller / Environmental Manager  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200823NHRV019WZM/MCI - DLMPTX, DLBNTX  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/2/2009  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMPTX, DLBNTX (Continued)**

**S108877591**

Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Karen Mehta/Environmental Manager
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR200723NHRV019WZM/MCI - DLMPTX, DLBNTX
Reporting Year:	2007
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	8/5/2008
Date Tier 2 Signed:	1/23/2008
Mailing Address:	2400 N. Glenville Drive
Mailing City/State/Country:	Richardson, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Karen Mehta/Environmental Rep.
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR200623NHRV019WZM/MCI - DLMPTX, DLBNTX
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	1/16/2007
Mailing Address:	2400 N. Glenville Drive
Mailing City/State/Country:	Richardson, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMP TX, DLBNTX (Continued)**

**S108877591**

Number Of Employees On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/13/2003  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/13/2003  
 Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management  
 Title: Not reported  
 Modification Date: 2/16/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney  
 Title: Manager  
 Modification Date: 2/16/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMPTX, DLBNTX (Continued)**

**S108877591**

Contact:

Contact Email: jason.weller@verizonbusiness.com  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Chemical Inventory:

Facility Id: FATR201023NHRV019WZM  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR201023NHRV01FX7K  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201023NHWH01MXVY  
 Chemical Inventory Record Id: CVTR201023NHRV01FX7K  
 Amt Of Sub Stored Or Transported: 131701  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room (14th Floor, Suite 1400)  
 Last Modified: 2/16/2011

Record Key: CLTR201023NHX601NHV6  
 Chemical Inventory Record Id: CVTR201023NHRV01FX7K  
 Amt Of Sub Stored Or Transported: 357780  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMPTX, DLBNTX (Continued)**

**S108877591**

Desc of Loc(Or Transported) Subs: Battery Room (5th Floor, 500 & 550)  
 Last Modified: 2/16/2011

Mixture:

Record Key: CMTR20102T6VZH00NMHE  
 Chemical Inv Record Id: CVTR201023NHRV01FX7K  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR201023NHRV019WZM  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Facility Id: FATR201023NHRV019WZM  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR201023NHRW01HXCV  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201023NHRW01JXFU  
 Chemical Inventory Record Id: CVTR201023NHRW01HXCV  
 Amt Of Sub Stored Or Transported: 7300  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: aboveground storage tank  
 Last Modified: 2/16/2011

Record Key: CLTR201023NJ2A01PXU9  
 Chemical Inventory Record Id: CVTR201023NHRW01HXCV  
 Amt Of Sub Stored Or Transported: 7300  
 Amount Units: pounds  
 Type Of Storage: Above ground tank

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMPX, DLBNTX (Continued)**

**S108877591**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: aboveground storage tank  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/2/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 1/13/2003  
 Id: 020289070  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/13/2003

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: Not reported  
 Contact Type 1: Emergency Contact  
 Contact Name: Network Management  
 Title: Not reported  
 Modification Date: 2/17/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 2400 N. Glenville Drive  
 Contact City/State/Zip: Richardson, TX 75082  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Jason Weller  
 Title: Environmental Manager  
 Modification Date: 1/21/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1950 Stemmons Freeway  
 Contact City/State/Zip: Dallas, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Win Phinney  
 Title: Manager

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMPX, DLBNTX (Continued)**

**S108877591**

Modification Date: 2/17/2010

Chemical Inventory:

Facility Id: FATR200923NHRV019WZM  
 Chemical Name: Lead Acid Batteries  
 Chemical Inv Record Id: CVTR200923NHRV01FX7K  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/12/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: T  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200923NHWH01MXVY  
 Chemical Inventory Record Id: CVTR200923NHRV01FX7K  
 Amt Of Sub Stored Or Transported: 131701  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room (14th Floor, Suite 1400)  
 Last Modified: 2/12/2010

Record Key: CLTR200923NHX601NHV6  
 Chemical Inventory Record Id: CVTR200923NHRV01FX7K  
 Amt Of Sub Stored Or Transported: 354980  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room (5th Floor, 500 & 550)  
 Last Modified: 2/12/2010

Mixture:

Record Key: CMTR20092T6VZH00NMHE  
 Chemical Inv Record Id: CVTR200923NHRV01FX7K  
 Mix Chemical: Sulfuric Acid  
 Percentage: 40  
 Facility Id: FATR200923NHRV019WZM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMPTX, DLBNTX (Continued)**

**S108877591**

Mixture Cas: 7664-93-9  
 Weight/Volume: Vol  
 Mixture Ehs: T  
 Mixture Last Modified: 2/12/2010

Facility Id: FATR200923NHRV019WZM  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR200923NHRW01HXCV  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/12/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: T  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200923NJ2A01PXU9  
 Chemical Inventory Record Id: CVTR200923NHRW01HXCV  
 Amt Of Sub Stored Or Transported: 7300  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: aboveground storage tank  
 Last Modified: 2/12/2010

Record Key: CLTR200923NHRW01JXFU  
 Chemical Inventory Record Id: CVTR200923NHRW01HXCV  
 Amt Of Sub Stored Or Transported: 7300  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: aboveground storage tank  
 Last Modified: 2/12/2010

Notes: Not reported

Validation: This facility passed all validation checks.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI DLMPTX, DLBNTX (Continued)**

**S108877591**

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: This facility passed all validation checks.

Notes: Not reported  
 Validation: Not reported

381

**LEVEL 3 DALLAS MAIN  
 1201 MAIN ST  
 DALLAS, TX 75202**

**TX TIER 2 S110400601  
 N/A**

TIER 2:

Facility Id/Name: FATR20092V070800T6PC/LEVEL 3 DALLAS MAIN  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 2/18/2010  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 850  
 Number Of Employess On Site: 1  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian  
 Latitude: 32.780472  
 Longitude: -96.801050  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/9/2004  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009  
 Id: 073090917



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 DALLAS MAIN (Continued)**

**S110400601**

Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/26/2007

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd.  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications, LLC  
 Title: Not reported  
 Modification Date: 3/1/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Clint Thompson  
 Title: Sr. Director  
 Modification Date: 3/1/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Robert Gurdikian  
 Title: Env. Manager  
 Modification Date: 1/30/2008

Chemical Inventory:  
 Facility Id: FATR20092V070800T6PC  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20092V078B0126QG  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 18.5  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 DALLAS MAIN (Continued)**

**S110400601**

Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20092V4GFT003Y09  
 Chemical Inventory Record Id: CVTR20092V078B0126QG  
 Amt Of Sub Stored Or Transported: 6286  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: In side battery room , Ste C-112  
 Last Modified: 3/1/2010

Mixture:

Record Key: CMTR200971B29E004DQ8  
 Chemical Inv Record Id: CVTR20092V078B0126QG  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20092V070800T6PC  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/1/2010

Facility Id: FATR20092V070800T6PC  
 Chemical Name: lead  
 Chemical Inv Record Id: CVTR20093JLSLJ003Y8K  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 170  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 DALLAS MAIN (Continued)**

**S110400601**

Trade Secret: Not reported

Chemical Inventory Location:  
 Record Key: CLTR20093JLSN0004850  
 Chemical Inventory Record Id: CVTR20093JLSLJ003Y8K  
 Amt Of Sub Stored Or Transported: 55553  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: contained in batteries inside bldg  
 Last Modified: 3/1/2010

Notes: Not reported

Validation: This facility passed all validation checks.

382

**601 PACIFIC AVE  
 DALLAS, TX 75202**

**ERNS 9168668  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

382

**EXPRESS STN 1  
 601 PACIFIC AVE  
 DALLAS, TX 75202**

**EDR Hist Auto 1021866137  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1992	EXPRESS STN 1	Gasoline Service Stations
1993	EXPRESS STN 1	Gasoline Service Stations
1994	EXPRESS STN 1	Gasoline Service Stations
1995	EXPRESS STN 1	Gasoline Service Stations

382

**INTERSTATE TRINITY BUILDING  
 601 PACIFIC AVE  
 DALLAS, TX 75202**

**TX UST U001542878  
 N/A**

UST:

Al Number:	65073
Facility Type:	Not reported
Facility Begin Date:	10/19/1993
Facility Status:	INACTIVE
Additional ID:	517376692002069
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**INTERSTATE TRINITY BUILDING (Continued)**

**U001542878**

Site Location Description:	Not reported
Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	PAIGE PALMER,
Contact Organization Name:	INTERSTATE TRINITY BUILDING
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147619883
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	10/06/1993
Signature Name/Title On Earliest Reg Form:	MARK FISHER,PRES
Application Received Date On Earliest Reg Form:	10/18/1993
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600889034
Owner Last Name:	CONTINENTAL INSURANCE COMPANY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	507376682002069
Additional ID:	517376692002069
AI Number:	65073
Owner Effective Begin Date:	10/19/1993
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1983
Tank Registration Date:	10/18/1993
Number of Compartments:	1
Tank Capacity:	560
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	149095

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**INTERSTATE TRINITY BUILDING (Continued)**

**U001542878**

Facility ID:	96782
Ai Number:	65073
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/16/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	560

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**INTERSTATE TRINITY BUILDING (Continued)**

**U001542878**

UST Comprt ID:	162549
UST ID:	149095
AI Number:	65073
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	CONTINENTAL INSURANCE COMPANY
Contact Mailing Address (Delivery):	601 PACIFIC AVE STE 105
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75202
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	N
Facility ID:	96782
Additional ID:	517376692002069
Princ ID:	507376682002069
AI Number:	65073
Facility Name:	INTERSTATE TRINITY BUILDING
AR Number:	Not reported
AR UST Number Suffix:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**INTERSTATE TRINITY BUILDING (Continued)**

**U001542878**

AR AST Number Suffix: Not reported  
 Contact Name/Title: PAIGE PALMER/

**383 ZIP DRY CLEANING & LAUNDRY  
 1914 COMMERCE ST  
 DALLAS, TX 75201**

**EDR Hist Cleaner 1020125001  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1992	ZIP DRY CLEANING & LAUNDRY	Drycleaning Plants, Except Rugs
1993	ZIP DRY CLEANING & LAUNDRY	Drycleaning Plants, Except Rugs
1994	ZIP DRY CLEANING & LAUNDRY	Drycleaning Plants, Except Rugs
1995	ZIP DRY CLEANING & LAUNDRY	Drycleaning Plants, Except Rugs

**383 OFFICE BUILDING  
 1914 COMMERCE ST.  
 DALLAS, TX 75201**

**TX ASBESTOS S119152539  
 N/A**

ASBESTOS:

Date of inspection:	05/29/2014
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014003468
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/12/2014
Date Routed by Supervisor:	11/26/2014
Date Routed to PSQA:	12/02/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S119152539**

Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

383

**STATLER HOTEL  
 1914 COMMERCE ST.  
 DALLAS, TX 75201**

**TX ASBESTOS**

**S119157474  
 N/A**

**ASBESTOS:**

Date of inspection: 07/17/2014  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: 2014003660  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 02  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: 11/12/2014  
 Date Routed by Supervisor: 11/26/2014  
 Date Routed to PSQA: 12/02/2014  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtn to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtn to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**STATLER HOTEL (Continued)**

**S119157474**

Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

384

**OFFICE BUILDING  
 1412 MAIN STREET  
 DALLAS, TX 75202**

**TX ASBESTOS**

**S119158519  
 N/A**

ASBESTOS:

Date of inspection:	11/04/2015
Reason for Inspection:	Complaint
Violation:	PENoDINoG
Complaint Date:	Not reported
Notification Number:	Not reported
ASB Priority:	n/a
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	03/04/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/11/2016
Date Reviewed by PSQA:	2016-07-11 00:00:00
Date Routed by Supervisor1:	06/03/2016
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**OFFICE BUILDING (Continued)**

**S119158519**

Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	Not reported
Reason for Inspection:	Atul Rajani
Violation:	Not reported
Complaint Date:	12/24/2017
Notification Number:	2017009136
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/06/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	12/06/2017
Certification Statement Phone:	972-768-1235
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/20/2017
Date of inspection:	Not reported
Reason for Inspection:	Atul H Rajani
Violation:	Not reported
Complaint Date:	01/05/2018
Notification Number:	2017009136
ASB Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S119158519**

PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/05/2018
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	01/05/2018
Certification Statement Phone:	972-768-1235
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/03/2018
Date of inspection:	Not reported
Reason for Inspection:	Atul Rajani
Violation:	Not reported
Complaint Date:	01/07/2018
Notification Number:	2017009136
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S119158519**

Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 12/19/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtned to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtned to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtned to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 12/19/2017  
 Certification Statement Phone: 972-768-1235  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 3  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 01/03/2018

**384 B&B AUTOMATIC TRANSMISSION  
 1410 MAIN ST  
 DALLAS, TX 75202**

**EDR Hist Auto 1021075563  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1992 B&B AUTOMATIC TRANSMISSION Automotive Transmission Repair Shops

**384 CVS PHARMACY 5314  
 1411 MAIN ST  
 DALLAS, TX 75202**

**RCRA-CESQG 1014961759  
 FINDS TXR000080922  
 ECHO**

RCRA-CESQG:  
 Date form received by agency: 03/01/2016  
 Facility name: CVS PHARMACY 5314  
 Facility address: 1411 MAIN ST  
 DALLAS, TX 75202  
 EPA ID: TXR000080922  
 Mailing address: CVS DR  
 WOONSOCKET, RI 02895-6146  
 Contact: WENDY BRANT  
 Contact address: CVS DR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 5314 (Continued)**

**1014961759**

Woonsocket, RI 02895-6146

Contact country: US  
 Contact telephone: 401-765-1500  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: CVS PHARMACY INC  
 Owner/operator address: CVS DR  
 Woonsocket, RI 02895

Owner/operator country: US  
 Owner/operator telephone: 401-765-1500  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 05/01/2013  
 Owner/Op end date: Not reported

Owner/operator name: CVS PHARMACY INC  
 Owner/operator address: 1 CVS DR  
 Woonsocket, RI 02895

Owner/operator country: US  
 Owner/operator telephone: 401-765-1500  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 05/01/2013  
 Owner/Op end date: Not reported

Owner/operator name: CVS PHARMACY INC  
 Owner/operator address: CVS DR  
 Woonsocket, RI 02895

Owner/operator country: US  
 Owner/operator telephone: 401-765-1500  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY 5314 (Continued)**

**1014961759**

Owner/Operator Type: Operator  
 Owner/Op start date: 05/01/2013  
 Owner/Op end date: Not reported

Owner/operator name: CVS PHARMACY INC  
 Owner/operator address: 1 CVS DR  
 WOONSOCKET, RI 02895

Owner/operator country: US  
 Owner/operator telephone: 401-765-1500  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 05/01/2013  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D009  
 . Waste name: MERCURY

. Waste code: D010  
 . Waste name: SELENIUM

. Waste code: D011  
 . Waste name: SILVER

. Waste code: P001  
 . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS,

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY 5314 (Continued)**

**1014961759**

WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

- . Waste code: P075
- . Waste name: NICOTINE, & SALTS
  
- . Waste code: P081
- . Waste name: NITROGLYCERINE (R)
  
- . Waste code: P188
- . Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-

Historical Generators:

Date form received by agency: 10/23/2014  
 Site name: CVS PHARMACY 5314  
 Classification: Conditionally Exempt Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
  
- . Waste code: D007
- . Waste name: CHROMIUM
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D010
- . Waste name: SELENIUM
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: P001
- . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
  
- . Waste code: P075
- . Waste name: NICOTINE, & SALTS
  
- . Waste code: P081
- . Waste name: NITROGLYCERINE (R)
  
- . Waste code: P188
- . Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-

Date form received by agency: 04/08/2014  
 Site name: CVS PHARMACY 5314  
 Classification: Large Quantity Generator

- . Waste code: D001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CVS PHARMACY 5314 (Continued)

1014961759

- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
- . Waste code: D007
- . Waste name: CHROMIUM
- . Waste code: D009
- . Waste name: MERCURY
- . Waste code: D010
- . Waste name: SELENIUM
- . Waste code: D011
- . Waste name: SILVER
- . Waste code: P001
- . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
- . Waste code: P075
- . Waste name: NICOTINE, & SALTS
- . Waste code: P081
- . Waste name: NITROGLYCERINE (R)
- . Waste code: P188
- . Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-

Date form received by agency: 03/01/2014  
 Site name: CVS PHARMACY 5314  
 Classification: Large Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
- . Waste code: D007
- . Waste name: CHROMIUM
- . Waste code: D009
- . Waste name: MERCURY
- . Waste code: D010
- . Waste name: SELENIUM
- . Waste code: D011



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY 5314 (Continued)**

**1014961759**

- . Waste name: SILVER
- . Waste code: P001
- . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
- . Waste code: P075
- . Waste name: NICOTINE, & SALTS
- . Waste code: P081
- . Waste name: NITROGLYCERINE (R)
- . Waste code: P188
- . Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-

Date form received by agency: 05/01/2013  
 Site name: CVS PHARMACY 5314  
 Classification: Large Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Date form received by agency: 07/25/2012  
 Site name: CVS PHARMACY #5314  
 Classification: Conditionally Exempt Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
- . Waste code: P001
- . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
- . Waste code: P042
- . Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)-

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY 5314 (Continued)**

**1014961759**

- . Waste code: P075
- . Waste name: NICOTINE, & SALTS
  
- . Waste code: P081
- . Waste name: NITROGLYCERINE (R)

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Amount (Lbs): 121

Waste code: D007  
 Waste name: CHROMIUM  
 Amount (Lbs): 6

Waste code: D010  
 Waste name: SELENIUM  
 Amount (Lbs): 6

Waste code: D011  
 Waste name: SILVER  
 Amount (Lbs): 6

Waste code: P001  
 Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%  
 Amount (Lbs): 12

Waste code: P075  
 Waste name: NICOTINE, & SALTS  
 Amount (Lbs): 12

Waste code: P081  
 Waste name: NITROGLYCERINE (R)  
 Amount (Lbs): 12

Waste code: P188  
 Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-  
 Amount (Lbs): 12

Violation Status: No violations found

FINDS:

Registry ID: 110046406395

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 5314 (Continued)**

**1014961759**

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1014961759  
 Registry ID: 110046406395  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110046406395>

384

**CVS PHARMACY 5314  
 1411 MAIN ST  
 DALLAS, TX 75202**

**TX Ind. Haz Waste**

**S116387844  
 N/A**

Ind. Haz Waste:

Registration Number: 95629  
 Registration Initial Notification Date: 05/01/2013  
 Registration Last Amendment Date: 02/02/2016  
 EPA Identification: TXR000080922  
 Primary NAICS Code: 446110  
 Status Change Date: 20130501  
 Land Type: PRIVATE  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: Yes  
 Required to Submit Annual Waste Summary: Yes  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: CVS PHARMACY INC  
 Contact Name: WENDY BRANT  
 Contact Telephone Number: 401-7651500  
 Mailing Address: 1 CVS DR  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: WOONSOCKET, RI 028956146  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 130974  
 Site Owner Tax ID: 50340626  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 5314 (Continued)**

**S116387844**

Last Update to NOR Data: 20160202  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 1 CVS DR  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: WOONSOCKET, RI 02895 6146  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-401-7651500  
 Owner Fax Number: 1-401-2160138  
 Owner Email Address: WENDY.BRANT@CVSCAREMARK.COM  
 Owner Business Type: Corporation  
 Owner Tax Id: 10503406265  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNOPRCON  
 Contact Address: 1 CVS DR  
 Contact Address2: Not reported  
 Contact City,St,Zip: WOONSOCKET, RI 02895 6146  
 Contact Phone: 1-401-7651500  
 Contact Fax: 1-401-2160138  
 Contact Email: WENDY.BRANT@CVSCAREMARK.COM

Contact:

Contact Name: WENDY BRANT  
 Contact Title: CVS CORPORATE ENVIRONMENT  
 Contact Role: PRICONT  
 Contact Address: 1 CVS DR  
 Contact Address2: Not reported  
 Contact City,St,Zip: WOONSOCKET, RI 02895 6146  
 Contact Phone: 1-401-7651500  
 Contact Fax: 1-401-2160138  
 Contact Email: WENDY.BRANT@CVSCAREMARK.COM

Unit:

Unit No: 001  
 Deed Record Needed: Not reported  
 Deed Recording Date: Not reported  
 Unit Type Code: 14  
 Unit Type: Not reported  
 Unit Status: ACTIVE  
 Unit Regulatory Status: 13  
 UIC Permit Number: Not reported  
 Capacity: Not reported  
 Capacity Measurment: Not reported  
 Off Site Hazardous Waste: No  
 Off Site Class 1 Waste: Not reported  
 Off Site Class 2 Waste: Not reported  
 Off Site Class 3 Waste: Not reported  
 Off Site Non Indstrl Sld Wst: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 5314 (Continued)**

**S116387844**

System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	10 GALLON CONTAINERS ARE STORED IN THE BACK STORAGE AREA.
Dt Last Changed:	20130501
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	379714, 379720,

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	Not reported

Waste:

Waste ID:	379720
Waste Description:	Corrosive Liquids Acid & Base, Rx Corrosive Liquids Acid & Base, Hypochlorite so
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	0220001H
Waste Code Status:	ACTIVE
Waste Form:	Not reported
Waste Classification:	H
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	CORROSIVE LIQUIDS
Primary NAICS Code:	446110
EPA Waste Form Code:	W801
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported

Waste:

Waste ID:	379714
Waste Description:	Compressed gas, flammable, n.o.s.,Lighters, Petroleum gases, liquefied, Butane,
Desc of Waste:	Not reported
Texas Waste Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 5314 (Continued)**

**S116387844**

Texas Waste Code 2: 0011801H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: FLAMMABLE AEROSOLS A  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 362206  
 Waste Description: Toxic solids, organic, n.o.s.  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0114001H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: TOXIC SOLIDS ORGANIC  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 362205  
 Waste Description: Environmentally hazardous substances, solid, n.o.s.  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0211009H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 5314 (Continued)**

**S116387844**

Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: BROKEN LAMPS PHOTO  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 362204  
 Waste Description: Aerosols, [flammable, (each not exceeding 1 L capacity)]  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0013801H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: AEROSOLS FLAMMABLE  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 362203  
 Waste Description: Toxic solids, organic, n.o.s. (acute toxic solid)  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0125004H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: ACUTE TOXIC SOLIDS  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W004  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 361083

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY 5314 (Continued)**

**S116387844**

Waste Description: Flammable liquids, n.o.s.  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0015001H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 446110  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

385

**TRANSPORTERS OF INDUSTRIAL  
 EXCHANGE PLACE STE 1125  
 DALLAS, TX 75246**

RCRA NonGen / NLR

**1000320930  
 TXD980624837**

RCRA NonGen / NLR:  
 Date form received by agency: 03/04/2002  
 Facility name: TRANSPORTERS OF INDUSTRIAL  
 Facility address: EXCHANGE PLACE STE 1125  
 DALLAS, TX 75246  
 EPA ID: TXD980624837  
 Mailing address: PO BOX 45538  
 DALLAS, TX 75245  
 Contact: LARRY WELLS  
 Contact address: PO BOX 45538  
 DALLAS, TX 75245  
 Contact country: US  
 Contact telephone: 214-358-3341  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:  
 Owner/operator name: TRANSPORTERS OF INDUSTRIAL  
 Owner/operator address: PO BOX 45538  
 DALLAS, TX 75245  
 Owner/operator country: US  
 Owner/operator telephone: 214-358-3341  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 03/04/2002  
 Owner/Op end date: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**TRANSPORTERS OF INDUSTRIAL (Continued)**

**1000320930**

Owner/operator name: TRANSPORTERS OF INDUSTRIAL  
 Owner/operator address: PO BOX 45538  
 DALLAS, TX 75245  
 Owner/operator country: US  
 Owner/operator telephone: 214-358-3341  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 03/04/2002  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/03/1981  
 Site name: TRANSPORTERS OF INDUSTRIAL WASTE INC  
 Classification: Not a generator, verified

. Waste code: D000  
 . Waste name: Not Defined

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TRANSPORTERS OF INDUSTRIAL (Continued)**

**1000320930**

- . Waste code: D003
- . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F004
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F006
- . Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
  
- . Waste code: F008

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TRANSPORTERS OF INDUSTRIAL (Continued)**

**1000320930**

- . Waste name: PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS WHERE CYANIDES ARE USED IN THE PROCESS.
- . Waste code: F017
- . Waste name: Not Defined
- . Waste code: F018
- . Waste name: Not Defined
- . Waste code: K018
- . Waste name: HEAVY ENDS FROM THE FRACTIONATION COLUMN IN ETHYL CHLORIDE PRODUCTION
- . Waste code: K019
- . Waste name: HEAVY ENDS FROM THE DISTILLATION OF ETHYLENE DICHLORIDE IN ETHYLENE DICHLORIDE PRODUCTION.
- . Waste code: K020
- . Waste name: HEAVY ENDS FROM THE DISTILLATION OF VINYL CHLORIDE IN VINYL CHLORIDE MONOMER PRODUCTION.
- . Waste code: K030
- . Waste name: COLUMN BOTTOMS OR HEAVY ENDS FROM THE COMBINED PRODUCTION OF TRICHLOROETHYLENE AND PERCHLOROETHYLENE.
- . Waste code: K048
- . Waste name: DISSOLVED AIR FLOTATION (DAF) FLOAT FROM THE PETROLEUM REFINING INDUSTRY
- . Waste code: K049
- . Waste name: SLOP OIL EMULSION SOLIDS FROM THE PETROLEUM REFINING INDUSTRY
- . Waste code: K051
- . Waste name: API SEPARATOR SLUDGE FROM THE PETROLEUM REFINING INDUSTRY
- . Waste code: K052
- . Waste name: TANK BOTTOMS (LEADED) FROM THE PETROLEUM REFINING INDUSTRY
- Violation Status: No violations found

385

**DAVIS BUILDING & ADJACENT SPACES  
 1309 MAIN ST.  
 DALLAS, TX 75202**

**TX ASBESTOS S121360285  
 N/A**

ASBESTOS:

- Date of inspection: Not reported
- Reason for Inspection: Heath Watson
- Violation: Not reported
- Complaint Date: 05/05/2017
- Notification Number: 2017003030
- ASB Priority: Not reported
- PIF State: Not reported
- Detained: Not reported
- Product Name: Not reported
- Time Spent: Not reported
- Travel Time: Not reported
- Mileage: Not reported
- Reg: Not reported
- Init: Not reported
- Seq: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAVIS BUILDING & ADJACENT SPACES (Continued)**

**S121360285**

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	04/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	04/20/2017
Certification Statement Phone:	817-595-0790
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	21
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/04/2017

385

**SKELLY OIL CO\***  
**1309 MAIN ST**  
**DALLAS, TX 75202**

EDR Hist Auto 1020887362  
 N/A

EDR Hist Auto

Year:	Name:	Type:
1969	SKELLY OIL CO*	Durable Goods, NEC
1970	SKELLY OIL CO*	Durable Goods, NEC
1971	SKELLY OIL CO*	Durable Goods, NEC
1971	ASHCROFT CORP	Carwashes
1972	SKELLY OIL CO*	Durable Goods, NEC
1973	SKELLY OIL CO*	Durable Goods, NEC
1974	SKELLY OIL CO*	Durable Goods, NEC
1979	TEXAS TUNE UP*	General Automotive Repair Shops
2011	CULTURA FINA	Gasoline Service Stations, NEC
2012	CULTURA FINA	Gasoline Service Stations, NEC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**385 DAVIS BUILDING  
 1309 MAIN ST.  
 DALLAS, TX 75202**

**TX ASBESTOS S121360286  
 N/A**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Heath Watson
Violation:	Not reported
Complaint Date:	11/09/2017
Notification Number:	2017007984
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/25/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/25/2017
Certification Statement Phone:	817-595-0790
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/08/2017
Date of inspection:	Not reported
Reason for Inspection:	Heath Watson
Violation:	Not reported
Complaint Date:	11/10/2017
Notification Number:	2017007984
ASB Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAVIS BUILDING (Continued)**

**S121360286**

PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 11/07/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 11/07/2017  
 Certification Statement Phone: 817-595-0790  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 2  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 11/09/2017

386

**PEGASUS PLAZA  
 100 S AKARD ST  
 DALLAS, TX 75202**

**TX LPST S103499420  
 N/A**

LPST:

Facility ID: Not reported  
 LPST Id: 105903  
 Facility Location: 100 S AKARD ST CORNER MAIN & AKARD  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 03/22/1999  
 Entered Date: 02/12/1993  
 Priority: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: The vertical extent of contamination has been defined and the

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEGASUS PLAZA (Continued)**

**S103499420**

assessment results document that groundwater is not affected.

**Status:** **FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1  
 Coordinators RPR: ARB  
 Responsible Party Name: CITY OF DALLAS  
 Responsible Party Contact: MIKE HEIMLICH  
 Responsible Party Address: 320 E JEFFERSON ROOM 305  
 Responsible Party City,St,Zip: DALLAS, TX 75203  
 Responsible Party Telephone: 214/948-4680  
 Reported Date: 12/17/1992  
 Case Start Date: 02/12/1993

**387 WADE W C EDR Hist Cleaner 1009341837**  
**313 S PEARL N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1925 WADE W C CLOTHES CLEANERS AND DYERS

**387 BEDE ULL W W EDR Hist Auto 1009367603**  
**307 S PEARL N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1936 BEDE ULL W W GASOLINE AND OIL SERVICE STATIONS

**387 WADE S BARBER SHOP AND TAILOR SHOP EDR Hist Cleaner 1009341547**  
**306 S PEARL N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1930 WADE S BARBER SHOP AND TAILOR S CLOTHES PRESSERS, CLEANERS AND REPAIRERS

**388 POST OFFICE GARAGE EDR Hist Auto 1009359674**  
**1800 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1925 POST OFFICE GARAGE AUTOMOBILE GARAGES  
 1925 POST OFFICE GARAGE AUTOMOBILE OILS AND GASOLINE  
 1930 POST OFFICE SERVICE STATION GASOLINE AND OIL SERVICE STATIONS  
 1936 HANCOCK S POST OFFICE GARAGE AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**388**      **MANHATTAN LAUNDRY AND DRY CLEANING CO**  
**207 PRATHER ST**  
**DALLAS, TX**

**EDR Hist Cleaner**      **1009338323**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1966	MANHATTAN LAUNDRY AND DRY CLEAN	LAUNDRIES
1969	MANHATTAN LAUNDRY & DRY CLG	Power Laundries, Family And Commercial
1970	MANHATTAN LAUNDRY & DRY CLG	Power Laundries, Family And Commercial
1971	MANHATTAN LAUNDRY AND DRY CLEAN	LAUNDRIES
1971	MANHATTAN LAUNDRY & DRY CLG	Power Laundries, Family And Commercial
1972	MANHATTAN LAUNDRY & DRY CLG	Power Laundries, Family And Commercial
1973	MANHATTAN LAUNDRY & DRY CLG	Power Laundries, Family And Commercial
1974	MANHATTAN LAUNDRY & DRY CLG	Power Laundries, Family And Commercial
1975	MANHATTAN LNDY DRY CLNG CO INC	Power Laundries, Family And Commercial
1976	MANHATTAN LDRY & DRY CLG CO*	Power Laundries, Family And Commercial
1977	MANHATTAN LAUNDRY AND DRY CLEAN	LAUNDRIES AND DRY CLEANERS
1977	MANHATTAN LDRY & DRY CLG CO*	Power Laundries, Family And Commercial
1978	MANHATTAN LDRY & DRY CLG CO*	Power Laundries, Family And Commercial
1979	MANHATTAN LDRY & DRY CLG CO*	Power Laundries, Family And Commercial
1980	MANHATTAN LDRY & DRY CLG CO*	Power Laundries, Family And Commercial
1981	MANHATTAN LAUNDRY AND DRY CLEAN	LAUNDRIES AND DRY CLEANERS
1982	MANHATTAN LDRY & DRY CLG CO*	Power Laundries, Family And Commercial
1983	MANHATTAN LDRY & DRY CLG CO*	Power Laundries, Family And Commercial
1986	MANHATTAN LAUNDRY AND DRY CLEAN	LAUNDRIES AND DRY CLEANERS
1987	MANHATTAN CLEANERS	Power Laundries, Family And Commercial
1988	MANHATTAN CLEANERS	Power Laundries, Family And Commercial

**389**      **G S W COIN OP SUPPLY**  
**310 N AUSTIN ST**  
**DALLAS, TX**

**EDR Hist Cleaner**      **1009341638**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1966	G S W COIN OP SUPPLY	LAUNDRY SUPPLIES AND EQUIPMENT DEALERS

**389**      **PLAZA GARAGE**  
**801 ELM**  
**DALLAS, TX**

**EDR Hist Auto**      **1009382940**  
**N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	PLAZA GARAGE	AUTOMOBILE GARAGES



MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EDR ID Number EPA ID Number

390 SURAIYA HYDER EDR Hist Cleaner 1020100156  
 1700 COMMERCE ST N/A  
 DALLAS, TX 75201

EDR Hist Cleaner

Year:	Name:	Type:
2000	COMMERCE CLEANERS	Drycleaning Plants, Except Rugs, NEC
2001	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2002	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2003	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2004	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2005	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2006	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2007	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2008	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2009	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2010	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2011	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC
2012	SURAIYA HYDER	Drycleaning Plants, Except Rugs, NEC

390 1700 COMMERCE PLACE TX LPST S104876482  
 1700 COMMERCE ST N/A  
 DALLAS, TX 75116

LPST:

Facility ID: Not reported  
 LPST Id: 108741  
 Facility Location: 1700 COMMERCE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 06/15/1995  
 Entered Date: 11/28/1994  
 Priority: 3.5 - A DESIGNATED MAJOR OR MINOR AQUIFER IS IMPACTED  
 Program: 2 - REGION  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: A designated major or minor groundwater aquifer is affected or immediately threatened.  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 2/1/2  
 Coordinators RPR: RWL  
 Responsible Party Name: 1700 COMMERCE PLACE JOINT VENT  
 Responsible Party Contact: ROBIN OVERSTREET  
 Responsible Party Address: 1700 COMMERCE ST  
 Responsible Party City,St,Zip: DALLAS, TX 75116  
 Responsible Party Telephone: 214/741-1698  
 Reported Date: 09/30/1994  
 Case Start Date: 11/28/1994

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**390**      **MANHATTAN LAUNDRY AND DRY CLEANING CO**      **EDR Hist Cleaner**      **1009337050**  
**1710 COMMERCE**      **N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1951	MANHATTAN LAUNDRY AND DRY CLEAN	LAUNDRIES
1956	MANHATTAN LAUNDRY AND DRY CLEAN	LAUNDRIES

**391**      **HATITORIUM THE NO 2 A**      **EDR Hist Cleaner**      **1009334726**  
**1208 MAIN**      **N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	HATITORIUM THE NO 2 A	HAT CLEANERS AND BLOCKERS

**391**      **ZIP 60 MINUTE CLEANERS**      **EDR Hist Cleaner**      **1009334790**  
**1212 MAIN ST**      **N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1971	ZIP 60 MINUTE CLEANERS	CLEANERS AND DYERS
1971	RADY HOWARD C	Drycleaning Plants, Except Rugs
1972	RADY HOWARD C	Drycleaning Plants, Except Rugs
1973	RADY HOWARD C	Drycleaning Plants, Except Rugs
1974	RADY HOWARD C	Drycleaning Plants, Except Rugs
1975	RADY HOWARD C	Power Laundries, Family And Commercial
1976	RADY HOWARD C	Power Laundries, Family And Commercial
1977	ZIP SIXTY MINIT CLEANERS	CLEANERS AND DYERS
1977	RADY HOWARD C	Power Laundries, Family And Commercial
1978	RADY HOWARD C	Power Laundries, Family And Commercial
1979	RADY HOWARD C	Power Laundries, Family And Commercial
1980	RADY HOWARD C	Power Laundries, Family And Commercial
1981	ZIP SIXTY MINIT CLEANERS	CLEANERS AND DYERS

**391**      **AT&T - TXSX00**      **TX TIER 2**      **S111032678**  
**1 MAIN PL**      **N/A**  
**DALLAS, TX 75202**

TIER 2:

Facility Id/Name:	FA20111884ZZXXXXXXXXXX/AT&T - TXSX00
Reporting Year:	2011
Facility Country:	USA
Facility Department:	AT&T - TXSX00
Facility Date Modified:	5/16/2012
Date Tier 2 Signed:	01/09/2012
Mailing Address:	898 Marie Lane
Mailing City/State/Country:	Conyers, GA USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	0
Number Of Employess On Site:	33

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T - TXSX00 (Continued)**

**S111032678**

Site Map: Not reported  
 Fire District: Fire Department Station #18  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA20101884ZZXXXXXXXXX/AT&T - TXSX00  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: AT&T - TXSX00  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/05/2011  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Emploeyss On Site: 33  
 Site Map: Not reported  
 Fire District: Fire Department Station #18  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 006980800  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/09/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/09/2012  
 Id: 4813  
 Id Type: SIC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T - TXSX00 (Continued)**

**S111032678**

Description: Unknown  
 Last Modified: 01/09/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 02/06/2012

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 02/06/2012

Contact:

Contact Email: gc231g@us.att.com  
 Contact Mail Address: 1255 TAVAROS AVE  
 Contact City/State/Zip: DALLAS, TX 75218  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: GEORGE CERMAK  
 Title: Property Manager  
 Modification Date: 2/14/2012

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T - TXSX00 (Continued)**

**S111032678**

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: AT&T Communications of Texas  
 Title: Not reported  
 Modification Date: 2/14/2012

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: AT&T Communications of Texas  
 Title: Not reported  
 Modification Date: 2/14/2012

Chemical Inventory:

Facility Id: FA20111884ZZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA20111884ZZ1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 3302  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T - TXSX00 (Continued)**

**S111032678**

Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20111884ZZ1ZZ1ZZXX  
 Chemical Inventory Record Id: FA20111884ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 3302  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/14/2012

Facility Id: FA20111884ZZXXXXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA20111884ZZ31ZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 28937  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20111884ZZ31Z1ZZXX  
 Chemical Inventory Record Id: FA20111884ZZ31ZXXXXX  
 Amt Of Sub Stored Or Transported: 28937  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/14/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T - TXSX00 (Continued)**

**S111032678**

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/05/2011  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/05/2011  
 Id: 006980800  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/05/2011

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 4/4/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 01/05/2011

Contact:

Contact Email: gc231g@semail.att.com  
 Contact Mail Address: 1255 TAVAROS AVE  
 Contact City/State/Zip: DALLAS, TX 75218  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: GEORGE CERMAK  
 Title: Property Manager  
 Modification Date: 4/2/2011

Chemical Inventory:

Facility Id: FA20101884ZZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA20101884ZZ1ZZXXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T - TXSX00 (Continued)**

**S111032678**

Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 18571  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 4/2/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: FA20101884ZZ1ZZ1ZZXX  
 Chemical Inventory Record Id: FA20101884ZZ1ZZXXXXXX  
 Amt Of Sub Stored Or Transported: 4963  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 4/2/2011

Record Key: FA20101884ZZ1ZZ20ZXX  
 Chemical Inventory Record Id: FA20101884ZZ1ZZXXXXXX  
 Amt Of Sub Stored Or Transported: 13608  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Plant - 16 th  
 Last Modified: 4/2/2011

Facility Id: FA20101884ZZXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA20101884ZZ31ZXXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 162733  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 4/2/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T - TXSX00 (Continued)**

**S111032678**

Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20101884ZZ31Z1ZZXX  
 Chemical Inventory Record Id: FA20101884ZZ31ZXXXXXX  
 Amt Of Sub Stored Or Transported: 43490  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 4/2/2011

Record Key: FA20101884ZZ31Z20ZXX  
 Chemical Inventory Record Id: FA20101884ZZ31ZXXXXXX  
 Amt Of Sub Stored Or Transported: 119243  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Plant - 16 th  
 Last Modified: 4/2/2011

Notes: Not reported  
 Validation: Not reported

391

**TCG DALLAS JV - TXSX00  
 1 MAIN PL  
 DALLAS, TX 75202**

**TX TIER 2 S108449352  
 N/A**

TIER 2:

Facility Id/Name: FA20091884ZZXXXXXXX/AT&T TXSX00  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: AT&T - TXSX00  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 01/06/2010  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Emploeyess On Site: 33  
 Site Map: Not reported  
 Fire District: Fire Department Station #18  
 Submitted By: Lynn Ragsdale

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG DALLAS JV - TXSX00 (Continued)**

**S108449352**

Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA20081884ZZXXXXXXXXX/TCG DALLAS JV - TXSX00  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: TCG Dallas JV - TXSX00  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 02/20/2009  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Emploeyess On Site: 33  
 Site Map: Not reported  
 Fire District: Fire Department Station #18  
 Submitted By: Lynn Ragsdale  
 Latitude: 0  
 Longitude: 0  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20063SBCIDA01884/AT&T TELEPHONE FACILITY  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 2/1/2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TCG DALLAS JV - TXSX00 (Continued)**

**S108449352**

Submitted By: Lynn Ragsdale  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20053JLWCX065YP6/AT&T CORP  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 2/6/2006  
 Mailing Address: 898 MARIE LANE  
 Mailing City/State/Country: CONYERS, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: LYNN RAGSDALE  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 006980800  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/06/2010  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/06/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TCG DALLAS JV - TXSX00 (Continued)**

**S108449352**

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 1/6/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1255 TAVAROS AVE  
 Contact City/State/Zip: DALLAS, TX 75218  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: GEORGE CERMAK  
 Title: Property Manager  
 Modification Date: 3/13/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 3/14/2010

Chemical Inventory:

Facility Id: FA20091884ZZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA20091884ZZ1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 19853  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG DALLAS JV - TXSX00 (Continued)**

**S108449352**

Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20091884ZZ1ZZ20ZXX  
 Chemical Inventory Record Id: FA20091884ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 14890  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Plant - 16 th  
 Last Modified: 3/13/2010

Record Key: FA20091884ZZ1ZZ1ZZXX  
 Chemical Inventory Record Id: FA20091884ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 4963  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 3/13/2010

Facility Id: FA20091884ZZXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA20091884ZZ31ZZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 173960  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20091884ZZ31Z1ZZXX  
 Chemical Inventory Record Id: FA20091884ZZ31ZZXXXXX  
 Amt Of Sub Stored Or Transported: 43490  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG DALLAS JV - TXSX00 (Continued)**

**S108449352**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 3/13/2010

Record Key: FA20091884ZZ31Z20ZXX  
 Chemical Inventory Record Id: FA20091884ZZ31ZXXXXX  
 Amt Of Sub Stored Or Transported: 130470  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Plant - 16 th  
 Last Modified: 3/13/2010

Notes: Not reported  
 Validation: This facility passed all validation checks.

Notes: Not reported  
 Validation: Not reported

Notes: Added per email from D. Nargis on 4/19/05.  
 Validation: This facility passed all validation checks.

Notes: Not reported  
 Validation: Not reported

**392 EXPRESSWAY GENERAL STR & CLRS  
 1417 COMMERCE ST  
 DALLAS, TX 75201**

**EDR Hist Auto 1021498065  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1995	EXPRESSWAY GENERAL STR & CLRS	Gasoline Service Stations
1996	EXPRESSWAY GENERAL STR & CLRS	Gasoline Service Stations
1997	EXPRESSWAY GENERAL STR & CLRS	Gasoline Service Stations
1998	EXPRESSWAY GENERAL STR & CLRS	Gasoline Service Stations

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**392 ANA CLEANERS  
 1505 COMMERCE ST  
 DALLAS, TX 75201**

**TX DRYCLEANERS S109361787  
 N/A**

DRYCLEANERS:  
 RN Number: RN103957957  
 Region: 4  
 CN Number: CN602458713  
 DCR Number: Not reported  
 AR Number: 24000468  
 Principal Name: DRYTECH CLEANERS INC  
 Bill Addr1: 4347 W NORTHWEST HWY STE 125  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75220 3866  
 EMail: Not reported  
 Phone Number: Not reported  
 Site Name: ANA CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2004  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: Not reported

**392 ANJUL INC  
 1505 COMMERCE ST  
 DALLAS, TX 75201**

**EDR Hist Cleaner 1018893298  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1997	ANJUL INC	Garment Pressing And Cleaners' Agents
1998	ANJUL INC	Garment Pressing And Cleaners' Agents
1999	ANJUL INC	Garment Pressing And Cleaners' Agents
2000	ANJUL INC	Garment Pressing And Cleaners' Agents
2001	ANJUL INC	Garment Pressing And Cleaners' Agents
2002	ANJUL INC	Garment Pressing And Cleaners' Agents
2003	ANJUL INC	Garment Pressing And Cleaners' Agents
2004	ANJUL INC	Garment Pressing And Cleaners' Agents
2005	ANJUL INC	Garment Pressing And Cleaners' Agents
2006	ANJUL INC	Garment Pressing And Cleaners' Agents
2007	ANJUL INC	Garment Pressing And Cleaners' Agents
2008	ANJUL INC	Garment Pressing And Cleaners' Agents

**392 ANA CLEANERS  
 1505 COMMERCE ST  
 DALLAS, TX 75201**

**FINDS 1010701987  
 N/A**

FINDS:

Registry ID: 110033296886

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ANA CLEANERS (Continued)**

**1010701987**

names, addresses, and telephone numbers of those the TCEQ regulates.  
 It also contains additional IDs (permits, registrations,  
 authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access  
 additional FINDS: detail in the EDR Site Report.

---

393	<b>SANGER BROS GARAGE 709 ELM DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009381089 N/A</b>
	EDR Hist Auto		
	Year: Name:	Type:	
	1930 SANGER BROS GARAGE	AUTOMOBILE GARAGES	
	1936 SANGER BROS GARAGE	AUTOMOBILE GARAGES	
	1941 SANGER BROS GARAGE	AUTOMOBILE GARAGES	
	1946 SANGER BROS GARAGE	AUTOMOBILE GARAGES	

---

393	<b>SANGER BROS GARAGE 713 ELM DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009381301 N/A</b>
	EDR Hist Auto		
	Year: Name:	Type:	
	1930 SANGER BROS GARAGE	AUTOMOBILE GARAGES	

---

393	<b>SANGER BROS GARAGE 715 ELM DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009381370 N/A</b>
	EDR Hist Auto		
	Year: Name:	Type:	
	1930 SANGER BROS GARAGE	AUTOMOBILE GARAGES	

---

393	<b>SANGER BROS GARAGE 711 ELM DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009381223 N/A</b>
	EDR Hist Auto		
	Year: Name:	Type:	
	1930 SANGER BROS GARAGE	AUTOMOBILE GARAGES	



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**394 FORMER MERCANTIE BUILDING  
 1712 COMMERCE ST.  
 DALLAS, TX 75201**

**TX ASBESTOS S119145955  
 N/A**

ASBESTOS:  
 Date of inspection: 04/01/2016  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: 2016002480  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 01  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: Not reported  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtned to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtned to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtned to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**394 FORMER MERCANTILE BUILDING  
 1712 COMMERCE ST.  
 DALLAS, TX 75201**

**TX ASBESTOS S119145956  
 N/A**

ASBESTOS:  
 Date of inspection: 09/22/2015  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: 2015005795  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 01  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: 02/24/2016  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtned to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtned to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtned to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>395</b>	<b>DALLAS COUNTY COMMUNITY COLLEGE DISTRICT</b>	<b>RCRA NonGen / NLR</b>	<b>1000277715</b>
	<b>701 ELM ST</b>	<b>FINDS</b>	<b>TXD982289670</b>
	<b>DALLAS, TX 75202</b>	<b>ECHO</b>	

RCRA NonGen / NLR:

Date form received by agency: 08/23/2001  
 Facility name: DALLAS COUNTY COMMUNITY COLLEGE DISTRICT  
 Facility address: 701 ELM ST  
 DALLAS, TX 75202  
 EPA ID: TXD982289670  
 Mailing address: ELM ST  
 DALLAS, TX 75202  
 Contact: IVEY NATHAN  
 Contact address: ELM ST  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: 214-324-7760  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: DALLAS COUNTY COMMUNITY COLLEGE DISTRICT  
 Owner/operator address: ELM ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-324-7760  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Owner/operator name: DALLAS COUNTY COMMUNITY COLLEGE DISTRICT  
 Owner/operator address: ELM ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-324-7760  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Operator  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COMMUNITY COLLEGE DISTRICT (Continued)**

**1000277715**

Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 09/01/1987  
 Site name: DALLAS COUNTY RL THORNTON JR ADMIN BLDG  
 Classification: Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110005103440

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COMMUNITY COLLEGE DISTRICT (Continued)**

**1000277715**

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000277715  
 Registry ID: 110005103440  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005103440>

395

**DALLAS COUNTY COMMUNITY COLLEGE DISTRICT  
 701 ELM ST  
 DALLAS, TX 75202**

**TX Ind. Haz Waste**

**S105168773  
 N/A**

Ind. Haz Waste:

Registration Number: 72583  
 Registration Initial Notification Date: 09/25/1987  
 Registration Last Amendment Date: 08/23/2001  
 EPA Identification: TXD982289670  
 Primary NAICS Code: Not reported  
 Status Change Date: 19870925  
 Land Type: Not reported  
 Description of Facility Site Location: 701 Elm St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: DALLAS COUNTY COMMUNITY COLLEGE DISTRICT  
 Contact Name: IVEY NATHAN  
 Contact Telephone Number: 214-3247760  
 Mailing Address: 701 ELM ST  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: DALLAS, TX 752023201  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 27023  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20030211  
 Ind. waste permit Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COMMUNITY COLLEGE DISTRICT (Continued)**

**S105168773**

Mun waste permit Number:	Not reported
Non Notifier:	No
Business Records Not Found for this RegNo/Year:	
Owner:	
Owner Mailing Address:	701 ELMST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75202 3201
Owner Country:	UNITED STA
Owner Phone Number:	1-214-3247760
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Local Government
Owner Tax Id:	Not reported
Owner Bankruptcy Code:	Not reported
Operator:	
Operator Last Name:	DALLAS COUNTY COMMUNITY COLLEGE DISTRICT
Operator First Name:	Not reported
Operator Name:	DALLAS COUNTY COMMUNITY COLLEGE DISTRICT
Operator Mailing Address:	701 ELMST
Operator Mailing Address 2:	Not reported
Operator Mailing City,St,Zip:	DALLAS, TX 75202 3201
Operator Country:	UNITED STA
Operator Phone:	1-214-3247760
Operator Fax:	Not reported
Operator Email:	Not reported
Operator Business Type:	Local Government
Operator Tax Id:	Not reported
Operator Bankruptcy Code:	Not reported
Contact:	
Contact Name:	IVEY NATHAN
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICON
Contact Address:	701 ELMST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 3201
Contact Phone:	1-214-3247760
Contact Fax:	Not reported
Contact Email:	Not reported
Contact:	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	701 ELMST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 3201
Contact Phone:	1-214-3247760
Contact Fax:	Not reported
Contact Email:	Not reported
Contact:	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	701 ELMST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COMMUNITY COLLEGE DISTRICT (Continued)**

**S105168773**

Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 3201  
 Contact Phone: 1-214-3247760  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

396

**GUSTAVOS TAILORS  
 1207 MAIN ST STE C115  
 DALLAS, TX 75202**

**EDR Hist Cleaner 1018633317  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1987	GUSTAVOS TAILORS	Drycleaning Plants, Except Rugs
1988	GUSTAVOS TAILORS	Drycleaning Plants, Except Rugs
1989	GUSTAVOS TAILORS	Drycleaning Plants, Except Rugs

396

**EXXONMOBIL OIL CORPORATION  
 1201 MAIN ST  
 DALLAS, TX 75202**

**EDR Hist Auto 1021551561  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
2005	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2005	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2006	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2006	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2008	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2009	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2010	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2011	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2012	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2013	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC
2014	EXXONMOBIL OIL CORPORATION	Gasoline Service Stations, NEC

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>396</b>	<b>ASPEN CLEANERS</b> <b>1201 MAIN ST</b> <b>DALLAS, TX 75202</b>	<b>EDR Hist Cleaner</b>	<b>1018486058</b> N/A
------------	---	-------------------------	--------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1986	ASPEN CLEANERS	Garment Pressing And Cleaners' Agents	

<b>397</b>	<b>VICTOR HATTERS AND CLEANERS</b> <b>1612 COMMERCE</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009336722</b> N/A
------------	---	-------------------------	--------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1930	VICTOR HATTERS AND CLEANERS	HAT CLEANERS AND BLOCKERS	
1951	VICTOR HAT WORKS	HAT CLEANERS AND BLOCKERS	

<b>397</b>	<b>ABRAHAM GEO</b> <b>1611 COMMERCE</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009336715</b> N/A
------------	---	-------------------------	--------------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1925	ABRAHAM GEO	CLOTHES CLEANERS AND DYERS	

<b>398</b>	<b>2008 JACKSON ST</b> <b>DALLAS, TX</b>	<b>HMIRS</b>	<b>94110455</b> N/A
------------	---	--------------	------------------------

[Click this hyperlink](#) while viewing on your computer to access additional HMIRS detail in the EDR Site Report.

<b>399</b>	<b>STORAGE FACILITY</b> <b>1401 COMMERCE ST.</b> <b>DALLAS, TX 75208</b>	<b>TX ASBESTOS</b>	<b>S119157579</b> N/A
------------	--	--------------------	--------------------------

ASBESTOS:

Date of inspection:	07/23/2014
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2014005297
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**STORAGE FACILITY (Continued)**

**S119157579**

Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/12/2014
Date Routed by Supervisor:	11/26/2014
Date Routed to PSQA:	12/02/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

399

**COMMERCE STREET PLANT  
 1401 COMMERCE ST  
 DALLAS, TX**

**TX AIRS S121947705  
 N/A**

**AIRS:**

Permit Num:	30067
Regulated Id:	RN100789338
Permit Type:	EXEMPT
Permit Status:	EFFECTIVE
Permit Issued Date:	12/06/1995
Expiration Date:	Not reported
Customer Id:	CN601272297
Company Name:	HOLMAN BOILER WORKS INC
Physical Location Desc:	Not reported
Rep Official(RO):	Not reported
RO Name:	Not reported
RO Delivery Address:	Not reported
RO City/State/Zip:	Not reported
RO Phone:	Not reported
RO Ext Num:	Not reported
RO EMail Address:	Not reported
Lat Dec Coord Num:	32.773054
Long Dec Coord Num:	-95.257499

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>400</b>	<b>DUNLAP SWAIN SERV STATION</b>	<b>EDR Hist Auto</b>	<b>1021134014</b>
	<b>301 S HARWOOD ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

EDR Hist Auto

Year:	Name:	Type:	
2010	DUNLAP SWAIN SERV STATION	Gasoline Service Stations	

<b>401</b>	<b>MIC KENNEY JAMES L</b>	<b>EDR Hist Auto</b>	<b>1009367986</b>
	<b>312 S PEARL</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1941	MIC KENNEY JAMES L	AUTOMOBILE REPAIRING	
1941	SKIDINORE LILE	AUTOMOBILE REPAIRING	

<b>402</b>	<b>500 S. MAVIS ST., IRVING</b>	<b>TX SPILLS</b>	<b>S106996455</b>
	<b>500 S. MAVIS ST., IRVING</b>		<b>N/A</b>
	<b>, TX</b>		

SPILLS:

Spill Address:	500 S. MAVIS ST., IRVING
Incident Number:	Not reported
Facility Id:	Not reported
Date of Spill:	01/11/1991
Seq Num:	Not reported
Responsible Party Name:	NCNB
Responsible Party Address:	1201 MAIN ST.,28TH FLOOR
Responsible Party City:	DALLAS
Responsible Party State:	TX
Responsible Party Zip:	75283
Responsible Party Telephone:	2145085365
Substance:	DIESEL
Material Code:	1040
Media Affected:	NO
Permit Number:	NONE
District:	04
Origin:	007
Cause:	004
Basin Code:	0805
Notify Date:	Not reported
Adequate Clean:	007
Classification:	003
Basin Name:	TRINITY
Water Affected:	NONE
Amnt Spilled:	50 GAL
Amnt in Water:	NONE
Latitude:	Not reported
Longitude:	Not reported
Inspected By:	NONE
Interim Report:	X
Enforce:	Not reported
Information Final:	Not reported
Coordinator:	S. BARRETT
Time Reported:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**500 S. MAVIS ST., IRVING (Continued)**

**S106996455**

Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

**403 DTS STANDARD TRANSMISSION  
 917 MAIN ST  
 DALLAS, TX 75202**

**EDR Hist Auto 1021425633  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1992 DTS STANDARD TRANSMISSION Automotive Transmission Repair Shops

**403 HEINENS INC  
 917 MAIN  
 DALLAS, TX**

**EDR Hist Cleaner 1009350477  
 N/A**

EDR Hist Cleaner

Year: Name: Type:  
 1925 HEINENS INC CLOTHES CLEANERS AND DYERS

**403 LE BEAU PRESSING PARLOR  
 1023 MAIN  
 DALLAS, TX**

**EDR Hist Cleaner 1009333481  
 N/A**

EDR Hist Cleaner

Year: Name: Type:  
 1925 LE BEAU PRESSING PARLOR CLOTHES CLEANERS AND DYERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

404      **JG MOORE & CO TWENTY-ONE HUNDRED  
 ON NE CORNER OF PEARL EXPY AND CANTON ST  
 DALLAS, TX 75201**

**FINDS    1010772089  
 N/A**

FINDS:

Registry ID:                      110033820444

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

404      **VACANT PARKING LOT  
 CANTON ST  
 DALLAS, TX 75201**

**TX LPST    S105050332  
 N/A**

LPST:

Facility ID:                      Not reported  
 LPST Id:                            108420  
 Facility Location:                CANTON & ERVAY STREETS SE CORNER  
 TCEQ Region# and City:        4  
 Region City:                      ARLINGTON  
 Reported Date:                  08/29/1994  
 Entered Date:                    08/31/1994  
 Priority:                            4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program:                         2 - REGION  
 CA Status:                        6A - FINAL CONCURRENCE ISSUED  
 Priority Description:            The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.

**Status:                            FINAL CONCURRENCE ISSUED, CASE CLOSED**

Coordinators Primary:         2  
 Coordinators RPR:               RPR  
 Responsible Party Name:        WILLIAMS RAYMOND A  
 Responsible Party Contact:     RAYMOND WILLIAMS  
 Responsible Party Address:     940 SAN JACINTO TOWER  
 Responsible Party City,St,Zip: DALLAS, TX 75201  
 Responsible Party Telephone: 214/953-0343  
 Reported Date:                  07/26/1994  
 Case Start Date:                08/31/1994

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number

405      **J B HATORIUM A**      EDR Hist Cleaner      1009338734  
 215 S ERVAY      N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1930	J B HATORIUM A	HAT CLEANERS AND BLOCKERS
1961	COLUMBIA MASTER HATERS L	HAT CLEANERS AND BLOCKERS

405      **FREE MENDING HAND LAUNDRY**      EDR Hist Cleaner      1009338656  
 213 S ERVAY      N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1936	FREE MENDING HAND LAUNDRY	LAUNDRIES

405      **MOORE BROS**      EDR Hist Cleaner      1009338358  
 209 S ERVAY      N/A  
 DALLAS, TX

EDR Hist Cleaner

Year:	Name:	Type:
1925	MOORE BROS	CLOTHES CLEANERS AND DYERS
1930	MCGUIRE CLEANING AND DYEING CO	CLEANERS AND DYERS

406      **AT&T - TX1489**      TX TIER 2      S111032679  
 901 MAIN ST      N/A  
 DALLAS, TX 75202

TIER 2:

Facility Id/Name:	FA20101886ZZXXXXXXXX/AT&T - TX1489
Reporting Year:	2010
Facility Country:	USA
Facility Department:	AT&T - TX1489
Facility Date Modified:	6/1/2011
Date Tier 2 Signed:	01/05/2011
Mailing Address:	898 Marie Lane
Mailing City/State/Country:	Conyers, GA USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	0
Number Of Employess On Site:	35
Site Map:	Not reported
Fire District:	Fire Department Station #18
Submitted By:	Lynn Ragsdale
Latitude:	0.000000
Longitude:	0.000000
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T - TX1489 (Continued)**

**S111032679**

Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/05/2011  
 Id: 006980800  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/05/2011  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/05/2011

Contact:

Contact Email: mg2787@us.att.com  
 Contact Mail Address: 321 W KIMBROUGH ST  
 Contact City/State/Zip: MESQUITE, TX 75149  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: MICHAEL GILLEY  
 Title: Property Manager  
 Modification Date: 4/2/2011

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 4/4/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 01/05/2011

Chemical Inventory:

Facility Id: FA20101886ZZXXXXXXXXX  
 Chemical Name: SULFURIC ACID

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T - TX1489 (Continued)**

**S111032679**

Chemical Inv Record Id: FA20101886ZZ1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100 - 999 pounds  
 Max Daily Amount: 100 - 999 pounds  
 Max Amount In Largest Container: 730  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 4/2/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: FA20101886ZZ1ZZ1ZZXX  
 Chemical Inventory Record Id: FA20101886ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 408  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 4/2/2011

Record Key: FA20101886ZZ1ZZ2ZZXX  
 Chemical Inventory Record Id: FA20101886ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 322  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Equipment Room - 26 th  
 Last Modified: 4/2/2011

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**406 CORPORATE CARE OF AMERICA**  
**901 MAIN ST STE C114**  
**DALLAS, TX 75202**

**EDR Hist Cleaner 1018720355**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1995	CORPORATE CARE CLEANERS	Garment Pressing And Cleaners' Agents
1996	CORPORATE CARE CLEANERS	Garment Pressing And Cleaners' Agents
1997	CORPORATE CARE CLEANERS	Garment Pressing And Cleaners' Agents
1998	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
1999	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2000	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2001	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2002	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2003	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2004	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2005	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2006	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2007	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2008	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2009	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2010	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2011	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2012	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2013	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents
2014	CORPORATE CARE OF AMERICA	Garment Pressing And Cleaners' Agents

**406 CORPORATE CARE CLEANERS**  
**901 MAIN ST STE C114**  
**DALLAS, TX 75202**

**FINDS 1011322131**  
**N/A**

FINDS:

Registry ID: 110034358353

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**406 CVS PHARMACY #7750  
 901 MAIN ST  
 DALLAS, TX 75202**

**RCRA-CESQG 1014961832  
 TXR000081099**

RCRA-CESQG:

Date form received by agency: 07/25/2012  
 Facility name: CVS PHARMACY #7750  
 Facility address: 901 MAIN ST  
 DALLAS, TX 75202-3707  
 EPA ID: TXR000081099  
 Mailing address: CVS DR  
 WOONSOCKET, RI 02895  
 Contact: WENDY L BRANT  
 Contact address: CVS DR  
 WOONSOCKET, RI 02895  
 Contact country: US  
 Contact telephone: 401-765-1500  
 Contact email: WENDY.BRANT@CVSCAREMARK.COM  
 EPA Region: 06  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: DALLAS MAIN LP  
 Owner/operator address: MAIN ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-761-6110  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/01/2004  
 Owner/Op end date: Not reported

Owner/operator name: CVS PHARMACY INC  
 Owner/operator address: CVS DR  
 WOONSOCKET, RI 02895  
 Owner/operator country: US  
 Owner/operator telephone: 401-765-1500  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CVS PHARMACY #7750 (Continued)**

**1014961832**

Owner/Op start date: 08/01/2004  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: P001  
 . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P042  
 . Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)-

. Waste code: P075  
 . Waste name: NICOTINE, & SALTS

. Waste code: P081  
 . Waste name: NITROGLYCERINE (R)

Violation Status: No violations found

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

406 CORPORATE CARE CLEANERS TX DRYCLEANERS S109360692  
 901 MAIN ST STE C114 N/A  
 DALLAS, TX 75202

DRYCLEANERS:  
 RN Number: RN105194658  
 Region: 4  
 CN Number: CN602469678  
 DCR Number: Not reported  
 AR Number: 24000438  
 Principal Name: MGK INC  
 Bill Addr1: 11834 INWOOD RD  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75244 8011  
 EMail: Not reported  
 Phone Number: Not reported  
 Site Name: CORPORATE CARE CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2004  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: Not reported

RN Number: RN105194658  
 Region: 4  
 CN Number: CN602469678  
 DCR Number: Not reported  
 AR Number: 24000438  
 Principal Name: MGK INC  
 Bill Addr1: 11834 INWOOD RD  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75244 8011  
 EMail: Not reported  
 Phone Number: Not reported  
 Site Name: CORPORATE CARE CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2005  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: Not reported

RN Number: RN105194658  
 Region: 4  
 CN Number: CN602469678  
 DCR Number: Not reported  
 AR Number: 24000438  
 Principal Name: MGK INC  
 Bill Addr1: 11834 INWOOD RD  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75244 8011  
 EMail: Not reported  
 Phone Number: Not reported  
 Site Name: CORPORATE CARE CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CORPORATE CARE CLEANERS (Continued)**

**S109360692**

Fiscal Year: FY2006  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

RN Number: RN105194658  
 Region: 4  
 CN Number: CN602469678  
 DCR Number: Not reported  
 AR Number: 24000438  
 Principal Name: MGK INC  
 Bill Addr1: 11834 INWOOD RD  
 Bill Addr2: Not reported  
 Bill City/State/Zip: DALLAS, TX 75244 8011  
 EMail: Not reported  
 Phone Number: Not reported  
 Site Name: CORPORATE CARE CLEANERS  
 Site Type: DROP STATION REGISTRATION  
 Site Status: ACTIVE  
 Fiscal Year: FY2007  
 Solvent: Not reported  
 Gallons: Not reported  
 Part Stat: YES  
 Gross Receipts: \$150,000 OR LESS

406

**MCI - DLWTTX, DLBLTX  
 901 MAIN STREET, SUITE 2610  
 DALLAS, TX 75202**

**TX TIER 2 S108877592  
 N/A**

TIER 2:

Facility Id/Name: FATR200623GH8N0FW6E4/MCI - DLWTTX, DLBLTX  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/16/2007  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Rep.  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MCI - DLWTTX, DLBLTX (Continued)**

**S108877592**

Additional Mail Addr: Not reported

Notes: Not reported

Validation: Not reported

406

**NISSAN DIESEL AMERICA INC  
 901 MAIN ST, STE 4300  
 DALLAS, TX 75202**

**ICIS 1005671178  
 FINDS N/A  
 ECHO**

ICIS:

Enforcement Action ID: HQ-2000-0112  
 FRS ID: 110010646300  
 Action Name: NISSAN DIESEL  
 Facility Name: NISSAN DIESEL AMERICA INC  
 Facility Address: 901 MAIN ST, STE 4300  
 DALLAS, TX 75202  
 Enforcement Action Type: CAA 205 Action For Mobile/Title II  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 205  
 Facility SIC Code: 3711  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.779563  
 Longitude in Decimal Degrees: -96.804258  
 Permit Type Desc: Not reported  
 Program System Acronym: 29789  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

FINDS:

Registry ID: 110010646300

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**NISSAN DIESEL AMERICA INC (Continued)**

**1005671178**

ECHO:

Envid: 1005671178  
 Registry ID: 110010646300  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010646300>

406

**TCG SERVICES INC - TX1489**  
**901 MAIN ST**  
**DALLAS, TX 75202**

**TX TIER 2 S108449384**  
**N/A**

TIER 2:

Facility Id/Name: FA20091886ZZXXXXXXXX/AT&T TX1489  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: AT&T - TX1489  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 01/06/2010  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 35  
 Site Map: Not reported  
 Fire District: Fire Department Station #18  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA20081886ZZXXXXXXXX/TCG SERVICES INC - TX1489  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: TCG Services Inc - TX1489  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 02/20/2009  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 35  
 Site Map: Not reported  
 Fire District: Fire Department Station #18  
 Submitted By: Lynn Ragsdale  
 Latitude: 0  
 Longitude: 0  
 Lat/Long Location Desc: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG SERVICES INC - TX1489 (Continued)**

**S108449384**

Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20063SBCIDA01886/AT&T TELEPHONE FACILITY  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 2/1/2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200548SWWH02NU6Z/AT&T CORP  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 2/6/2006  
 Mailing Address: 898 MARIE LANE  
 Mailing City/State/Country: CONYERS, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: LYNN RAGSDALE  
 Latitude: Not reported  
 Longitude: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG SERVICES INC - TX1489 (Continued)**

**S108449384**

Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 006980800  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/06/2010  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/06/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 3/14/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 321 W KIMBROUGH ST  
 Contact City/State/Zip: MESQUITE, TX 75149  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: MICHAEL GILLEY  
 Title: Property Manager  
 Modification Date: 3/13/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG SERVICES INC - TX1489 (Continued)**

**S108449384**

Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 1/6/2010

Chemical Inventory:

Facility Id: FA20091886ZZXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA20091886ZZ1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 2854  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20091886ZZ1ZZ1ZZXX  
 Chemical Inventory Record Id: FA20091886ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 408  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 3/13/2010

Record Key: FA20091886ZZ1ZZ2ZZXX  
 Chemical Inventory Record Id: FA20091886ZZ1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 2446  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Equipment Room - 26 th  
 Last Modified: 3/13/2010

Facility Id: FA20091886ZZXXXXXXXX

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TCG SERVICES INC - TX1489 (Continued)**

**S108449384**

Chemical Name: LEAD  
 Chemical Inv Record Id: FA20091886ZZ31ZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 25006  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA20091886ZZ31Z1ZZXX  
 Chemical Inventory Record Id: FA20091886ZZ31ZXXXXX  
 Amt Of Sub Stored Or Transported: 3572  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 3/13/2010

Record Key: FA20091886ZZ31Z2ZZXX  
 Chemical Inventory Record Id: FA20091886ZZ31ZXXXXX  
 Amt Of Sub Stored Or Transported: 21434  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Equipment Room - 26 th  
 Last Modified: 3/13/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Added per email from D. Nargis on 4/19/05.

Validation: This facility passed all validation checks.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**TCG SERVICES INC - TX1489 (Continued)**

**S108449384**

Notes: Not reported  
 Validation: Not reported

**406 CVS PHARMACY #7750  
 901 MAIN ST  
 DALLAS, TX 75202**

**FINDS 1015981088  
 ECHO N/A**

**FINDS:**

Registry ID: 110046407090

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1015981088  
 Registry ID: 110046407090  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110046407090>

**406 GULF COAST NATURAL GAS INC  
 901 MAIN ST FL 12  
 DALLAS, TX 75202**

**EDR Hist Auto 1021480866  
 N/A**

**EDR Hist Auto**

Year:	Name:	Type:
2005	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2006	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2007	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2008	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2009	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2010	GULF COAST NATURAL GAS INC	Gasoline Service Stations, NEC
2010	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2011	GULF COAST NATURAL GAS INC	Gasoline Service Stations, NEC
2011	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2012	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2013	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops
2014	BA AUTO SECURITIZATION CORP	General Automotive Repair Shops

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**406 BANK OF AMERICA PLAZA  
 901 MAIN STREET  
 DALLAS, TX 75202**

**TX TIER 2 S108861937  
 N/A**

TIER 2:

Facility Id/Name: FATR20124YJ7VU031Q0J/BANK OF AMERICA PLAZA  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/25/2013  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 150  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Satish Natarajan Principal Environmental Engineer  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20114YJ7VU031Q0J/BANK OF AMERICA PLAZA  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 2/17/2012  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 150  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Satish Natarajan, Principal Environmental Engineer  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20094YJ7VU031Q0J/BANK OF AMERICA PLAZA  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 2/17/2010  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: SATISH NATARAJAN  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20084YJ7VU031Q0J/BANK OF AMERICA PLAZA  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/4/2009  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 150  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Stacey L McFadden  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20074YJ7VU031Q0J/BANK OF AMERICA PLAZA  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/18/2008  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Frank Silva/ Authorized Representative  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20064YJ7VU031Q0J/BANK OF AMERICA PLAZA  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 02-22-2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Kurt Gilliam Program Manager  
 Latitude: 32.78  
 Longitude: -96.80  
 Lat/Long Location Desc: FC - Facility Centroid  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 055169452  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/19/2007  
 Id: 6021  
 Id Type: SIC  
 Description: NATIONAL COMMERCIAL BANKS  
 Last Modified: 2/19/2007  
 Id: 522110  
 Id Type: NAICS  
 Description: COMMERCIAL BANKING  
 Last Modified: 2/4/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: 214 N Tryon Street Suite 4000  
 Contact City/State/Zip: Charlotte, NC 28202  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Name: Frank Silva  
 Title: Env. Manager  
 Modification Date: 2/11/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1201 Main Street  
 Contact City/State/Zip: Dallas, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: Martha Morton  
 Title: Property Manager  
 Modification Date: 3/13/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1201 Main Street 18th Floor  
 Contact City/State/Zip: Dallas, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Jimmy Brown  
 Title: Senior Chief Engineer  
 Modification Date: 3/13/2010

Chemical Inventory:

Facility Id: FATR20094YJ7VU031Q0J

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20094YKN88005TL5  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 406.72  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20094YKNHZ0067J4  
 Chemical Inventory Record Id: CVTR20094YKN88005TL5  
 Amt Of Sub Stored Or Transported: 14955.5  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS Room (350 batteries)  
 Last Modified: 3/13/2010

Facility Id: FATR20094YJ7VU031Q0J  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20094YKP53007GJ3  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 249.28  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/13/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20094YKP7K008MJM  
 Chemical Inventory Record Id: CVTR20094YKP53007GJ3  
 Amt Of Sub Stored Or Transported: 1480.5  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS Room (350 batteries)  
 Last Modified: 3/13/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 522110  
 Id Type: NAICS  
 Description: COMMERCIAL BANKING  
 Last Modified: 2/4/2009  
 Id: 6021  
 Id Type: SIC  
 Description: NATIONAL COMMERCIAL BANKS  
 Last Modified: 2/19/2007  
 Id: 055169452  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/19/2007

Contact:

Contact Email: Frank.Silva@cbre.com  
 Contact Mail Address: 214 N Tryon Street Suite 4000  
 Contact City/State/Zip: Charlotte, NC 28202  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Name: Frank Silva  
 Title: Env. Manager  
 Modification Date: 2/11/2009

Contact Email: Frank.Silva@cbre.com  
 Contact Mail Address: 214 N Tryon Street Suite 4000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Contact City/State/Zip: Charlotte, NC 28202  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Name: Frank Silva  
 Title: Env. Manager  
 Modification Date: 2/11/2009

Contact:  
 Contact Email: Terri.Starwalt@CBRE.com  
 Contact Mail Address: 1201 Main Street  
 Contact City/State/Zip: Dallas, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: Terri Starwalt  
 Title: Not reported  
 Modification Date: 2/23/2012

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 901 Main Street  
 Contact City/State/Zip: Dallas, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Darwin Pipes  
 Title: Assistant Chief Engineer  
 Modification Date: 2/23/2012

Chemical Inventory:  
 Facility Id: FATR20114YJ7VU031Q0J  
 Chemical Name: Lead  
 Chemical Inv Record Id: CVTR20114YKN88005TL5  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: T  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 406.72  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/23/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Chemical Inventory Location:

Record Key: CLTR20114YKNHZ0067J4  
 Chemical Inventory Record Id: CVTR20114YKN88005TL5  
 Amt Of Sub Stored Or Transported: 14955.5  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS Room (350 batteries)  
 Last Modified: 2/23/2012

Facility Id: FATR20114YJ7VU031Q0J  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20114YKP53007GJ3  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 249.28  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 2/23/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20114YKP7K008MJM  
 Chemical Inventory Record Id: CVTR20114YKP53007GJ3  
 Amt Of Sub Stored Or Transported: 1480.5  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UPS Room (350 batteries)  
 Last Modified: 2/23/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 522110  
 Id Type: NAICS  
 Description: COMMERCIAL BANKING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Last Modified: 2/4/2009  
 Id: 055169452  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/19/2007  
 Id: 6021  
 Id Type: SIC  
 Description: NATIONAL COMMERCIAL BANKS  
 Last Modified: 2/19/2007

Contact:

Contact Email: Frank.Silva@cbre.com  
 Contact Mail Address: 214 N Tryon Street Suite 4000  
 Contact City/State/Zip: Charlotte, NC 28202  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Name: Frank Silva  
 Title: Env. Manager  
 Modification Date: 2/11/2009

Contact Email: Frank.Silva@cbre.com  
 Contact Mail Address: 214 N Tryon Street Suite 4000  
 Contact City/State/Zip: Charlotte, NC 28202  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Name: Frank Silva  
 Title: Env. Manager  
 Modification Date: 2/11/2009

Contact:

Contact Email: Terri.Starwalt@CBRE.com  
 Contact Mail Address: 1201 Main Street  
 Contact City/State/Zip: Dallas, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Type 2: Owner / Operator  
 Contact Name: Terri Starwalt  
 Title: Not reported  
 Modification Date: 3/7/2013

Contact:

Contact Email: Darwin.Pipes@cbre.com  
 Contact Mail Address: 901 Main Street  
 Contact City/State/Zip: Dallas, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Darwin Pipes  
 Title: Assistant Chief Engineer  
 Modification Date: 3/7/2013

Chemical Inventory:

Facility Id: FATR20124YJ7VU031Q0J  
 Chemical Name: Sulfuric Acid

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Chemical Inv Record Id: CVTR20124YKP53007GJ3  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 5.40  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/7/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20124YKP7K008MJM  
 Chemical Inventory Record Id: CVTR20124YKP53007GJ3  
 Amt Of Sub Stored Or Transported: 1728  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Telcom room (contained in 320 batteries)  
 Last Modified: 3/7/2013

Record Key: CLTR201291QWW200DNF8  
 Chemical Inventory Record Id: CVTR20124YKP53007GJ3  
 Amt Of Sub Stored Or Transported: 126.9  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Network room (contained in 30 batteries)  
 Last Modified: 3/7/2013

Facility Id: FATR20124YJ7VU031Q0J  
 Chemical Name: BATTERIES, WET, FILLED WITH ACID  
 Chemical Inv Record Id: CVTR201291QWEZ005LAT  
 CAS Number: Not reported  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 71  
 Chronic Health Risks: Not reported  
 EHS Substance: T  
 Last Modified: 3/7/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201291QWKK007KL2  
 Chemical Inventory Record Id: CVTR201291QWEZ005LAT  
 Amt Of Sub Stored Or Transported: 22720  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Telcom Room, 13th floor (320 Batteries)  
 Last Modified: 3/7/2013

Record Key: CLTR201291WX1T003HJV  
 Chemical Inventory Record Id: CVTR201291QWEZ005LAT  
 Amt Of Sub Stored Or Transported: 1752  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Network Room, 63rd floor (30 Batteries)  
 Last Modified: 3/7/2013

Mixture:

Record Key: CMTR201291QWLH008D9L  
 Chemical Inv Record Id: CVTR201291QWEZ005LAT  
 Mix Chemical: LEAD  
 Percentage: 73.9  
 Facility Id: FATR20124YJ7VU031Q0J  
 Mixture Cas: 7439-92-1  
 Weight/Volume: Wt  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Record Key: CMTR201291QWVG0097B1  
 Chemical Inv Record Id: CVTR201291QWEZ005LAT  
 Mix Chemical: SULFURIC ACID  
 Percentage: 7.6  
 Facility Id: FATR20124YJ7VU031Q0J  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/7/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number

**BANK OF AMERICA PLAZA (Continued)**

**S108861937**

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

**407 LAUNDRY LIMO EDR Hist Cleaner 1018597348**  
**222 BROWDER ST APT 1003 N/A**  
**DALLAS, TX 75201**

EDR Hist Cleaner

Year: Name: Type:  
 2012 LAUNDRY LIMO Laundry And Drycleaner Agents

**407 AND EDR Hist Cleaner 1009336274**  
**1502 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1925 AND CLEANERS AND DYERS  
 1925 AND CLOTHES CLEANERS AND DYERS

**407 2ND AVE & 25 REESE ST, DALLAS TX SPILLS S106999455**  
**2ND AVE & 25 REESE ST, DALLAS N/A**  
**DALLAS, TX**

SPILLS:

Spill Address: 2ND AVE & 25 REESE ST, DALLAS  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 10/10/1991  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES ELECTRIC CO  
 Responsible Party Address: 1500 COMMERCE ST  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2146987989  
 Substance: MINERAL OIL(6PPM PCB)  
 Material Code: 1099  
 Media Affected: Not reported  
 Permit Number: 0  
 District: 04  
 Origin: 001  
 Cause: 003  
 Basin Code: 0805  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 003  
 Basin Name: TRINITY

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**2ND AVE & 25 REESE ST, DALLAS (Continued)**

**S106999455**

Water Affected: NONE  
 Amnt Spilled: 2 GAL  
 Amnt in Water: 0 GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: S. BARRETT  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

407

**NOBBY TAILORS  
 206 BROWDER  
 DALLAS, TX**

**EDR Hist Cleaner**

**1009338284  
 N/A**

EDR Hist Cleaner

Year: Name:  
 1925 NOBBY TAILORS

Type:  
 CLOTHES CLEANERS AND DYERS

407

**VOLGA OPAL, DALLAS  
 VOLGA OPAL, DALLAS  
 DALLAS, TX**

**TX SPILLS**

**S106997923  
 N/A**

**SPILLS:**

Spill Address: VOLGA OPAL, DALLAS  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 05/25/1991  
 Seq Num: Not reported  
 Responsible Party Name: TEXAS UTILITIES ELECTRIC  
 Responsible Party Address: 1506 COMMERCE ST.  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2146987989



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VOLGA OPAL, DALLAS (Continued)**

**S106997923**

Substance: PCB OIL - 20 PPM  
 Material Code: 2173  
 Media Affected: Not reported  
 Permit Number: 0  
 District: 04  
 Origin: 001  
 Cause: 006  
 Basin Code: 0805  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 006  
 Basin Name: TRINITY  
 Water Affected: NONE  
 Amnt Spilled: 8 GAL  
 Amnt in Water: 0 GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: P. COOPER  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

**408 ORIENTAL OIL CO INC SUPPLY STATIONS: NO 1  
 1901 JACKSON  
 DALLAS, TX**

**EDR Hist Auto 1009360363  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	ORIENTAL OIL CO NO 1	AUTOMOBILE OILS AND GASOLINE
1930	ORIENTAL OIL CO INC SUPPLY ST	AUTOMOBILE OILS AND GASOLINE
1930	ORIENTAL OIL CO INC SUPPLY ST	GASOLINE AND OIL SERVICE STATIONS
1936	MC ATEER I W	GASOLINE AND OIL SERVICE STATIONS
1941	ME ATEER SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
409				<b>DALLAS GARAGE</b> <b>1916 JACKSON</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009360566	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1925 DALLAS GARAGE	AUTOMOBILE REPAIRERS		
409				<b>TOMSON AUTO PARK</b> <b>1920 JACKSON</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009360625	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 TOMSON AUTO PARK	GASOLINE AND OIL SERVICE STATIONS		
410				<b>I DALLAS AUTOMOTIVE SULTPPLY</b> <b>2023 YOUNG</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009361377	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1946 I DALLAS AUTOMOTIVE SULTPPLY	AUTOMOBILE REPAIRING		
410				<b>JOE S GARAGE</b> <b>2035 YOUNG</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009361474	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1946 JOE S GARAGE	AUTOMOBILE REPAIRING		
411				<b>CLARK J C</b> <b>213 S AKARD</b> <b>DALLAS, TX</b>	EDR Hist Cleaner	1009338655	N/A
				EDR Hist Cleaner			
				Year: Name:	Type:		
				1925 CLARK J C	CLOTHES CLEANERS AND DYERS		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

411 **BAKADOLPH ONE HOUR CLEANERS** EDR Hist Cleaner 1009338357  
**209 S AKARD** N/A  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1956 BAKADOLPH ONE HOUR CLEANERS CLEANERS AND DYERS

411 **ORIENTAL LAUNDRY BRANCHES** EDR Hist Cleaner 1009338271  
**205 S AKARD** N/A  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1930 ORIENTAL LAUNDRY CLOTHES PRESSERS, CLEANERS AND REPAIRERS  
 1930 ORIENTAL LAUNDRY CLEANERS AND DYERS  
 1930 ORIENTAL LAUNDRY BRANCHES DYERS AND CLEANERS  
 1930 ORIENTAL LAUNDRY LAUNDRIES  
 1930 ORIENTAL LAUNDRY DRY CLEANERS

411 **ANJUL INC** EDR Hist Cleaner 1018433207  
**1409 COMMERCE ST** N/A  
**DALLAS, TX 75201**

EDR Hist Cleaner

Year: Name: Type:  
 1988 A&A QUALITY CLEANERS Garment Pressing And Cleaners' Agents  
 1989 A&A QUALITY CLEANERS Garment Pressing And Cleaners' Agents  
 1990 A&A QUALITY CLEANERS Garment Pressing And Cleaners' Agents  
 1991 A&A QUALITY CLEANERS Garment Pressing And Cleaners' Agents  
 1992 A&A QUALITY CLEANERS Garment Pressing And Cleaners' Agents  
 1993 A&A QUALITY CLEANERS Garment Pressing And Cleaners' Agents  
 1994 ANJUL INC Garment Pressing And Cleaners' Agents  
 1995 ANJUL INC Garment Pressing And Cleaners' Agents  
 1996 ANJUL INC Garment Pressing And Cleaners' Agents

412 **EL CENTRO COLLEGE** TX UST U001239687  
**700 ELM ST** N/A  
**DALLAS, TX 75202**

UST:

AI Number: 2721  
 Facility Type: UNKNOWN  
 Facility Begin Date: 06/10/1986  
 Facility Status: INACTIVE  
 Additional ID: 198071352002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): DALLAS  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EL CENTRO COLLEGE (Continued)**

**U001239687**

Site Location (Location Zip):	Not reported
Contact Name/Title:	B HUNT,DIRECTOR
Contact Organization Name:	EL CENTRO COLLEGE
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147462057
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	04/04/1986
Signature Name/Title On Earliest Reg Form:	B HUNT,DIRECTOR
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600283121
Owner Last Name:	EL CENTRO COLLEGE
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	100347832001297
Additional ID:	198071352002062
AI Number:	2721
Owner Effective Begin Date:	06/10/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1956
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1571
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	6761
Facility ID:	41273
AI Number:	2721
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EL CENTRO COLLEGE (Continued)**

**U001239687**

Tank Status Date:	07/21/1993
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	12/12/1990
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	1571
UST Comprt ID:	9746
UST ID:	6761
AI Number:	2721
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EL CENTRO COLLEGE (Continued)**

**U001239687**

Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	EL CENTRO COLLEGE
Contact Mailing Address (Delivery):	4343 INTERSTATE 30
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	MESQUITE, TX 75150 2018
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	41273
Additional ID:	198071352002062
Princ ID:	100347832001297
AI Number:	2721
Facility Name:	EL CENTRO COLLEGE
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

412 EL CENTRO COLLEGE TX LPST S116702374  
 700 ELM ST N/A  
 DALLAS, TX 75202

LPST:  
 Facility ID: 0002721  
 LPST Id: 93301  
 Facility Location: 700 ELM & AUSTIN  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 03/09/2001  
 Entered Date: 07/25/1989  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1P - PRIVATIZATION CONTRACTOR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Groundwater is affected.  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1P/1/2  
 Coordinators RPR: Not reported  
 Responsible Party Name: DALLAS CO COMMUNITY COLLEGE  
 Responsible Party Contact: MORGAN REID  
 Responsible Party Address: 433 N HWY 67  
 Responsible Party City,St,Zip: MESQUITE, TX 75150  
 Responsible Party Telephone: 214/324-7760  
 Reported Date: 06/13/1989  
 Case Start Date: 07/25/1989

413 ORCHID CLNRS & LNDRY EDR Hist Cleaner 1020055906  
 1152 MAIN ST N/A  
 DALLAS, TX 75202

EDR Hist Cleaner  
 Year: Name: Type:  
 1992 ORCHID CLNRS & LNDRY Drycleaning Plants, Except Rugs  
 1993 ORCHID CLNRS & LNDRY Drycleaning Plants, Except Rugs

414 PERFECT HAND LAUNDRY AND DRY CLEANING CO EDR Hist Cleaner 1009338380  
 210 S ERVAY N/A  
 DALLAS, TX

EDR Hist Cleaner  
 Year: Name: Type:  
 1941 PERFECT HAND LAUNDRY AND DRY CL LAUNDRIES

415 CORGAN ASSOCIATES TX Ind. Haz Waste 1000876759  
 501 ELM ST STE 500 N/A  
 DALLAS, TX 75202

Ind. Haz Waste:  
 Registration Number: 81653  
 Registration Initial Notification Date: 11/09/1993  
 Registration Last Amendment Date: 02/14/2001  
 EPA Identification: TX0000061895  
 Primary NAICS Code: 541310  
 Status Change Date: 19931109

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CORGAN ASSOCIATES (Continued)**

**1000876759**

Land Type: PRIVATE  
 Description of Facility Site Location: 501 Elm St, Ste 500, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: CORGAN ASSOCIATES INC  
 Contact Name: LINDA J JIMENEZ  
 Contact Telephone Number: 214-7482000  
 Mailing Address: 501 ELM ST STE 500  
 Mailing Address2: STE 500  
 Mailing City,St,Zip: DALLAS, TX 752023339  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 36694  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20040426  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 501 ELMST STE 500  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75202 3339  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 17510796927  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: CORGAN ASSOCIATES  
 Operator First Name: Not reported  
 Operator Name: CORGAN ASSOCIATES  
 Operator Mailing Address: 501 ELMST STE 500  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75202 3339  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CORGAN ASSOCIATES (Continued)**

**1000876759**

Operator Tax Id:	17510796927
Operator Bankruptcy Code:	Not reported
<b>Contact:</b>	
Contact Name:	LINDA JIMENEZ
Contact Title:	CAD MANAGER
Contact Role:	PRICONT
Contact Address:	501 ELMST STE 500
Contact Address2:	STE 500
Contact City,St,Zip:	DALLAS, TX 75202 3339
Contact Phone:	1-214-7482000
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	501 ELMST STE 500
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 3339
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	501 ELMST STE 500
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 3339
Contact Phone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Unit Records Not Found for this RegNo/Year:	
One Time Shipper Records Not Found for this RegNo/Year:	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	Not reported

**Waste:**

Waste ID:	75960
Waste Description:	Waste kerosene, equipment maintenance
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	0001203H
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	H
Waste is Radioactive:	No
Waste Treated Off Site:	1
Standard Industrial Classification:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CORGAN ASSOCIATES (Continued)**

**1000876759**

Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 541310  
 EPA Waste Form Code: W203  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

415

**CORGAN ASSOCIATES  
 501 ELM ST STE 500  
 DALLAS, TX 75202**

**RCRA NonGen / NLR  
 FINDS  
 ECHO**

**1004783251  
 TX0000061895**

RCRA NonGen / NLR:

Date form received by agency: 02/14/2001  
 Facility name: CORGAN ASSOCIATES  
 Facility address: 501 ELM ST STE 500  
 DALLAS, TX 75202  
 EPA ID: TX0000061895  
 Mailing address: ELM ST STE 500  
 DALLAS, TX 75202  
 Contact: LINDA J JIMENEZ  
 Contact address: ELM ST STE 500  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: 214-748-2000  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CORGAN ASSOCIATES  
 Owner/operator address: ELM STE 500  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 02/14/2001  
 Owner/Op end date: Not reported

Owner/operator name: CORGAN ASSOCIATES  
 Owner/operator address: ELM STE 500  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CORGAN ASSOCIATES (Continued)**

**1004783251**

Owner/Operator Type: Operator  
 Owner/Op start date: 02/14/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Historical Generators:

Date form received by agency: 11/17/1993  
 Site name: CORGAN ASSOC  
 Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110005011325

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CORGAN ASSOCIATES (Continued)**

**1004783251**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004783251  
 Registry ID: 110005011325  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005011325>

416

**LONE STAR GAS  
 301 S HARWOOD ST  
 DALLAS, TX 75201**

**TX Ind. Haz Waste  
 TX ASBESTOS**

**S103601589  
 N/A**

Ind. Haz Waste:

Registration Number: 34192  
 Registration Initial Notification Date: 10/01/2004  
 Registration Last Amendment Date: 10/01/2004  
 EPA Identification: Not reported  
 Primary NAICS Code: 211111  
 Status Change Date: 20041001  
 Land Type: Not reported  
 Description of Facility Site Location: 301 S Harwood St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: Not reported  
 TNRCC Region: Not reported  
 Company Name: ATMOS ENERGY CORPORATION  
 Contact Name: ROBERT BENNETT  
 Contact Telephone Number: 214-8756119  
 Mailing Address: 301 S HARWOOD ST STE 10  
 Mailing Address2: STE 10 NORTH  
 Mailing City, St, Zip: DALLAS, TX 752015600  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 11640  
 Site Owner Tax ID: 751743247  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20050103  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 301 S HARWOOD ST STE 10  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LONE STAR GAS (Continued)**

**S103601589**

Owner City,St,Zip: DALLAS, TX 75201 5600  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-8756119  
 Owner Fax Number: 1-214-8753660  
 Owner Email Address: robert.bennett@atmosenergy.com  
 Owner Business Type: Corporation  
 Owner Tax Id: 17517432476  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: ATMOS ENERGY CORPORATION  
 Operator First Name: Not reported  
 Operator Name: ATMOS ENERGY CORPORATION  
 Operator Mailing Address: 301 S HARWOOD ST STE 10  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 5601  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-8756119  
 Operator Fax: 1-214-8753660  
 Operator Email: robert.bennett@atmosenergy.com  
 Operator Business Type: Corporation  
 Operator Tax Id: 17517432476  
 Operator Bankruptcy Code: Not reported

Contact:  
 Contact Name: ROBERT BENNETT  
 Contact Title: SR ENV SPECIALIST  
 Contact Role: PRICON  
 Contact Address: 301 S HARWOOD ST STE 10  
 Contact Address2: STE 10 NORTH  
 Contact City,St,Zip: DALLAS, TX 75201 5600  
 Contact Phone: 1-214-8756119  
 Contact Fax: 1-214-8753660  
 Contact Email: robert.bennett@atmosenergy.com

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 301 S HARWOOD ST STE 10  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 5600  
 Contact Phone: 1-214-8756119  
 Contact Fax: 1-214-8753660  
 Contact Email: robert.bennett@atmosenergy.com

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 301 S HARWOOD ST STE 10  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 5600  
 Contact Phone: 1-214-8756119  
 Contact Fax: 1-214-8753660  
 Contact Email: robert.bennett@atmosenergy.com

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LONE STAR GAS (Continued)**

**S103601589**

Receiver Type:	Not reported	
Transporter for hire:	0	
Transport own waste:	0	
Eq 01, if transport waste type = 1:	Not reported	
Eq 02, if transport waste type = 2:	Not reported	
Eq 03, if transport waste type = 3:	Not reported	
Eq 04, if transport waste type = H:	Not reported	
Target TCEQ unique facid for discarded(merged) facility:		Not reported

**Waste:**

Waste ID:	323015
Waste Description:	Not reported
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	F7XS110H
Waste Code Status:	Not reported
Waste Form:	Not reported
Waste Classification:	H
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported

**ASBESTOS:**

Date of inspection:	10/31/2013
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2013003665
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/05/2014
Date Routed by Supervisor:	11/05/2014
Date Routed to PSQA:	11/06/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LONE STAR GAS (Continued)**

**S103601589**

Date Rcvd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

417

**DIVERSIFIED SERVICE CORP  
 1512 COMMERCE  
 DALLAS, TX 75201**

EDR Hist Auto

**1021201870  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1970	DIVERSIFIED SERVICE CORP	Gasoline Service Stations
1971	DIVERSIFIED SERVICE CORP	Gasoline Service Stations

418

**PROPOSED BELO GARDEN  
 1014 MAIN STREET  
 DALLAS, TX 75202**

**US BROWNFIELDS  
 FINDS**

**1016370633  
 N/A**

US BROWNFIELDS:  
 Property Name: PROPOSED BELO GARDEN  
 Recipient Name: North Central Texas Council of Governments  
 Grant Type: BCRLF  
 Property Number: Not reported  
 Parcel size: 1.46  
 Latitude: 32.779772  
 Longitude: -96.8032847  
 HCM Label: GPS Carrier Phase Static Position  
 Map Scale: Not reported  
 Point of Reference: Center of a Facility or Station  
 Highlights: Not reported  
 Datum: World Geodetic System of 1984  
 Acres Property ID: 133542  
 IC Data Access: Not reported  
 Start Date: 08/01/2010 00:00:00  
 Redev Completion Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PROPOSED BELO GARDEN (Continued)**

**1016370633**

Completed Date:	01/01/2011 00:00:00
Acres Cleaned Up:	1.46
Cleanup Funding:	200000
Cleanup Funding Source:	Brownfields RLF Grant Funds Subgranted
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	3500000
Redev. Funding Source:	Private/Other Funding
Redev. Funding Entity Name:	Belo Garden Fdt
Redevelopment Start Date:	03/01/2011 00:00:00
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	EPA
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	0
Cooperative Agreement Number:	96662001
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Dallas
Did Owner Change:	N
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	N
State/tribal program date:	10/09/2009 00:00:00
State/tribal program ID:	VCP 2286
State/tribal NFA date:	02/24/2011 00:00:00
Air contaminated:	Not reported
Air cleaned:	Not reported
Asbestos found:	Not reported
Asbestos cleaned:	Not reported
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Not reported
Groundwater cleaned:	Not reported
Lead contaminant found:	Y
Lead cleaned up:	Y
No media affected:	Not reported
Unknown media affected:	Not reported
Other cleaned up:	Not reported
Other metals found:	Y
Other metals cleaned:	Y
Other contaminants found:	Not reported
Other contams found description:	Not reported
PAHs found:	Y
PAHs cleaned up:	Y
PCBs found:	Not reported
PCBs cleaned up:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PROPOSED BELO GARDEN (Continued)**

**1016370633**

Petro products found:	Not reported
Petro products cleaned:	Not reported
Sediments found:	Not reported
Sediments cleaned:	Not reported
Soil affected:	Not reported
Soil cleaned up:	Not reported
Surface water cleaned:	Not reported
VOCs found:	Not reported
VOCs cleaned:	Not reported
Cleanup other description:	Not reported
Num. of cleanup and re-dev. jobs:	1
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Surface Water:	Not reported
Past use commercial acreage:	1.46
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.46
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Greenspace acreage and type:	1.46
Superfund Fed. landowner flag:	N
Arsenic cleaned up:	Not reported
Cadmium cleaned up:	Not reported
Chromium cleaned up:	Not reported
Copper cleaned up:	Not reported
Iron cleaned up:	Not reported
mercury cleaned up:	Not reported
Nickel Cleaned Up:	Not reported
No clean up:	Not reported
Pesticides cleaned up:	Not reported
Selenium cleaned up:	Not reported
SVOCs cleaned up:	Not reported
Unknown clean up:	Not reported
Arsenic contaminant found:	Not reported
Cadmium contaminant found:	Not reported
Chromium contaminant found:	Not reported
Copper contaminant found:	Not reported
Iron contaminant found:	Not reported
Mercury contaminant found:	Not reported
Nickel contaminant found:	Not reported
No contaminant found:	Not reported
Pesticides contaminant found:	Not reported
Selenium contaminant found:	Not reported
SVOCs contaminant found:	Not reported
Unknown contaminant found:	Not reported
Future Use: Multistory	Not reported
Media affected Bluiding Material:	Not reported
Media affected indoor air:	Not reported
Building material media cleaned up:	Not reported
Indoor air media cleaned up:	Not reported
Unknown media cleaned up:	Not reported
Past Use: Multistory	Not reported
Property Description:	The project is located in the Dallas central business district and bounded by Main St to the north, Griffin St to the west, Commerce St to the south and a residential high-rise building on the east. The site use to be an asphalt parking lot. Since 1892 the site has

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PROPOSED BELO GARDEN (Continued)**

**1016370633**

contained a variety of businesses, mostly comprised of hat manufacturing companies along with printing companies and paint shops. Environmental concerns present on this site, along with the previously mentioned uses, could have also been caused from a fire in the mid- to late-1800s. The City of Dallas has never previously owned the site or contributed to the hazardous substances therein. Acquisition was through condemnation and the eminent domain process and a court settlement was awarded in August 2009.

Below Poverty Number: 272  
 Below Poverty Percent: 7.1%  
 Median Income: 14529  
 Median Income Number: 542  
 Median Income Percent: 14.1%  
 Vacant Housing Number: 505  
 Vacant Housing Percent: 16.4%  
 Unemployed Number: 135  
 Unemployed Percent: 3.5%

Property Name: PROPOSED BELO GARDEN  
 Recipient Name: North Central Texas Council of Governments  
 Grant Type: BCRLF  
 Property Number: Not reported  
 Parcel size: 1.46  
 Latitude: 32.779772  
 Longitude: -96.8032847  
 HCM Label: GPS Carrier Phase Static Position  
 Map Scale: Not reported  
 Point of Reference: Center of a Facility or Station  
 Highlights: Not reported  
 Datum: World Geodetic System of 1984  
 Acres Property ID: 133542  
 IC Data Access: Not reported  
 Start Date: 08/01/2010 00:00:00  
 Redev Completion Date: Not reported  
 Completed Date: 01/01/2011 00:00:00  
 Acres Cleaned Up: 1.46  
 Cleanup Funding: 2000000  
 Cleanup Funding Source: Local Funding  
 Assessment Funding: Not reported  
 Assessment Funding Source: Not reported  
 Redevelopment Funding: 3500000  
 Redev. Funding Source: Private/Other Funding  
 Redev. Funding Entity Name: Belo Garden Fdt  
 Redevelopment Start Date: 03/01/2011 00:00:00  
 Assessment Funding Entity: Not reported  
 Cleanup Funding Entity: City of Dallas  
 Grant Type: Hazardous  
 Accomplishment Type: Not reported  
 Accomplishment Count: 0  
 Cooperative Agreement Number: 96662001  
 Start Date: Not reported  
 Ownership Entity: Government  
 Completion Date: Not reported  
 Current Owner: City of Dallas  
 Did Owner Change: N  
 Cleanup Required: Y  
 Video Available: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PROPOSED BELO GARDEN (Continued)**

**1016370633**

Photo Available:	Y
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	N
State/tribal program date:	10/09/2009 00:00:00
State/tribal program ID:	VCP 2286
State/tribal NFA date:	02/24/2011 00:00:00
Air contaminated:	Not reported
Air cleaned:	Not reported
Asbestos found:	Not reported
Asbestos cleaned:	Not reported
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Not reported
Groundwater cleaned:	Not reported
Lead contaminant found:	Y
Lead cleaned up:	Y
No media affected:	Not reported
Unknown media affected:	Not reported
Other cleaned up:	Not reported
Other metals found:	Y
Other metals cleaned:	Y
Other contaminants found:	Not reported
Other contams found description:	Not reported
PAHs found:	Y
PAHs cleaned up:	Y
PCBs found:	Not reported
PCBs cleaned up:	Not reported
Petro products found:	Not reported
Petro products cleaned:	Not reported
Sediments found:	Not reported
Sediments cleaned:	Not reported
Soil affected:	Not reported
Soil cleaned up:	Not reported
Surface water cleaned:	Not reported
VOCs found:	Not reported
VOCs cleaned:	Not reported
Cleanup other description:	Not reported
Num. of cleanup and re-dev. jobs:	1
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Surface Water:	Not reported
Past use commercial acreage:	1.46
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.46
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Greenspace acreage and type:	1.46
Superfund Fed. landowner flag:	N
Arsenic cleaned up:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PROPOSED BELO GARDEN (Continued)**

**1016370633**

Cadmium cleaned up:	Not reported
Chromium cleaned up:	Not reported
Copper cleaned up:	Not reported
Iron cleaned up:	Not reported
mercury cleaned up:	Not reported
Nickel Cleaned Up:	Not reported
No clean up:	Not reported
Pesticides cleaned up:	Not reported
Selenium cleaned up:	Not reported
SVOCs cleaned up:	Not reported
Unknown clean up:	Not reported
Arsenic contaminant found:	Not reported
Cadmium contaminant found:	Not reported
Chromium contaminant found:	Not reported
Copper contaminant found:	Not reported
Iron contaminant found:	Not reported
Mercury contaminant found:	Not reported
Nickel contaminant found:	Not reported
No contaminant found:	Not reported
Pesticides contaminant found:	Not reported
Selenium contaminant found:	Not reported
SVOCs contaminant found:	Not reported
Unknown contaminant found:	Not reported
Future Use: Multistory	Not reported
Media affected Bluiding Material:	Not reported
Media affected indoor air:	Not reported
Building material media cleaned up:	Not reported
Indoor air media cleaned up:	Not reported
Unknown media cleaned up:	Not reported
Past Use: Multistory	Not reported
Property Description:	

The project is located in the Dallas central business district and bounded by Main St to the north, Griffin St to the west, Commerce St to the south and a residential high-rise building on the east. The site use to be an asphalt parking lot. Since 1892 the site has contained a variety of businesses, mostly comprised of hat manufacturing companies along with printing companies and paint shops. Environmental concerns present on this site, along with the previously mentioned uses, could have also been caused from a fire in the mid- to late-1800s. The City of Dallas has never previously owned the site or contributed to the hazardous substances therein. Acquisition was through condemnation and the eminent domain process and a court settlement was awarded in August 2009.

Below Poverty Number:	272
Below Poverty Percent:	7.1%
Meidan Income:	14529
Meidan Income Number:	542
Meidan Income Percent:	14.1%
Vacant Housing Number:	505
Vacant Housing Percent:	16.4%
Unemployed Number:	135
Unemployed Percent:	3.5%

**FINDS:**

Registry ID: 110046370627

Environmental Interest/Information System

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PROPOSED BELO GARDEN (Continued)**

**1016370633**

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**418 ARCHIBALD HAT CO EDR Hist Cleaner 1009333231**  
**1006 MAIN N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	ARCHIBALD HAT CO	HAT CLEANERS AND BLOCKERS

**418 GOODMAN S F A EDR Hist Cleaner 1009333259**  
**1008 MAIN N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	GOODMAN S F A	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1951	ARCHIBALD HAT CO	HAT CLEANERS AND BLOCKERS

**419 WHITEHEAD S SUPER SERVICE EDR Hist Auto 1009378205**  
**600 ELM N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	LYNCH H L INC	GASOLINE AND OIL SERVICE STATIONS
1936	WHITEHEAD SUPER SERVICE STATION	AUTOMOBILE GARAGES
1941	WHITEHEAD S SUPER SERVICE	GASOLINE AND OIL SERVICE STATIONS
1946	WHITEHEAD S SUPER SERVICE	GASOLINE AND OIL SERVICE STATIONS
1956	WHITEHEAD S SUPER SERVICE	GASOLINE STATIONS
1961	HWVY WHITEHEAD S SUPER SERVICE	GASOLINE STATIONS

**419 DALLAS COUNTY PARKING GARAGE TX UST U004013927**  
**600 ELM ST N/A**  
**DALLAS, TX 75202**

UST:

AI Number:	77631
Facility Type:	Not reported
Facility Begin Date:	08/31/1987
Facility Status:	INACTIVE
Additional ID:	464524922005290
Facility Exempt Status:	Y
Records Off-Site:	No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY PARKING GARAGE (Continued)**

**U004013927**

UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	DALLAS
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	Not reported
Contact Name/Title:	BERNARD BLANTON,
Contact Organization Name:	DALLAS COUNTY PARKING GARAGE
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2146536730
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	10/03/2005
Signature Name/Title On Earliest Reg Form:	DAN SAVAGE,ASST ADMINISTRATOR
Application Received Date On Earliest Reg Form:	10/06/2005
Signature Role On Earliest Reg Form:	LEGALLY-AUTHORIZED REP OF OWNER
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Operator:</b>	
Princ ID:	671771992002153
Additional ID:	464524922005290
Ai Number:	77631
Operator CN:	CN601259450
Operator Name:	DALLAS COUNTY
Operator Effective Begin Date:	10/06/2005
Operator Type:	CY
Operator Role:	OPRCON
Contact Name:	DONALD HOLZWORTH/
Contact Organization Name:	DALLAS COUNTY
Contact Mailing Address (Delivery):	411 ELM ST
Contact Mailing Address (Internal Delivery):	FL 4 ATTN PUBLIC WORKS
Contact Mailing City/State/Zip:	DALLAS TX 75202-3301
Contact Phone Country Code:	0
Contact Phone Area Code:	214
Contact Phone Number:	6537151
Contact Phone Extension:	0
Contact Fax Country Code:	0
Contact Fax Area Code:	214
Contact Fax Number:	6536445
Contact Fax Extension:	0
Contact Email Address:	DDAVIDSON@DALLASCOUNTY.ORG
Contact Address Deliverable:	Not reported
<b>Owner:</b>	
Owner CN:	CN601259450
Owner Last Name:	DALLAS COUNTY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CY
Contact Mailing Address (Delivery):	600 COMMERCE ST
Contact Mailing Address (Internal Delivery):	9TH FLOOR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY PARKING GARAGE (Continued)**

**U004013927**

Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75202
Contact Mailing Zip5:	4606
Contact Phone Number/Ext:	1 214 6536730/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	671771992002153
Additional ID:	464524922005290
AI Number:	77631
Owner Effective Begin Date:	10/06/2005
State Tax ID:	Not reported
Contact Role:	OWNCON
Contact Name/Title:	BERNARD BLANTON/
Contact Organization Name:	DALLAS COUNTY
Tank:	
Install Date:	01/01/1950
Tank Registration Date:	10/06/2005
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	205752
Facility ID:	119462
Ai Number:	77631
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/12/2005
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS COUNTY PARKING GARAGE (Continued)

U004013927

Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	500
UST Comprt ID:	179713
UST ID:	205752
AI Number:	77631
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS COUNTY PARKING GARAGE (Continued)**

**U004013927**

SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1950
Tank Registration Date:	10/06/2005
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	205753
Facility ID:	119462
Ai Number:	77631
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/12/2005
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY PARKING GARAGE (Continued)**

**U004013927**

Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	500
UST Comprt ID:	179714
UST ID:	205753
AI Number:	77631
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS COUNTY PARKING GARAGE (Continued)

U004013927

Stage 1 Installation Date:	Not reported
Install Date:	01/01/1950
Tank Registration Date:	10/06/2005
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	205754
Facility ID:	119462
Ai Number:	77631
Tank Id:	3
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/12/2005
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY PARKING GARAGE (Continued)**

**U004013927**

Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	3
Tank Capacity:	500
UST Comprt ID:	179715
UST ID:	205754
AI Number:	77631
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1950
Tank Registration Date:	10/06/2005
Number of Compartments:	1
Tank Capacity:	750
Tank Singlewall:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS COUNTY PARKING GARAGE (Continued)

U004013927

Tank Doublewall:	N
Pipe Type:	S
UST ID:	205755
Facility ID:	119462
Ai Number:	77631
Tank Id:	4
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	04/12/2005
Empty:	N
Tank Regulatory Status:	EXEMPT REM WITHIN 60 DAYS
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY PARKING GARAGE (Continued)**

**U004013927**

Compartment Records:

Tank ID:	4
Tank Capacity:	750
UST Comprt ID:	179716
UST ID:	205755
AI Number:	77631
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	DALLAS COUNTY
Contact Mailing Address (Delivery):	600 COMMERCE ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75202 4606
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	119462
Additional ID:	464524922005290
Princ ID:	671771992002153

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**DALLAS COUNTY PARKING GARAGE (Continued)**

**U004013927**

AI Number: 77631  
 Facility Name: DALLAS COUNTY PARKING GARAGE  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: BERNARD BLANTON/

**419 600 BLK ELM ST TX LPST S106953444**  
**620 ELM ST N/A**  
**DALLAS, TX 75202**

LPST:  
 Facility ID: Not reported  
 LPST Id: 116503  
 Facility Location: 620 ELM ST  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 08/17/2005  
 Entered Date: 06/01/2005  
 Priority: 4.0 - ASSESSMENT INCOMPLETE NO APPARENT RECEPTORS IMPACTED  
 Program: 1P - PRIVATIZATION CONTRACTOR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: 4.0  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1P  
 Coordinators RPR: ML2  
 Responsible Party Name: DALLAS COUNTY  
 Responsible Party Contact: BERNARD BLANTON  
 Responsible Party Address: 600 COMMERCE ST 9TH FLR  
 Responsible Party City,St,Zip: DALLAS, TX 75202  
 Responsible Party Telephone: 214/653-6730  
 Reported Date: 04/19/2005  
 Case Start Date: 06/01/2005

**420 CROWELL WV S EDR Hist Auto 1009359182**  
**1706 JACKSON N/A**  
**DALLAS, TX**

EDR Hist Auto  
 Year: Name: Type:  
 1930 CROWELL WV S AUTOMOBILE REPAIRERS

**420 STATEN AUTO CO EDR Hist Auto 1009359273**  
**1712 JACKSON N/A**  
**DALLAS, TX**

EDR Hist Auto  
 Year: Name: Type:  
 1930 STATEN AUTO CO AUTOMOBILE GARAGES

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
420				<b>STATEN AUTO CO</b> <b>1714 JACKSON</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009359294	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 STATEN AUTO CO	AUTOMOBILE GARAGES		
420				<b>CROWELL S GARAGE</b> <b>1705 JACKSON</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009359169	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1936 CROWELL S GARAGE	AUTOMOBILE REPAIRING		
				1941 Y W C A GARAGE	AUTOMOBILE REPAIRING		
421				<b>MAIN STREET CLEANERS</b> <b>904 MAIN</b> <b>DALLAS, TX</b>	EDR Hist Cleaner	1009350267	N/A
				EDR Hist Cleaner			
				Year: Name:	Type:		
				1925 MAIN STREET CLEANERS	CLOTHES CLEANERS AND DYERS		
				1951 WESTON CLEANING CO	CLEANERS AND DYERS		
				1956 WESTON CLEANING CO	CLEANERS AND DYERS		
421				<b>WESTON THOS A</b> <b>906 MAIN</b> <b>DALLAS, TX</b>	EDR Hist Cleaner	1009350314	N/A
				EDR Hist Cleaner			
				Year: Name:	Type:		
				1930 WESTON THOS A	CLOTHES PRESSERS, CLEANERS AND REPAIRERS		
421				<b>CITY TAILORS AND HATTERS ILOE</b> <b>908 MAIN</b> <b>DALLAS, TX</b>	EDR Hist Cleaner	1009350344	N/A
				EDR Hist Cleaner			
				Year: Name:	Type:		
				1930 CITY TAILORS AND HATTERS A	HAT CLEANERS AND BLOCKERS		
				1930 CITY TAILORS AND HATTERS INC	CLOTHES PRESSERS, CLEANERS AND REPAIRERS		
				1941 CITY TAILORS AND HATTERS ILOE	CLOTHES PRESSERS, CLEANERS AND REPAIRERS		



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

421 **BROWNIE TAILOR SHOP** EDR Hist Cleaner 1009350382  
 910 MAIN N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 BROWNIE TAILOR SHOP CLOTHES CLEANERS AND DYERS

421 **MCGUIRE CLEANING AND DYEING CO INC BRANCHES C** EDR Hist Cleaner 1009350407  
 912 MAIN N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1930 MCGUIRE CLEANING AND DYEING CO CLEANERS AND DYERS

422 **POLICE STATION** FINDS 1007996288  
 2108 YOUNG ST. N/A  
 DALLAS, TX 75201

FINDS:

Registry ID: 110020797994

Environmental Interest/Information System

US EPA Air Quality System (AQS) contains ambient air pollution data collected by EPA, State, Local, and Tribal air pollution control agencies from thousands of monitoring stations.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

422 **JACKSON AND SCOTT GARAGE** EDR Hist Auto 1009362081  
 2110 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1946 JACKSON AND SCOTT GARAGE AUTOMOBILE REPAIRING

422 **PICKETS ROBERT GARAGE** EDR Hist Auto 1009362101  
 2112 CANTON ST N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1971 VENCILL S FLOYD GARAGE AUTOMOBILE GARAGES  
 1973 VENCILL FLOYD General Automotive Repair Shops  
 1974 VENCILL FLOYD General Automotive Repair Shops  
 1975 VENCILL FLOYD General Automotive Repair Shops

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**PICKETS ROBERT GARAGE (Continued)**

**1009362101**

1976 VENCILL FLOYD General Automotive Repair Shops  
 1977 PICKETS ROBERT GARAGE AUTOMOBILE REPAIRING  
 1977 VENCILL FLOYD General Automotive Repair Shops  
 1980 PICKENS GARAGE General Automotive Repair Shops

**422 VENCILL FLOYD GARAGE  
 2118 CANTON ST  
 DALLAS, TX**

**EDR Hist Auto 1009362183  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1966 VENCILL FLOYD GARAGE AUTOMOBILE REPAIRING

**422 BUTCHER R P GARAGE  
 2124 YOUNG  
 DALLAS, TX**

**EDR Hist Auto 1009362292  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1941 WATSON BARNEY AUTOMOBILE REPAIRING  
 1941 BUTTCHER R P GARAGE AUTOMOBILE REPAIRING  
 1946 BUTCHER R P GARAGE AUTOMOBILE REPAIRING

**423 YOUNG ST GARAGE  
 2102 YOUNG ST  
 DALLAS, TX 75201**

**TX LPST U001264596  
 TX UST N/A**

LPST:

Facility ID: 0031237  
 LPST Id: 102634  
 Facility Location: 2102 YOUNG ST  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 06/23/2005  
 Entered Date: 04/30/1992  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Groundwater is affected.  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1/2  
 Coordinators RPR: PVB  
 Responsible Party Name: CITY OF DALLAS  
 Responsible Party Contact: HENRY NGUYEN  
 Responsible Party Address: 320 E JEFFERSON STE 108  
 Responsible Party City,St,Zip: DALLAS, TX 75203  
 Responsible Party Telephone: 214/948-4660  
 Reported Date: 04/08/1992  
 Case Start Date: 04/30/1992

UST:

AI Number: 31237

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**YOUNG ST GARAGE (Continued)**

**U001264596**

Facility Type:	FLEET REFUELING
Facility Begin Date:	11/14/1986
Facility Status:	INACTIVE
Additional ID:	784649732002061
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75201
Contact Name/Title:	JESSE HILL,BLDG MGR SUPT
Contact Organization Name:	YOUNG ST GARAGE
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2146703381
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/07/1986
Signature Name/Title On Earliest Reg Form:	MARK FERRERO,REP
Application Received Date On Earliest Reg Form:	05/12/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600331730
Owner Last Name:	CITY OF DALLAS
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CI
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	925533122001297
Additional ID:	784649732002061
AI Number:	31237
Owner Effective Begin Date:	11/14/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported

Tank:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**YOUNG ST GARAGE (Continued)**

**U001264596**

Install Date:	01/01/1961
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	82087
Facility ID:	38565
Ai Number:	31237
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	06/30/1981
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**YOUNG ST GARAGE (Continued)**

**U001264596**

Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	2295
UST ID:	82087
AI Number:	31237
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1961
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	82088

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**YOUNG ST GARAGE (Continued)**

**U001264596**

Facility ID:	38565
Ai Number:	31237
Tank Id:	3
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	06/30/1981
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	3
Tank Capacity:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**YOUNG ST GARAGE (Continued)**

**U001264596**

UST Comprt ID:	2296
UST ID:	82088
AI Number:	31237
Compartment ID:	A
Substance Stored1:	WASTE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1961
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	82089
Facility ID:	38565
AI Number:	31237
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	06/30/1981
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**YOUNG ST GARAGE (Continued)**

**U001264596**

Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	2297
UST ID:	82089
AI Number:	31237
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**YOUNG ST GARAGE (Continued)**

**U001264596**

CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	CITY OF DALLAS
Contact Mailing Address (Delivery):	1500 MARILLA ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 6318
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	38565
Additional ID:	784649732002061
Princ ID:	925533122001297
AI Number:	31237
Facility Name:	YOUNG ST GARAGE
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>423</b>	<b>LIBERTY SERVICE STATION 2100 YOUNG DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009361815 N/A</b>
------------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:	
1936	LIBERTY SERVICE STATION		GASOLINE AND OIL SERVICE STATIONS
1941	LIBERTY SERVICE STATION		GASOLINE AND OIL SERVICE STATIONS
1946	LIBERTY SERVICE STATION		GASOLINE AND OIL SERVICE STATIONS

---

<b>424</b>	<b>PROPOSED BELO GARDENS NE CORNER OF GRIFFIN BLVD &amp; COMMERCE ST DALLAS, TX 75202</b>	<b>FINDS</b>	<b>1014845125 N/A</b>
------------	---	--------------	---------------------------

FINDS:

Registry ID: 110041774274

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

---

<b>425</b>	<b>GUARANTY FEDERAL BANK PROPERTY DALLAS 1802 JACKSON ST DALLAS, TX 75201</b>	<b>TX IHW CORR ACTION</b>	<b>S113416753 N/A</b>
------------	---	---------------------------	---------------------------

IHW CORR ACTION:

Program Id:	T0514
Location Desc:	Not reported
RN NUM:	RN104677240
Status:	INACTIVE
Status Date:	02/28/2003
EDR Link ID:	T0514

---

<b>426</b>	<b>LONG STAR GAS CO 381 S HARWOOD DALLAS, TX 75201</b>	<b>EDR Hist Auto</b>	<b>1021550353 N/A</b>
------------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:	
1986	LONG STAR GAS CO		Gasoline Service Stations
1987	LONG STAR GAS CO		Gasoline Service Stations
1988	LONG STAR GAS CO		Gasoline Service Stations

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

427 **LONE STAR SERVICE STATION** EDR Hist Auto 1009354717  
**1210 COMMERCE** N/A  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1930 LONE STAR SERVICE STATION GASOLINE AND OIL SERVICE STATIONS

427 **MANOR HOUSE APARTMENT** TX ASBESTOS S119150717  
**1222 COMMERCE ST.** N/A  
**DALLAS, TX 75202**

ASBESTOS:  
 Date of inspection: 04/22/2013  
 Reason for Inspection: Complaint  
 Violation: No  
 Complaint Date: 4/19/2013  
 Notification Number: N/A  
 ASB Priority: n/a  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 01  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: 05/03/2013  
 Date Routed by Supervisor: 05/20/2013  
 Date Routed to PSQA: 06/07/2013  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

**MANOR HOUSE APARTMENT (Continued)**

**S119150717**

Start Date: Not reported

427

**MANOR HOME APARTMENTS  
1222 COMMERCE ST.  
DALLAS, TX 75202**

**TX ASBESTOS**

**S119150716  
N/A**

ASBESTOS:

Date of inspection:	03/18/2016
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2016001597
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	03/23/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	05/24/2016
Date Reviewed by PSQA:	2016-05-24 00:00:00
Date Routed by Supervisor1:	05/10/2016
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

427 **FLAG PETROLEUM INC** EDR Hist Auto 1020595064  
**1226 COMMERCE**  
**DALLAS, TX 75202** N/A

EDR Hist Auto

Year:	Name:	Type:
1978	FLAG PETROLUEM INC	Gasoline Service Stations
1979	FLAG PETROLEUM INC	Gasoline Service Stations
1980	FLAG PETROLEUM INC	Gasoline Service Stations

427 **NICHLOLS BROS GARAGE** EDR Hist Auto 1009355901  
**1314 COMMERCE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1930	NICHOLS BROS GARAGE	AUTOMOBILE GARAGES
1936	NICHLOLS BROS GARAGE	AUTOMOBILE GARAGES

427 **ADOLPHUS LAUNDRY** EDR Hist Cleaner 1009335377  
**1313 COMMERCE**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1925	ADOLPHUS LAUNDRY	LAUNDRIES

427 **WASHINGTON GARAGE** EDR Hist Auto 1009355861  
**1312 COMMERCE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1930	WASHINGTON GARAGE	AUTOMOBILE GARAGES

427 **WASHINGTON GARAGE** EDR Hist Auto 1009355830  
**1310 COMMERCE**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1930	WASHINGTON GARAGE	AUTOMOBILE GARAGES
1936	WASHINGTON GARAGE	AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

427 NICHOLS BROS GARAGE EDR Hist Auto 1009355931  
 1316 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 NICHOLS BROS GARAGE AUTOMOBILE GARAGES

427 NICHOLS BROS GARAGE EDR Hist Auto 1009355953  
 1318 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 NICHOLS BROS GARAGE AUTOMOBILE GARAGES

427 NICHOLS BROS GARAGE EDR Hist Auto 1009356011  
 1320 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 NICHOLS BROS GARAGE AUTOMOBILE GARAGES

427 BAKER PRESS SHOP EDR Hist Cleaner 1009335543  
 1332 COMMERCE N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1930 BAKER PRESS SHOP CLOTHES PRESSERS, CLEANERS AND REPAIRERS

427 ADOLPHUS GARAGE DUNLAP SWAIN CO INC OWNERS EDR Hist Auto 1009356125  
 1326 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 ADOLPHUS GARAGE AUTOMOBILE LAUNDRIES  
 1925 ADOLPHUS GARAGE AUTOMOBILE GARAGES  
 1930 ADOLPHUS GARAGE AUTOMOBILE GARAGES  
 1936 ADOLPHUS GARAGE INC AUTOMOBILE GARAGES  
 1941 ADOLPHUS GARAGE DUNLAP SWAIN CO AUTOMOBILE OILS AND GASOLINE  
 1941 ADOLPHUS GARAGE DUNLAP SWAIN CO GASOLINE AND OIL SERVICE STATIONS  
 1941 ADOLPHUS GARAGE DUNLAP SWAIN CO AUTOMOBILE GARAGES  
 1941 ADOLPHUS GARAGE DUNLAP SWAIN CO AUTOMOBILE GAS & OIL SERVICE STATIONS  
 1946 ADOLPHUS GARAGE AUTOMOBILE GARAGES  
 1956 ADOLPHUS GARAGE AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

427 HOTEL ADOLPHUS  
 1321 COMMERCE ST  
 DALLAS, TX 75202

TX Ind. Haz Waste S110294278  
 TX IHW CORR ACTION N/A

Ind. Haz Waste:  
 Registration Number: 76502  
 Registration Initial Notification Date: 11/14/1991  
 Registration Last Amendment Date: 02/04/1992  
 EPA Identification: Not reported  
 Primary NAICS Code: Not reported  
 Status Change Date: 19911114  
 Land Type: Not reported  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: SQG  
 TNRCC Region: Not reported  
 Company Name: ADOLPHUS HOTEL THE  
 Contact Name: ROBERT FREDERICK  
 Contact Telephone Number: 214-7428700  
 Mailing Address: 1321 COMMERCE ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752024202  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 30820  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20100604  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:  
 Owner Mailing Address: Not reported  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Country: Not reported  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOTEL ADOLPHUS (Continued)**

**S110294278**

Contact Name: ROBERT FREDERICK  
 Contact Title: Not reported  
 Contact Role: PRICONT  
 Contact Address: 1321 COMMERCE ST  
 Contact Address2: Not reported  
 Contact City, St, Zip: DALLAS, TX 75202 4202  
 Contact Phone: 1-214-7428700  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: 30316

Waste Records Not Found for this RegNo/Year:

**IHW CORR ACTION:**

Program Id: T3129  
 Location Desc: 1321 Commerce Street, Dallas, TX  
 RN NUM: RN100643584  
 Status: INACTIVE  
 Status Date: 10/24/2014  
 EDR Link ID: T3129

427

**HOTEL ADOLPHUS  
 1321 COMMERCE ST  
 DALLAS, TX 75202**

**TX UST U003840036  
 N/A**

**UST:**

AI Number: 43687  
 Facility Type: RETAIL  
 Facility Begin Date: 02/05/1987  
 Facility Status: ACTIVE  
 Additional ID: 48632132002152  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202  
 Contact Name/Title: JOHN VALIS, DIR OF ENGR  
 Contact Organization Name: HOTEL ADOLPHUS  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2146513517  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOTEL ADOLPHUS (Continued)**

**U003840036**

Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/08/1986
Signature Name/Title On Earliest Reg Form:	BRUCE ROBERT WARNER,DIR ENGR
Application Received Date On Earliest Reg Form:	06/02/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN601253644
Owner Last Name:	CALIFORNIA JOINT VENTURE
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	39632122002152
Additional ID:	48632132002152
AI Number:	43687
Owner Effective Begin Date:	08/31/1997
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1936
Tank Registration Date:	06/02/1986
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	115157
Facility ID:	72294
AI Number:	43687
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	01/31/1979
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOTEL ADOLPHUS (Continued)**

**U003840036**

Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	101287
UST ID:	115157
AI Number:	43687
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOTEL ADOLPHUS (Continued)**

**U003840036**

CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Install Date:	01/01/1936
Tank Registration Date:	06/02/1986
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	115158
Facility ID:	72294
Ai Number:	43687
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	01/31/1979
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOTEL ADOLPHUS (Continued)**

**U003840036**

Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	101288
UST ID:	115158
AI Number:	43687
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOTEL ADOLPHUS (Continued)**

**U003840036**

PRDM(TriennialTightTest(Suction/GravityPiping): N  
 PRDM AutoLineLeakDet(3.0 Gph PressPiping): N  
 PRDM(Sir(StatInv Recon)/Inv Control): N  
 PRDM(Exempt System Suction): N  
 Spill Overfill Prevention Equip(SOPE): N  
 SOPE(Spill Cont/Bucket/Sump): N  
 SOPE(DelShut-Off Valve ): N  
 SOPE(FlowRestrictorValue: N  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: N  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: N  
 Piping Release Detection Compliance Flag ): N  
 Spill/OverfillPreventionCompliance Flag: N  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: CALIFORNIA JOINT VENTURE  
 Contact Mailing Address (Delivery): 1321 COMMERCE ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75202 4202  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 72294  
 Additional ID: 48632132002152  
 Princ ID: 39632122002152  
 AI Number: 43687  
 Facility Name: HOTEL ADOLPHUS  
 AR Number: 51825  
 AR UST Number Suffix: A  
 AR AST Number Suffix: U  
 Contact Name/Title: JOHN VALIS/

427

**THE ADOLPHUS  
 1321 COMMERCE ST  
 DALLAS, TX 75202**

**RCRA-CESQG 1004785859  
 FINDS TXD988049169  
 ECHO**

RCRA-CESQG:

Date form received by agency: 04/09/2014  
 Facility name: THE ADOLPHUS  
 Facility address: 1321 COMMERCE ST  
 DALLAS, TX 75202-4202  
 EPA ID: TXD988049169  
 Contact: JOHN VALL  
 Contact address: 1321 COMMERCE ST  
 DALLAS, TX 75202-4202  
 Contact country: US  
 Contact telephone: 214-742-8200  
 Contact email: Not reported  
 EPA Region: 06

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ADOLPHUS (Continued)**

**1004785859**

Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: THE ADOLPHUS HOTEL  
 Owner/operator address: 1321 COMMERCE ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-742-8200  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/25/2002  
 Owner/Op end date: Not reported

Owner/operator name: THE ADOLPHUS HOTEL  
 Owner/operator address: 1321 COMMERCE ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-742-8200  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/25/2002  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THE ADOLPHUS (Continued)**

**1004785859**

Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D039  
 . Waste name: TETRACHLOROETHYLENE

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 03/01/2014  
 Site name: THE ADOLPHUS  
 Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D039  
 . Waste name: TETRACHLOROETHYLENE

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 05/27/2009  
 Site name: THE ADOLPHUS HOTEL  
 Classification: Not a generator, verified

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D039  
 . Waste name: TETRACHLOROETHYLENE

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE,

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THE ADOLPHUS (Continued)**

**1004785859**

ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 01/25/2002

Site name: THE ADOLPHUS HOTEL

Classification: Not a generator, verified

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D039  
 . Waste name: TETRACHLOROETHYLENE

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 01/15/1998

Site name: THE ADOLPHUS HOTEL

Classification: Conditionally Exempt Small Quantity Generator

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005141131

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**HAZARDOUS WASTE BIENNIAL REPORTER**



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ADOLPHUS (Continued)**

**1004785859**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004785859  
 Registry ID: 110005141131  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005141131>

427

**THE ADOLPHUS HOTEL  
 1321 COMMERCE ST.  
 DALLAS, TX 75202**

**TX Ind. Haz Waste  
 TX ASBESTOS**

**S103609375  
 N/A**

Ind. Haz Waste:

Registration Number: 75980  
 Registration Initial Notification Date: 06/08/1992  
 Registration Last Amendment Date: 04/09/2014  
 EPA Identification: TXD988049169  
 Primary NAICS Code: 721110  
 Status Change Date: 20140429  
 Land Type: PRIVATE  
 Description of Facility Site Location: 1321 Commerce St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: Not reported  
 Contact Name: JOHN VALL  
 Contact Telephone Number: 214-7428200  
 Mailing Address: 1321 COMMERCE ST  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: DALLAS, TX 752024202  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 30316  
 Site Owner Tax ID: Not reported  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20140429  
 Ind. waste permit Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ADOLPHUS HOTEL (Continued)**

**S103609375**

Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:  
 Owner Records Not Found for this RegNo/Year:

Operator:  
 Operator Last Name: THE ADOLPHUS HOTEL  
 Operator First Name: Not reported  
 Operator Name: THE ADOLPHUS HOTEL  
 Operator Mailing Address: 1321 COMMERCE ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75202 4202  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-7428200  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 1321 COMMERCE ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 4202  
 Contact Phone: 1-214-7428200  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1321 COMMERCE ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 4202  
 Contact Phone: 1-214-7428200  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:  
 Contact Name: JOHN VALL  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 1321 COMMERCE ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 4202  
 Contact Phone: 1-214-7428200  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit:  
 Unit No: 001  
 Deed Record Needed: Not reported  
 Deed Recording Date: Not reported  
 Unit Type Code: 22  
 Unit Type: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ADOLPHUS HOTEL (Continued)**

**S103609375**

Unit Status:	CLOSED
Unit Regulatory Status:	13
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrial Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Not reported
Dt Last Changed:	20140409
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	,
Out of State Codes:	
Site Name:	HOTEL ADOLPHUS
One-time Shipper ID:	37206
Location Desc:	1321 COMMERCE STREET DALLAS TX
Location Address:	1321 COMMERCE ST
Location City:	DALLAS
Location Zip:	75202
Broker Name:	AMEC ENVIRONMENTAL & INFRASTRUCTURE INC
EPA Waste Source Code:	G44
EPA System Type Code:	Not reported
EPA Form:	W301
EPA Waste No:	SOIL
Broker Phone:	512-795-0360
Date Processing Complete:	20131121
Date Request Sent:	20131118
Company Name:	RBP ADOLPHUS LLC
Waste ID:	FVXR301H
Waste Form:	301
Waste Class:	H
Waste Origin Code:	7
Site Region Code:	4
Epaid:	TXD988049169
Land Site Type:	Not reported
Site County Fips:	113
Loc County Name:	DALLAS
Contact Name or Organization:	RBP ADOLPHUS LLC
Owner Address:	4100 REGENT ST STE G
Owner City:	COLUMBUS
Owner State:	OH
Owner Zip:	43219

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ADOLPHUS HOTEL (Continued)**

**S103609375**

Owner Zip 4: 6160  
 Owner County Code: USA  
 Own/Oper Phone: 614-246-2400  
 Own/Oper Fax: 614-246-2481  
 Owner Naics: 721110  
 Broker Mailing Address: 3520 EXECUTIVE CENTER DR STE 200  
 Broker Mailing City: AUSTIN  
 Broker Mailing State: TX  
 Broker Mailing Zip: 78731  
 Broker Mailing Zip 4: 1695  
 Broker Bailing County: USA  
 Broker Fax: 512-795-8423  
 Naics Code: Not reported  
 TWC ID: 357518  
 Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

**Waste:**

Waste ID: 357518  
 Waste Description: SOIL FROM PCE REMEDIATION EXCAVATION IN SITE BASEMENT  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: FVXR301H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: Not reported  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: W301  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

**Waste:**

Waste ID: 121989  
 Waste Description: Perc filters/dry cleaning  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0906310H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ADOLPHUS HOTEL (Continued)**

**S103609375**

Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 721110  
 EPA Waste Form Code: W310  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

**Waste:**

Waste ID: 121988  
 Waste Description: Perc sludge/dry cleaning  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0506609H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 721110  
 EPA Waste Form Code: W609  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

**ASBESTOS:**

Date of inspection: 11/04/2015  
 Reason for Inspection: Discretionary  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: Not reported  
 ASB Priority: n/a  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 02  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: 02/24/2016  
 Date Routed by Supervisor: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ADOLPHUS HOTEL (Continued)**

**S103609375**

Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

427

**HOTEL ADOLPHUS  
 1321 COMMERCE ST  
 DALLAS, TX 75202**

**TX AST U003419578  
 N/A**

AST:

Facility ID:	72294
Additional ID:	48632132002152
AI Number:	43687
Facility Type:	RETAIL
Facility Begin Date:	02/05/1987
Facility Status:	ACTIVE
Facility Exempt Status:	N
Records Off-Site:	N
UST Financial Assurance Required:	N
Number of Active ASTs:	1
Site Location Description:	Not reported
Site Location (nearest city name):	Not reported
Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75202
Contact Name/Title:	JOHN VALIS/DIR OF ENGR
Contact Organization Name:	HOTEL ADOLPHUS
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2146513517
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOTEL ADOLPHUS (Continued)**

**U003419578**

Signature Date on Earliest Reg Form:	05/08/1986
Signature First Name on Earliest Reg Form:	BRUCE ROBERT
Application Received Date on Earliest Reg Form:	06/02/1986
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	WARNER
Signature Title on Earliest Reg Form:	DIR ENGR
Signature Role on Earliest Reg Form:	Not reported
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	72294
Tank ID:	1
AST ID:	186579
AI Number:	43687
Install Date:	05/01/1998
Tank Registration Date:	05/18/1998
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	05/01/1998
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	4000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

427

**HOTEL ADOLPHUS**  
**1321 COMMERCE STREET, DALLAS, TX**  
**DALLAS, TX 75202**

**TX APAR S116382464**  
**N/A**

APAR:

Comm Id Number:	17771221
Comm Type Code:	APAR
Comm Received Date:	12/10/2013
Legal Identifier:	T3129
Legal Description Text:	IHW CORRECTIVE ACTION
Legal Status:	INACTIVE
Physical Name:	HOTEL ADOLPHUS
Physical Status:	COMPLETED WORKLOAD
Physical Attribute Value Text:	PROPERTY COMMERCIAL
Reference Number Text:	RN100643584
Delivery Text:	1321 COMMERCE ST

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

**HOTEL ADOLPHUS (Continued)**

**S116382464**

Physical Location Desc: Not reported  
 Latitude: 0  
 Longitude: 0

Detail:

Comm Id Number: 17771221  
 Comm Received Date: 12/10/2013  
 Legal Ident Text: T3129  
 Legal Description Text: IHW CORRECTIVE ACTION  
 Soil Contamination: Not reported  
 Groundwater Contamination: Not reported

**428 MC CLANAHAN SERVICE STATION EDR Hist Auto 1009367020**  
**300 S ERVAY N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1941	MC CLANAHAN SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1946	TYLER SERVICE STATION NO 2	GASOLINE AND OIL SERVICE STATIONS
1946	MC CLANAHAN SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

**429 CITY TAILORS EDR Hist Cleaner 1009350303**  
**906 A MAIN N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1925	CITY TAILORS	CLOTHES CLEANERS AND DYERS

**429 "MCI - DLWTTX, DLBLTX" TX TIER 2 S108440076**  
**"901 MAIN STREET, SUITE 2610" N/A**  
**DALLAS, TX 75202**

TIER 2:

Facility Id/Name: FATR200523GH8N0FW6E4/"MCI - DLWTTX, DLBLTX"  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/24/2006  
 Mailing Address: 2400 N. Glenville Drive  
 Mailing City/State/Country: Richardson, TX USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Karen Mehta/Environmental Representative  
 Latitude: Not reported  
 Longitude: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**"MCI - DLWTTX, DLBLTX" (Continued)**

**S108440076**

Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

430

**DALLAS POWER & LIGHT CO  
 1506 COMMERCE ST  
 DALLAS, TX 75201**

**RCRA NonGen / NLR  
 FINDS  
 ECHO**

**1000277673  
 TXD007926009**

RCRA NonGen / NLR:

Date form received by agency: 07/27/2001  
 Facility name: DALLAS POWER & LIGHT CO  
 Facility address: 1506 COMMERCE ST  
 DALLAS, TX 75201  
 EPA ID: TXD007926009  
 Mailing address: COMMERCE ST  
 DALLAS, TX 75201  
 Contact: R W COX  
 Contact address: COMMERCE ST  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: 214-698-7772  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS POWER & LIGHT CO (Continued)**

**1000277673**

Historical Generators:

Date form received by agency: 08/18/1980  
 Site name: DALLAS POWER & LIGHT CO  
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005035381

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000277673  
 Registry ID: 110005035381  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005035381>

430

**DALLAS POWER & LIGHT  
 1506 COMMERCE ST  
 DALLAS, TX 75201**

**TX Ind. Haz Waste**

**S103604526  
 N/A**

Ind. Haz Waste:

Registration Number: 40078  
 Registration Initial Notification Date: 10/15/1982  
 Registration Last Amendment Date: 07/27/2001  
 EPA Identification: TXD007926009  
 Primary NAICS Code: Not reported  
 Status Change Date: 19821015  
 Land Type: Not reported  
 Description of Facility Site Location: 1506 Commerce St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: Not reported  
 TNRCC Region: Not reported  
 Company Name: DALLAS POWER & LIGHT COMPANY INC  
 Contact Name: R W COX  
 Contact Telephone Number: 214-6987772

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS POWER & LIGHT (Continued)**

**S103604526**

Mailing Address: 1506 COMMERCE ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752014904  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 16500  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20100604  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 1506 COMMERCE ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 4904  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-6987772  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 30008362722  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: R COX  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 1506 COMMERCE ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 4904  
 Contact Phone: 1-214-6987772  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1506 COMMERCE ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 4904  
 Contact Phone: 1-214-6987772  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

**DALLAS POWER & LIGHT (Continued)**

**S103604526**

Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

431

**EL CENTRO COLLEGE  
 801 MAIN STREET  
 DALLAS, TX 75202**

**TX Ind. Haz Waste S105168764  
 TX ASBESTOS N/A**

Ind. Haz Waste:  
 Registration Number: 72534  
 Registration Initial Notification Date: 07/31/1987  
 Registration Last Amendment Date: 08/23/2001  
 EPA Identification: TXD982306060  
 Primary NAICS Code: Not reported  
 Status Change Date: 19870731  
 Land Type: PRIVATE  
 Description of Facility Site Location: 801 Main St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: EL CENTRO COLLEGE  
 Contact Name: WILLIAM LEWIS  
 Contact Telephone Number: 214-7462014  
 Mailing Address: 801 MAIN ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752023605  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 26974  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20041116  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:  
 Owner Mailing Address: 801 MAIN ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75202 3605  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-7462014  
 Owner Fax Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EL CENTRO COLLEGE (Continued)**

**S105168764**

Owner Email Address:	Not reported
Owner Business Type:	Unknown
Owner Tax Id:	Not reported
Owner Bankruptcy Code:	Not reported
Operator:	
Operator Last Name:	EL CENTRO COLLEGE
Operator First Name:	Not reported
Operator Name:	EL CENTRO COLLEGE
Operator Mailing Address:	801 MAIN ST
Operator Mailing Address 2:	Not reported
Operator Mailing City,St,Zip:	DALLAS, TX 75202 3605
Operator Country:	UNITED STA
Operator Phone:	1-214-7462014
Operator Fax:	Not reported
Operator Email:	Not reported
Operator Business Type:	Unknown
Operator Tax Id:	Not reported
Operator Bankruptcy Code:	Not reported
Contact:	
Contact Name:	WILLIAM LEWIS
Contact Title:	DIRECTOR
Contact Role:	PRICONT
Contact Address:	801 MAIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 3605
Contact Phone:	1-214-7462014
Contact Fax:	Not reported
Contact Email:	Not reported
Contact:	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	801 MAIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 3605
Contact Phone:	1-214-7462014
Contact Fax:	Not reported
Contact Email:	Not reported
Contact:	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	801 MAIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 3605
Contact Phone:	1-214-7462014
Contact Fax:	Not reported
Contact Email:	Not reported
Unit Records Not Found for this RegNo/Year:	
One Time Shipper Records Not Found for this RegNo/Year:	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EL CENTRO COLLEGE (Continued)**

**S105168764**

Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: SELENA PEREZ  
 Violation: Not reported  
 Complaint Date: 01/21/2017  
 Notification Number: 2017000209  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 01/26/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtned to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtned to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtned to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 01/18/2017  
 Certification Statement Phone: 972-399-0068  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 1  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 01/20/2017  
  
 Date of inspection: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EL CENTRO COLLEGE (Continued)**

**S105168764**

Reason for Inspection:	MANUEL RANGEL
Violation:	Not reported
Complaint Date:	01/21/2017
Notification Number:	2017000209
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/09/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/05/2017
Certification Statement Phone:	214-561-8690
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	01/20/2017
Date of inspection:	Not reported
Reason for Inspection:	MANUEL RANGEL
Violation:	Not reported
Complaint Date:	12/31/2017
Notification Number:	2017000734
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EL CENTRO COLLEGE (Continued)**

**S105168764**

Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/26/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	O & M
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/05/2017
Certification Statement Phone:	214-561-8690
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	01/26/2017

431

**EL CENTRO COMMUNITY COLLEGE**  
**801 MAIN ST**  
**DALLAS, TX 75202**

**FTTS 1010003580**  
**N/A**

**FTTS INSP:**

Inspection Number:	1989052219840 1
Region:	06
Inspection Date:	05/22/89
Inspector:	MCLAUGHLIN
Violation occurred:	No
Investigation Type:	Section 6 PCB Federal Conducted
Investigation Reason:	Neutral Scheme, Region
Legislation Code:	TSCA
Facility Function:	User



MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

431 EL CENTRO COMMUNITY COLLEGE HIST FTTS 1008179289  
 801 MAIN ST N/A  
 DALLAS, TX 75202

HIST FTTS INSP:  
 Inspection Number: 1989052219840 1  
 Region: 06  
 Inspection Date: Not reported  
 Inspector: MCLAUGHLIN  
 Violation occurred: No  
 Investigation Type: Section 6 PCB Federal Conducted  
 Investigation Reason: Neutral Scheme, Region  
 Legislation Code: TSCA  
 Facility Function: User

431 EL CENTRO COLLEGE RCRA NonGen / NLR 1004603127  
 801 MAIN ST FINDS TXD982306060  
 DALLAS, TX 75202 ECHO

RCRA NonGen / NLR:  
 Date form received by agency: 08/23/2001  
 Facility name: EL CENTRO COLLEGE  
 Facility address: 801 MAIN ST  
 DALLAS, TX 75202  
 EPA ID: TXD982306060  
 Mailing address: MAIN ST  
 DALLAS, TX 75202  
 Contact: WILLIAM LEWIS  
 Contact address: MAIN ST  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: 214-746-2014  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:  
 Owner/operator name: EL CENTRO COLLEGE  
 Owner/operator address: MAIN ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-746-2014  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported  
 Owner/operator name: EL CENTRO COLLEGE  
 Owner/operator address: MAIN ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-746-2014  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EL CENTRO COLLEGE (Continued)**

**1004603127**

Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 07/31/2001  
 Site name: EL CENTRO COLLEGE  
 Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EL CENTRO COLLEGE (Continued)**

**1004603127**

. Waste code: F001  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:  
 TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE,  
 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED  
 FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING  
 CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF  
 ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED  
 IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE  
 SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 07/02/1987  
 Site name: EL CENTRO COLLEGE  
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110005105493

**Environmental Interest/Information System**

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1004603127  
 Registry ID: 110005105493  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005105493>

431

**MEADLINS CAR CARE CENTER  
 803 MAIN ST  
 DALLAS, TX 75202**

**EDR Hist Auto 1020223942  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1993 MEADLINS CAR CARE CENTER Gasoline Service Stations

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**432 GEORGE R FREEMAN  
 111 S LAMAR  
 DALLAS, TX 75202**

**RCRA NonGen / NLR 1000205896  
 FINDS TXD050840446  
 ECHO**

RCRA NonGen / NLR:

Date form received by agency: 01/06/2002  
 Facility name: GEORGE R FREEMAN  
 Facility address: 111 S LAMAR  
 DALLAS, TX 75202  
 EPA ID: TXD050840446  
 Mailing address: S LAMAR  
 DALLAS, TX 75202  
 Contact: GEORGE R FREEMAN  
 Contact address: S LAMAR  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: FREEMANGEORGE R  
 Owner/operator address: S LAMAR  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/06/2002  
 Owner/Op end date: Not reported

Owner/operator name: FREEMANGEORGE R  
 Owner/operator address: S LAMAR  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/06/2002  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE R FREEMAN (Continued)**

**1000205896**

Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 07/17/1980  
 Site name: FREEMAN GEORGE R  
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005050906

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000205896  
 Registry ID: 110005050906  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005050906>

432

**GEORGE R FREEMAN  
 111 S LAMAR  
 DALLAS, TX 75202**

**TX Ind. Haz Waste S105834251  
 N/A**

Ind. Haz Waste:

Registration Number: 36843  
 Registration Initial Notification Date: 07/27/2001  
 Registration Last Amendment Date: 07/27/2001  
 EPA Identification: TXD050840446  
 Primary NAICS Code: Not reported  
 Status Change Date: 20010727  
 Land Type: Not reported  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE R FREEMAN (Continued)**

**S105834251**

Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: SQG  
 TNRCC Region: Not reported  
 Company Name: FREEMAN, GEORGE R  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 111 S LAMAR  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 75202  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 13656  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20100604  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 111 S LAMAR  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75202 9999  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Individual  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 111 S LAMAR  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 111 S LAMAR  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 9999  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE R FREEMAN (Continued)**

**S105834251**

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	Not reported
Target TCEQ unique facid for discarded(merged) facility:	11765

Waste Records Not Found for this RegNo/Year:

432

**GEORGE R FREEMAN**  
**111 S LAMAR**  
**DALLAS, TX 75202**

**TX Ind. Haz Waste**

**S103602907**  
**N/A**

Ind. Haz Waste:

Registration Number:	34320
Registration Initial Notification Date:	12/21/1983
Registration Last Amendment Date:	01/06/2002
EPA Identification:	TXD050840446
Primary NAICS Code:	Not reported
Status Change Date:	19831221
Land Type:	PRIVATE
Description of Facility Site Location:	111 S Lamar, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	Not reported
TNRCC Region:	Not reported
Company Name:	FREEMAN, GEORGE R
Contact Name:	GEORGE R FREEMAN
Contact Telephone Number:	Not reported
Mailing Address:	111 S LAMAR
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 75202
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	11765
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20110911
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE R FREEMAN (Continued)**

**S103602907**

Owner:

Owner Mailing Address: 111 S LAMAR  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75202 9999  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Individual  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: FREEMAN  
 Operator First Name: GEORGE  
 Operator Name: GEORGE FREEMAN  
 Operator Mailing Address: 111 S LAMAR  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75202 9999  
 Operator Country: UNITED STA  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Individual  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: GEORGE FREEMAN  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICON  
 Contact Address: 111 S LAMAR  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: GEORGE FREEMAN  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 111 S LAMAR  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 9999  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: GEORGE FREEMAN  
 Contact Title: Not reported  
 Contact Role: OPRCON  
 Contact Address: 111 S LAMAR  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75202 9999  
 Contact Phone: Not reported  
 Contact Fax: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE R FREEMAN (Continued)**

**S103602907**

Contact Email: Not reported  
 Unit Records Not Found for this RegNo/Year:  
 One Time Shipper Records Not Found for this RegNo/Year:  
 Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported  
 Waste Records Not Found for this RegNo/Year:

432 **THOMPSON SCOTT W**  
**108 S LAMAR**  
**DALLAS, TX**

**EDR Hist Cleaner 1009333806**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1941	THOMPSON SCOTT W	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	THOMPSON SCOTT W	CLEANERS AND DYERS

432 **GRAY S LAUNDRY**  
**106 S LAMAR**  
**DALLAS, TX**

**EDR Hist Cleaner 1009333718**  
**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	GRAY S LAUNDRY	CLOTHES CLEANERS AND DYERS
1930	GRAY S LAUNDRY	LAUNDRIES

432 **1815 N. OAK MINERAL WELLS,TX ABANDONDED**  
**1815 N. OAK MINERAL WELLS,TX ABANDONDED**  
**, TX**

**TX SPILLS S107007731**  
**N/A**

SPILLS:  
 Spill Address: 1815 N. OAK MINERAL WELLS,TX ABANDONDED  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 10/20/1993  
 Seq Num: Not reported  
 Responsible Party Name: AMERESCO  
 Responsible Party Address: 901 MAIN ST., 51ST FLOOR  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75202  
 Responsible Party Telephone: 2145081502  
 Substance: WASTE OIL  
 Material Code: 1080  
 Media Affected: Not reported  
 Permit Number: NONE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1815 N. OAK MINERAL WELLS,TX ABANDONDED (Continued)**

**S107007731**

District: 04  
 Origin: 001  
 Cause: 002  
 Basin Code: 1206  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 002  
 Basin Name: BRAZOS  
 Water Affected: DRAINAGE FOR CITY STORMWATER  
 Amnt Spilled: UNK GAL  
 Amnt in Water: UNK GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: J. KERLIN  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

433

**AT&T WHITACRE TOWER BUILDING  
 208 SOUTH AKARD STREET  
 DALLAS, TX 75202**

**TX TIER 2 S111032727  
 TX ASBESTOS N/A**

TIER 2:

Facility Id/Name: FA201141932ZXXXXXXXXX/ONE SBC PLAZA - T44116  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: ONE SBC PLAZA - T44116  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 02/06/2012  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 2521  
 Site Map: Not reported  
 Fire District: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Submitted By: Lynn Ragsdale  
 Latitude: 32.000000  
 Longitude: -96.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA201041932ZXXXXXXXXX/ONE SBC PLAZA - T44116  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: ONE SBC PLAZA - T44116  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/05/2011  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Emploeyess On Site: 2095  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 32.000000  
 Longitude: -96.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 02/06/2012  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 02/06/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 02/06/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 02/06/2012

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 02/06/2012

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact:  
 Contact Email: sn4866@us.att.com  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: SUSAN NICKELL  
 Title: Property Manager  
 Modification Date: 2/9/2012

Contact:  
 Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: SWBT Texas, LLC  
 Title: Not reported  
 Modification Date: 2/14/2012

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: SWBT Texas, LLC  
 Title: Not reported  
 Modification Date: 2/14/2012

Chemical Inventory:  
 Facility Id: FA201141932ZXXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA201141932Z1ZZXXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100 - 999 pounds  
 Max Daily Amount: 100 - 999 pounds  
 Max Amount In Largest Container: 568  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/9/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201141932Z1ZZ1ZZXX  
 Chemical Inventory Record Id: FA201141932Z1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 568  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/9/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/05/2011  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/05/2011  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/05/2011

Contact:

Contact Email: sn4866@us.att.com  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: SUSAN NICKELL  
 Title: Property Manager  
 Modification Date: 2/16/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 01/05/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 4/4/2011

Chemical Inventory:

Facility Id: FA201041932ZXXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA201041932Z1ZZXXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 2181  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201041932Z1ZZ1ZZXX  
 Chemical Inventory Record Id: FA201041932Z1ZZXXXXXX  
 Amt Of Sub Stored Or Transported: 2181  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/16/2011

Facility Id: FA201041932ZXXXXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA201041932Z31ZXXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Max Amount In Largest Container: 19112  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201041932Z31Z1ZZXX  
 Chemical Inventory Record Id: FA201041932Z31ZXXXXXX  
 Amt Of Sub Stored Or Transported: 19112  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: YAZDI KHARAS  
 Violation: Not reported  
 Complaint Date: 09/29/2017  
 Notification Number: 2017006678  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 09/13/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	09/13/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	09/27/2017
Date of inspection:	Not reported
Reason for Inspection:	YAZDI D KHARAS
Violation:	Not reported
Complaint Date:	10/04/2017
Notification Number:	2017006678
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/05/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/05/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	10/02/2017
Date of inspection:	Not reported
Reason for Inspection:	YAZDI KHARAS
Violation:	Not reported
Complaint Date:	10/06/2017
Notification Number:	2017006678
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/25/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/25/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T WHITACRE TOWER BUILDING (Continued)**

**S111032727**

Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 10/02/2017

433

**CVS PHARMACY #2477  
 208 S AKARD ST, STE PC008  
 DALLAS, TX 75202**

**RCRA-CESQG 1014961783  
 TXR000080947**

RCRA-CESQG:

Date form received by agency: 07/25/2012  
 Facility name: CVS PHARMACY #2477  
 Facility address: 208 S AKARD ST, STE PC008  
 DALLAS, TX 75202-4206  
 EPA ID: TXR000080947  
 Mailing address: CVS DR  
 WOONSOCKET, RI 02895  
 Contact: WENDY L BRANT  
 Contact address: CVS DR  
 WOONSOCKET, RI 02895  
 Contact country: US  
 Contact telephone: 401-765-1500  
 Contact email: WENDY.BRANT@CVSCAREMARK.COM  
 EPA Region: 06  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: SBC ASSET MGMT, INC  
 Owner/operator address: AT&T WAY, RM 1B201  
 BEDMINSTER, NJ 07921  
 Owner/operator country: US  
 Owner/operator telephone: 908-234-3713  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 03/06/2011  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY #2477 (Continued)**

**1014961783**

Owner/operator name: CARECENTER PHARMACY, LLC  
 Owner/operator address: Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 03/06/2011  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: P001  
 . Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P042  
 . Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)-

. Waste code: P075  
 . Waste name: NICOTINE, & SALTS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CVS PHARMACY #2477 (Continued)**

**1014961783**

. Waste code: P081  
 . Waste name: NITROGLYCERINE (R)

Violation Status: No violations found

433

**ONE SBC PLAZA T44116  
 208 S AKARD ST  
 DALLAS, TX 75202**

**TX TIER 2 S110405401  
 N/A**

TIER 2:

Facility Id/Name: FA200941932ZXXXXXXXXX/ONE SBC PLAZA T44116  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: ONE SBC PLAZA - T44116  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 01/06/2010  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 2349  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/06/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ONE SBC PLAZA T44116 (Continued)**

**S110405401**

Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 1/6/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: RICKEY LEAKE  
 Title: Property Manager  
 Modification Date: 1/29/2010

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 3/14/2010

Chemical Inventory:  
 Facility Id: FA200941932ZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA200941932Z1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 2181  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ONE SBC PLAZA T44116 (Continued)**

**S110405401**

Record Key: FA200941932Z1ZZ1ZZXX  
 Chemical Inventory Record Id: FA200941932Z1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 2181  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 1/29/2010

Facility Id: FA200941932ZXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA200941932Z31ZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 19112  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: FA200941932Z31Z1ZZXX  
 Chemical Inventory Record Id: FA200941932Z31ZXXXXX  
 Amt Of Sub Stored Or Transported: 19112  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 1/29/2010

Notes: Not reported

Validation: This facility passed all validation checks.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

433	<b>CVS PHARMACY #2477</b> <b>208 S AKARD ST, STE PC008</b> <b>DALLAS, TX 75202</b>	<b>FINDS</b> <b>ECHO</b>	<b>1015980894</b> <b>N/A</b>
-----	--	-----------------------------	---------------------------------

FINDS:

Registry ID: 110046406625

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1015980894  
 Registry ID: 110046406625  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110046406625>

434	<b>MAGNOLIA TAILORS</b> <b>1601 JACKSON</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009336612</b> <b>N/A</b>
-----	---	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:
1930	MAGNOLIA TAILORS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

435	<b>1200 MAIN STREET</b> <b>DALLAS, TX</b>	<b>ERNS</b>	<b>2006820327</b> <b>N/A</b>
-----	--	-------------	---------------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

435	<b>1200 MAIN ST., DALLAS, TX</b> <b>1200 MAIN ST., DALLAS, TX</b> <b>DALLAS, TX</b>	<b>TX SPILLS</b>	<b>S107018096</b> <b>N/A</b>
-----	---	------------------	---------------------------------

SPILLS:

Spill Address:	1200 MAIN ST., DALLAS, TX
Incident Number:	Not reported
Facility Id:	Not reported
Date of Spill:	10/23/1998
Seq Num:	Not reported
Responsible Party Name:	ROADWAY EXPRESS
Responsible Party Address:	1077 Gorge Blvd
Responsible Party City:	AKRON



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**1200 MAIN ST., DALLAS, TX (Continued)**

**S107018096**

Responsible Party State: OH  
 Responsible Party Zip: 44310  
 Responsible Party Telephone: 3302582568  
 Substance: Diesel  
 Material Code: 1040  
 Media Affected: L&W  
 Permit Number: Not reported  
 District: 04  
 Origin: 005  
 Cause: 007  
 Basin Code: 0822  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 006  
 Basin Name: Trinity  
 Water Affected: Stormwater Drainage  
 Amnt Spilled: 50  
 Amnt in Water: Not reported  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: Not reported  
 Interim Report: F  
 Enforce: Not reported  
 Information Final: T  
 Coordinator: David Robertson  
 Time Reported: 1215  
 Spill Time: 1115  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

435

**1200 MAIN STREET  
 DALLAS, TX**

**ERNS 98461062  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

435	<b>1200 MAIN STREET DALLAS, TX</b>	ERNS	2001577161 N/A
-----	--	------	-------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

436	<b>CROWELL WV S 1708 JACKSON DALLAS, TX</b>	EDR Hist Auto	1009359202 N/A
-----	---	---------------	-------------------

EDR Hist Auto

Year:	Name:	Type:	
1925	CROWELL W S	AUTOMOBILE REPAIRERS	
1930	CROWELL WV S	AUTOMOBILE REPAIRERS	

436	<b>CANTU ROY G 1710 JACKSON ST DALLAS, TX 75201</b>	EDR Hist Cleaner	1018510477 N/A
-----	---	------------------	-------------------

EDR Hist Cleaner

Year:	Name:	Type:	
1973	CANTU ROY G	Garment Pressing And Cleaners' Agents	

436	<b>STATEN AUTO CO 1710 JACKSON DALLAS, TX</b>	EDR Hist Auto	1009359240 N/A
-----	---	---------------	-------------------

EDR Hist Auto

Year:	Name:	Type:	
1925	STATEN AUTO CO	AUTOMOBILE GARAGES	
1930	STATEN AUTO CO	AUTOMOBILE GARAGES	
1936	Y S GARAGE	AUTOMOBILE GARAGES	

437	<b>ENSERCH PROCESSING COMPANY 1817 WOOD STREET DALLAS, TX 75201</b>	FTTS HIST FTTS	1009514085 N/A
-----	---	-------------------	-------------------

FTTS INSP:

Inspection Number:	19950204IURRS 1
Region:	11
Inspection Date:	02/04/95
Inspector:	Not reported
Violation occurred:	Yes
Investigation Type:	Section 8 Inventory Rule
Investigation Reason:	Neutral Scheme, Headquarters
Legislation Code:	TSCA
Facility Function:	Manufacturer

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ENSERCH PROCESSING COMPANY (Continued)**

**1009514085**

HIST FTTS INSP:

Inspection Number: 19950204IURRS 1  
 Region: 11  
 Inspection Date: Not reported  
 Inspector: Not reported  
 Violation occurred: Yes  
 Investigation Type: Section 8 Inventory Rule  
 Investigation Reason: Neutral Scheme, Headquarters  
 Legislation Code: TSCA  
 Facility Function: Manufacturer

437

**ENSEARCH EXPLORATION  
 1817 WOOD ST  
 DALLAS, TX 75201**

**TX Ind. Haz Waste**

**S105170147  
 N/A**

Ind. Haz Waste:

Registration Number: 38118  
 Registration Initial Notification Date: 06/04/2010  
 Registration Last Amendment Date: 06/04/2010  
 EPA Identification: Not reported  
 Primary NAICS Code: Not reported  
 Status Change Date: 20100604  
 Land Type: Not reported  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: No  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: Not reported  
 TNRCC Region: Not reported  
 Company Name: ENSEARCH EXPLORATION INC  
 Contact Name: ED STANLEY  
 Contact Telephone Number: 214-6702707  
 Mailing Address: PO BOX 2649  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: DALLAS, TX 75221  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 14750  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20100604  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: Yes

Business Records Not Found for this RegNo/Year:

Owner:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ENSERCH EXPLORATION (Continued)**

**S105170147**

Owner Mailing Address: Not reported  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Country: Not reported  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: ED STANLEY  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: PO BOX 2649  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75221  
 Contact Phone: 1-214-6702707  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

437

**ENSERCH PROCESSING CO  
 1817 WOOD ST  
 DALLAS, TX 75201**

**ICIS 1004599680  
 FINDS N/A  
 ECHO**

ICIS:

Enforcement Action ID: HQ-1995-0081  
 FRS ID: 110010730511  
 Action Name: ENSERCH PROCESSING COMPANY  
 Facility Name: ENSERCH PROCESSING CO  
 Facility Address: 1817 WOOD ST  
 DALLAS, TX 75201  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 16  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.779348  
 Longitude in Decimal Degrees: -96.794911  
 Permit Type Desc: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**ENSERCH PROCESSING CO (Continued)**

**1004599680**

Program System Acronym: 9061  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

**FINDS:**

Registry ID: 110010730511

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1004599680  
 Registry ID: 110010730511  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110010730511>

**438 ATLAS CLEANERS  
 408 S PEARL  
 DALLAS, TX**

**EDR Hist Cleaner 1009343771  
 N/A**

**EDR Hist Cleaner**

Year:	Name:	Type:
1941	ATLAS CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	ATLAS CLEANERS	CLEANERS AND DYERS

**438 WEAVER SPRING AND BUMPER WORKS  
 402 N PEARL  
 DALLAS, TX**

**EDR Hist Auto 1009371823  
 N/A**

**EDR Hist Auto**

Year:	Name:	Type:
1936	WEAVER SPRING AND BUMPER WORKS	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

438 **WALTER N C CO** EDR Hist Auto 1009372278  
**411 N PEARL**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 WALTER N C CO AUTOMOBILE REPAIRERS

438 **WAGNER ELECTRIC CORP** EDR Hist Auto 1009372114  
**409 N PEARL**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 WALTER N C CO AUTOMOBILE REPAIRERS  
 1941 WAGNER ELECTRIC CORP AUTOMOBILE REPAIRING

439 **DALLAS COUNTY UNDERGROUND PARKING GARAGE** FINDS 1011321493  
**606 ELM ST**  
**DALLAS, TX 75202** N/A

FINDS:

Registry ID: 110041745207

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

440 **DEES WAY 41** TX AIRS S116568838  
**726 N MAIN ST**  
**DALLAS, TX** N/A

AIRS:

Permit Num: 54610  
 Regulated Id: RN101547313  
 Permit Type: PBR  
 Permit Status: EFFECTIVE  
 Permit Issued Date: 04/02/2003  
 Expiration Date: Not reported  
 Customer Id: CN600808877  
 Company Name: DEE & DEE OIL CO  
 Physical Location Desc: Not reported  
 Rep Official(RO): PRESIDENT  
 RO Name: MR FRANK DRUMMOND  
 RO Delivery Address: 200 E CLARENDON DR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DEES WAY 41 (Continued)**

**S116568838**

RO City/State/Zip: DALLAS, TX 75203  
 RO Phone: 9437661  
 RO Ext Num: 0  
 RO EMail Address: Not reported  
 Lat Dec Coord Num: 32.659999  
 Long Dec Coord Num: -96.913799

**440 HI TECH DISCOUNT CLEANERS  
 724 MAIN ST  
 DALLAS, TX 75202**

**EDR Hist Cleaner 1020004007**

**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1992	HI TECH DISCOUNT CLEANERS	Drycleaning Plants, Except Rugs
1993	HI TECH DISCOUNT CLEANERS	Drycleaning Plants, Except Rugs
1994	HI TECH DISCOUNT CLEANERS	Drycleaning Plants, Except Rugs

**440 SAFETY GARAGE  
 105 S AUSTIN  
 DALLAS, TX**

**EDR Hist Auto 1009352426**

**N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	PLAZA GARAGE	AUTOMOBILE GARAGES
1936	SAFETY GARAGE	AUTOMOBILE GARAGES

**440 ORIENTAL LAUNDRY BRANCHES  
 104 S AUSTIN  
 DALLAS, TX**

**EDR Hist Cleaner 1009333610**

**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1930	ORIENTAL LAUNDRY	CLEANERS AND DYERS
1930	ORIENTAL LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1930	ORIENTAL LAUNDRY	LAUNDRIES
1930	ORIENTAL LAUNDRY BRANCHES	DYERS AND CLEANERS
1930	ORIENTAL LAUNDRY BRANCHES	DRY CLEANERS

**440 MO CARROLL CLEANING CO  
 806 MAIN  
 DALLAS, TX**

**EDR Hist Cleaner 1009349348**

**N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	MO CARROLL CLEANING CO	CLOTHES CLEANERS AND DYERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

441 ACME TAILOR SHOP EDR Hist Cleaner 1009334675  
 1203 COMMERCE N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 ACME TAILOR SHOP CLOTHES CLEANERS AND DYERS

441 SOUTHLAND PRESS SHOP EDR Hist Cleaner 1009334718  
 1207 COMMERCE N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1946 SOUTHLAND PRESS SHOP CLEANERS AND DYERS

442 HARRIS AUTO SERVICE EDR Hist Auto 1009358317  
 1600 JACKSON N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 MAGNOLIA GARAGE AUTOMOBILE GARAGES  
 1936 STATEN AUTO CO AUTOMOBILE GARAGES  
 1941 STATEN AUTO CO AUTOMOBILE GARAGES  
 1951 HARRIS AUTO SERVICE AUTOMOBILE REPAIRING

442 PARKING OF AMERICA TX LPST U001280958  
 1600 JACKSON ST TX UST N/A  
 DALLAS, TX 75201

LPST:

Facility ID: 0050104  
 LPST Id: 98521  
 Facility Location: JACKSON ST  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 10/13/2005  
 Entered Date: 04/05/1991  
 Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP  
 Program: 2 - REGION  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 2  
 Coordinators RPR: RPR  
 Responsible Party Name: SWAIN, JACK  
 Responsible Party Contact: JACK SWAIN  
 Responsible Party Address: 2607 SAN JACINTO ST  
 Responsible Party City,St,Zip: DALLAS, TX 75201  
 Responsible Party Telephone: 214/747-4267  
 Reported Date: 03/26/1990  
 Case Start Date: 04/05/1991



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PARKING OF AMERICA (Continued)**

**U001280958**

UST:

AI Number: 50104  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 01/31/1990  
 Facility Status: INACTIVE  
 Additional ID: 180628722002149  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: HOWARD COMPTON,VP  
 Contact Organization Name: PARKING COMPANY OF AMERICA  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2145081610  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 01/16/1990  
 Signature Name/Title On Earliest Reg Form: HOWARD COMPTON,V PRESIDENT  
 Application Received Date On Earliest Reg Form: 01/17/1990  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600767933  
 Owner Last Name: NCNB TEXAS NATIONAL BANK  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 523497442002046  
 Additional ID: 180628722002149  
 AI Number: 50104  
 Owner Effective Begin Date: 01/31/1990  
 State Tax ID: 17501878007  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PARKING OF AMERICA (Continued)**

**U001280958**

Tank:  
 Install Date: 08/31/1987  
 Tank Registration Date: 01/17/1990  
 Number of Compartments: 1  
 Tank Capacity: Not reported  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 129877  
 Facility ID: 81763  
 Ai Number: 50104  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 03/24/1990  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FaInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): N  
 TCPM(Ext Nonmetallic Jacket): N  
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N  
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N  
 Piping Corr Prot Method(PCPM) (Cathodic Factory Install): N  
 PCPM(Cathodic Prot-Field Install): N  
 PCPMethod (FRP Tank Or Piping(Noncorrodible): N  
 PCPM(Nonmetallic FlexPiping (Noncorrodible)): N  
 PCPMeth(Isolated Open Area/2nd Containment): N  
 PCPM (Dual Protected): N  
 PCPM(Unnec Per Corrosion Prot Specialist): N  
 Tank Corr Prot Compliance Flag: N  
 Piping Corr Prot Compliance Flag: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PARKING OF AMERICA (Continued)**

**U001280958**

Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	10/21/1989
Compartment Records:	
Tank ID:	1
Tank Capacity:	0
UST Comprt ID:	130817
UST ID:	129877
AI Number:	50104
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	NCNB TX NATL BANK TRUSTEE
Contact Mailing Address (Delivery):	PO BOX 831500
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75283 1500
Phone Number/Ext:	/

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**PARKING OF AMERICA (Continued)**

**U001280958**

Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	81763
Additional ID:	180628722002149
Princ ID:	523497442002046
AI Number:	50104
Facility Name:	PARKING OF AMERICA
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

---

<b>442</b>	<b>MAGNOLIA TAILORS</b>	<b>EDR Hist Cleaner</b>	<b>1009336706</b>
	<b>1610 JACKSON</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:	
1951	MAGNOLIA TAILORS	CLEANERS AND DYERS	

---

<b>442</b>	<b>MAGNOLIA GARAGE</b>	<b>EDR Hist Auto</b>	<b>1009358399</b>
	<b>1602 JACKSON</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1930	MAGNOLIA GARAGE	AUTOMOBILE GARAGES	

---

<b>442</b>	<b>MAGNOLIA GARAGE</b>	<b>EDR Hist Auto</b>	<b>1009358447</b>
	<b>1604 JACKSON</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1930	MAGNOLIA GARAGE	AUTOMOBILE GARAGES	

---

<b>443</b>	<b>LONE STAR ENERY, ADJACENT TO SOUTHWEST MEDICAL CEN</b>	<b>TX SPILLS</b>	<b>S107006632</b>
	<b>LONE STAR ENERY, ADJACENT TO SOUTHWEST MEDICAL CENTER, HARRY</b>		<b>N/A</b>
	<b>, TX</b>		

**SPILLS:**

Spill Address:	LONE STAR ENERY, ADJACENT TO SOUTHWEST MEDICAL CENTER, HARRY
Incident Number:	Not reported
Facility Id:	Not reported
Date of Spill:	07/14/1993
Seq Num:	Not reported
Responsible Party Name:	LONE STAR ENERGY
Responsible Party Address:	1817 WOOD ST.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LONE STAR ENERY, ADJACENT TO SOUTHWEST MEDICAL CENTER, HARRY (Continued)**

**S107006632**

Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 9999999999  
 Substance: DIESEL  
 Material Code: 1040  
 Media Affected: Not reported  
 Permit Number: NONE  
 District: 04  
 Origin: 001  
 Cause: 003  
 Basin Code: 0827  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 003  
 Basin Name: TRINITY  
 Water Affected: NONE  
 Amnt Spilled: 20 GAL  
 Amnt in Water: NONE GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: J. KERLIN  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

444

**MANOR HOUSE APARTMENTS  
 1222 COMMERCE ST.  
 DALLAS, TX 75202**

**ICIS 1007129271  
 FINDS N/A**

ICIS:  
 Enforcement Action ID: 06-200001650  
 FRS ID: 110015758937  
 Action Name: Manor House Apartments  
 Facility Name: MANOR HOUSE APARTMENTS  
 Facility Address: 1222 COMMERCE ST.  
 DALLAS, TX 75202

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MANOR HOUSE APARTMENTS (Continued)**

**1007129271**

Enforcement Action Type: Notice of Noncompliance Issued  
 Facility County: DALLAS  
 Program System Acronym: ICIS  
 Enforcement Action Forum Desc: Administrative - Informal  
 EA Type Code: NONC  
 Facility SIC Code: Not reported  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.779439  
 Longitude in Decimal Degrees: -96.801055  
 Permit Type Desc: Not reported  
 Program System Acronym: 5415219  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

**FINDS:**

Registry ID: 110015758937

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

444

**MANOR HOUSE  
 1222 COMMERCE ST  
 DALLAS, TX 75202**

**FTTS 1009907183  
 N/A**

**FTTS INSP:**

Inspection Number: 200307299800210  
 Region: 06  
 Inspection Date: 07/29/03  
 Inspector: HAUPT  
 Violation occurred: Yes  
 Investigation Type: Lead, Section 1018, SEE  
 Investigation Reason: Neutral Scheme, Region  
 Legislation Code: TSCA  
 Facility Function: Landlord/Renter Facility

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**445 TWO SBC PLAZA T44118  
 211 S. AKARD ST  
 DALLAS, TX 75202**

**TX TIER 2 S110413815  
 N/A**

TIER 2:

Facility Id/Name: FA200941933ZXXXXXXXXX/TWO SBC PLAZA T44118  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: TWO SBC PLAZA - T44118  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 01/06/2010  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 485  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/06/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 1/6/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TWO SBC PLAZA T44118 (Continued)**

**S110413815**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: BOBBY COLLINS  
 Title: Property Manager  
 Modification Date: 1/29/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 3/14/2010

Chemical Inventory:

Facility Id: FA200941933ZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA200941933Z1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 57345  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA200941933Z1ZZ14ZXX  
 Chemical Inventory Record Id: FA200941933Z1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 89  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TWO SBC PLAZA T44118 (Continued)**

**S110413815**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Switch Gear Room - Bsmt  
 Last Modified: 1/29/2010

Record Key: FA200941933Z1ZZ149XX  
 Chemical Inventory Record Id: FA200941933Z1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 57256  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room - Bsmt  
 Last Modified: 1/29/2010

Facility Id: FA200941933ZXXXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA200941933Z31ZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 549689  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA200941933Z31Z149XX  
 Chemical Inventory Record Id: FA200941933Z31ZXXXXX  
 Amt Of Sub Stored Or Transported: 548840  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room - Bsmt  
 Last Modified: 1/29/2010

Record Key: FA200941933Z31Z14ZXX  
 Chemical Inventory Record Id: FA200941933Z31ZXXXXX  
 Amt Of Sub Stored Or Transported: 849  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TWO SBC PLAZA T44118 (Continued)**

**S110413815**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Switch Gear Room - Bsmt  
 Last Modified: 1/29/2010

Notes: Not reported

Validation: This facility passed all validation checks.

445

**TWO SBC PLAZA - T44118**  
**211 S. AKARD ST**  
**DALLAS, TX 75202**

**TX TIER 2** **S111032728**  
**TX ASBESTOS** **N/A**

TIER 2:

Facility Id/Name: FA201041933ZXXXXXXXXX/TWO SBC PLAZA - T44118  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: TWO SBC PLAZA - T44118  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/05/2011  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 789  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/05/2011  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/05/2011  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/05/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TWO SBC PLAZA - T44118 (Continued)**

**S111032728**

Contact:  
 Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 01/05/2011

Contact:  
 Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 4/4/2011

Contact:  
 Contact Email: bc4700@semail.att.com  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: BOBBY COLLINS  
 Title: Property Manager  
 Modification Date: 2/16/2011

Chemical Inventory:  
 Facility Id: FA201041933ZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA201041933Z1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 73446  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TWO SBC PLAZA - T44118 (Continued)**

**S111032728**

Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201041933Z1ZZ149XX  
 Chemical Inventory Record Id: FA201041933Z1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 73369  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room - Bsm  
 Last Modified: 2/16/2011

Record Key: FA201041933Z1ZZ14ZXX  
 Chemical Inventory Record Id: FA201041933Z1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 77  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Switch Gear Room - Bsm  
 Last Modified: 2/16/2011

Facility Id: FA201041933ZXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA201041933Z31ZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 724719  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201041933Z31Z14ZXX  
 Chemical Inventory Record Id: FA201041933Z31ZXXXXX  
 Amt Of Sub Stored Or Transported: 739  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TWO SBC PLAZA - T44118 (Continued)**

**S111032728**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Switch Gear Room - Bsmt  
 Last Modified: 2/16/2011

Record Key: FA201041933Z31Z149XX  
 Chemical Inventory Record Id: FA201041933Z31ZXXXXX  
 Amt Of Sub Stored Or Transported: 723980  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Battery Room - Bsmt  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: Yazdi D. Kharas  
 Violation: Not reported  
 Complaint Date: 11/18/2017  
 Notification Number: 2017008199  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 11/03/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 11/03/2017  
 Certification Statement Phone: 214-384-1862

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TWO SBC PLAZA - T44118 (Continued)**

**S111032728**

Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	11/17/2017
Date of inspection:	Not reported
Reason for Inspection:	Yazdi Kharas
Violation:	Not reported
Complaint Date:	07/13/2017
Notification Number:	2017004715
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/12/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/12/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	10
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TWO SBC PLAZA - T44118 (Continued)**

**S111032728**

Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	07/06/2017
Date of inspection:	Not reported
Reason for Inspection:	YAZDI KHARAS
Violation:	Not reported
Complaint Date:	07/12/2017
Notification Number:	2017004715
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/21/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	06/21/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	8
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	07/06/2017
Date of inspection:	03/29/2017
Reason for Inspection:	YAZDI KHARAS
Violation:	Not reported
Complaint Date:	03/22/2017
Notification Number:	2017001852

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TWO SBC PLAZA - T44118 (Continued)**

**S111032728**

ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/29/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/23/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	10
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	03/16/2017
Date of inspection:	03/29/2017
Reason for Inspection:	YAZDI KHARAS
Violation:	Not reported
Complaint Date:	03/31/2017
Notification Number:	2017001852
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TWO SBC PLAZA - T44118 (Continued)**

**S111032728**

Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 03/06/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 03/02/2017  
 Certification Statement Phone: 214-384-1862  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 14  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 03/16/2017

---

<b>446</b>	<b>EDWARDS AND EDWARDS 425 S HARWOOD DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009373008 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1936	EDWARDS AND EDWARDS	GASOLINE AND OIL SERVICE STATIONS

---

<b>446</b>	<b>HILL S SUPER SERVICE STATION 421 S HARWOOD DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009372796 N/A</b>
------------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1941	HILL S SUPER SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1951	MOSES SUPER SERVICE	GASOLINE STATIONS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

447 TRAILWAYS  
 1500 JACKSON ST  
 DALLAS, TX 75201

TX LPST U001273064  
 TX UST N/A  
 TX ASBESTOS

LPST:

Facility ID: 0040584  
 LPST Id: 102177  
 Facility Location: 1500 JACKSON  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 05/27/1999  
 Entered Date: 04/13/1992  
 Priority: 2A - GROUNDWATER OTHER THAN 1B SITE CHARACTERIZATION INCOMPLETE  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: GROUNDWATER OTHER THAN 1B, SITE CHARACTERIZATION INCOMPLETE  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1/2  
 Coordinators RPR: MAO  
 Responsible Party Name: FDIC  
 Responsible Party Contact: WILLIAM LAVALLE  
 Responsible Party Address: 1910 PACIFIC AVE STE 130  
 Responsible Party City,St,Zip: DALLAS, TX 75201 4586  
 Responsible Party Telephone: 214/701-7249  
 Reported Date: 03/10/1992  
 Case Start Date: 04/13/1992

UST:

AI Number: 40584  
 Facility Type: UNKNOWN  
 Facility Begin Date: 01/22/1987  
 Facility Status: INACTIVE  
 Additional ID: 564148652002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: GEORGE RULMEN,MANAGER  
 Contact Organization Name: TRAILWAYS INC  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2146557917  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 05/05/1986  
 Signature Name/Title On Earliest Reg Form: G K HUSSONG,VP  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TRAILWAYS (Continued)**

**U001273064**

Owner:

Owner CN: CN600812812  
 Owner Last Name: KEY SAVINGS AND LOAN ASSOCIATION  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 574148642002062  
 Additional ID: 564148652002062  
 AI Number: 40584  
 Owner Effective Begin Date: 01/22/1987  
 State Tax ID: Not reported  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

Tank:

Install Date: 01/01/1968  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 12000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 107546  
 Facility ID: 79993  
 Ai Number: 40584  
 Tank Id: 1  
 Tank Status (Current): PERM FILLED IN PLACE  
 Tank Status Date: 03/10/1991  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TRAILWAYS (Continued)**

**U001273064**

Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	10/11/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	112922
UST ID:	107546
AI Number:	40584
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TRAILWAYS (Continued)**

**U001273064**

PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	KEY SAVINGS AND LOAN ASSOCIATION
Contact Mailing Address (Delivery):	3501 S BROADWAY
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	ENGLEWOOD, CO 80113 3629
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	79993
Additional ID:	564148652002062
Princ ID:	574148642002062
AI Number:	40584
Facility Name:	TRAILWAYS
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	/

ASBESTOS:

Date of inspection:	01/12/2016
Reason for Inspection:	Routine
Violation:	No
Complaint Date:	Not reported
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	2
Travel Time:	0.25
Mileage:	23.9
Reg:	03
Init:	CCG
Seq:	01

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TRAILWAYS (Continued)**

**U001273064**

Facility Type:	Tattooing
Inspector Name:	Charlotte C. Gray
Date Report Received:	01/21/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	01/25/2016
Date Reviewed by PSQA:	2016-01-25 00:00:00
Date Routed by Supervisor1:	01/25/2016
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

**447 JEFFERSON HOTEL AUTO STORAGE  
 1512 JACKSON  
 DALLAS, TX**

**EDR Hist Auto 1009357819  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1946	JEFFERSON HOTEL AUTO STORAGE	AUTOMOBILE GARAGES

**448 INTERURBAN TAILORS  
 311 BROWDER  
 DALLAS, TX**

**EDR Hist Cleaner 1009341714  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	INTERURBAN TAILORS	CLOTHES CLEANERS AND DYERS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

449	<b>ORIENTAL OIL CO NO 7</b> <b>601 MAIN</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009378331 N/A
-----	---	---------------	-------------------

EDR Hist Auto

Year:	Name:	Type:
1925	ORIENTAL OIL CO NO 7	AUTOMOBILE OILS AND GASOLINE
1930	ORIENTAL OIL CO INC SUPPLY ST	AUTOMOBILE OILS AND GASOLINE
1930	ORIENTAL OIL CO INC SUPPLY ST	GASOLINE AND OIL SERVICE STATIONS

449	<b>CARROLL MOTOR CO</b> <b>609 MAIN</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009378657 N/A
-----	---	---------------	-------------------

EDR Hist Auto

Year:	Name:	Type:
1930	CARROLL MOTOR CO	AUTOMOBILE REPAIRERS
1936	BIGGAR S GARAGE	AUTOMOBILE REPAIRING

450	<b>AT&amp;T TELEPHONE FACILITY</b> <b>1410 JACKSON</b> <b>DALLAS, TX 75202</b>	TX TIER 2 TX GCC	S108861359 N/A
-----	--	---------------------	-------------------

TIER 2:

Facility Id/Name:	FATR20063SBCIDT44121/AT&T TELEPHONE FACILITY
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	2/1/2007
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Lynn Ragsdale
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

Notes:	Not reported
Validation:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T TELEPHONE FACILITY (Continued)**

**S108861359**

GCC:

Division: RMD/PST  
 New Cases: Not reported  
 File Number: 116792  
 Contamination Description: GASOLINE  
 Date Of Earliest Known Contamination Confirmation: 3/8/2006  
 Enforcement Status - Level Of Agency Response: 1A  
 Enforcement Status - Site Activity Status: 1A  
 Data Quality 1: E,Q  
 Section 5236: Not reported  
 Type: TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

Division: RMD/PST  
 New Cases: Not reported  
 File Number: 116792  
 Contamination Description: GASOLINE  
 Date Of Earliest Known Contamination Confirmation: 3/8/2006  
 Enforcement Status - Level Of Agency Response: 6  
 Enforcement Status - Site Activity Status: 6  
 Data Quality 1: E,Q  
 Section 5236: Not reported  
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY  
 Agency: Not reported  
 Section: Not reported  
 Year Deleted: Not reported  
 Location: Not reported  
 Data Quality 2: Not reported

450

**SIX SBC PLAZA T44121  
 1410 JACKSON ST  
 DALLAS, TX 75201**

**TX UST U003039074  
 N/A**

UST:

AI Number: 19147  
 Facility Type: EMERGENCY GENERATOR  
 Facility Begin Date: 09/01/1988  
 Facility Status: ACTIVE  
 Additional ID: 526108392002156  
 Facility Exempt Status: N  
 Records Off-Site: Yes  
 UST Financial Assurance Required: Yes  
 Number Of Active UST: 1  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202  
 Contact Name/Title: JASON C MOLCK,  
 SIX SBC PLAZA T44121  
 Contact Organization Name:  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	9034572020
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	03/22/2016
Signature Name/Title On Earliest Reg Form:	JURANDIR FELIPE-ORTEGA,EHS MGR
Application Received Date On Earliest Reg Form:	03/22/2016
Signature Role On Earliest Reg Form:	LEGAL AUTH REP OWNER
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No
<b>Operator:</b>	
Princ ID:	73508792003195
Additional ID:	526108392002156
Ai Number:	19147
Operator CN:	CN602245615
Operator Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Operator Effective Begin Date:	12/01/2015
Operator Type:	CO
Operator Role:	OPRCON
Contact Name:	STEVEN POPP/PROJECT MANAGER
Contact Organization Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Contact Mailing Address (Delivery):	11910 ANDERSON MILL RD STE B
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	AUSTIN TX 78726-1135
Contact Phone Country Code:	0
Contact Phone Area Code:	512
Contact Phone Number:	2502600
Contact Phone Extension:	0
Contact Fax Country Code:	0
Contact Fax Area Code:	512
Contact Fax Number:	2502940
Contact Fax Extension:	0
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
<b>Owner:</b>	
Owner CN:	CN602245615
Owner Last Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	308 S AKARD ST FL 17
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75202
Contact Mailing Zip5:	5315
Contact Phone Number/Ext:	1 214 7410630/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	MP0873@ATT.COM
Contact Address Deliverable:	Not reported
Princ ID:	73508792003195
Additional ID:	526108392002156

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

AI Number: 19147  
 Owner Effective Begin Date: 12/01/2015  
 State Tax ID: Not reported  
 Contact Role: OWNOPRCON  
 Contact Name/Title: MICHAEL PERRY/AREA MANAGER, EH&S ENVIRONMENTAL SERVICE  
 Contact Organization Name: SOUTHWESTERN BELL TELEPHONE COMPANY

Self Certification:

Self Cert ID: 76287  
 Cert ID: 294227  
 AI Number: 19147  
 Self Certification Date: 10/03/2017  
 Signature Name/Title: Jurandir Felipe-Ortega EH&S Manager  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 10/31/2018  
 Reporting Method: S  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 76287  
 Cert ID: 275730  
 AI Number: 19147  
 Self Certification Date: 09/13/2016  
 Signature Name/Title: Jurandir Felipe-Ortega EH&S Manager  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 10/31/2017  
 Reporting Method: S  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 76287  
 Cert ID: 267299  
 AI Number: 19147  
 Self Certification Date: 03/22/2016  
 Signature Name/Title: JURANDIR FELIPE-ORTEGA EHS MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: INITIAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Delivery Certificate Expiration Date: 10/31/2016  
 Reporting Method: P  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 76287  
 Cert ID: 248684  
 AI Number: 19147  
 Self Certification Date: 02/12/2015  
 Signature Name/Title: Lisa Espinosa EH&S Manager  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2016  
 Reporting Method: S  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 76287  
 Cert ID: 234239  
 AI Number: 19147  
 Self Certification Date: 03/24/2014  
 Signature Name/Title: LISA ESPINOSA EH & S MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2015  
 Reporting Method: P  
 Tank Corrosion Protection Compliance: Y  
 Piping Corrosion Protection Compliance: Y  
 Compartment Release Detection Compliance: Y  
 Piping Release Detection Compliance: Y  
 Spill Prevention/Overfill Compliance: Y

Self Cert ID: 76287  
 Cert ID: 113021  
 AI Number: 19147  
 Self Certification Date: 03/28/2013  
 Signature Name/Title: TAMEKA JACKSON MGR EH&S  
 Signature Type Role: LEGAL AUTH REP OPERATOR  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Delivery Certificate Expiration Date:	03/31/2014
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113020
AI Number:	19147
Self Certification Date:	03/30/2012
Signature Name/Title:	ROBERT D PICKENS EH&AMP;S MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113019
AI Number:	19147
Self Certification Date:	03/20/2011
Signature Name/Title:	ROBERT D PICKENS SR ADMIN ENVIR HEALT
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113018
AI Number:	19147
Self Certification Date:	03/30/2010
Signature Name/Title:	TAMEKA JACKSON MANAGER-EH&AMP;S
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Delivery Certificate Expiration Date:	03/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113017
AI Number:	19147
Self Certification Date:	03/09/2009
Signature Name/Title:	MARK E DINUBILA ENVIRONMENTAL MANAGE
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113016
AI Number:	19147
Self Certification Date:	03/05/2008
Signature Name/Title:	ROBERT D TAYLOR SOUTHWEST REGIONAL M
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113015
AI Number:	19147
Self Certification Date:	03/22/2007
Signature Name/Title:	ROBERT D TAYLOR ENVIRONMENTAL MANAGE
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Delivery Certificate Expiration Date:	03/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113014
AI Number:	19147
Self Certification Date:	05/30/2006
Signature Name/Title:	CHERYL ALLEN ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113013
AI Number:	19147
Self Certification Date:	02/07/2005
Signature Name/Title:	HARRY C HIXSON SENIOR ENVIRO MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113012
AI Number:	19147
Self Certification Date:	01/21/2004
Signature Name/Title:	HARRY C HIXSON SR ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Delivery Certificate Expiration Date:	03/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113011
AI Number:	19147
Self Certification Date:	02/20/2003
Signature Name/Title:	HARRY C HIXSON SEN ENVIRO MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113010
AI Number:	19147
Self Certification Date:	03/10/2002
Signature Name/Title:	HARRY C HIXSON
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2003
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76287
Cert ID:	113009
AI Number:	19147
Self Certification Date:	01/15/2001
Signature Name/Title:	MICHAEL OLIVER SEN ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Delivery Certificate Expiration Date:	03/31/2002
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported

**Tank:**

Install Date:	01/01/1981
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	10088
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	49817
Facility ID:	76287
Ai Number:	19147
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/15/2005
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	Y
TCPM(Cathodic Prot-FaInstallation):	Y
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

SIX SBC PLAZA T44121 (Continued)

U003039074

PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/22/1991
Compartment Records:	
Tank ID:	1
Tank Capacity:	10088
UST Comprt ID:	112950
UST ID:	49817
AI Number:	19147
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	Y
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	Y
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

More Self Certification:

Self Cert ID: 7358  
 Cert ID: 279878  
 UST Compr ID: 807107  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 120065  
 UST Compr ID: 345988  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 120061  
 UST Compr ID: 345992  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 119794  
 UST Compr ID: 345994  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 119790  
 UST Compr ID: 345998  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 297766  
 UST Compr ID: 860113  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 261683  
 UST Compr ID: 753376  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Self Cert ID: 7358  
 Cert ID: 119791  
 UST Comprt ID: 345997  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 244937  
 UST Comprt ID: 703995  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 119795  
 UST Comprt ID: 345993  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 119792  
 UST Comprt ID: 345996  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 120062  
 UST Comprt ID: 345991  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 119788  
 UST Comprt ID: 346000  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358  
 Cert ID: 119793  
 UST Comprt ID: 345995  
 UST ID: 110923  
 AI Number: 19147  
 Tank ID: 3  
 Compartment ID: A

Self Cert ID: 7358

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Cert ID:	120063
UST Comprt ID:	345990
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119787
UST Comprt ID:	345999
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	229194
UST Comprt ID:	657846
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	120064
UST Comprt ID:	345989
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119789
UST Comprt ID:	346001
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Install Date:	05/04/2006
Tank Registration Date:	06/01/2006
Number of Compartments:	2
Tank Capacity:	25000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	206783
Facility ID:	76287
AI Number:	19147
Tank Id:	2
Tank Status (Current):	IN USE
Tank Status Date:	05/04/2006
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	05/30/2006
Compartment Records:	
Tank ID:	2
Tank Capacity:	20000
UST Comprt ID:	112951
UST ID:	206783
AI Number:	19147
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

SIX SBC PLAZA T44121 (Continued)

U003039074

CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve) ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Tank ID:	2
Tank Capacity:	5000
UST Comprt ID:	112952
UST ID:	206783
AI Number:	19147
Compartment ID:	B
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	7358
Cert ID:	279878
UST Comprt ID:	807107
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	120065
UST Comprt ID:	345988
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	120061
UST Comprt ID:	345992
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119794
UST Comprt ID:	345994
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119790
UST Comprt ID:	345998
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Self Cert ID:	7358
Cert ID:	297766
UST Comprt ID:	860113
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	261683
UST Comprt ID:	753376
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119791
UST Comprt ID:	345997
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	244937
UST Comprt ID:	703995
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119795
UST Comprt ID:	345993
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119792
UST Comprt ID:	345996
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	120062
UST Comprt ID:	345991
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Cert ID:	119788
UST Comprt ID:	346000
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119793
UST Comprt ID:	345995
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	120063
UST Comprt ID:	345990
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119787
UST Comprt ID:	345999
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	229194
UST Comprt ID:	657846
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	120064
UST Comprt ID:	345989
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A
Self Cert ID:	7358
Cert ID:	119789
UST Comprt ID:	346001
UST ID:	110923
AI Number:	19147
Tank ID:	3
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Construction Notification:

NOC ID: 11697  
 Facility ID: 76287  
 AI Number: 19147  
 Application Received Date: 08/05/2010  
 Scheduled Construction Date: 08/04/2010  
 UST Improvement: Y  
 UST Installation: N  
 UST Removal: N  
 UST Repair: N  
 UST Return To Service: N  
 UST Replacement: N  
 UST Abandonment: N  
 UST Stage I: N  
 AST Installation: N  
 AST Stage I: N  
 Historical Tracking Number: NONE  
 Waiver Flag: N  
 Late Filing Flag: Y  
 Form Received Date: Not reported  
 Signature Date On Form: Not reported  
 Signature Name On Form: Not reported  
 Signature Company On Form: Not reported  
 Signature Title On Form: Not reported  
 Signature Role: Not reported  
 Owner Name At Time Of Construction: Not reported  
 Owner CN At Time Of Construction: Not reported  
 Owner AR At Time Of Construction: 22573

General Desc Of Proposed Construction: EXPOSE UNDERGROUND VENT LINES SO THAT PIER CAN BE DRILLED FOR CANOPY FOOTER. DI SCONNECT AND REROUTE VENT LINES IF THEY ARE IN THE WAY.

NOC ID: 11696  
 Facility ID: 76287  
 AI Number: 19147  
 Application Received Date: 08/13/2010  
 Scheduled Construction Date: 08/26/2010  
 UST Improvement: N  
 UST Installation: N  
 UST Removal: N  
 UST Repair: N  
 UST Return To Service: Y  
 UST Replacement: N  
 UST Abandonment: N  
 UST Stage I: N  
 AST Installation: N  
 AST Stage I: N  
 Historical Tracking Number: NONE  
 Waiver Flag: N  
 Late Filing Flag: Y  
 Form Received Date: Not reported  
 Signature Date On Form: Not reported  
 Signature Name On Form: Not reported  
 Signature Company On Form: Not reported  
 Signature Title On Form: Not reported  
 Signature Role: Not reported  
 Owner Name At Time Of Construction: Not reported  
 Owner CN At Time Of Construction: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Owner AR At Time Of Construction: 22573  
 General Desc Of Proposed Construction: PLACE GASOLINE TANK COMPARTMENT BACK INTO SERVICE. TANK, LINE AND STAGE !! TEST ING IS SCHEDULED TO OCCUR AUGUST 26, 2010.

Contractor, Consultant and Installer:

Cont/Cons/Installer ID: 12488  
 UST ID: Not reported  
 NOC ID: 11696  
 AI Number: 19147  
 Type Of Contact: CONSULTANT  
 Contractor CRP Number Or Installer ILP Number: Not reported  
 Company Name: PST COMPLIANCE SERVICES  
 Representative Name: TIM WAY  
 Mailing Address (Delivery): 708 NEWPORT RD  
 Mailing Address (Internal Delivery): BLDG C  
 Mailing City: FORT WORTH  
 Mailing State: TX  
 Mailing Zip: 76120  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: 817  
 Phone Number: 2291330  
 Phone Number Extension: 209  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 12491  
 UST ID: Not reported  
 NOC ID: 11697  
 AI Number: 19147  
 Type Of Contact: CONSULTANT  
 Contractor CRP Number Or Installer ILP Number: Not reported  
 Company Name: PST COMPLIANCE SERVICES  
 Representative Name: TIM WAY  
 Mailing Address (Delivery): 708 NEWPORT RD  
 Mailing Address (Internal Delivery): BLDG C  
 Mailing City: FORT WORTH  
 Mailing State: TX  
 Mailing Zip: 76120  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: 817  
 Phone Number: 2291330  
 Phone Number Extension: 209  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 30019  
 UST ID: 206783  
 NOC ID: Not reported  
 AI Number: 19147

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP000173  
 Company Name: GENE HILL EQUIPMENT CO., INC  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 12487  
 UST ID: Not reported  
 NOC ID: 11696  
 AI Number: 19147  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP000173  
 Company Name: THE HILL CO  
 Representative Name: TOMMY DILLARD  
 Mailing Address (Delivery): 1920 E LANCASTER  
 Mailing Address (Internal Delivery): BLDG C  
 Mailing City: FORT WORTH  
 Mailing State: TX  
 Mailing Zip: 76103  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: 817  
 Phone Number: 5355200  
 Phone Number Extension: 209  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 12490  
 UST ID: Not reported  
 NOC ID: 11697  
 AI Number: 19147  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP000173  
 Company Name: THE HILL COMPANY  
 Representative Name: TOMMY DILLARD  
 Mailing Address (Delivery): 1920 E LANCASTER  
 Mailing Address (Internal Delivery): BLDG C  
 Mailing City: FORT WORTH  
 Mailing State: TX  
 Mailing Zip: 76103

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: 817  
 Phone Number: 5355200  
 Phone Number Extension: 209  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 12492  
 UST ID: Not reported  
 NOC ID: 11697  
 AI Number: 19147  
 Type Of Contact: INSTALLER  
 Contractor CRP Number Or Installer ILP Number: ILP000173  
 Company Name: Not reported  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 45180  
 UST ID: 206783  
 NOC ID: Not reported  
 AI Number: 19147  
 Type Of Contact: INSTALLER  
 Contractor CRP Number Or Installer ILP Number: ILP000214  
 Company Name: Not reported  
 Representative Name: EDGAR BELLAH  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**U003039074**

Email Address:	Not reported
Cont/Cons/Installer ID:	12489
UST ID:	Not reported
NOC ID:	11696
AI Number:	19147
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP000173
Company Name:	Not reported
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Facility Billing Contacts:	
Contact Organization Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Contact Mailing Address (Delivery):	308 S AKARD ST RM 1700
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75202 5315
Phone Number/Ext:	800 5669347/0
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	76287
Additional ID:	526108392002156
Princ ID:	73508792003195
AI Number:	19147
Facility Name:	SIX SBC PLAZA T44121
AR Number:	73410
AR UST Number Suffix:	A
AR AST Number Suffix:	U
Contact Name/Title:	JURANDIR FELIPE-ORTEGA/AREA MGR EH&S

450

**SIX SBC PLAZA T44121  
 1410 JACKSON ST  
 DALLAS, TX 75201**

**TX LPST S116700797  
 N/A**

LPST:  
 Facility ID: 0019147  
 LPST Id: 116792  
 Facility Location: 1410 JACKSON  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 07/20/2009

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA T44121 (Continued)**

**S116700797**

Entered Date: 03/08/2006  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1P - PRIVATIZATION CONTRACTOR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Groundwater is affected.  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1P/1  
 Coordinators RPR: DB2  
 Responsible Party Name: AT&T SERVICES  
 Responsible Party Contact: JASON WELLER  
 Responsible Party Address: 308 S AKARD  
 Responsible Party City,St,Zip: DALLAS, TX 75202 5399  
 Responsible Party Telephone: 214/464-5226  
 Reported Date: 12/09/2005  
 Case Start Date: 03/08/2006

450

**SIX SBC PLAZA - T44121**  
**1410 JACKSON ST**  
**DALLAS, TX 75202**

**TX TIER 2 S109716389**  
**N/A**

TIER 2:

Facility Id/Name: FA201041934ZXXXXXXXX/SIX SBC PLAZA - T44121  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: SIX SBC PLAZA - T44121  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/05/2011  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 3  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA200941934ZXXXXXXXX/SIX SBC PLAZA T44121  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: SIX SBC PLAZA - T44121  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 01/06/2010  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA - T44121 (Continued)**

**S109716389**

Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 4  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA200841934ZXXXXXXXX/SIX SBC PLAZA - T44121  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: SIX SBC PLAZA - T44121  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 02/20/2009  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 0  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0  
 Longitude: 0  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/05/2011  
 Id: 108024050  
 Id Type: Dun & Bradstreet



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SIX SBC PLAZA - T44121 (Continued)**

**S109716389**

Description: other  
 Last Modified: 01/05/2011  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/05/2011

**Contact:**

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 01/05/2011

**Contact:**

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 4/4/2011

**Contact:**

Contact Email: sn4866@us.att.com  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: SUSAN NICKELL  
 Title: Property Manager  
 Modification Date: 2/16/2011

**Chemical Inventory:**

Facility Id: FA201041934ZXXXXXXXXX  
 Chemical Name: DIESEL FUEL #2 LOW SULFUR  
 Chemical Inv Record Id: FA201041934Z70ZXXXXXX  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 144228  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA - T44121 (Continued)**

**S109716389**

Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201041934Z70Z0ZZXX  
 Chemical Inventory Record Id: FA201041934Z70ZXXXXXX  
 Amt Of Sub Stored Or Transported: 142800  
 Amount Units: pounds  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A - N/A  
 Last Modified: 2/16/2011

Record Key: FA201041934Z70Z0ZZXX  
 Chemical Inventory Record Id: FA201041934Z70ZXXXXXX  
 Amt Of Sub Stored Or Transported: 142800  
 Amount Units: pounds  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A - N/A  
 Last Modified: 2/16/2011

Facility Id: FA201041934ZXXXXXXXXXX  
 Chemical Name: GASOLINE UNLEADED  
 Chemical Inv Record Id: FA201041934Z7ZZXXXXXX  
 CAS Number: 8006-61-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 34050  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA - T44121 (Continued)**

**S109716389**

Chemical Inventory Location:

Record Key: FA201041934Z7ZZ0ZZXX  
 Chemical Inventory Record Id: FA201041934Z7ZZXXXXXX  
 Amt Of Sub Stored Or Transported: 34050  
 Amount Units: pounds  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A - N/A  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

Notes: Added from Chris Mach spreadsheet.

Validation: This facility passed all validation checks.

Facility Info:

Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/06/2010  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/06/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 1/6/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 3/14/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA - T44121 (Continued)**

**S109716389**

Contact:

Contact Email: Not reported  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: SHERRISE SPOOR  
 Title: Property Manager  
 Modification Date: 1/29/2010

Chemical Inventory:

Facility Id: FA200941934ZXXXXXXXXX  
 Chemical Name: DIESEL FUEL #2 LOW SULFUR  
 Chemical Inv Record Id: FA200941934Z70ZXXXXX  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 142800  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA200941934Z70Z0ZZXX  
 Chemical Inventory Record Id: FA200941934Z70ZXXXXX  
 Amt Of Sub Stored Or Transported: 142800  
 Amount Units: pounds  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A - N/A  
 Last Modified: 1/29/2010

Facility Id: FA200941934ZXXXXXXXXX  
 Chemical Name: GASOLINE UNLEADED  
 Chemical Inv Record Id: FA200941934Z7ZZXXXXX  
 CAS Number: 8006-61-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SIX SBC PLAZA - T44121 (Continued)**

**S109716389**

Max Amount In Largest Container: 34050  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA200941934Z7ZZ0ZZXX  
 Chemical Inventory Record Id: FA200941934Z7ZZXXXXXX  
 Amt Of Sub Stored Or Transported: 34050  
 Amount Units: pounds  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A - N/A  
 Last Modified: 1/29/2010

Notes: Not reported

Validation: This facility passed all validation checks.

450

**WALTER NOB HOTEL AUTO STORAGE  
 1410 JACKSON  
 DALLAS, TX**

**EDR Hist Auto 1009356874  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	WALTER NOB AUTO STORAGE	AUTOMOBILE GARAGES
1936	WALTER NOB HOTEL AUTO STORAGE	AUTOMOBILE GARAGES
1961	BAKOR IHOTEL GOIRAG	AUTOMOBILE GARAGES



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**450      MAGNOLIA PETROLEUM CO AUTOMOBILE FILLING STATIONS      EDR Hist Auto      1009357028**  
**1418 JACKSON      N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	MAGNOLIA PETROLEUM CO AUTOMOBIL	AUTOMOBILE OILS AND GASOLINE
1930	MAGNOLIA PETROLEUM CO AUTOMOBIL	GASOLINE AND OIL SERVICE STATIONS
1941	WALTER NOB SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

**450      WALTER NOB BAKER HOTEL GARAGE      EDR Hist Auto      1009357077**  
**1420 JACKSON      N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	MAGNOLIA PETROLEUM CO AUTOMOBIL	AUTOMOBILE OILS AND GASOLINE
1930	MAGNOLIA PETROLEUM CO AUTOMOBIL	GASOLINE AND OIL SERVICE STATIONS
1941	WALTER NOB BAKER HOTEL GARAGE	AUTOMOBILE GARAGES

**451      SCOTT CLAY C GARAGE      EDR Hist Auto      1009359251**  
**1710 WOOD      N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	WOOD STREET GARAGE	AUTOMOBILE LAUNDRIES
1930	WOOD STREET GARAGE	AUTOMOBILE GARAGES
1936	WOOD STREET GARAGE	AUTOMOBILE REPAIRING
1946	SCOTT CLAY GARAGE	AUTOMOBILE REPAIRING
1951	SCOTT CLAY C GARAGE	AUTOMOBILE REPAIRING

**451      ORIENTAL LAUNDRY AND CLEANERS      EDR Hist Cleaner      1009337085**  
**1714 WOOD ST      N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	ORIENTAL LAUNDRY	CLEANERS AND DYERS
1930	ORIENTAL LAUNDRY	DRY CLEANERS
1930	ORIENTAL LAUNDRY	DYERS AND CLEANERS
1930	ORIENTAL LAUNDRY	LAUNDRIES
1930	ORIENTAL LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1936	ORIENTAL LAUNDRY CO	LAUNDRIES
1941	ORIENTAL LAUNDRY CO	CLOTHES CLEANERS AND DYERS
1946	ORIENTAL LAUNDRY CO	CLOTHES CLEANERS AND DYERS
1951	ORIENTAL LAUNDRY CO	CLOTHES CLEANERS
1951	ORIENTAL LAUNDRY CO	CLEANERS AND DYERS
1951	ORIENTAL LAUNDRY CO	LAUNDRIES
1961	ORIENTAL LAUNDRY AND CLEANERS	LAUNDRIES

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>451</b>	<b>COIN CLEAN CENTER #2 INC</b> <b>1712-20 WOOD ST</b> <b>DALLAS, TX 75201</b>	<b>EDR Hist Cleaner</b>	<b>1019959426</b> <b>N/A</b>
------------	--	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:
1969	ORIENTAL LAUNDRY CO *	Power Laundries, Family And Commercial
1970	ORIENTAL LAUNDRY CO *	Power Laundries, Family And Commercial
1971	COIN CLEAN CENTER #2 INC	Drycleaning Plants, Except Rugs

<b>451</b>	<b>WOOD STREET GARAGE</b> <b>1712 WOOD</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009359283</b> <b>N/A</b>
------------	--	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1930	WOOD STREET GARAGE	AUTOMOBILE GARAGES
1930	WOOD STREET GARAGE	AUTOMOBILE LAUNDRIES

<b>451</b>	<b>ORIENTAL LAUNDRY</b> <b>1716 WOOD</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009337104</b> <b>N/A</b>
------------	--	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:
1930	ORIENTAL LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1930	ORIENTAL LAUNDRY	LAUNDRIES
1930	ORIENTAL LAUNDRY	DRY CLEANERS
1930	ORIENTAL LAUNDRY	CLEANERS AND DYERS
1930	ORIENTAL LAUNDRY	DYERS AND CLEANERS

<b>451</b>	<b>ORIENTAL LAUNDRY</b> <b>1718 WOOD</b> <b>DALLAS, TX</b>	<b>EDR Hist Cleaner</b>	<b>1009337126</b> <b>N/A</b>
------------	--	-------------------------	---------------------------------

EDR Hist Cleaner

Year:	Name:	Type:
1930	ORIENTAL LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1930	ORIENTAL LAUNDRY	LAUNDRIES
1930	ORIENTAL LAUNDRY	DRY CLEANERS
1930	ORIENTAL LAUNDRY	DYERS AND CLEANERS
1930	ORIENTAL LAUNDRY	CLEANERS AND DYERS



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

451 **COMMERCIAL PARKING LOT PROPERTY**  
**1720 WOOD STREET**  
**DALLAS, TX 75201**

**TX AUL** **S110823373**  
**TX VCP** **N/A**  
**TX GCC**

AUL:

Facility ID:	2377	Facility Type:	Commercial Parking Lot
Phase:	Completed	VCP Received:	12/27/2010
Rules:	TRRP	Standards:	A
Pca No.:	34568	Certificate Issued:	06/21/2013
Type Lead:	Operator	Project Manager:	Beckage
Lat/Long:	Not reported	Lat/Long (dms):	32.77887 / -96.79551
Acres:	0.62	Media Affected:	Groundwater
SW No.:	Not reported	LPST No.:	Not reported
RCRIS No.:	Not reported	EPA Txd/cerclis:	Not reported
C/F/L ?:	F	Date/agreement:	02/02/2011
Region:	4	Type:	Not reported
Type Remedy:	Not reported		
Contaminant:	Chlorinated Solvents		
Inst Controls:	MSD		
BGF Number:	Not reported		
Applicant:	RP Lot 9, LP		
Applicant Name:	Elizabeth Rader		
Applicant Title:	Manager		
Applicant Address:	12342 Inwood		
Applicant City,St,Zip:	Dallas, TX 75244		
Applicant Phone:	972-392-7500		
Applicant Fax:	Not reported		
Consultant/Attorney:	InControl Technologies, Inc.		
Consultant/Attorney Name:	Michael F. Marcon, P.G.		
Consultant/Attorney Title:	Vice-President		
Consultant/Attorney Address:	3845 F.M. 1960 West, Suite 195		
Consultant/Attorney City,St,Zip:	Houston, TX 77068		
Consultant/Attorney Phone:	281-580-8892		
Consultant/Attorney Fax:	281-580-8853		
SUP No:	Not reported		
Multiple Property:	Not reported		
SUP Tract No:	Not reported		
Property Owner:	Not reported		
TRRP Vol#, PG#, CO#, ID#:	Not reported		
Inst Control Req?:	Not reported		
Eng Control Req?:	Not reported		
Notes:	Not reported		
Filing Type:	Not reported		
Filing Date:	Not reported		
Filings Sup Tract:	Not reported		
Lien Amt:	Not reported		
Property Description:	Not reported		

VCP TCEQ:

Region:	4
Facility ID:	2377
Facility Type:	Commercial Parking Lot
VCP Received:	12/27/2010
PCA Number:	34568
Project Number:	Beckage
Type Lead:	Operator
Phase:	Completed
Lat/Long:	Not reported
Lat/Long (DD):	32.77887 / -96.79551

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMMERCIAL PARKING LOT PROPERTY (Continued)**

**S110823373**

Acres at Site: 0.62  
 Contaminant Categories: Chlorinated Solvents  
 Media Affected: Groundwater  
 Applicant: RP Lot 9, LP  
 Applicant Contact Title: Manager  
 Applicant Address: 12342 Inwood  
 Applicant City,St,Zip: Dallas, TX 75244  
 Applicant Phone: 972-392-7500  
 Applicant Fax: Not reported  
 Consultant/Attorney: InControl Technologies, Inc.  
 Consultant/Attorney Name: Michael F. Marcon, P.G.  
 Consultant/Attorney Contact Title: Vice-President  
 Consultant/Attorney Address: 3845 F.M. 1960 West, Suite 195  
 Consultant/Attorney City,St,Zip: Houston, TX 77068  
 Consultant/Attorney Phone: 281-580-8892  
 Consultant/Attorney Fax: 281-580-8853  
 TNRCC Solid Waste Registration: Not reported  
 EPA Texas ID/CERCLIS Registration: Not reported  
 EPA Registration: Not reported  
 Application Signed By Applicant: 02/02/2011  
 Standards: A  
 TX Risk Reduction Prgm: 1  
 Institutional Controls: MSD  
 Certificate of Completion: 06/21/2013  
 Remedy Type: Not reported  
 Risk Reduction or Petroleum Storage Tank: TRRP  
 Leaking Petroleum Storage Registration Tank: Not reported  
 Cashier Recvd: 12/23/2010  
 App Accepted?: Y  
 Date Accepted: 02/02/2011  
 Region?: Y  
 Alt VCP Id: Not reported  
 Project No.: 345680  
 Contaminants Identified: Not reported  
 OffSite?: Not reported  
 Billing Company: RP Lot 9, L.P.  
 Billing c/o Name: Elizabeth J. Rader  
 Billing Address1: 12342 Inwood  
 Billing Address2: Not reported  
 Billing City: Dallas  
 Billing State: TX  
 Billing Zip: 75244  
 Billing Phone: 972-392-7500  
 IOP No.: Not reported  
 Region COC?: Not reported  
 Region R/W?: Not reported  
 Survey?: Not reported  
 Comments: Not reported  
 Media: E  
 File Location: On Diana's External Hard Drive

**GCC:**

Division: REM/VC  
 New Cases: Not reported  
 File Number: 2377  
 Contamination Description: VOCS,HEAVY METALS,TPH  
 Date Of Earliest Known Contamination Confirmation: 2/2/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COMMERCIAL PARKING LOT PROPERTY (Continued)**

**S110823373**

Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	2A
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported
Division:	REM/VC
New Cases:	Not reported
File Number:	2377
Contamination Description:	VOCS,METALS,TPH
Date Of Earliest Known Contamination Confirmation:	2/2/2011
Enforcement Status - Level Of Agency Response:	0B
Enforcement Status - Site Activity Status:	6
Data Quality 1:	E
Section 5236:	Not reported
Type:	GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
Agency:	Not reported
Section:	Not reported
Year Deleted:	Not reported
Location:	Not reported
Data Quality 2:	Not reported

451

**ORIENTAL LAUNDRY  
 1720 WOOD  
 DALLAS, TX**

**EDR Hist Cleaner 1009337148  
 N/A**

EDR Hist Cleaner

Year:	Name:	Type:
1925	ORIENTAL LAUNDRY	DYERS AND CLEANERS
1925	ORIENTAL LAUNDRY	LAUNDRIES
1925	ORIENTAL LAUNDRY	CLOTHES CLEANERS AND DYERS
1930	ORIENTAL LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1930	ORIENTAL LAUNDRY	CLEANERS AND DYERS
1930	ORIENTAL LAUNDRY	DRY CLEANERS
1930	ORIENTAL LAUNDRY	LAUNDRIES
1930	ORIENTAL LAUNDRY	DYERS AND CLEANERS
1951	ORIENTAL LAUNDRY CO	CLEANERS AND DYERS
1951	ORIENTAL LAUNDRY CO	CLOTHES CLEANERS
1951	ORIENTAL LAUNDRY CO	LAUNDRIES

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EDR ID Number EPA ID Number

451 **LONE STAR GARAGE AND STORAGE** EDR Hist Auto 1009359501  
**1728 WOOD**  
**DALLAS, TX** N/A

EDR Hist Auto

Year:	Name:	Type:
1930	FRY E D	AUTOMOBILE LAUNDRIES
1930	WILLIAMS DAY AND NIGHT STORAGE	AUTOMOBILE GARAGES
1936	LONE STAR GARAGE AND STORAGE	AUTOMOBILE GARAGES
1941	SCHLWARTENSKY ERNEST G	AUTOMOBILE REPAIRING
1946	LONE STAR GARAGE	AUTOMOBILE REPAIRING

451 **ORIENTAL LAUNDRY** EDR Hist Cleaner 1009337160  
**1722 WOOD**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1930	ORIENTAL LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1930	ORIENTAL LAUNDRY	CLEANERS AND DYERS
1930	ORIENTAL LAUNDRY	DRY CLEANERS
1930	ORIENTAL LAUNDRY	DYERS AND CLEANERS
1930	ORIENTAL LAUNDRY	LAUNDRIES

451 **ORIENTAL LAUNDRY** EDR Hist Cleaner 1009337175  
**1724 WOOD**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1930	ORIENTAL LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1930	ORIENTAL LAUNDRY	DYERS AND CLEANERS
1930	ORIENTAL LAUNDRY	LAUNDRIES
1930	ORIENTAL LAUNDRY	DRY CLEANERS
1930	ORIENTAL LAUNDRY	CLEANERS AND DYERS

451 **ORIENTAL LAUNDRY** EDR Hist Cleaner 1009337182  
**1726 WOOD**  
**DALLAS, TX** N/A

EDR Hist Cleaner

Year:	Name:	Type:
1930	ORIENTAL LAUNDRY	CLEANERS AND DYERS
1930	ORIENTAL LAUNDRY	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1930	ORIENTAL LAUNDRY	LAUNDRIES
1930	ORIENTAL LAUNDRY	DYERS AND CLEANERS
1930	ORIENTAL LAUNDRY	DRY CLEANERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

452 EARLE CABELL FEDERAL BUILDING  
 1100 COMMERCE  
 DALLAS, TX 75242

TX ASBESTOS S121360393  
 N/A

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Scott Kucharski
Violation:	Not reported
Complaint Date:	03/05/2017
Notification Number:	2017001659
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Federal
Inspector Name:	Not reported
Date Report Received:	02/27/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date RtnD to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date RtnD to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date RtnD to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	02/27/2017
Certification Statement Phone:	817-825-2337
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	Y
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	03/01/2017
Date of inspection:	Not reported
Reason for Inspection:	Scott Kucharski
Violation:	Not reported
Complaint Date:	03/06/2017
Notification Number:	2017001659
ASB Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EARLE CABELL FEDERAL BUILDING (Continued)**

**S121360393**

PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Federal  
 Inspector Name: Not reported  
 Date Report Received: 03/01/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 03/01/2017  
 Certification Statement Phone: 817-825-2337  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: Y  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 03/02/2017

452

**EARL CABELL FB  
 1100 COMMERCE  
 DALLAS, TX 75242**

**TX ASBESTOS S121360392  
 N/A**

ASBESTOS:  
 Date of inspection: Not reported  
 Reason for Inspection: Charles E. Cole  
 Violation: Not reported  
 Complaint Date: 03/08/2017  
 Notification Number: 2017001879  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EARL CABELL FB (Continued)**

**S121360392**

Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Federal  
 Inspector Name: Not reported  
 Date Report Received: 03/07/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 03/07/2017  
 Certification Statement Phone: 817-978-4055  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: Y  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 03/07/2017

452

**GENERAL SERVICES ADMINISTRATION  
 1100 COMMERCE ST  
 DALLAS, TX 75242**

**TX LPST U001263033  
 TX UST N/A  
 TX ASBESTOS**

LPST:

Facility ID: 0029470  
 LPST Id: 109361  
 Facility Location: 1100 COMMERCE ST  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 02/15/2002  
 Entered Date: 05/22/1995  
 Priority: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1P - PRIVATIZATION CONTRACTOR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1P/1/1P/1/1P/1  
 Coordinators RPR: ML2  
 Responsible Party Name: GENERAL SERVICES ADMINISTRATION

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GENERAL SERVICES ADMINISTRATION (Continued)**

**U001263033**

Responsible Party Contact: DON COLE  
 Responsible Party Address: 1100 COMMERCE ST  
 Responsible Party City,St,Zip: DALLAS, TX 75242  
 Responsible Party Telephone: 214/767-0084  
 Reported Date: 03/09/1995  
 Case Start Date: 05/22/1995

UST:

AI Number: 29470  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 10/29/1986  
 Facility Status: INACTIVE  
 Additional ID: 658366342002116  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75242  
 Contact Name/Title: D L MATHIESEN,BLDG MGR  
 Contact Organization Name: GENERAL SERVICES ADMINISTRATION  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2147670084  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 04/25/1986  
 Signature Name/Title On Earliest Reg Form: D L MATHIESEN,BLDG MGR  
 Application Received Date On Earliest Reg Form: 05/19/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600311591  
 Owner Last Name: GENERAL SERVICES ADMINISTRATION  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: FG  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 72444872001297



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GENERAL SERVICES ADMINISTRATION (Continued)**

**U001263033**

Additional ID:	658366342002116
AI Number:	29470
Owner Effective Begin Date:	10/29/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1967
Tank Registration Date:	05/19/1986
Number of Compartments:	1
Tank Capacity:	12000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	77798
Facility ID:	75184
AI Number:	29470
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	10/12/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GENERAL SERVICES ADMINISTRATION (Continued)**

**U001263033**

PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/30/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	12000
UST Comprt ID:	98332
UST ID:	77798
AI Number:	29470
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GENERAL SERVICES ADMINISTRATION (Continued)**

**U001263033**

Facility Billing Contacts:

Contact Organization Name:	GENERAL SERVICES ADMINISTRATION
Contact Mailing Address (Delivery):	1100 COMMERCE ST STE 720
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75242 1043
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	75184
Additional ID:	658366342002116
Princ ID:	72444872001297
AI Number:	29470
Facility Name:	GENERAL SERVICES ADMINISTRATION
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	NAPOLEON EASON/

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	CHARLES COLE
Violation:	Not reported
Complaint Date:	08/27/2017
Notification Number:	2017006131
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Federal
Inspector Name:	Not reported
Date Report Received:	08/15/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	08/10/2017
Certification Statement Phone:	817-978-4055

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GENERAL SERVICES ADMINISTRATION (Continued)**

**U001263033**

Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	08/25/2017
Date of inspection:	Not reported
Reason for Inspection:	CHARLES COLE
Violation:	Not reported
Complaint Date:	07/10/2017
Notification Number:	2017004030
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Federal
Inspector Name:	Not reported
Date Report Received:	06/08/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	05/11/2017
Certification Statement Phone:	817-978-4055
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GENERAL SERVICES ADMINISTRATION (Continued)**

**U001263033**

Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	05/26/2017
Date of inspection:	Not reported
Reason for Inspection:	CHARLES COLE
Violation:	Not reported
Complaint Date:	09/10/2017
Notification Number:	2017006525
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Federal
Inspector Name:	Not reported
Date Report Received:	09/06/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	08/24/2017
Certification Statement Phone:	817-978-4055
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	09/09/2017
Date of inspection:	Not reported
Reason for Inspection:	CHARLES COLE
Violation:	Not reported
Complaint Date:	03/17/2017
Notification Number:	2017001748

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GENERAL SERVICES ADMINISTRATION (Continued)**

**U001263033**

ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Federal  
 Inspector Name: Not reported  
 Date Report Received: 03/01/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 02/24/2017  
 Certification Statement Phone: 817-978-4055  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 03/13/2017

452

**ARMY, DEPARTMENT OF THE  
 1114 COMMERCE ST.  
 DALLAS, TX 75242**

**MLTS 1006333610  
 N/A**

MLTS:

License Number: 42-18273-01  
 First License Date: 08/13/84  
 License Date: 04/08/92  
 Lic. Expiration Date: 01/31/94  
 Contact Name: BOBBIE PERRY  
 Contact Phone: 214-7672475  
 Institution Code: 18273  
 Department/Bldg: ATTN: SWDSO::  
 States Allowing Use: Not reported  
 Store Material Use: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**ARMY, DEPARTMENT OF THE (Continued)**

**1006333610**

Redistribution Use: No  
 Incinerate Use: No  
 Burial Use: No  
 Last Inspection Date: 09/01/88  
 Next Inspection Date: Not reported  
 Licensee Contact: Not reported  
 Inspector Name: BOBBIE PERRY

**453 GARCIA J L EDR Hist Cleaner 1009341897**  
**315 S ERVAY N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1925 GARCIA J L CLOTHES CLEANERS AND DYERS

**454 LONE STAR SERVICE STATION EDR Hist Auto 1009354645**  
**1208 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1930 LONE STAR SERVICE STATION GASOLINE AND OIL SERVICE STATIONS  
 1936 LONE STAR PARKING AND SERVICE S GASOLINE AND OIL SERVICE STATIONS  
 1941 LONE STAR PARKING AND SERVICE S GASOLINE AND OIL SERVICE STATIONS  
 1946 LONE STAR SERVICE AND PARKING S GASOLINE AND OIL SERVICE STATIONS

**455 ST GEORGE TAILOR SHOP A EDR Hist Cleaner 1009333371**  
**1015 COMMERCE N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1930 ST GEORGE TAILOR SHOP A CLOTHES PRESSERS, CLEANERS AND REPAIRERS

**456 DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDING TX ASBESTOS S121062690**  
**509 MAIN N/A**  
**DALLAS, TX 75202**

ASBESTOS:  
 Date of inspection: Not reported  
 Reason for Inspection: Debbi Smith  
 Violation: Not reported  
 Complaint Date: 05/12/2017  
 Notification Number: 2017003204  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDING (Continued)**

**S121062690**

Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/10/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	05/10/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/11/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbi Smith
Violation:	Not reported
Complaint Date:	05/12/2017
Notification Number:	2017003204
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	04/27/2017
Date Routed by Supervisor:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDING (Continued)**

**S121062690**

Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	04/27/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/11/2017

456

**CALLAHAN AUTO TOP CO  
 509 MAIN  
 DALLAS, TX**

**EDR Hist Auto**

**1009375735  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	CALLAHAN AUTO TOP CO	AUTOMOBILE REPAIRERS

456

**OLD DALLAS COUNTY JAIL  
 509 MAIN ST  
 DALLAS, TX 75202**

**TX UST  
 TX ASBESTOS**

**U004159468  
 N/A**

UST:

AI Number:	31683
Facility Type:	EMERGENCY GENERATOR
Facility Begin Date:	11/21/1986
Facility Status:	ACTIVE
Additional ID:	231808712002153
Facility Exempt Status:	N
Records Off-Site:	Yes
UST Financial Assurance Required:	No
Number Of Active UST:	1
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Site Location (Location Zip):	75202
Contact Name/Title:	STEPHEN THOMPSON,
Contact Organization Name:	OLD DALLAS COUNTY JAIL
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2146536834
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	02/28/2017
Signature Name/Title On Earliest Reg Form:	DANIEL CHERRY,FAC SUPV
Application Received Date On Earliest Reg Form:	03/13/2017
Signature Role On Earliest Reg Form:	OPERATOR
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No
<b>Operator:</b>	
Princ ID:	671771992002153
Additional ID:	231808712002153
Ai Number:	31683
Operator CN:	CN601259450
Operator Name:	DALLAS COUNTY
Operator Effective Begin Date:	07/01/2003
Operator Type:	CY
Operator Role:	OPRCON
Contact Name:	DONALD HOLZWORTH/
Contact Organization Name:	DALLAS COUNTY
Contact Mailing Address (Delivery):	411 ELM ST
Contact Mailing Address (Internal Delivery):	FL 4 ATTN PUBLIC WORKS
Contact Mailing City/State/Zip:	DALLAS TX 75202-3301
Contact Phone Country Code:	0
Contact Phone Area Code:	214
Contact Phone Number:	6537151
Contact Phone Extension:	0
Contact Fax Country Code:	0
Contact Fax Area Code:	214
Contact Fax Number:	6536445
Contact Fax Extension:	0
Contact Email Address:	DDAVIDSON@DALLASCOUNTY.ORG
Contact Address Deliverable:	Not reported
<b>Owner:</b>	
Owner CN:	CN601259450
Owner Last Name:	DALLAS COUNTY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CY
Contact Mailing Address (Delivery):	600 COMMERCE ST
Contact Mailing Address (Internal Delivery):	9TH FLOOR
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75202
Contact Mailing Zip5:	4606
Contact Phone Number/Ext:	1 214 6536730/0
Contact Fax Country Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	671771992002153
Additional ID:	231808712002153
AI Number:	31683
Owner Effective Begin Date:	07/01/2003
State Tax ID:	Not reported
Contact Role:	OWNCON
Contact Name/Title:	BERNARD BLANTON/
Contact Organization Name:	DALLAS COUNTY
Self Certification:	
Self Cert ID:	65669
Cert ID:	264385
AI Number:	31683
Self Certification Date:	02/01/2016
Signature Name/Title:	Daniel R Cherry Supervisor
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2017
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65669
Cert ID:	253753
AI Number:	31683
Self Certification Date:	04/02/2015
Signature Name/Title:	JOHN CLARK FAC ASST DIR
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65669
Cert ID:	234024
AI Number:	31683
Self Certification Date:	03/24/2014
Signature Name/Title:	Julio Cuin fleet coordinator
Signature Type Role:	OWNER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2015
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65669
Cert ID:	79071
AI Number:	31683
Self Certification Date:	01/31/2013
Signature Name/Title:	JOHN M LANGLEY FLEET MANAGER
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2014
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79070
AI Number:	31683
Self Certification Date:	03/13/2012
Signature Name/Title:	JOHN M LANGLEY FLEET MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79069
AI Number:	31683
Self Certification Date:	02/21/2011
Signature Name/Title:	CHRIS THOMPSON DIR OF OPERATIONS
Signature Type Role:	LEGAL AUTH REP OWNER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79068
AI Number:	31683
Self Certification Date:	11/09/2010
Signature Name/Title:	CHRIS THOMPSON DIR OF OPER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	AMENDMENT
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79067
AI Number:	31683
Self Certification Date:	01/27/2010
Signature Name/Title:	CHRIS THOMPSON DIR OF OPS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79066
AI Number:	31683
Self Certification Date:	03/02/2009
Signature Name/Title:	CHRIS THOMPSON DIR OF COMM & C S
Signature Type Role:	LEGAL AUTH REP OWNER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79065
AI Number:	31683
Self Certification Date:	02/11/2008
Signature Name/Title:	CHRIS THOMPSON DIR
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79064
AI Number:	31683
Self Certification Date:	02/05/2007
Signature Name/Title:	CHRIS THOMPSON DIR OF COMM & CS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79063
AI Number:	31683
Self Certification Date:	12/21/2005
Signature Name/Title:	CHRIS THOMPSON DIR OF COM & CENTRAL
Signature Type Role:	LEGAL AUTH REP OWNER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79062
AI Number:	31683
Self Certification Date:	01/25/2005
Signature Name/Title:	CHRIS THOMPSON DIR COMMUNICATIONS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79061
AI Number:	31683
Self Certification Date:	01/26/2004
Signature Name/Title:	CHRIS THOMPSON DIR COMM&CNTL SVCS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65669
Cert ID:	79060
AI Number:	31683
Self Certification Date:	07/01/2003
Signature Name/Title:	CHRIS THOMPSON DIR COMMUNICATIONS
Signature Type Role:	LEGAL AUTH REP OWNER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Filing Status: INITIAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2004  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Tank:

Install Date: 01/01/1979  
 Tank Registration Date: 05/13/1986  
 Number of Compartments: 1  
 Tank Capacity: 5000  
 Tank Singlewall: Y  
 Tank Doublewall: N  
 Pipe Type: P  
 UST ID: 83271  
 Facility ID: 65669  
 Ai Number: 31683  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 09/13/2010  
 Empty: N  
 Tank Regulatory Status: EMERG POWER GENERATOR  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): Y  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): Y  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): Y  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FacInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	Y
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	Y
PCPMeth( FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	Y
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	07/13/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	5000
UST Comprt ID:	68726
UST ID:	83271
AI Number:	31683
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	10/06/2010
Tank Registration Date:	11/15/2010
Number of Compartments:	1
Tank Capacity:	3000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	214210
Facility ID:	65669
Ai Number:	31683
Tank Id:	2
Tank Status (Current):	TEMP OUT OF SERVICE
Tank Status Date:	02/01/2017
Empty:	Y
Tank Regulatory Status:	EMERG POWER GENERATOR
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	Y
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	Y
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	Y
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	N
Installation Signature Date:	10/14/2010
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	3000
UST Comprt ID:	68727
UST ID:	214210
AI Number:	31683
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	Y
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	Y
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Contractor, Consultant and Installer:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Cont/Cons/Installer ID: 28913  
 UST ID: 214210  
 NOC ID: Not reported  
 AI Number: 31683  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP001141  
 Company Name: ERS Inc  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 44085  
 UST ID: 214210  
 NOC ID: Not reported  
 AI Number: 31683  
 Type Of Contact: INSTALLER  
 Contractor CRP Number Or Installer ILP Number: ILP000829  
 Company Name: Not reported  
 Representative Name: T.R.SAULS  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Facility Billing Contacts:

Contact Organization Name: DALLAS COUNTY  
 Contact Mailing Address (Delivery): 600 COMMERCE ST STE 900  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75202 4648  
 Phone Number/Ext: 214 6536442/0  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Facility ID:	65669
Additional ID:	231808712002153
Princ ID:	671771992002153
AI Number:	31683
Facility Name:	OLD DALLAS COUNTY JAIL
AR Number:	14953
AR UST Number Suffix:	A
AR AST Number Suffix:	U
Contact Name/Title:	JOHN CLARK/

**ASBESTOS:**

Date of inspection:	Not reported
Reason for Inspection:	Amy Valverde
Violation:	Not reported
Complaint Date:	11/01/2017
Notification Number:	2017006841
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtned to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtned to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtned to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Demolition
Notification Type:	Original
Work Type Flag:	D
Certification Statement Date:	09/20/2017
Certification Statement Phone:	972-434-0800
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Analytical Method:	PLM
Start Date:	10/04/2017
Date of inspection:	Not reported
Reason for Inspection:	Amy Valverde
Violation:	Not reported
Complaint Date:	04/02/2018
Notification Number:	2017006841
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	02/12/2018
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	4
Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	02/12/2018
Certification Statement Phone:	972-434-0800
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	10/09/2017
Date of inspection:	Not reported
Reason for Inspection:	Amy Valverde
Violation:	Not reported
Complaint Date:	11/06/2017
Notification Number:	2017006841
ASB Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/03/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	10/03/2017
Certification Statement Phone:	972-434-0800
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	10/09/2017
Date of inspection:	Not reported
Reason for Inspection:	Amy Valverde
Violation:	Not reported
Complaint Date:	12/15/2017
Notification Number:	2017006841
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/03/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	11/03/2017
Certification Statement Phone:	972-434-0800
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	10/09/2017
Date of inspection:	Not reported
Reason for Inspection:	Amy Valverde
Violation:	Not reported
Complaint Date:	02/16/2018
Notification Number:	2017006841
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/14/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD DALLAS COUNTY JAIL (Continued)**

**U004159468**

Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 3  
 Notification Work Type: Demolition  
 Notification Type: Amendment  
 Work Type Flag: D  
 Certification Statement Date: 12/14/2017  
 Certification Statement Phone: 972-434-0800  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 10/09/2017

456

**DALLAS COUNTY - RECORDS  
 509 MAIN  
 DALLAS, TX 75202**

**TX TIER 2 S108451055  
 N/A**

TIER 2:

Facility Id/Name: FATR2012493RTQ00HK5K/DALLAS COUNTY - RECORDS  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/13/2013  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employeess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Dallas County  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Facility Id/Name: FATR2011493RTQ00HK5K/DALLAS COUNTY - RECORDS  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 2-7-2012  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: DALLAS COUNTY  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR2010493RTQ00HK5K/DALLAS COUNTY - RECORDS  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 1-14-2011  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: DALLAS COUNTY  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Facility Id/Name: FATR2009493RTQ00HK5K/DALLAS COUNTY RECORDS  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 02/17/2010  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Dallas County  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR2008493RTQ00HK5K/DALLAS COUNTY - RECORDS  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 1/14/2009  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Elizabeth Todd, Chief of Forensic Chemistry  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS COUNTY - RECORDS (Continued)

S108451055

Facility Id/Name: FATR2007493RTQ00HK5K/DALLAS COUNTY - RECORDS  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/11/2008  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Dr. Elizabeth Todd  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR2006493RTQ00HK5K/DALLAS COUNTY - RECORDS  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/31/2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Justin Schwane  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Facility Id/Name: FATR2005493RTQ00HK5K/DALLAS COUNTY - RECORDS  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: Not reported  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: "ELIZABETH TODD, PHD"  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/22/2006  
 Id: 9131  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 2/22/2006  
 Id: 92119  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/14/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: FACILITIES MANAGMENT, GEORGE ALLEN COURT BLDG.,600 COMMERCE,9TH FLOOR  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHRIS THOMPSON  
 Title: DIRECTOR OF OPERATIONS - FACILITIES MANAGEMENT  
 Modification Date: 2/23/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 2355 NORTH STEMMONS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ELIZABETH TODD  
 Title: CHIEF,DRUG AND ENVIRONMENTAL TOXICOLOGY  
 Modification Date: 2/23/2012

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: DALLAS COUNTY  
 Title: OPERATOR  
 Modification Date: 2/23/2012

Chemical Inventory:

Facility Id: FATR2011493RTQ00HK5K  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR2011493RTQ00RK7V  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/23/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2011493RTQ00SK8A  
 Chemical Inventory Record Id: CVTR2011493RTQ00RK7V  
 Amt Of Sub Stored Or Transported: 10000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UNDERGROUND  
 Last Modified: 2/23/2012

Notes: Not reported  
 Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 92119  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/14/2009  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/22/2006  
 Id: 9131  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 2/22/2006

Contact:

Contact Email: Not reported  
 Contact Mail Address: FACILITIES MANAGMENT, GEORGE ALLEN COURT BLDG.,600 COMMERCE,9TH FLOOR  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHRIS THOMPSON  
 Title: DIRECTOR OF OPERATIONS - FACILITIES MANAGEMENT  
 Modification Date: 3/8/2013

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 2355 NORTH STEMMONS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ELIZABETH TODD  
 Title: CHIEF,DRUG AND ENVIRONMENTAL TOXICOLOGY  
 Modification Date: 3/8/2013

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235  
 Contact Mail Country: USA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: DALLAS COUNTY  
 Title: OPERATOR  
 Modification Date: 3/8/2013

**Chemical Inventory:**

Facility Id: FATR2012493RTQ00HK5K  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR2012493RTQ00RK7V  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/7/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR2012493RTQ00SK8A  
 Chemical Inventory Record Id: CVTR2012493RTQ00RK7V  
 Amt Of Sub Stored Or Transported: 10000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UNDERGROUND  
 Last Modified: 3/7/2013

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Facility Info:

Id: 9131  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 2/22/2006  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/22/2006  
 Id: 92119  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/14/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: DALLAS COUNTY  
 Title: OPERATOR  
 Modification Date: 3/13/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235-7710  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ELIZABETH TODD  
 Title: CHIEF,DRUG AND ENVIRONMENTAL TOXICOLOGY  
 Modification Date: 3/13/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: FACILITIES MANAGMENT, GEORGE ALLEN COURT BLDG.,600 COMMERCE,9TH FLOOR  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: JESSE DARRETT  
 Title: ASSISTANT DIRECTOR OF FACILITIES MANAGEMENT  
 Modification Date: 2/24/2010

Chemical Inventory:

Facility Id: FATR2009493RTQ00HK5K  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR2009493RTQ00RK7V  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/24/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2009493RTQ00SK8A  
 Chemical Inventory Record Id: CVTR2009493RTQ00RK7V  
 Amt Of Sub Stored Or Transported: 10000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UNDERGROUND  
 Last Modified: 2/24/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 92119  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/14/2009  
 Id: 9131  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 2/22/2006  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 2/22/2006

Contact:

Contact Email: Not reported  
 Contact Mail Address: FACILITIES MANAGMENT, GEORGE ALLEN COURT BLDG.,600 COMMERCE,9TH FLOOR  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHRIS THOMPSON

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Title: DIRECTOR OF OPERATIONS - FACILITIES MANAGEMENT  
 Modification Date: 4/4/2011

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: DALLAS COUNTY  
 Title: OPERATOR  
 Modification Date: 4/4/2011

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235-7710  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ELIZABETH TODD  
 Title: CHIEF, DRUG AND ENVIRONMENTAL TOXICOLOGY  
 Modification Date: 4/4/2011

Chemical Inventory:

Facility Id: FATR2010493RTQ00HK5K  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR2010493RTQ00RK7V  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 4/4/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR2010493RTQ00SK8A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY - RECORDS (Continued)**

**S108451055**

Chemical Inventory Record Id: CVTR2010493RTQ00RK7V  
 Amt Of Sub Stored Or Transported: 10000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UNDERGROUND  
 Last Modified: 4/4/2011

Notes: Not reported  
 Validation: Not reported

456

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDING  
 509 MAIN  
 DALLAS, TX 75202**

**TX ASBESTOS S121062691  
 N/A**

ASBESTOS:

Date of inspection: 12/13/2016  
 Reason for Inspection: Jeremy Hall  
 Violation: Not reported  
 Complaint Date: 02/12/2017  
 Notification Number: 2016007905  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 05/25/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 7  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 02/13/2017  
 Certification Statement Phone: 281-331-3667  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 756

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)**

**S121062691**

Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 02/03/2017

Date of inspection: 12/13/2016  
 Reason for Inspection: Jeremy Hall  
 Violation: Not reported  
 Complaint Date: 02/12/2017  
 Notification Number: 2016007905  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 02/02/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 5  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 02/02/2017  
 Certification Statement Phone: 281-331-3667  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 756  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 02/03/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)

S121062691

Date of inspection:	12/13/2016
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	02/19/2017
Notification Number:	2016007905
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	02/09/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	6
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	02/09/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	756
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/03/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	07/11/2017
Notification Number:	2017004235
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)**

**S121062691**

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/05/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtned to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtned to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtned to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	06/05/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	113
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	06/20/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	07/21/2017
Notification Number:	2017004235
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/10/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)**

**S121062691**

Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/10/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	113
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	06/22/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	07/11/2017
Notification Number:	2017004235
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/18/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)**

**S121062691**

Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	06/18/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	113
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	06/22/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	10/21/2017
Notification Number:	2017005593
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/22/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	4
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/22/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)**

**S121062691**

Region:	03
Priority:	LOW
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/09/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	11/20/2017
Notification Number:	2017005593
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	6
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/20/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	53
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)

S121062691

Analytical Method:	PLM
Start Date:	10/09/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	11/03/2017
Notification Number:	2017005593
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/06/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	5
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/06/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	53
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/09/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	08/16/2017
Notification Number:	2017005593
ASB Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)

S121062691

PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/27/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	07/27/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/10/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	08/29/2017
Notification Number:	2017005593
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)

S121062691

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/09/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/09/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/22/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	08/29/2017
Notification Number:	2017005593
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/18/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)**

**S121062691**

Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/18/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/28/2017
Date of inspection:	12/13/2016
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	02/03/2017
Notification Number:	2016007905
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/19/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	4
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)**

**S121062691**

Certification Statement Date:	01/19/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	756
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/20/2017
Date of inspection:	Not reported
Reason for Inspection:	Jeremy Hall
Violation:	Not reported
Complaint Date:	09/30/2017
Notification Number:	2017005593
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/25/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/25/2017
Certification Statement Phone:	281-331-3667
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	3
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS COUNTY COURTHOUSE, ANNEX & RECORDS BUILDINGS (Continued)**

**S121062691**

Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 09/25/2017

457

**FIRST PRESBYTERIAN CHURCH DALLAS  
 1835 YOUNG  
 DALLAS, TX 75201**

**TX ASBESTOS**

**S121360533  
 N/A**

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: Matthew R. Mooney  
 Violation: Not reported  
 Complaint Date: 03/24/2017  
 Notification Number: 2017001800  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 03/03/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtned to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtned to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtned to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 03/03/2017  
 Certification Statement Phone: 214-630-1010  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 1  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 03/20/2017



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FIRST PRESBYTERIAN CHURCH DALLAS (Continued)**

**S121360533**

Date of inspection:	Not reported
Reason for Inspection:	Matthew R. Mooney
Violation:	Not reported
Complaint Date:	03/31/2017
Notification Number:	2017001800
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/16/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/16/2017
Certification Statement Phone:	214-630-1010
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	03/27/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

457 **FIRST PRESBYTERIAN CHURCH OF DALLAS**  
**1835 YOUNG**  
**DALLAS, TX 75201**

**TX ASBESTOS S121360534**  
**N/A**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Matthew R. Mooney
Violation:	Not reported
Complaint Date:	02/10/2017
Notification Number:	2017000411
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/16/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/16/2017
Certification Statement Phone:	214-630-1010
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	37
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/30/2017
Date of inspection:	Not reported
Reason for Inspection:	Matthew R. Mooney
Violation:	Not reported
Complaint Date:	02/10/2017
Notification Number:	2017000411
ASB Priority:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FIRST PRESBYTERIAN CHURCH OF DALLAS (Continued)**

**S121360534**

PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 02/01/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 02/01/2017  
 Certification Statement Phone: 214-630-1010  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: TOP  
 ARU: 40  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 01/30/2017

458

**OFFICE BUILDING  
 701 COMMERCE STREET  
 DALLAS, TX 75202**

**TX Ind. Haz Waste S105782634  
 TX ASBESTOS N/A**

Ind. Haz Waste:  
 Registration Number: 40517  
 Registration Initial Notification Date: 02/29/1984  
 Registration Last Amendment Date: 09/25/2001  
 EPA Identification: TXD007927296  
 Primary NAICS Code: Not reported  
 Status Change Date: 19840229  
 Land Type: Not reported  
 Description of Facility Site Location: Not reported  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S105782634**

Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: Yes  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: Not reported  
 TNRCC Region: Not reported  
 Company Name: MISSOURI KANSAS TEXAS RAILROAD COMPANY  
 Contact Name: THOMAS G TODD  
 Contact Telephone Number: 214-4655050  
 Mailing Address: 101 E MAIN ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DENISON, TX 750213076  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 16935  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20030925  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

**Owner:**

Owner Mailing Address: 101 E MAIN ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DENISON, TX 75021 3076  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-4655050  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

**Operator:**

Operator Last Name: MISSOURI KANSAS TEXAS RAILROAD COMPANY  
 Operator First Name: Not reported  
 Operator Name: MISSOURI KANSAS TEXAS RAILROAD COMPANY  
 Operator Mailing Address: 101 E MAIN ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DENISON, TX 75021 3076  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-4655050  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

**Contact:**

Contact Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S105782634**

Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	101 E MAIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DENISON, TX 75021 3076
Contact Phone:	1-214-4655050
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	THOMAS TODD
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	101 E MAIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DENISON, TX 75021 3076
Contact Phone:	1-214-4655050
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	101 E MAIN ST
Contact Address2:	Not reported
Contact City,St,Zip:	DENISON, TX 75021 3076
Contact Phone:	1-214-4655050
Contact Fax:	Not reported
Contact Email:	Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type:	Not reported
Transporter for hire:	1
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported
Eq 02, if transport waste type = 2:	Not reported
Eq 03, if transport waste type = 3:	Not reported
Eq 04, if transport waste type = H:	04
Target TCEQ unique facid for discarded(merged) facility:	16593

Waste Records Not Found for this RegNo/Year:

**ASBESTOS:**

Date of inspection:	Not reported
Reason for Inspection:	Jim Metcalf
Violation:	Not reported
Complaint Date:	09/15/2017
Notification Number:	2017006664
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S105782634**

Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	09/13/2017
Certification Statement Phone:	972-271-1583
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	14
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	Y
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	09/13/2017
Date of inspection:	Not reported
Reason for Inspection:	Jim Metcalf
Violation:	Not reported
Complaint Date:	09/18/2017
Notification Number:	2017006749
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/18/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OFFICE BUILDING (Continued)**

**S105782634**

Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 09/18/2017  
 Certification Statement Phone: 972-271-1583  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: TOP  
 ARU: 3  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: Y  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 09/18/2017

458

**MISSOURI KANSAS TEXAS RAILROAD  
 701 COMMERCE ST  
 DALLAS, TX 75202**

**RCRA NonGen / NLR 1000385584  
 FINDS TXD007927296  
 TX Ind. Haz Waste  
 ECHO**

RCRA NonGen / NLR:

Date form received by agency: 07/07/2017  
 Facility name: MISSOURI KANSAS TEXAS RAILROAD  
 Facility address: 701 COMMERCE ST  
 DALLAS, TX 75202-4522  
 EPA ID: TXD007927296  
 Contact: MICHEAL ROOPER  
 Contact address: 701 COMMERCE ST  
 DALLAS, TX 75202-4522  
 Contact country: US  
 Contact telephone: 214-651-6741  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: MISSOURI KANSAS TEXAS RAILROAD COMPANY  
 Owner/operator address: 701 COMMERCE ST  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-651-6741  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MISSOURI KANSAS TEXAS RAILROAD (Continued)**

**1000385584**

Owner/Operator Type: Owner  
 Owner/Op start date: 02/13/2001  
 Owner/Op end date: Not reported

Owner/operator name: MISSOURI KANSAS TEXAS RAILROAD COMPANY  
 Owner/operator address: 701 COMMERCE ST  
 DALLAS, TX 75202

Owner/operator country: US  
 Owner/operator telephone: 214-651-6741  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 02/13/2001  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 02/13/2001  
 Site name: MISSOURI KANSAS TEXAS RAILROAD COMPANY  
 Classification: Not a generator, verified

Date form received by agency: 08/22/1980  
 Site name: MISSOURI-KANSAS-TEXAS RR CO  
 Classification: Not a generator, verified

Violation Status: No violations found

**FINDS:**

Registry ID: 110005035425

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MISSOURI KANSAS TEXAS RAILROAD (Continued)**

**1000385584**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Ind. Haz Waste:

Registration Number:	40171
Registration Initial Notification Date:	10/15/1982
Registration Last Amendment Date:	07/07/2017
EPA Identification:	TXD007927296
Primary NAICS Code:	484110
Status Change Date:	20170721
Land Type:	Not reported
Description of Facility Site Location:	701 E Commerce, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	No
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	Yes
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	Not reported
TNRCC Region:	Not reported
Company Name:	MISSOURI KANSAS TEXAS RAILROAD COMPANY
Contact Name:	MICHEAL ROPER
Contact Telephone Number:	214-6516741
Mailing Address:	701 COMMERCE ST
Mailing Address2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 752024522
Mailing County:	UNITED STATES
Facility Country:	UNITED STATES
TNRCC Facility ID:	16593
Site Owner Tax ID:	0
Site Location Latitude:	-00.000
Site Location Longitude:	-000.000
Last Update to NOR Data:	20170721
Ind. waste permit Number:	Not reported
Mun waste permit Number:	Not reported
Non Notifier:	No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address:	701 COMMERCE ST
Owner Mailing Address2:	Not reported
Owner Mailing Address3:	Not reported
Owner City,St,Zip:	DALLAS, TX 75202 4522

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MISSOURI KANSAS TEXAS RAILROAD (Continued)**

**1000385584**

Owner Country:	UNITED STA
Owner Phone Number:	1-214-6516741
Owner Fax Number:	Not reported
Owner Email Address:	Not reported
Owner Business Type:	Corporation
Owner Tax Id:	Not reported
Owner Bankruptcy Code:	Not reported
<b>Operator:</b>	
Operator Last Name:	MISSOURI KANSAS TEXAS RAILROAD COMPANY
Operator First Name:	Not reported
Operator Name:	MISSOURI KANSAS TEXAS RAILROAD COMPANY
Operator Mailing Address:	701 COMMERCE ST
Operator Mailing Address 2:	Not reported
Operator Mailing City,St,Zip:	DALLAS, TX 75202 4522
Operator Country:	UNITED STA
Operator Phone:	1-214-6516741
Operator Fax:	Not reported
Operator Email:	Not reported
Operator Business Type:	Corporation
Operator Tax Id:	Not reported
Operator Bankruptcy Code:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	701 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 4522
Contact Phone:	1-214-6516741
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	MICHEAL ROPER
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICON
Contact Address:	701 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 4522
Contact Phone:	1-214-6516741
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	701 COMMERCE ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75202 4522
Contact Phone:	1-214-6516741
Contact Fax:	Not reported
Contact Email:	Not reported
Unit Records Not Found for this RegNo/Year:	
One Time Shipper Records Not Found for this RegNo/Year:	
Receiver Type:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**MISSOURI KANSAS TEXAS RAILROAD (Continued) 1000385584**

Transporter for hire:	1	
Transport own waste:	0	
Eq 01, if transport waste type = 1:	Not reported	
Eq 02, if transport waste type = 2:	Not reported	
Eq 03, if transport waste type = 3:	Not reported	
Eq 04, if transport waste type = H:	04	
Target TCEQ unique facid for discarded(merged) facility:		Not reported

Waste Records Not Found for this RegNo/Year:

ECHO:

Envid:	1000385584	
Registry ID:	110005035425	
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110005035425">http://echo.epa.gov/detailed-facility-report?fid=110005035425</a>	

<b>458</b>	<b>DAILY COMMERCIAL RECORD</b>	<b>FINDS</b>	<b>1011328909</b>
	<b>706 MAIN ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75202</b>		

FINDS:

Registry ID: 110034347080

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>459</b>	<b>SOUTHWESTERN BELL TELEPHONE COMPANY DBA AT&amp;T</b>	<b>FINDS</b>	<b>1023202452</b>
	<b>301 S AKARD ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75202</b>		

FINDS:

Registry ID: 110064834283

Environmental Interest/Information System

COMPLIANCE AND EMISSIONS REPORTING

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**459 FIVE SBC PLAZA T44005  
 301 S. AKARD ST  
 DALLAS, TX 75202**

**TX TIER 2 S109707563  
 N/A**

TIER 2:

Facility Id/Name: FA201041924ZXXXXXXXXX/FIVE SBC PLAZA - T44005  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: FIVE SBC PLAZA - T44005  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/05/2011  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Emploeyess On Site: 0  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA200941924ZXXXXXXXXX/FIVE SBC PLAZA T44005  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: FIVE SBC PLAZA - T44005  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 01/06/2010  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Emploeyess On Site: 0  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**S109707563**

Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FA200841924ZXXXXXXXXX/FIVE SBC PLAZA - T44005
Reporting Year:	2008
Facility Country:	USA
Facility Department:	FIVE SBC PLAZA - T44005
Facility Date Modified:	6/30/2009
Date Tier 2 Signed:	02/20/2009
Mailing Address:	898 Marie Lane
Mailing City/State/Country:	Conyers, GA USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	0
Number Of Employess On Site:	0
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Lynn Ragsdale
Latitude:	0
Longitude:	0
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

Facility Info:

Id:	108024050
Id Type:	Dun & Bradstreet
Description:	other
Last Modified:	01/05/2011
Id:	517110
Id Type:	NAICS
Description:	Unknown
Last Modified:	01/05/2011
Id:	4813
Id Type:	SIC
Description:	Unknown
Last Modified:	01/05/2011

Contact:

Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact City/State/Zip:	Not reported
Contact Mail Country:	USA
Contact Type 1:	Alternate Contact
Contact Name:	EH&S Hotline
Title:	Alternative Contact (IMS/EPCRA)
Modification Date:	01/05/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**S109707563**

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 4/4/2011

Contact:

Contact Email: bc4700@semail.att.com  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: BOBBY COLLINS  
 Title: Property Manager  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FA201041924ZXXXXXXXXX  
 Chemical Name: DIESEL FUEL #2 LOW SULFUR  
 Chemical Inv Record Id: FA201041924Z70ZXXXXX  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 447442  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201041924Z70Z0ZZXX  
 Chemical Inventory Record Id: FA201041924Z70ZXXXXX  
 Amt Of Sub Stored Or Transported: 422038  
 Amount Units: pounds  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**S109707563**

Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A - N/A  
 Last Modified: 2/16/2011

Record Key: FA201041924Z70Z21ZXX  
 Chemical Inventory Record Id: FA201041924Z70ZXXXXXX  
 Amt Of Sub Stored Or Transported: 25404  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Roof - N/A  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

Notes: Added from Chris Mach spreadsheet.

Validation: This facility passed all validation checks.

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/06/2010  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/06/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 1/6/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: BOBBY COLLINS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**S109707563**

Title: Property Manager  
 Modification Date: 1/29/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 3/14/2010

Chemical Inventory:

Facility Id: FA200941924ZXXXXXXX  
 Chemical Name: DIESEL FUEL #2 LOW SULFUR  
 Chemical Inv Record Id: FA200941924Z70ZXXXXX  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 447442  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA200941924Z70Z0ZZXX  
 Chemical Inventory Record Id: FA200941924Z70ZXXXXX  
 Amt Of Sub Stored Or Transported: 422038  
 Amount Units: pounds  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A - N/A  
 Last Modified: 1/29/2010

Record Key: FA200941924Z70Z21ZXX  
 Chemical Inventory Record Id: FA200941924Z70ZXXXXX  
 Amt Of Sub Stored Or Transported: 25404  
 Amount Units: pounds



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**S109707563**

Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Roof - N/A  
 Last Modified: 1/29/2010

Notes: Not reported

Validation: This facility passed all validation checks.

**459 PARKING GARAGE  
 301 S AKARD ST  
 DALLAS, TX 75202**

**FINDS 1011371369  
 N/A**

**FINDS:**

Registry ID: 110034830841

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**459 SOUTHWESTERN BELL TELEPHONE FACILITY  
 301 S. AKARD  
 DALLAS, TX 75202**

**TX TIER 2 S108455950  
 N/A**

**TIER 2:**

Facility Id/Name: FATR20063SBCIDT44005/AT&T TELEPHONE FACILITY  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 2/1/2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Emploeyss On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOUTHWESTERN BELL TELEPHONE FACILITY (Continued)**

**S108455950**

Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20053SBCIDT44005  
 Facility Name: SOUTHWESTERN BELL TELEPHONE FACILITY  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 2/1/2006  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jim Stehr  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

459 **FIVE SBC PLAZA T44005**  
**301 S AKARD ST**  
**DALLAS, TX 75202**

**TX AST A100384980**  
**N/A**

AST:

Facility ID: 76834  
 Additional ID: 279838182002155  
 AI Number: 65688  
 Facility Type: EMERGENCY GENERATOR  
 Facility Begin Date: 05/24/1994  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: Y  
 UST Financial Assurance Required: Y  
 Number of Active ASTs: 1  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75202  
 Contact Name/Title: BRANDON CALDWELL/  
 Contact Organization Name: FIVE SBC PLAZA T44005  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact CityStateZip: Not reported  
 Contact Telephone: 2147462005  
 Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date on Earliest Reg Form: 01/22/2016  
 Signature First Name on Earliest Reg Form: JURANDIR  
 Application Received Date on Earliest Reg Form: 01/25/2016  
 Signature Middle Name on Earliest Reg Form: Not reported  
 Signature Last Name on Earliest Reg Form: FELIPE-ORTEGA  
 Signature Title on Earliest Reg Form: EHS MGR  
 Signature Role on Earliest Reg Form: LEGAL AUTH REP OWNER  
 Signature Company on Earliest Reg Form: Not reported  
 Enforcement Action: N  
 Facility Not Inspectable: N  
 Facility Not Inspectable Reason A: Not reported  
 Facility Not Inspectable Reason B: Not reported  
 Enforcement Action Date: Not reported

Facility:

Facility ID: 76834  
 Tank ID: 1  
 AST ID: 218940  
 AI Number: 65688  
 Install Date: 08/05/2013  
 Tank Registration Date: 09/20/2013  
 Mult Comp: N  
 Tank Status: IN USE  
 Tank Status Date: 08/05/2013  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 1500  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: N  
 Fiber: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**A100384980**

Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	N
Contains NO:	N
Vapor Rec:	EXEMPT BY TCEQ RULE
Inst Stage Date:	Not reported

459

**FIVE SBC PLAZA T44005  
 301 S AKARD ST  
 DALLAS, TX 75202**

**TX UST U003166291  
 N/A**

UST:

AI Number:	65688
Facility Type:	EMERGENCY GENERATOR
Facility Begin Date:	05/24/1994
Facility Status:	ACTIVE
Additional ID:	279838182002155
Facility Exempt Status:	N
Records Off-Site:	Yes
UST Financial Assurance Required:	Yes
Number Of Active UST:	3
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75202
Contact Name/Title:	BRANDON CALDWELL,
Contact Organization Name:	FIVE SBC PLAZA T44005
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147462005
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	01/22/2016
Signature Name/Title On Earliest Reg Form:	JURANDIR FELIPE-ORTEGA,EHS MGR
Application Received Date On Earliest Reg Form:	01/25/2016
Signature Role On Earliest Reg Form:	LEGAL AUTH REP OWNER
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No

Operator:

Princ ID:	73508792003195
Additional ID:	279838182002155
AI Number:	65688
Operator CN:	CN602245615
Operator Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Operator Effective Begin Date:	12/01/2015
Operator Type:	CO
Operator Role:	OPRCON
Contact Name:	STEVEN POPP/PROJECT MANAGER
Contact Organization Name:	SOUTHWESTERN BELL TELEPHONE COMPANY

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Contact Mailing Address (Delivery):	11910 ANDERSON MILL RD STE B
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	AUSTIN TX 78726-1135
Contact Phone Country Code:	0
Contact Phone Area Code:	512
Contact Phone Number:	2502600
Contact Phone Extension:	0
Contact Fax Country Code:	0
Contact Fax Area Code:	512
Contact Fax Number:	2502940
Contact Fax Extension:	0
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN602245615
Owner Last Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	308 S AKARD ST FL 17
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75202
Contact Mailing Zip5:	5315
Contact Phone Number/Ext:	1 214 7410630/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	MP0873@ATT.COM
Contact Address Deliverable:	Not reported
Princ ID:	73508792003195
Additional ID:	279838182002155
AI Number:	65688
Owner Effective Begin Date:	12/01/2015
State Tax ID:	Not reported
Contact Role:	OWNOPRCON
Contact Name/Title:	MICHAEL PERRY/AREA MANAGER, EH&S ENVIRONMENTAL SERVICE
Contact Organization Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Self Certification:	
Self Cert ID:	76834
Cert ID:	292789
AI Number:	65688
Self Certification Date:	09/13/2017
Signature Name/Title:	Jurandir Felipe-Ortega EH&S Manager
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	10/31/2018
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	76834
Cert ID:	277828
AI Number:	65688
Self Certification Date:	10/06/2016
Signature Name/Title:	Jurandir Felipe-Ortega EHS Manager
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	10/31/2017
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	76834
Cert ID:	266691
AI Number:	65688
Self Certification Date:	01/22/2016
Signature Name/Title:	JURANDIR FELIPE-ORTEGA EHS MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	10/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	76834
Cert ID:	251535
AI Number:	65688
Self Certification Date:	04/10/2015
Signature Name/Title:	Lisa Espinosa EH&S Manager
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2016
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	76834
Cert ID:	234233
AI Number:	65688
Self Certification Date:	03/24/2014
Signature Name/Title:	LISA ESPINOSA EH & S MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2015
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	76834
Cert ID:	116536
AI Number:	65688
Self Certification Date:	03/28/2013
Signature Name/Title:	TAMEKA JACKSON MGR EH&S
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2014
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76834
Cert ID:	116535
AI Number:	65688
Self Certification Date:	03/30/2012
Signature Name/Title:	ROBERT D PICKENS EH&S MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76834
Cert ID:	116534
AI Number:	65688
Self Certification Date:	03/21/2011
Signature Name/Title:	ROBERT D PICKENS SR ADMIN ENVIR HEALT
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76834
Cert ID:	116533
AI Number:	65688
Self Certification Date:	03/30/2010
Signature Name/Title:	TAMEKA JACKSON MANAGER-EH&AMP;S
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76834
Cert ID:	116532
AI Number:	65688
Self Certification Date:	03/09/2009
Signature Name/Title:	MARK E DINUBILA ENVIRONMENTAL MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 76834  
 Cert ID: 116531  
 AI Number: 65688  
 Self Certification Date: 05/22/2008  
 Signature Name/Title: MARK DINUBILA MANAGER EHS  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2009  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 76834  
 Cert ID: 116530  
 AI Number: 65688  
 Self Certification Date: 03/22/2007  
 Signature Name/Title: ROBERT D TAYLOR ENVIRONMENTAL MANAGE  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2008  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 76834  
 Cert ID: 116529  
 AI Number: 65688  
 Self Certification Date: 02/24/2006  
 Signature Name/Title: CHERYL ALLEN ENVIRONMENTAL MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2007  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 76834  
 Cert ID: 116528  
 AI Number: 65688  
 Self Certification Date: 02/02/2005  
 Signature Name/Title: HARRY HIXSON SR ENV MANAGER  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2006  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 76834  
 Cert ID: 116527  
 AI Number: 65688  
 Self Certification Date: 01/22/2004  
 Signature Name/Title: HARRY C HIXSON SR ENVIRO MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2005  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported  
 Compartment Release Detection Compliance: Not reported  
 Piping Release Detection Compliance: Not reported  
 Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 76834  
 Cert ID: 116526  
 AI Number: 65688  
 Self Certification Date: 02/26/2003  
 Signature Name/Title: HARRY C HIXSON SEN ENVIRO MGR  
 Signature Type Role: LEGAL AUTH REP OWNER  
 Filing Status: RENEWAL  
 Registration Self Certification Flag: Y  
 Facility Fees Self Certification Flag: Y  
 Financial Assurance Self Certification Flag: Y  
 Technical Standards Self Certification Flag: Y  
 Delivery Certificate Expiration Date: 03/31/2004  
 Reporting Method: Not reported  
 Tank Corrosion Protection Compliance: Not reported  
 Piping Corrosion Protection Compliance: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76834
Cert ID:	116525
AI Number:	65688
Self Certification Date:	03/10/2002
Signature Name/Title:	HARRY C HIXSON
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2003
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	76834
Cert ID:	116524
AI Number:	65688
Self Certification Date:	01/15/2001
Signature Name/Title:	MICHAEL A OLIVER SR ENVIR MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2002
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Tank:	
Install Date:	08/31/1987
Tank Registration Date:	05/19/1994
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	149997
Facility ID:	76834
Ai Number:	65688
Tank Id:	1A
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	05/15/1996
Empty:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	Y
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/21/1994
Compartment Records:	
Tank ID:	1A
Tank Capacity:	10000
UST Comprt ID:	115673
UST ID:	149997
AI Number:	65688
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	05/30/1997
Tank Registration Date:	05/15/1998
Number of Compartments:	1
Tank Capacity:	20000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	186573
Facility ID:	76834
Ai Number:	65688
Tank Id:	1
Tank Status (Current):	IN USE
Tank Status Date:	05/30/1997
Empty:	N
Tank Regulatory Status:	EMERG POWER GENERATOR
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/17/1998
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	20000
UST Comprt ID:	115674
UST ID:	186573
AI Number:	65688
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

CRDM(Sir (Stat Inv Reconciliation)/Inv Control): N  
 PipingReleaseDetectionMethod(PRDM)(Vapor): N  
 PRDM(Groundwater Monitoring): N  
 PRDM(Monitoring Sec Containment Barrier): N  
 PRDM(InterstitialMonitoring w/in SecWall/Jacket): Y  
 PRDM(Mthly Piping Tightness Test)@.2Gph: N  
 PRDM(AnnualPipingTightTest/ElecMon@.1Gph: N  
 PRDM(TriennialTightTest(Suction/GravityPiping): N  
 PRDM AutoLineLeakDet(3.0 Gph PressPiping): N  
 PRDM(Sir(StatInv Recon)/Inv Control)): N  
 PRDM(Exempt System Suction): N  
 Spill Overfill Prevention Equip(SOPE): Y  
 SOPE(Spill Cont/Bucket/Sump): Y  
 SOPE(DelShut-Off Valve ): Y  
 SOPE(FlowRestrictorValue: Y  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: N  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: Y  
 Piping Release Detection Compliance Flag ): Y  
 Spill/OverfillPreventionCompliance Flag: Y  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Install Date: 05/30/1997  
 Tank Registration Date: 05/15/1998  
 Number of Compartments: 1  
 Tank Capacity: 20000  
 Tank Singlewall: N  
 Tank Doublewall: Y  
 Pipe Type: S  
 UST ID: 186574  
 Facility ID: 76834  
 Ai Number: 65688  
 Tank Id: 2  
 Tank Status (Current): IN USE  
 Tank Status Date: 05/30/1997  
 Empty: N  
 Tank Regulatory Status: EMERG POWER GENERATOR  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): Y  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): N  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): Y  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/17/1998
Compartment Records:	
Tank ID:	2
Tank Capacity:	20000
UST Comprt ID:	115675
UST ID:	186574
AI Number:	65688
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	Y
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	Y
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	05/30/1997
Tank Registration Date:	05/15/1998
Number of Compartments:	1
Tank Capacity:	20000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	186575
Facility ID:	76834
Ai Number:	65688
Tank Id:	3
Tank Status (Current):	IN USE
Tank Status Date:	05/30/1997
Empty:	N
Tank Regulatory Status:	EMERG POWER GENERATOR
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/17/1998
Compartment Records:	
Tank ID:	3
Tank Capacity:	20000
UST Comprt ID:	115676
UST ID:	186575
AI Number:	65688
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	Y
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	Y
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: Y  
 Piping Release Detection Compliance Flag ): Y  
 Spill/OverfillPreventionCompliance Flag: Y  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Contractor, Consultant and Installer:

Cont/Cons/Installer ID: 30049  
 UST ID: 186573  
 NOC ID: Not reported  
 AI Number: 65688  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP000173  
 Company Name: GENE HILL EQUIPMENT CO., INC  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 30050  
 UST ID: 186574  
 NOC ID: Not reported  
 AI Number: 65688  
 Type Of Contact: CONTRACTOR  
 Contractor CRP Number Or Installer ILP Number: CRP000173  
 Company Name: GENE HILL EQUIPMENT CO., INC  
 Representative Name: Not reported  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	30051
UST ID:	186575
NOC ID:	Not reported
AI Number:	65688
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000173
Company Name:	GENE HILL EQUIPMENT CO., INC
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	45213
UST ID:	186575
NOC ID:	Not reported
AI Number:	65688
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP000214
Company Name:	Not reported
Representative Name:	EDGAR BELLAH
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	45211
UST ID:	186573
NOC ID:	Not reported
AI Number:	65688
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP000214

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

Company Name: Not reported  
 Representative Name: EDGAR BELLAH  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Cont/Cons/Installer ID: 45212  
 UST ID: 186574  
 NOC ID: Not reported  
 AI Number: 65688  
 Type Of Contact: INSTALLER  
 Contractor CRP Number Or Installer ILP Number: ILP000214  
 Company Name: Not reported  
 Representative Name: EDGAR BELLAH  
 Mailing Address (Delivery): Not reported  
 Mailing Address (Internal Delivery): Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: Not reported  
 Phone Number Area Code: Not reported  
 Phone Number: Not reported  
 Phone Number Extension: Not reported  
 Fax Number Country Code: Not reported  
 Fax Number Area Code: Not reported  
 Fax Number: Not reported  
 Email Address: Not reported

Facility Billing Contacts:  
 Contact Organization Name: SOUTHWESTERN BELL TELEPHONE COMPANY  
 Contact Mailing Address (Delivery): 308 S AKARD ST RM 1700  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75202 5315  
 Phone Number/Ext: 800 5669347/0  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 76834  
 Additional ID: 279838182002155  
 Princ ID: 73508792003195  
 AI Number: 65688  
 Facility Name: FIVE SBC PLAZA T44005  
 AR Number: 73410

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIVE SBC PLAZA T44005 (Continued)**

**U003166291**

AR UST Number Suffix: A  
 AR AST Number Suffix: U  
 Contact Name/Title: JURANDIR FELIPE-ORTEGA/

**459 EXCHANGE CLEANERS EDR Hist Cleaner 1009341512**  
**305 S AKARD N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1941 EXCHANGE CLEANERS CLOTHES PRESSERS, CLEANERS AND REPAIRERS

**459 ZIP 60. MINIT CLEANERS EDR Hist Cleaner 1009338260**  
**303 S AKARD N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year: Name: Type:  
 1925 BAKER PRESS SHOP CLOTHES CLEANERS AND DYERS

**459 HUNTER STORAGE EDR Hist Auto 1009355958**  
**1318 JACKSON N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1941 HUNTER STORAGE AUTOMOBILE GARAGES

**459 SANTA FE GARAGE EDR Hist Auto 1009356098**  
**1323 JACKSON N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1930 SANTA FE GARAGE AUTOMOBILE GARAGES

**460 CORNER SERVICE STATION EDR Hist Auto 1009373106**  
**430 S ERVAY N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1941 CORNER SERVICE STATION GASOLINE AND OIL SERVICE STATIONS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>460</b>	<b>WITEBSKY ISADORE</b>	<b>EDR Hist Cleaner</b>	<b>1009344269</b>
	<b>423 S ERVAY</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:	
1930	WITEBSKY ISADORE	CLOTHES PRESSERS, CLEANERS AND REPAIRERS	

<b>460</b>	<b>DIAMOND AUTO STORAGE</b>	<b>EDR Hist Auto</b>	<b>1009372063</b>
	<b>407 S ERVAY</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1930	DIAMOND AUTO STORAGE	AUTOMOBILE GARAGES	

<b>460</b>	<b>ERVAY STREET GARAGE</b>	<b>EDR Hist Auto</b>	<b>1009371982</b>
	<b>405 S ERVAY</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Auto

Year:	Name:	Type:	
1930	HARDY S GARAGE	AUTOMOBILE REPAIRERS	
1930	DIAMOND AUTO STORAGE	AUTOMOBILE GARAGES	
1936	ERVAY STREET GARAGE	AUTOMOBILE GARAGES	

<b>461</b>	<b>3 BELL PLAZA</b>	<b>TX UST</b>	<b>U003039087</b>
	<b>308 S AKARD ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75202</b>		

UST:

AI Number:	19526
Facility Type:	Not reported
Facility Begin Date:	09/01/1988
Facility Status:	INACTIVE
Additional ID:	882633832002150
Facility Exempt Status:	N
Records Off-Site:	Yes
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75202
Contact Name/Title:	,
Contact Organization Name:	3 BELL PLAZA
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2144643330
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**3 BELL PLAZA (Continued)**

**U003039087**

Signature Date On Earliest Reg Form:	05/05/1986
Signature Name/Title On Earliest Reg Form:	G BEAN,ASST SUPV
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600261663
Owner Last Name:	SOUTHWESTERN BELL TELEPHONE LP
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CO
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	35290742001297
Additional ID:	882633832002150
AI Number:	19526
Owner Effective Begin Date:	09/01/1988
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	4800
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	50299
Facility ID:	76635
AI Number:	19526
Tank Id:	2
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	04/19/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3 BELL PLAZA (Continued)**

**U003039087**

Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/22/1991
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	Not reported
UST Comprt ID:	114753
UST ID:	50299
AI Number:	19526
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3 BELL PLAZA (Continued)**

**U003039087**

CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	4800
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	50302
Facility ID:	76635
Ai Number:	19526
Tank Id:	3
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	04/19/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3 BELL PLAZA (Continued)**

**U003039087**

Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/22/1991
Compartment Records:	
Tank ID:	3
Tank Capacity:	Not reported
UST Comprt ID:	114756
UST ID:	50302
AI Number:	19526
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3 BELL PLAZA (Continued)**

**U003039087**

PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	4800
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	50301
Facility ID:	76635
Ai Number:	19526
Tank Id:	4
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	04/19/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3 BELL PLAZA (Continued)**

**U003039087**

Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/22/1991
Compartment Records:	
Tank ID:	4
Tank Capacity:	Not reported
UST Comprt ID:	114755
UST ID:	50301
AI Number:	19526
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3 BELL PLAZA (Continued)**

**U003039087**

SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	4800
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	50300
Facility ID:	76635
Ai Number:	19526
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	04/19/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3 BELL PLAZA (Continued)**

**U003039087**

Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/22/1991
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	114754
UST ID:	50300
AI Number:	19526
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**3 BELL PLAZA (Continued)**

**U003039087**

Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name:	SOUTHWESTERN BELL TELEPHONE LP
Contact Mailing Address (Delivery):	308 S AKARD ST RM 1700
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75202 5315
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	76635
Additional ID:	882633832002150
Princ ID:	35290742001297
AI Number:	19526
Facility Name:	3 BELL PLAZA
AR Number:	22573
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	U
Contact Name/Title:	/

461

**SBC**  
**308 S AKARD ST**  
**DALLAS, TX 75202**

**RCRA NonGen / NLR**    **1000410739**  
**TXD001801802**

RCRA NonGen / NLR:

Date form received by agency: 02/28/2003  
 Facility name: SBC  
 Facility address: 308 S AKARD ST  
 DALLAS, TX 75202  
 EPA ID: TXD001801802  
 Mailing address: S AKARD ST ROOM 900  
 DALLAS, TX 75202  
 Contact: LARRY HARRELL  
 Contact address: S AKARD ST ROOM 900  
 DALLAS, TX 75202  
 Contact country: US  
 Contact telephone: 214-464-1942  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: SOUTHWESTERN BELL TELEPHONE COMPANY  
 Owner/operator address: S AKARD ST ROOM 900  
 DALLAS, TX 75202  
 Owner/operator country: US  
 Owner/operator telephone: 214-464-1942  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Operator  
 Owner/Op start date: 02/28/2003



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SBC (Continued)**

**1000410739**

Owner/Op end date: Not reported

Owner/operator name: SOUTHWESTERN BELL TELEPHONE COMPANY  
 Owner/operator address: S AKARD ST ROOM 900  
 DALLAS, TX 75202

Owner/operator country: US  
 Owner/operator telephone: 214-464-1942  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 02/28/2003  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D005  
 . Waste name: BARIUM

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D008

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SBC (Continued)**

**1000410739**

- . Waste name: LEAD
- . Waste code: D009
- . Waste name: MERCURY

Historical Generators:

Date form received by agency: 09/18/2001  
 Site name: SOUTHWESTERN BELL TELEPHONE COMPANY  
 Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

- . Waste code: D005
- . Waste name: BARIUM

- . Waste code: D006
- . Waste name: CADMIUM

- . Waste code: D008
- . Waste name: LEAD

- . Waste code: D009
- . Waste name: MERCURY

Date form received by agency: 10/19/1981  
 Site name: SOUTHWESTERN BELL TELEPHONE COMPANY  
 Classification: Not a generator, verified

Violation Status: No violations found

461

**AT&T THREE BELL PLAZA BUILDING  
 308 SOUTH AKARD STREET, 21ST FLOOR  
 DALLAS, TX 75202**

**TX ASBESTOS S121062245  
 N/A**

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: YAZDI D KHARAS  
 Violation: Not reported  
 Complaint Date: 09/19/2017  
 Notification Number: 2017005791  
 ASB Priority: Not reported  
 PIF State: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T THREE BELL PLAZA BUILDING (Continued)**

**S121062245**

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/20/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	10
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/23/2017
Date of inspection:	Not reported
Reason for Inspection:	Yazdi D Kharas
Violation:	Not reported
Complaint Date:	09/08/2017
Notification Number:	2017005791
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T THREE BELL PLAZA BUILDING (Continued)**

**S121062245**

Inspector Name:	Not reported
Date Report Received:	08/15/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/15/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	10
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/23/2017
Date of inspection:	Not reported
Reason for Inspection:	YAZDI D KHARAS
Violation:	Not reported
Complaint Date:	09/22/2017
Notification Number:	2017005791
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/07/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T THREE BELL PLAZA BUILDING (Continued)**

**S121062245**

Date Rcvd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 2  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 09/07/2017  
 Certification Statement Phone: 214-384-1862  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 10  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 08/23/2017

461

**AT & T 3 SBC PLAZA NEW GENERATIONS  
 308 S AKARD ST  
 DALLAS, TX 75202**

**FINDS 1010742705  
 N/A**

FINDS:

Registry ID: 110033514114

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

461

**THREE SBC PLAZA T44205  
 308 S. AKARD ST  
 DALLAS, TX 75202**

**TX TIER 2 S109717647  
 N/A**

TIER 2:

Facility Id/Name: FA201141938ZXXXXXXXXX/THREE SBC PLAZA - T44205  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: THREE SBC PLAZA - T44205  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 02/06/2012  
 Mailing Address: 898 Marie Lane

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 609  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 32.000000  
 Longitude: -96.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA201041938ZXXXXXXXXX/THREE SBC PLAZA - T44205  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: THREE SBC PLAZA - T44205  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/05/2011  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 717  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 32.000000  
 Longitude: -96.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA200941938ZXXXXXXXXX/THREE SBC PLAZA T44205  
 Reporting Year: 2009  
 Facility Country: USA  
 Facility Department: THREE SBC PLAZA - T44205  
 Facility Date Modified: 5/24/2010  
 Date Tier 2 Signed: 01/06/2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 602  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0.000000  
 Longitude: 0.000000  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FA200841938ZXXXXXXXXX/THREE SBC PLAZA - T44205  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: THREE SBC PLAZA - T44205  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 02/20/2009  
 Mailing Address: 898 Marie Lane  
 Mailing City/State/Country: Conyers, GA USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 0  
 Number Of Employess On Site: 527  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Lynn Ragsdale  
 Latitude: 0  
 Longitude: 0  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Added from Chris Mach spreadsheet.

Validation: This facility passed all validation checks.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Facility Info:

Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/06/2010  
 Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/06/2010  
 Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/06/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: SHERRISE SPOOR  
 Title: Property Manager  
 Modification Date: 1/29/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 1/6/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 3/14/2010

Chemical Inventory:

Facility Id: FA200941938ZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA200941938Z1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Max Amount In Largest Container: 47768  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA200941938Z1ZZ1ZZXX  
 Chemical Inventory Record Id: FA200941938Z1ZZXXXXXX  
 Amt Of Sub Stored Or Transported: 47768  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 1/29/2010

Facility Id: FA200941938ZXXXXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA200941938Z31ZXXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 452237  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 1/29/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Record Key: FA200941938Z31Z1ZZXX  
 Chemical Inventory Record Id: FA200941938Z31ZXXXXX  
 Amt Of Sub Stored Or Transported: 452237  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 1/29/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 02/06/2012  
 Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 02/06/2012  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 02/06/2012

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 02/06/2012

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 02/06/2012

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Certifier  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 02/06/2012

Contact:

Contact Email: bc4700@us.att.com  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: BOBBY COLLINS  
 Title: Property Manager  
 Modification Date: 2/14/2012

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: SWBT Texas, LLC  
 Title: Not reported  
 Modification Date: 2/14/2012

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: SWBT Texas, LLC  
 Title: Not reported  
 Modification Date: 2/14/2012

Chemical Inventory:

Facility Id: FA201141938ZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA201141938Z1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 47768  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/9/2012

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201141938Z1ZZ1ZZXX  
 Chemical Inventory Record Id: FA201141938Z1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 47768  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/9/2012

Facility Id: FA201141938ZXXXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA201141938Z31ZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 452237  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/9/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201141938Z31Z1ZZXX  
 Chemical Inventory Record Id: FA201141938Z31ZXXXXX  
 Amt Of Sub Stored Or Transported: 452237  
 Amount Units: pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/9/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 4813  
 Id Type: SIC  
 Description: Unknown  
 Last Modified: 01/05/2011  
 Id: 108024050  
 Id Type: Dun & Bradstreet  
 Description: other  
 Last Modified: 01/05/2011  
 Id: 517110  
 Id Type: NAICS  
 Description: Unknown  
 Last Modified: 01/05/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Alternate Contact  
 Contact Name: EH&S Hotline  
 Title: Alternative Contact (IMS/EPCRA)  
 Modification Date: 01/05/2011

Contact:

Contact Email: Irragsdale@att.com  
 Contact Mail Address: 898 Marie Lane  
 Contact City/State/Zip: Conyers, GA 30094  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Lynn Ragsdale  
 Title: EH&S Manager  
 Modification Date: 4/4/2011

Contact:

Contact Email: bc4700@semail.att.com  
 Contact Mail Address: 208 S AKARD ST  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: BOBBY COLLINS  
 Title: Property Manager  
 Modification Date: 2/16/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Chemical Inventory:

Facility Id: FA201041938ZXXXXXXXXX  
 Chemical Name: SULFURIC ACID  
 Chemical Inv Record Id: FA201041938Z1ZZXXXXX  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 47768  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201041938Z1ZZ1ZZXX  
 Chemical Inventory Record Id: FA201041938Z1ZZXXXXX  
 Amt Of Sub Stored Or Transported: 47768  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/16/2011

Facility Id: FA201041938ZXXXXXXXXX  
 Chemical Name: LEAD  
 Chemical Inv Record Id: FA201041938Z31ZXXXXX  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 452237  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THREE SBC PLAZA T44205 (Continued)**

**S109717647**

Pure Form: T  
 Reactive Hazard: T  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: FA201041938Z31Z1ZZXX  
 Chemical Inventory Record Id: FA201041938Z31ZXXXXXX  
 Amt Of Sub Stored Or Transported: 452237  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: N/A  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

461

**SOUTHWESTERN BELL TELEPHONE COMPANY  
 308 SOUTH AKARD STREET  
 DALLAS, TX 75202**

**FINDS 1016204059  
 ECHO N/A**

FINDS:

Registry ID: 110005031768

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

**SOUTHWESTERN BELL TELEPHONE COMPANY (Continued)**

**1016204059**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1016204059
Registry ID:	110005031768
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110005031768">http://echo.epa.gov/detailed-facility-report?fid=110005031768</a>

**461 SOUTHWESTERN BELL TELEPHONE COMPANY  
308 S AKARD  
DALLAS, TX 75202**

**ICIS 1018289959  
N/A**

ICIS:

Enforcement Action ID:	HQ-1999-6001
FRS ID:	110005031768
Action Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Facility Name:	SOUTHWESTERN BELL TELEPHONE COMPANY
Facility Address:	308 S AKARD DALLAS, TX 75202
Enforcement Action Type:	CWA 311B6A2 AO For Class II Penalty
Facility County:	DALLAS
Program System Acronym:	ICIS
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	311B6A2
Facility SIC Code:	4813
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	32.779023
Longitude in Decimal Degrees:	-96.79931
Permit Type Desc:	Not reported
Program System Acronym:	16182
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

**461 SOUTHWESTERN BELL TELEPHONE FACILITY  
308 S AKARD  
DALLAS, TX 75202**

**TX TIER 2 S108455953  
N/A**

TIER 2:

Facility Id/Name:	FATR20063SBCIDT44205/AT&T TELEPHONE FACILITY
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	2/1/2007
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Lynn Ragsdale
Latitude:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOUTHWESTERN BELL TELEPHONE FACILITY (Continued)**

**S108455953**

Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20053SBCIDT44205  
 Facility Name: SOUTHWESTERN BELL TELEPHONE FACILITY  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 2/1/2006  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: Not reported  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jim Stehr  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

461 AT&T THREE BELL PLAZA BUILDING  
 308 SOUTH AKARD STREET  
 DALLAS, TX 75202

TX Ind. Haz Waste S105481056  
 TX ASBESTOS N/A

Ind. Haz Waste:  
 Registration Number: 86855  
 Registration Initial Notification Date: 08/20/2001  
 Registration Last Amendment Date: 02/28/2003  
 EPA Identification: TXD001801802  
 Primary NAICS Code: 517110  
 Status Change Date: 20010820  
 Land Type: Not reported  
 Description of Facility Site Location: 308 S Akard St, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, CESQG  
 TNRCC Region: Not reported  
 Company Name: SOUTHWESTERN BELL TELEPHONE COMPANY  
 Contact Name: LARRY HARRELL  
 Contact Telephone Number: 214-4641942  
 Mailing Address: 308 S AKARD ST RM 900  
 Mailing Address2: ROOM 900  
 Mailing City,St,Zip: DALLAS, TX 752025315  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 113781  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20040617  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:  
 Owner Mailing Address: Not reported  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Country: Not reported  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:  
 Operator Last Name: SOUTHWESTERN BELL TELEPHONE COMPANY  
 Operator First Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T THREE BELL PLAZA BUILDING (Continued)**

**S105481056**

Operator Name: SOUTHWESTERN BELL TELEPHONE COMPANY  
 Operator Mailing Address: Not reported  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: Not reported  
 Operator Country: Not reported  
 Operator Phone: Not reported  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: Not reported  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: LARRY HARRELL  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 308 S AKARD ST RM 900  
 Contact Address2: ROOM 900  
 Contact City,St,Zip: DALLAS, TX 75202 5315  
 Contact Phone: 1-214-4641942  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 190735  
 Waste Description: Lead-based paint debris. Generating process is building maintenance/rennovation  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0006316H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 517110  
 EPA Waste Form Code: W316  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T THREE BELL PLAZA BUILDING (Continued)**

**S105481056**

Waste:

Waste ID: 190734  
 Waste Description: Asbestos contain debris. Generating process is building maintenance/rennovatio  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 00053111  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurenent Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 190733  
 Waste Description: Spent lead-acid and/or alkali batteries. Generating process is replacement of e  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0004309H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurenent Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 517110  
 EPA Waste Form Code: W309  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 190732  
 Waste Description: Bases used in maintenance/disposal of alkali-electrolyte batteries; water treatm  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0003110H  
 Waste Code Status: INACTIVE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AT&T THREE BELL PLAZA BUILDING (Continued)**

**S105481056**

Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 517110  
 EPA Waste Form Code: W110  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 190731  
 Waste Description: Acids used in maintenance/disposal of lead-acid batteries and/or water treatment

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0002105H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 517110  
 EPA Waste Form Code: W105  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 190730  
 Waste Description: Mixed lab packs of spent aerosol cans, paints, cleaning chemicals, etc. Generat

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 0001003H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: 1  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AT&T THREE BELL PLAZA BUILDING (Continued)**

**S105481056**

Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 517110  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: Yazdi Kharas  
 Violation: Not reported  
 Complaint Date: 08/25/2017  
 Notification Number: 2017005791  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 08/02/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 08/02/2017  
 Certification Statement Phone: 214-384-1862  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 10  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 08/16/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**462 GIBSON J J CO** **EDR Hist Auto** **1009361264**  
**2016 CANTON** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1925 GIBSON J J CO AUTOMOBILE REPAIRERS

**463 SIMONS GARAGE** **EDR Hist Auto** **1009355835**  
**1310 JACKSON** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1930 BAKER HOTEL GARAGE AUTOMOBILE GARAGES  
 1936 SIMON S GARAGE AUTOMOBILE GARAGES  
 1951 SIMONS GARAGE AUTOMOBILE REPAIRING

**463 SIMONS GARAGE** **EDR Hist Auto** **1009355779**  
**1308 JACKSON** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1930 BAKER HOTEL GARAGE AUTOMOBILE GARAGES  
 1936 MORRISON R E AUTOMOBILE REPAIRING  
 1946 SIMONS GARAGE AUTOMOBILE GARAGES  
 1951 SIMONS GARAGE AUTOMOBILE REPAIRING

**464 ANDY S GARAGE** **EDR Hist Auto** **1009357747**  
**1508 WOOD** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1946 ANDY S GARAGE AUTOMOBILE REPAIRING

**465 SIMONS GARAGE** **EDR Hist Auto** **1009355589**  
**1300 JACKSON ST** **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1966 SIMONS GARAGE AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**466      FOUR (4) AT&T PLAZA BUILDING - 6TH FLOOR  
 311 SOUTH AKARD  
 DALLAS, TX 75202**

**TX ASBESTOS      S121360810  
 N/A**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	YAZDI D KHARAS
Violation:	Not reported
Complaint Date:	11/03/2017
Notification Number:	2017007517
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/10/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/10/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	85
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/24/2017
Date of inspection:	Not reported
Reason for Inspection:	YAZDI D KHARAS
Violation:	Not reported
Complaint Date:	11/10/2017
Notification Number:	2017007517
ASB Priority:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FOUR (4) AT&T PLAZA BUILDING - 6TH FLOOR (Continued)**

**S121360810**

PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/20/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	85
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/26/2017
Date of inspection:	Not reported
Reason for Inspection:	YAZDI D KHARAS
Violation:	Not reported
Complaint Date:	11/14/2017
Notification Number:	2017007517
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUR (4) AT&T PLAZA BUILDING - 6TH FLOOR (Continued)**

**S121360810**

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	11/13/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	85
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/30/2017
Date of inspection:	Not reported
Reason for Inspection:	YAZDI KHARAS
Violation:	Not reported
Complaint Date:	11/17/2017
Notification Number:	2017007517
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/25/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUR (4) AT&T PLAZA BUILDING - 6TH FLOOR (Continued)**

**S121360810**

Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/25/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	85
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/30/2017

466

**FOUR AT&T PLAZA BUILDING - 9TH FLOOR  
 311 SOUTH AKARD STREET  
 DALLAS, TX 75202**

**TX ASBESTOS**

**S121360811  
 N/A**

ASBESTOS:

Date of inspection:	Not reported
Reason for Inspection:	Yazdi Kharas
Violation:	Not reported
Complaint Date:	12/07/2017
Notification Number:	2017008543
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/07/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUR AT&T PLAZA BUILDING - 9TH FLOOR (Continued)**

**S121360811**

Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/07/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	13
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/01/2017
Date of inspection:	Not reported
Reason for Inspection:	Yazdi Kharas
Violation:	Not reported
Complaint Date:	12/08/2017
Notification Number:	2017008543
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/17/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/17/2017
Certification Statement Phone:	214-384-1862
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOUR AT&T PLAZA BUILDING - 9TH FLOOR (Continued)**

**S121360811**

ARU: 13  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 12/01/2017

466

**4 AT&T / OFFICE BUILDING  
 311 SOUTH AKARD  
 DALLAS, TX 75202**

**TX ASBESTOS**

**S121510052  
 N/A**

**ASBESTOS:**

Date of inspection: Not reported  
 Reason for Inspection: Samuel Retana  
 Violation: Not reported  
 Complaint Date: 02/15/2018  
 Notification Number: 2018000365  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 01/14/2018  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 01/14/2018  
 Certification Statement Phone: 972-437-2100  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 85  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**4 AT&T / OFFICE BUILDING (Continued)**

**S121510052**

High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/29/2018
Date of inspection:	Not reported
Reason for Inspection:	Samuel Retana
Violation:	Not reported
Complaint Date:	02/06/2018
Notification Number:	2018000365
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	02/07/2018
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	02/07/2018
Certification Statement Phone:	972-437-9999
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	85
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	Y
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/29/2018
Date of inspection:	Not reported
Reason for Inspection:	Samuel Retana
Violation:	Not reported
Complaint Date:	01/24/2018

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**4 AT&T / OFFICE BUILDING (Continued)**

**S121510052**

Notification Number: 2017009712  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 01/04/2018  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtned to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtned to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtned to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 12/20/2017  
 Certification Statement Phone: 972-437-2100  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 85  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 01/04/2018

467

**CLASSIFIED PARKING GARAGE**  
**1407 WOOD**  
**DALLAS, TX**

EDR Hist Auto 1009356806  
 N/A

EDR Hist Auto

Year: Name: Type:  
 1941 CLASSIFIED PARKING GARAGE AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

468 **LONE STAR RADIATOR WORKS** EDR Hist Auto 1009359944  
**1815 YOUNG** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	AUTOMOTIVE SERVICE STATION THE	AUTOMOBILE REPAIRERS
1930	LONE STAR RADIATOR WORKS	AUTOMOBILE RADIATOR REPAIRERS

468 **LONE STAR RADIATOR WORKS** EDR Hist Auto 1009359968  
**1817 YOUNG** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	LONE STAR RADIATOR WORKS	AUTOMOBILE RADIATOR REPAIRERS

469 **ELLIS RALPH J SERVICE STATION AND GARAGE** EDR Hist Auto 1009362838  
**221 S MARKET** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	SIMMS OIL CO SERVICE STATION NO	GASOLINE AND OIL SERVICE STATIONS
1936	STADDEN J F	GASOLINE AND OIL SERVICE STATIONS
1941	ELLIS SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1951	ELLIS SERVICE STATION	GASOLINE STATIONS
1956	ELLIS RALPH J SERVICE STATION A	GASOLINE STATIONS
1961	ELLIS RALPH J SERVICE STATION A	GASOLINE STATIONS

469 **SIMMS OIL CO SERVICE STATION NO 13** EDR Hist Auto 1009362636  
**219 S MARKET** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	SIMMS OIL CO SERVICE STATION NO	GASOLINE AND OIL SERVICE STATIONS

469 **RED BALL GARAGE** EDR Hist Auto 1009362579  
**217 S MARKET** N/A  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	RED BALL GARAGE	AUTOMOBILE REPAIRERS



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

469 BAYNE R L CO EDR Hist Auto 1009362473  
 215 S MARKET N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 BAYNE R L CO AUTOMOBILE REPAIRING  
 1951 ELLIS RALPH J GARAGE AUTOMOBILE REPAIRING

469 R AND B CLEANERS 1/2 EDR Hist Cleaner 1009348320  
 708 COMMERCE ST N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1966 R AND B CLEANERS 1/2 CLEANERS AND DYERS

469 PLAZA GARAGE AND OIL STATION EDR Hist Auto 1009381082  
 709 COMMERCE N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 PLAZA GARAGE AND OIL STATION AUTOMOBILE GARAGES

470 CENTRAL SERVICE CENTER FINDS 1016203901  
 515 PARK AVENUE ECHO N/A  
 DALLAS, TX 75201

FINDS:

Registry ID: 110005011361

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.) Site Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1016203901**

ECHO:

Envid: 1016203901  
 Registry ID: 110005011361  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005011361>

470

**CENTRAL SERVICE CENTER  
 515 PARK AVE  
 DALLAS, TX 75201**

**RCRA-CESQG**

**1000876764  
 TX0000062067**

RCRA-CESQG:

Date form received by agency: 10/10/2013  
 Facility name: CENTRAL SERVICE CENTER  
 Facility address: 515 PARK AVE  
 DALLAS, TX 75201-6219  
 EPA ID: TX0000062067  
 Mailing address: PO BOX 132280  
 DALLAS, TX 75313-2280  
 Contact: DEBORAH A BOYLE  
 Contact address: PO BOX 132280  
 DALLAS, TX 75313-2280  
 Contact country: US  
 Contact telephone: 214-812-8410  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: ONCOR ELECTRIC DELIVERY COMPANY LLC  
 Owner/operator address: PO BOX 132280  
 DALLAS, TX 75313  
 Owner/operator country: US  
 Owner/operator telephone: 214-486-2022  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 05/29/2008  
 Owner/Op end date: Not reported  
 Owner/operator name: TEXOMA TRANSMISSION  
 Owner/operator address: 1601 BRYAN ST  
 DALLAS, TX 75201

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

Owner/operator country: US  
 Owner/operator telephone: 214-812-8410  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 11/29/2005  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D026
- . Waste name: CRESOL
  
- . Waste code: D037
- . Waste name: PENTRACHLOROPHENOL
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: U026
- . Waste name: CHLORNAPHAZIN
  
- . Waste code: U226
- . Waste name: ETHANE, 1,1,1-TRICHLORO-

Historical Generators:

Date form received by agency: 05/31/2011  
 Site name: CENTRAL SERVICE CENTER  
 Classification: Conditionally Exempt Small Quantity Generator

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
  
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
  
- . Waste code: D003
- . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
  
- . Waste code: D006
- . Waste name: CADMIUM
  
- . Waste code: D007
- . Waste name: CHROMIUM
  
- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D009
- . Waste name: MERCURY
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D026
- . Waste name: CRESOL
  
- . Waste code: D037
- . Waste name: PENTRACHLOROPHENOL
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U026  
 . Waste name: CHLORNAPHAZIN

. Waste code: U226  
 . Waste name: ETHANE, 1,1,1-TRICHLORO-

Date form received by agency: 09/22/2008  
 Site name: ONCOR ELECTRIC DELIVERY COMPANY LLC  
 Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

- . Waste name: CADMIUM
- . Waste code: D007
- . Waste name: CHROMIUM
- . Waste code: D008
- . Waste name: LEAD
- . Waste code: D009
- . Waste name: MERCURY
- . Waste code: D011
- . Waste name: SILVER
- . Waste code: D026
- . Waste name: CRESOL
- . Waste code: D037
- . Waste name: PENTRACHLOROPHENOL
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- . Waste code: U026
- . Waste name: CHLORNAPHAZIN
- . Waste code: U226
- . Waste name: ETHANE, 1,1,1-TRICHLORO-

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

Date form received by agency: 11/29/2005

Site name: TU ELECTRIC COMPANY

Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001

. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002

. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003

. Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006

. Waste name: CADMIUM

. Waste code: D007

. Waste name: CHROMIUM

. Waste code: D008

. Waste name: LEAD

. Waste code: D009

. Waste name: MERCURY

. Waste code: D011

. Waste name: SILVER

. Waste code: D026

. Waste name: CRESOL

. Waste code: D037

. Waste name: PENTRACHLOROPHENOL

. Waste code: F002

. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U026  
 . Waste name: CHLORNAPHAZIN

. Waste code: U226  
 . Waste name: ETHANE, 1,1,1-TRICHLORO-

Date form received by agency: 04/22/2004  
 Site name: TU ELECTRIC COMPANY  
 Classification: Small Quantity Generator

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
 . Waste name: CADMIUM

. Waste code: D007  
 . Waste name: CHROMIUM

. Waste code: D008  
 . Waste name: LEAD

. Waste code: D009  
 . Waste name: MERCURY

. Waste code: D011  
 . Waste name: SILVER

. Waste code: D026  
 . Waste name: CRESOL

. Waste code: D037  
 . Waste name: PENTRACHLOROPHENOL

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U226

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

. Waste name: ETHANE, 1,1,1-TRICHLORO-

Date form received by agency: 01/30/2003

Site name: TU ELECTRIC COMPANY

Classification: Small Quantity Generator

. Waste code: D001

. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002

. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003

. Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006

. Waste name: CADMIUM

. Waste code: D007

. Waste name: CHROMIUM

. Waste code: D008

. Waste name: LEAD

. Waste code: D009

. Waste name: MERCURY

. Waste code: D011

. Waste name: SILVER

. Waste code: F002

. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Date form received by agency: 11/18/1993  
 Site name: TU ELECTRIC CENTRAL SVC CTR  
 Classification: Small Quantity Generator

. Waste code: D000  
 . Waste name: Not Defined

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D008  
 . Waste name: LEAD

. Waste code: D018  
 . Waste name: BENZENE

. Waste code: D035  
 . Waste name: METHYL ETHYL KETONE

. Waste code: F002  
 . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE,

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**1000876764**

METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
 . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**470 CENTRAL SERVICE CENTER  
 515 PARK AVE  
 DALLAS, TX 75201**

**TX LPST U001260460  
 TX UST N/A  
 TX Ind. Haz Waste**

LPST:  
 Facility ID: 0026531  
 LPST Id: 104916  
 Facility Location: 515 PARK AVE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 03/07/1994  
 Entered Date: 11/10/1992  
 Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP  
 Program: 2 - REGION  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 2  
 Coordinators RPR: HELEN WELCH  
 Responsible Party Name: TU ELECTRIC  
 Responsible Party Contact: GERALD JOHNSON  
 Responsible Party Address: 400 N OLIVE STE LB 81  
 Responsible Party City,St,Zip: DALLAS, TX 75201  
 Responsible Party Telephone: 214/812-8476  
 Reported Date: 09/22/1992  
 Case Start Date: 11/10/1992

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

UST:

AI Number: 26531  
 Facility Type: Not reported  
 Facility Begin Date: 09/01/1988  
 Facility Status: INACTIVE  
 Additional ID: 53389622002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: G P JENSCHKE,MGR  
 Contact Organization Name: CENTRAL SERVICE CENTER  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2146987363  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 04/24/1986  
 Signature Name/Title On Earliest Reg Form: H A BUCHANAN,MGR  
 Application Received Date On Earliest Reg Form: 05/08/1986  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600128490  
 Owner Last Name: TU ELECTRIC  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: CO  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 534392472001134  
 Additional ID: 53389622002062  
 AI Number: 26531  
 Owner Effective Begin Date: 09/01/1988  
 State Tax ID: 17518373554  
 Contact Role: Not reported  
 Contact Name/Title: /  
 Contact Organization Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Tank:  
 Install Date: 01/01/1955  
 Tank Registration Date: 05/08/1986  
 Number of Compartments: 1  
 Tank Capacity: 8000  
 Tank Singlewall: N  
 Tank Doublewall: N  
 Pipe Type: Not reported  
 UST ID: 69090  
 Facility ID: 92481  
 Ai Number: 26531  
 Tank Id: CSC1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 11/30/1989  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): N  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N  
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N  
 Piping Material (Steel): N  
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N  
 Piping Mat(Concrete): N  
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N  
 Piping Mat(Nonmetallic Flex Piping): N  
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N  
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N  
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N  
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N  
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N  
 TCPM(Cathodic Prot-FaInstallation): N  
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N  
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N  
 TCPM(FRP Tank Or Piping(Noncorrodible)): N  
 TCPM(Ext Nonmetallic Jacket): N  
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N  
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N  
 Piping Corr Prot Method(PCPM) (Cathodic Factory Install): N  
 PCPM(Cathodic Prot-Field Install): N  
 PCPMeth (FRP Tank Or Piping(Noncorrodible): N  
 PCPM(Nonmetallic FlexPiping (Noncorrodible)): N  
 PCPMeth(Isolated Open Area/2nd Containment): N  
 PCPM (Dual Protected): N  
 PCPM(Unnec Per Corrosion Prot Specialist): N  
 Tank Corr Prot Compliance Flag: N  
 Piping Corr Prot Compliance Flag: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	02/03/1992
Compartment Records:	
Tank ID:	CSC1
Tank Capacity:	8000
UST Comprt ID:	144958
UST ID:	69090
AI Number:	26531
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1955
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

UST ID:	69091
Facility ID:	92481
Ai Number:	26531
Tank Id:	CSC5
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/30/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	02/03/1992
Compartment Records:	
Tank ID:	CSC5

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Tank Capacity:	1000
UST Comprt ID:	144959
UST ID:	69091
AI Number:	26531
Compartment ID:	A
Substance Stored1:	TRANSFORMER OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1936
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	250
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	69089
Facility ID:	92481
AI Number:	26531
Tank Id:	CSC6
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/30/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	02/03/1992
<b>Compartment Records:</b>	
Tank ID:	CSC6
Tank Capacity:	250
UST Comprt ID:	144957
UST ID:	69089
AI Number:	26531
Compartment ID:	A
Substance Stored1:	EMPTY
Substance Stored2:	Not reported
Substance Stored3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1955
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	69093
Facility ID:	92481
Ai Number:	26531
Tank Id:	CSC4
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/30/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	02/03/1992
Compartment Records:	
Tank ID:	CSC4
Tank Capacity:	1000
UST Comprt ID:	144961
UST ID:	69093
AI Number:	26531
Compartment ID:	A
Substance Stored1:	TRANSFORMER OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1955
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	69094
Facility ID:	92481
Ai Number:	26531
Tank Id:	CSC3
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/30/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	02/03/1992
Compartment Records:	
Tank ID:	CSC3
Tank Capacity:	2000
UST Comprt ID:	144962
UST ID:	69094
AI Number:	26531
Compartment ID:	A
Substance Stored1:	TRANSFORMER OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1977
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	6000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	69092
Facility ID:	92481
Ai Number:	26531
Tank Id:	CSC2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	10/14/1992
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	02/03/1992
Compartment Records:	
Tank ID:	CSC2
Tank Capacity:	6000
UST Comprt ID:	144960
UST ID:	69092
AI Number:	26531
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Facility Billing Contacts:	
Contact Organization Name:	TU ELECTRIC
Contact Mailing Address (Delivery):	1601 BRYAN ST
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 3401
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	92481
Additional ID:	53389622002062
Princ ID:	534392472001134
AI Number:	26531
Facility Name:	CENTRAL SERVICE CENTER
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	JAY TINSLEY/
Ind. Haz Waste:	
Registration Number:	82229
Registration Initial Notification Date:	10/15/1993
Registration Last Amendment Date:	02/02/2017
EPA Identification:	TX0000062067
Primary NAICS Code:	221122
Status Change Date:	19931015
Land Type:	PRIVATE
Description of Facility Site Location:	515 PARK AVENUE DALLAS TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	Yes
Required to Submit Annual Waste Summary:	Yes
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	INDUS, CESQG
TNRCC Region:	Not reported
Company Name:	ONCOR ELECTRIC DELIVERY COMPANY LLC
Contact Name:	RAYMOND AVERITT
Contact Telephone Number:	214-8128410
Mailing Address:	PO BOX 132280

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 753132280  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 37415  
 Site Owner Tax ID: 752967830  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20170227  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: PO BOX 132280  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75313 2280  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-4862022  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Corporation  
 Owner Tax Id: 17529678306  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: TU ELECTRIC  
 Operator First Name: Not reported  
 Operator Name: TU ELECTRIC  
 Operator Mailing Address: 1601 BRYAN ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 3430  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-8128410  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Corporation  
 Operator Tax Id: 17518373554  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: RAYMOND AVERITT  
 Contact Title: DIRECTOR ENVIRONMENTAL  
 Contact Role: PRICONT  
 Contact Address: PO BOX 132280  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75313 2280  
 Contact Phone: 1-214-8128410  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNOPRCON  
 Contact Address: PO BOX 132280  
 Contact Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Conact City,St,Zip:	DALLAS, TX 75313 2280
Contact Phone:	1-214-4862022
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	SAMANTHA REYNOLDS
Contact Title:	ENVIRONMENTAL SPECIALIST
Contact Role:	STEERCNT
Contact Address:	1616 WOODALL RODGERS FWY
Contact Address2:	ROOM 8A - 005
Conact City,St,Zip:	DALLAS, TX 75202 1234
Contact Phone:	1-972-2182840
Contact Fax:	Not reported
Contact Email:	SAMANTHA.REYNOLDS@ONCOR.COM
<b>Unit:</b>	
Unit No:	001
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	14
Unit Type:	Not reported
Unit Status:	ACTIVE
Unit Regulatory Status:	13
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurment:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrial Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Paved area for temporary storage of drums & miscellaneous containers prior to sh
Dt Last Changed:	19931015
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	103171, 127087, 127089, 127090, 127093, 157544, 159369, 356746, 364345, 83772, 83777, 83779, 83781, 83782, 83790, 83792, 83796, 83802, 83806, 83828, 83829, 83830, 83831, 83832, 83833, 83834, 83835, 83836, 83837, 83838, 83840, 83841, 83842, 83844, 83845, 83846, 83847, 83848, 83849, 83850, 83851,
<b>Unit:</b>	
Unit No:	002
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Unit Type:	Not reported
Unit Status:	ACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Roll-off box for collection of scrap metal prior to shipment off-site for recycl
Dt Last Changed:	19931015
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	142348, 142350,
<b>Unit:</b>	
Unit No:	003
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	ACTIVE
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	141
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Dumpster for the collectoin of general plant office refuse

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Dt Last Changed: 19931015  
 TNRCC Facility ID: Not reported  
 Unit ID: Not reported  
 Unit Description: Not reported  
 WastelD: 127084, 127086, 142354, 83852,

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 83852  
 Waste Description: Plant Refuse - General refuse containing paper, cardboard, linings, wrappings, p  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 19029032  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83851  
 Waste Description: Water, Contaminated with Petroleum Products >1500 ppm TPH - Generated from the c  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 16032051  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83850  
 Waste Description: Water, Contaminated with > or equal to 500 ppm PCB - Generated from the contamin

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 16022981  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83849  
 Waste Description: Water, Contaminated with > or equal to 50 ppm but <500 ppm PCB - Generated from

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 16012971  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83848

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste Description:	Water, Contaminated with <50 ppm PCB - Generated from the contamination of water
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	16002051
Waste Code Status:	ACTIVE
Waste Form:	Not reported
Waste Classification:	1
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported
<b>Waste:</b>	
Waste ID:	83847
Waste Description:	Non-Drained Electrical Equipment, PCB - Generated by the removal from service of
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	18332981
Waste Code Status:	ACTIVE
Waste Form:	Not reported
Waste Classification:	1
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported
<b>Waste:</b>	
Waste ID:	83846
Waste Description:	Lighting Ballasts, PCB - Generated by the removal from service of compound fille
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	18322981
Waste Code Status:	ACTIVE
Waste Form:	Not reported
Waste Classification:	1



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83845  
 Waste Description: Capacitors, PCB - Generated by the removal from service of oil filled capacitors

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 18312981  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83844  
 Waste Description: Capacitors, Non-PCB - Generated by the removal from service of oil filled capaci

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 18302191  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83843  
 Waste Description: Used Basting Oil - Generated during process of splicing lead sheathed copper cab

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 18132061  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83842  
 Waste Description: Insulating Oil > or equal to 500 ppm PCB - Generated by the removal from service

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 18122981  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83841

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste Description:	Insulating Oil > or equal to 50 ppm but <500 ppm - Generated by the removal from
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	18112971
Waste Code Status:	ACTIVE
Waste Form:	Not reported
Waste Classification:	1
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported
 Waste:	
Waste ID:	83840
Waste Description:	Insulating Oil <50 ppm PCB - Generated by the removal from service of insulating
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	18102061
Waste Code Status:	ACTIVE
Waste Form:	Not reported
Waste Classification:	1
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported
 Waste:	
Waste ID:	83839
Waste Description:	Used Lubricating Oil - Generated by the removal of various lubricants from fleet
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	18012061
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: ERROR  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83838  
 Waste Description: Used Ethylene Glycol - Generated by the removal of ethylene glycol from fleet ve

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 18002961  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83837  
 Waste Description: Containers, Contaminated with > or equal to 500 ppm PCB - Generated by the dispos

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15133951  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83836  
 Waste Description: Containers, Contaminated with > or equal to 50 ppm but <500 ppm PCB - Generatedb  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15123941  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83835  
 Waste Description: Used Filter Press Filters, Contaminated with > or equal to 500 ppm PCB - Generat  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15113951  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83834

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste Description: Used filter press filters contaminated with >=50 ppm but <500 ppm PCB generatedb

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15103941  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83833  
 Waste Description: Used filter press filters contaminated with <50 ppm PCB generated by the filteri

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15093101  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83832  
 Waste Description: Scrap lead/copper/paper cable contaminated with >1500 ppm TPH generated by the r

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15083071  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83831  
 Waste Description: Debris contaminated with >1500 ppm TPH generated from the contamination of vario  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15044891  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83830  
 Waste Description: Contaminated containers generated from the disposal of empty containers which ha  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15073081  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83829  
 Waste Description: Debris contaminated with > or equal to 500 ppm PCB generated from the contaminat

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15034951  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83828  
 Waste Description: Debris contaminated with > or equal to 50 ppm but <500 ppm PCB generated from th

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15024941  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83806



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste Description: Debris contaminated with <50 ppm PCB generated from the contamination of various

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15014891  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: RECLASSIFIED  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83802  
 Waste Description: Drained Electrical Equipment > or equal to 500 ppm PCB - Generated from the disp

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17323971  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83796  
 Waste Description: Drained Electrical Equipment > or equal to 50 ppm but <500 ppm PCB - Generated f

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17313961  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83792  
 Waste Description: Drained Electrical Equipment <50 ppm PCB - Generated from the disposal of drains

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17303191  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83790  
 Waste Description: Asbestos - Generated by the removal of asbestos containing materials such as fire

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17133111  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83784  
 Waste Description: Scrap Metal - Metal scrap generated from the installation, removal and mainten

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17103072  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: ERROR  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83783  
 Waste Description: Used Oil Filters - Generated by the removal of oil filters from fleet vehicles a

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17003101  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: ERROR  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83782

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste Description: Batteries, Wet Cell - Generated by the removal of spent lead acid batteries from

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17013091  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83781  
 Waste Description: Spent Plotter Toner - Toner is used in electrostatic plotter to produce color pr

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1823203H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W203  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83779  
 Waste Description: Solvents, Non-Halogenated - Generated from cleaning of parts and material. Init

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1821203H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W203  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83777  
 Waste Description: Solvents, Halogenated - Generated from cleaning of parts and material.  
 Initiald

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1820202H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: W202  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 83772  
 Waste Description: Manhole sludge & sediment removed from electric utility manholes & vaults. Accu

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 10035191  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 364345  
 Waste Description: Lab Pack (Hazardous) Miscellaneous wastes.Froth-Pak; unused containers contents

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1828009H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W001  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 356746  
 Waste Description: Organic liquid- hazardous for ignitability, with trace metals, and PCB>50

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1903219H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: ORGANIC LIQUID MIX  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W119  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 294292

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Waste Description:	Not reported
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	DGQK2092
Waste Code Status:	Not reported
Waste Form:	Not reported
Waste Classification:	2
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported
 Waste:	
Waste ID:	283124
Waste Description:	Not reported
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	CWRB409H
Waste Code Status:	Not reported
Waste Form:	Not reported
Waste Classification:	H
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported
 Waste:	
Waste ID:	205533
Waste Description:	Old Chemicals. Unusable products. Date of Generation: 06/05/2004.; One timeshipm
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	1970001H
Waste Code Status:	INACTIVE
Waste Form:	Not reported
Waste Classification:	H
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: LAB PACK WASTE  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W004  
 Reason Waste Form No Longer Gen.: OTS  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 204708  
 Waste Description: Wood preservative. Pole-Tox wood treatment chemical. Generating Process: Left ov  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1973208H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: POLE-TOX WOOD  
 Primary NAICS Code: 221210  
 EPA Waste Form Code: W219  
 Reason Waste Form No Longer Gen.: OTS  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 204707  
 Waste Description: Laboratory Waste Mixture. Generating Process: Unusable products left over fromla  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 19720031  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: LAB PACK WASTE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: OTS  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 204706  
 Waste Description: Laboratory waste of unusable chemical. General Process: Unusable product left ov

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1971202H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: KODAK FILM CLEANER  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W202  
 Reason Waste Form No Longer Gen.: OTS  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 197953  
 Waste Description: Compounds used in conjunction with painting/coating activities. GeneratingProce

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1980212H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W210  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 197838  
 Waste Description: Compound used in conjunction with painting activities. Name of Waste: Interspra

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1984210H  
 Waste Code Status: INACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W210  
 Reason Waste Form No Longer Gen.: UNKNOWN  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 159369  
 Waste Description: Debris contaminated with mineral oil (insulating oil) containing  
 <50ppm PCB & >=

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 15004892  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: Yes  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 157544  
 Waste Description: Batteries, dry cell - various sizes & types from assorted equipment  
 such as flas

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1718309H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W309  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 148955  
 Waste Description: Non-friable asbestos-generated from the removal of category I and II non-friablea

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17173112  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: Yes  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 142354  
 Waste Description: Plant Trash - General refuse from office and production areas - does not include

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 19009992  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 142350  
 Waste Description: Hazardous Scrap Metal - Metal scrap generated from various activities.  
 InitialID

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1716307H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W307  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 142348  
 Waste Description: Scrap Metal (Class 1) - Metal scrap generated from various activities.  
 InitialID

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17153071  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 127093  
 Waste Description: Petrolatum based sealing compounds used primarily for terminating underground el

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 10076061  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 127090  
 Waste Description: Solvent, Non-hazardous - petroleum based solvents having a flashpoint > 140 F us

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 18262031  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 127089  
 Waste Description: Asphalt based sealing compounds used primarily for terminating & splicing under

Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 10066061  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 127087  
 Waste Description: Lead contaminated cable splicing debris - consisting primarily of lead  
 contamina  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1514489H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W409  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 127086  
 Waste Description: Supplemental plant production refuse - Class 2 wastes from production,  
 manufactu  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 19019022  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 127084  
 Waste Description: Wooden debris - various uncontaminated wood wastes consisting primarily of woode  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 17114882  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: 2  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 103171  
 Waste Description: Solvents, Flammable - Generated Etc.  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: 1822203H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W203  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 101310  
 Waste Description: Batteries, wet cell - Generated by the removal of spent lead acid batteries from  
 Desc of Waste: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL SERVICE CENTER (Continued)**

**U001260460**

Texas Waste Code: Not reported  
 Texas Waste Code 2: 1702309H  
 Waste Code Status: ACTIVE  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: 221122  
 EPA Waste Form Code: W309  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

470

**FIRST PRESBYTERIAN CHURCH  
 408 PARK AVE  
 DALLAS, TX 75201**

**TX LPST U001264686  
 TX UST N/A**

LPST:

Facility ID: 0031333  
 LPST Id: 102403  
 Facility Location: 408 PARK AVE  
 TCEQ Region# and City: 4  
 Region City: ARLINGTON  
 Reported Date: 10/02/1995  
 Entered Date: 04/21/1992  
 Priority: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP  
 Program: 1 - RPR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP  
**Status: FINAL CONCURRENCE ISSUED, CASE CLOSED**  
 Coordinators Primary: 1/2  
 Coordinators RPR: RPR  
 Responsible Party Name: FIRST PRESBYTERIAN CHURCH  
 Responsible Party Contact: JERRY WARDEN  
 Responsible Party Address: 408 PARK AVE  
 Responsible Party City,St,Zip: DALLAS, TX 75201  
 Responsible Party Telephone: 214/748-8051  
 Reported Date: 03/30/1992  
 Case Start Date: 04/21/1992

UST:

AI Number: 31333  
 Facility Type: UNKNOWN  
 Facility Begin Date: 11/12/1986  
 Facility Status: INACTIVE  
 Additional ID: 318096182002069  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST PRESBYTERIAN CHURCH (Continued)**

**U001264686**

Site Location Description:	Not reported
Site Location (Nearest City Name):	Not reported
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75201
Contact Name/Title:	R R ANDRAE,CHURCH ADMIN.
Contact Organization Name:	FIRST PRESBYTERIAN CHURCH
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2147488051
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/19/1986
Signature Name/Title On Earliest Reg Form:	R R ANDRAE,CHURCH ADMIN.
Application Received Date On Earliest Reg Form:	05/20/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600822761
Owner Last Name:	FIRST PRESBYTERIAN CHURCH
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OT
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	643527612002062
Additional ID:	318096182002069
AI Number:	31333
Owner Effective Begin Date:	11/12/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	01/01/1970
Tank Registration Date:	05/20/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	82424

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST PRESBYTERIAN CHURCH (Continued)**

**U001264686**

Facility ID:	65415
Ai Number:	31333
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/26/1992
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	1000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST PRESBYTERIAN CHURCH (Continued)**

**U001264686**

UST Comprt ID: 80916  
 UST ID: 82424  
 AI Number: 31333  
 Compartment ID: A  
 Substance Stored1: GASOLINE  
 Substance Stored2: Not reported  
 Substance Stored3: Not reported  
 CompartmentReleaseDetectionMethod(Vapor): N  
 CRDM(GW Monitoring): N  
 CRDM(Monitoring Of Secondary Cont Barrier): N  
 CRDM(Auto Tank Gauge Test/Inv Control): N  
 CRDM(Interstitial Monitoring SecWall/Jacket): N  
 CRDM(Wkly Manual Gauging(Tanks<=1000 G): N  
 CRDM(Mthly Tank Gauging(Emer Gen Tanks): N  
 CRDM(Sir (Stat Inv Reconciliation)/Inv Control): N  
 PipingReleaseDetectionMethod(PRDM)(Vapor): N  
 PRDM(Groundwater Monitoring): N  
 PRDM(Monitoring Sec Containment Barrier): N  
 PRDM(InterstitialMonitoring w/in SecWall/Jacket): N  
 PRDM(Mthly Piping Tightness Test)@.2Gph: N  
 PRDM(AnnualPipingTightTest/ElecMon@.1Gph: N  
 PRDM(TriennialTightTest(Suction/GravityPiping): N  
 PRDM AutoLineLeakDet(3.0 Gph PressPiping): N  
 PRDM(Sir(StatInv Recon)/Inv Control)): N  
 PRDM(Exempt System Suction): N  
 Spill Overfill Prevention Equip(SOPE): N  
 SOPE(Spill Cont/Bucket/Sump): N  
 SOPE(DelShut-Off Valve ): N  
 SOPE(FlowRestrictorValue: N  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: N  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: N  
 Piping Release Detection Compliance Flag ): N  
 Spill/OverfillPreventionCompliance Flag: N  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Install Date: 01/01/1970  
 Tank Registration Date: 05/20/1986  
 Number of Compartments: 1  
 Tank Capacity: 6000  
 Tank Singlewall: Y  
 Tank Doublewall: N  
 Pipe Type: S  
 UST ID: 82425  
 Facility ID: 65415  
 Ai Number: 31333  
 Tank Id: 2  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 03/26/1992  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST PRESBYTERIAN CHURCH (Continued)**

**U001264686**

Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
<b>Compartment Records:</b>	
Tank ID:	2
Tank Capacity:	6000
UST Comprt ID:	80917
UST ID:	82425
AI Number:	31333
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST PRESBYTERIAN CHURCH (Continued)**

**U001264686**

CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	FIRST PRESBYTERIAN CHURCH
Contact Mailing Address (Delivery):	408 PARK AVE
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 5610
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	65415
Additional ID:	318096182002069
Princ ID:	643527612002062
AI Number:	31333
Facility Name:	FIRST PRESBYTERIAN CHURCH
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	LUCY DULIN/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**470 LONE STAR RADIATOR WORKS EDR Hist Auto 1009360344**  
**1900 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	AUTRY MOTOR CO	AUTOMOBILE REPAIRERS
1930	AUTOMOTIVE SERVICE STATION THE	AUTOMOBILE REPAIRERS
1936	LONE STAR RADIATOR WORKS	AUTOMOBILE REPAIRING
1936	PARRISH W W AUTO TOP AND BODY W	AUTOMOBILE REPAIRING
1936	AUTOMOTIVE SERVICE STATION	AUTOMOBILE REPAIRING
1941	BOWSER DAVID W	AUTOMOBILE REPAIRING
1946	BOWSER DAVID W	AUTOMOBILE REPAIRING
1951	AUTOMOTIVE SERVICE STATION THE	AUTOMOBILE REPAIRING
1951	LONE STAR RADIATOR WORKS	RADIATOR REPAIRERS-AUTOMOBILE

**471 JACKSON ST GARAGE EDR Hist Auto 1009351802**  
**1018 JACKSON ST N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	JACKSON ST GARAGE	AUTOMOBILE GARAGES

**471 JACKSON ST GARAGE EDR Hist Auto 1009351910**  
**1020 JACKSON N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	JACKSON ST GARAGE	AUTOMOBILE GARAGES

**471 JACKSON ST GARAGE EDR Hist Auto 1009351973**  
**1022 JACKSON ST N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	JACKSON ST GARAGE	AUTOMOBILE GARAGES

**471 JACKSON ST GARAGE EDR Hist Auto 1009352026**  
**1024 JACKSON ST N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	JACKSON ST GARAGE	AUTOMOBILE GARAGES

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
471				<b>JACKSON ST GARAGE</b> 1026 JACKSON ST DALLAS, TX	EDR Hist Auto	1009352060	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> 1102 JACKSON ST DALLAS, TX	EDR Hist Auto	1009353119	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>SANTA FE AUTO STORAGE</b> 1108 JACKSON DALLAS, TX	EDR Hist Auto	1009353256	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1936 SANTA FE AUTO STORAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> 1028 JACKSON ST DALLAS, TX	EDR Hist Auto	1009352082	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> 1032 JACKSON ST DALLAS, TX	EDR Hist Auto	1009352180	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
471				<b>JACKSON ST GARAGE</b> <b>1030 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352135	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1034 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352211	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1036 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352248	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1038 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352257	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1042 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352344	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		



MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
471				<b>JACKSON ST GARAGE</b> <b>1040 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352295	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1044 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352369	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1046 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352387	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1050 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352437	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1048 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352394	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
471				<b>JACKSON ST GARAGE</b> <b>1052 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352480	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1056 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352520	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1054 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352495	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1060 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352577	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1058 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352525	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
471				<b>JACKSON ST GARAGE</b> <b>1062 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352613	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1066 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352639	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1064 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352628	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1068 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352645	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1070 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352677	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
471				<b>JACKSON ST GARAGE</b> <b>1074 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352717	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1072 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352703	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1076 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352726	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1078 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352736	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1080 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352779	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
471				<b>JACKSON ST GARAGE</b> <b>1084 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352813	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1082 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352799	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1086 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352819	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1088 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352821	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		
471				<b>JACKSON ST GARAGE</b> <b>1092 JACKSON ST</b> <b>DALLAS, TX</b>	EDR Hist Auto	1009352883	N/A
				EDR Hist Auto			
				Year: Name:	Type:		
				1930 JACKSON ST GARAGE	AUTOMOBILE GARAGES		

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

471 JACKSON ST GARAGE EDR Hist Auto 1009352861  
 1090 JACKSON ST N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 JACKSON ST GARAGE AUTOMOBILE GARAGES

471 JACKSON ST GARAGE EDR Hist Auto 1009352890  
 1094 JACKSON ST N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 JACKSON ST GARAGE AUTOMOBILE GARAGES

471 JACKSON ST GARAGE EDR Hist Auto 1009352907  
 1098 JACKSON ST N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 JACKSON ST GARAGE AUTOMOBILE GARAGES

471 JACKSON ST GARAGE EDR Hist Auto 1009352902  
 1096 JACKSON ST N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 JACKSON ST GARAGE AUTOMOBILE GARAGES

472 GEORGE ALLEN COURTS BUILDING TX UST U001264983  
 600 COMMERCE ST TX ASBESTOS N/A  
 DALLAS, TX 75202

UST:

AI Number: 31682  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 11/21/1986  
 Facility Status: ACTIVE  
 Additional ID: 491803862002153  
 Facility Exempt Status: N  
 Records Off-Site: Yes  
 UST Financial Assurance Required: Yes  
 Number Of Active UST: 1  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Contact Name/Title:	DAVID WOMBLE,SUPERVISOR
Contact Organization Name:	GEORGE ALLEN COURTS BUILDING
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2146536058
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	02/28/2017
Signature Name/Title On Earliest Reg Form:	DANIEL CHERRY,FAC SUP
Application Received Date On Earliest Reg Form:	02/28/2017
Signature Role On Earliest Reg Form:	OPERATOR
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No
<b>Operator:</b>	
Princ ID:	671771992002153
Additional ID:	491803862002153
Ai Number:	31682
Operator CN:	CN601259450
Operator Name:	DALLAS COUNTY
Operator Effective Begin Date:	07/01/2003
Operator Type:	CY
Operator Role:	OPRCON
Contact Name:	DONALD HOLZWORTH/
Contact Organization Name:	DALLAS COUNTY
Contact Mailing Address (Delivery):	411 ELM ST
Contact Mailing Address (Internal Delivery):	FL 4 ATTN PUBLIC WORKS
Contact Mailing City/State/Zip:	DALLAS TX 75202-3301
Contact Phone Country Code:	0
Contact Phone Area Code:	214
Contact Phone Number:	6537151
Contact Phone Extension:	0
Contact Fax Country Code:	0
Contact Fax Area Code:	214
Contact Fax Number:	6536445
Contact Fax Extension:	0
Contact Email Address:	DDAVIDSON@DALLASCOUNTY.ORG
Contact Address Deliverable:	Not reported
<b>Owner:</b>	
Owner CN:	CN601259450
Owner Last Name:	DALLAS COUNTY
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CY
Contact Mailing Address (Delivery):	600 COMMERCE ST
Contact Mailing Address (Internal Delivery):	9TH FLOOR
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75202
Contact Mailing Zip5:	4606
Contact Phone Number/Ext:	1 214 6536730/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	671771992002153
Additional ID:	491803862002153
AI Number:	31682
Owner Effective Begin Date:	07/01/2003
State Tax ID:	Not reported
Contact Role:	OWNCON
Contact Name/Title:	BERNARD BLANTON/
Contact Organization Name:	DALLAS COUNTY
Self Certification:	
Self Cert ID:	65668
Cert ID:	283380
AI Number:	31682
Self Certification Date:	02/28/2017
Signature Name/Title:	DANIEL CHERRY FAC SUP
Signature Type Role:	OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2018
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65668
Cert ID:	264384
AI Number:	31682
Self Certification Date:	02/01/2016
Signature Name/Title:	Daniel R Cherry Supervisor
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2017
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65668
Cert ID:	252241
AI Number:	31682
Self Certification Date:	04/02/2015
Signature Name/Title:	JOHN CLARK FAC ASST DIR
Signature Type Role:	OWNER
Filing Status:	RENEWAL



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65668
Cert ID:	234023
AI Number:	31682
Self Certification Date:	03/24/2014
Signature Name/Title:	Julio Cuin fleet coordinator
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2015
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	65668
Cert ID:	79059
AI Number:	31682
Self Certification Date:	01/31/2013
Signature Name/Title:	JOHN M LANGLEY FLEET MANAGER
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2014
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79058
AI Number:	31682
Self Certification Date:	03/13/2012
Signature Name/Title:	JOHN M LANGLEY FLEET MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79057
AI Number:	31682
Self Certification Date:	02/21/2011
Signature Name/Title:	CHRIS THOMPSON DIR OF OPERATIONS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79056
AI Number:	31682
Self Certification Date:	01/27/2010
Signature Name/Title:	CHRIS THOMPSON DIR OF OPS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79055
AI Number:	31682
Self Certification Date:	03/02/2009
Signature Name/Title:	CHRIS THOMPSON DIR OF COMM & C S
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79054
AI Number:	31682
Self Certification Date:	02/11/2008
Signature Name/Title:	CHRIS THOMPSON DIR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79053
AI Number:	31682
Self Certification Date:	02/05/2007
Signature Name/Title:	CHRIS THOMPSON DIR OF COMM & CS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79052
AI Number:	31682
Self Certification Date:	12/21/2005
Signature Name/Title:	CHRIS THOMPSON DIR OF COM & CENTRAL
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79051
AI Number:	31682
Self Certification Date:	01/25/2005
Signature Name/Title:	CHRIS THOMPSON DIR COMMUNICATIONS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79050
AI Number:	31682
Self Certification Date:	01/26/2004
Signature Name/Title:	CHRIS THOMPSON DIR COMM & CNTR SVCS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	65668
Cert ID:	79049
AI Number:	31682
Self Certification Date:	07/01/2003
Signature Name/Title:	CHRIS THOMPSON DIR COMMUNICATIONS
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	03/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported

Tank:

Install Date:	01/01/1966
Tank Registration Date:	05/13/1986
Number of Compartments:	1
Tank Capacity:	15000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	83270
Facility ID:	65668
Ai Number:	31682
Tank Id:	1
Tank Status (Current):	IN USE
Tank Status Date:	01/01/1966
Empty:	N
Tank Regulatory Status:	EMERG POWER GENERATOR
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	Y
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	Y
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	Y
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	Y
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	07/13/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	15000
UST Comprt ID:	68725
UST ID:	83270
AI Number:	31682
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: DALLAS COUNTY  
 Contact Mailing Address (Delivery): 600 COMMERCE ST STE 900  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75202 4648  
 Phone Number/Ext: 214 6536442/0  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 65668  
 Additional ID: 491803862002153  
 Princ ID: 671771992002153  
 AI Number: 31682  
 Facility Name: GEORGE ALLEN COURTS BUILDING  
 AR Number: 14953  
 AR UST Number Suffix: A  
 AR AST Number Suffix: U  
 Contact Name/Title: JOHN CLARK/

ASBESTOS:

Date of inspection: 04/01/2016  
 Reason for Inspection: Notified  
 Violation: PENoDINoG  
 Complaint Date: Not reported  
 Notification Number: 2016002708  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 02  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: Not reported  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN COURTS BUILDING (Continued)**

**U001264983**

Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

472

**GEORGE ALLEN GOVERNMENT CENTER  
 600 COMMERCE  
 DALLAS, TX 75202**

**TX TIER 2 S108451050  
 N/A**

TIER 2:

Facility Id: FATR20121VL3LC013FQJ  
 Facility Name: GEORGE ALLEN GOVERNMENT CENTER  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 2/13/2013  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Dallas County  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20111VL3LC013FQJ  
 Facility Name: GEORGE ALLEN GOVERNMENT CENTER  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 2-7-2012  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: DALLAS COUNTY  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20101VL3LC013FQJ  
 Facility Name: GEORGE ALLEN GOVERNMENT CENTER  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 1-14-2011  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: DALLAS COUNTY  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20091VL3LC013FQJ  
 Facility Name: GEORGE ALLEN GOVERNMENT CENTER

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Reporting Year:	2009
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	5/24/2010
Date Tier 2 Signed:	02/17/2010
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	100
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Dallas County
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id:	FATR20081VL3LC013FQJ
Facility Name:	GEORGE ALLEN GOVERNMENT CENTER
Reporting Year:	2008
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	6/30/2009
Date Tier 2 Signed:	1/14/2009
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	100
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Elizabeth Todd, Chief of Forensic Chemistry
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Facility Id: FATR20071VL3LC013FQJ  
 Facility Name: GEORGE ALLEN GOVERNMENT CENTER  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/11/2008  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Dr. Elizabeth Todd  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id: FATR20061VL3LC013FQJ  
 Facility Name: GEORGE ALLEN GOVERNMENT CENTER  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/31/2007  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Justin Schwane  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Fire District: Not reported  
 Additional Mail Addr: Not reported  
 Facility Id: FATR20051VL3LC013FQJ  
 Facility Name: GEORGE ALLEN GOVERNMENT CENTER  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: Not reported  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: "ELIZABETH TODD, PHD"  
 Latitude: Not reported  
 Longitude: Not reported  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:  
 Id: 9131  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 9/10/2002  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 9/10/2002  
 Id: 92214  
 Id Type: NAICS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Description: Not reported  
 Last Modified: 1/14/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: FACILITIES MANAGMENT, GEORGE ALLEN COURT BLDG.,600 COMMERCE,9TH FLOOR  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHRIS THOMPSON  
 Title: DIRECTOR OF OPERATIONS - FACILITIES MANAGEMENT  
 Modification Date: 3/8/2013

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 2355 NORTH STEMMONS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ELIZABETH TODD  
 Title: CHIEF,DRUG AND ENVIRONMENTAL TOXICOLOGY  
 Modification Date: 3/8/2013

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: DALLAS COUNTY  
 Title: OPERATOR  
 Modification Date: 3/8/2013

Chemical Inventory:

Facility Id: FATR20121VL3LC013FQJ  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20121VL3LC017FSL  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20121VL6LY02V6KX  
 Chemical Inventory Record Id: CVTR20121VL3LC017FSL  
 Amt Of Sub Stored Or Transported: 15000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UNDERGROUND  
 Last Modified: 3/8/2013

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: 92214  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/14/2009  
 Id: 9131  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 9/10/2002  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 9/10/2002

Contact:

Contact Email: Not reported  
 Contact Mail Address: FACILITIES MANAGMENT, GEORGE ALLEN COURT BLDG.,600 COMMERCE,9TH FLOOR  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHRIS THOMPSON  
 Title: DIRECTOR OF OPERATIONS - FACILITIES MANAGEMENT  
 Modification Date: 2/23/2012

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 2355 NORTH STEMMONS FREEWAY  
 Contact City/State/Zip: DALLAS, TX 75207  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ELIZABETH TODD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Title: CHIEF,DRUG AND ENVIRONMENTAL TOXICOLOGY  
 Modification Date: 2/23/2012

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: DALLAS COUNTY  
 Title: OPERATOR  
 Modification Date: 2/23/2012

Chemical Inventory:

Facility Id: FATR20111VL3LC013FQJ  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20111VL3LC017FSL  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/23/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20111VL6LY02V6KX  
 Chemical Inventory Record Id: CVTR20111VL3LC017FSL  
 Amt Of Sub Stored Or Transported: 15000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UNDERGROUND  
 Last Modified: 2/23/2012

Notes: Not reported  
 Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Facility Info:

Id: 9131  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 9/10/2002  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 9/10/2002  
 Id: 92214  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/14/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: FACILITIES MANAGMENT, GEORGE ALLEN COURT BLDG.,600 COMMERCE,9TH FLOOR  
 Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: JESSE DARRETT  
 Title: ASSISTANT DIRECTOR OF FACILITIES MANAGEMENT  
 Modification Date: 2/24/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235-7710  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ELIZABETH TODD  
 Title: CHIEF,DRUG AND ENVIRONMENTAL TOXICOLOGY  
 Modification Date: 3/13/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: DALLAS COUNTY  
 Title: OPERATOR  
 Modification Date: 3/13/2010

Chemical Inventory:

Facility Id: FATR20091VL3LC013FQJ  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20091VL3LC017FSL  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/24/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20091VL6LY02V6KX  
 Chemical Inventory Record Id: CVTR20091VL3LC017FSL  
 Amt Of Sub Stored Or Transported: 15000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UNDERGROUND  
 Last Modified: 2/24/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

Facility Info:

Id: 92214  
 Id Type: NAICS  
 Description: Not reported  
 Last Modified: 1/14/2009  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 9/10/2002  
 Id: 9131  
 Id Type: SIC  
 Description: Not reported  
 Last Modified: 9/10/2002

Contact:

Contact Email: Not reported  
 Contact Mail Address: FACILITIES MANAGMENT, GEORGE ALLEN COURT BLDG.,600 COMMERCE,9TH FLOOR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Contact City/State/Zip: DALLAS, TX 75202  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: CHRIS THOMPSON  
 Title: DIRECTOR OF OPERATIONS - FACILITIES MANAGEMENT  
 Modification Date: 4/4/2011

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235-7710  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: ELIZABETH TODD  
 Title: CHIEF, DRUG AND ENVIRONMENTAL TOXICOLOGY  
 Modification Date: 4/4/2011

Contact:

Contact Email: ETODD@DALLASCOUNTY.ORG  
 Contact Mail Address: 5230 MEDICAL CENTER DRIVE  
 Contact City/State/Zip: DALLAS, TX 75235  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Type 2: Emergency Contact  
 Contact Name: DALLAS COUNTY  
 Title: OPERATOR  
 Modification Date: 4/4/2011

Chemical Inventory:

Facility Id: FATR20101VL3LC013FQJ  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20101VL3LC017FSL  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/22/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN GOVERNMENT CENTER (Continued)**

**S108451050**

Chemical Inventory Location:

Record Key: CLTR20101VL6LY02V6KX  
 Chemical Inventory Record Id: CVTR20101VL3LC017FSL  
 Amt Of Sub Stored Or Transported: 15000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: UNDERGROUND  
 Last Modified: 2/22/2011

Notes: Not reported  
 Validation: Not reported

**472 KENNEDY PARKING GARAGE  
 600 COMMERCE ST  
 DALLAS, TX 75202**

**FINDS 1010762345  
 N/A**

FINDS:

Registry ID: 110033758253

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**472 SATTERFIELD SERVICE STATION  
 617 COMMERCE  
 DALLAS, TX**

**EDR Hist Auto 1009378960  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	PRESTO SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1936	EVANS SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	SATTERFIELD SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**472 PLAZA CLEANERS EDR Hist Cleaner 1009338698**  
**214 S RECORD N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1946	PLAZA CLEANERS	CLEANERS AND DYERS
1951	PLAZA CLEANERS	CLEANERS AND DYERS

**473 R AND B CLEANERS EDR Hist Cleaner 1009348319**  
**708 A COMMERCE ST N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1971	R AND B CLEANERS	CLEANERS AND DYERS

**474 YOUNG ST GARAGE AND STORAGE CO EDR Hist Auto 1009359456**  
**1723 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	YOUNG ST GARAGE AND STORAGE CO	AUTOMOBILE GARAGES

**474 YOUNG ST GARAGE AND STORAGE CO EDR Hist Auto 1009359473**  
**1725 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	YOUNG ST GARAGE AND STORAGE CO	AUTOMOBILE GARAGES

**474 YOUNG ST GARAGE AND STORAGE CO EDR Hist Auto 1009359425**  
**1721 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	YOUNG ST GARAGE AND STORAGE CO	AUTOMOBILE GARAGES
1936	YOUNG ST GARAGE STORAGE CO	AUTOMOBILE GARAGES
1941	YOUNG ST GARAGE AND STORAGE CO	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>475</b>	<b>CITY OF DALLAS MAIN LIBRARY 1515 YOUNG ST DALLAS, TX 75201</b>	<b>FINDS ECHO</b>	<b>1011349171 N/A</b>
------------	---	-----------------------	---------------------------

FINDS:

Registry ID: 110034695541

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1011349171  
 Registry ID: 110034695541  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110034695541>

<b>475</b>	<b>CITY OF DALLAS MAIN LIBRARY 1515 YOUNG ST DALLAS, TX 75201</b>	<b>TX Ind. Haz Waste</b>	<b>S103609656 N/A</b>
------------	---	--------------------------	---------------------------

Ind. Haz Waste:

Registration Number:	76867
Registration Initial Notification Date:	06/18/1992
Registration Last Amendment Date:	10/30/2006
EPA Identification:	TXD988056594
Primary NAICS Code:	Not reported
Status Change Date:	19920618
Land Type:	PRIVATE
Description of Facility Site Location:	1515 Young St, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes
Registration is Receivers of Waste:	No
Registration is Transporter of Waste:	No
Registration is Transfer Facility:	No
Facility is STEERS Reporter:	No
Required to Submit Annual Waste Summary:	No
Facility Involved In Recycling:	No
Revcr Has Monthly Reporting Requirement:	0
Mexican Facility:	Not reported
Type of Generator:	NON INDUS, SQG
TNRCC Region:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MAIN LIBRARY (Continued)**

**S103609656**

Company Name: CITY OF DALLAS  
 Contact Name: Not reported  
 Contact Telephone Number: 214-6705216  
 Mailing Address: 1515 YOUNG ST  
 Mailing Address2: Not reported  
 Mailing City,St,Zip: DALLAS, TX 752015411  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 31174  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20061107  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 1515 YOUNG ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 5411  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-6705216  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Not reported  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

Operator:

Operator Last Name: CITY OF DALLAS  
 Operator First Name: Not reported  
 Operator Name: CITY OF DALLAS  
 Operator Mailing Address: 1515 YOUNG ST  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 5411  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-6705216  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Not reported  
 Operator Tax Id: 17560005088  
 Operator Bankruptcy Code: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 1515 YOUNG ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 5411  
 Contact Phone: 1-214-6705216  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MAIN LIBRARY (Continued)**

**S103609656**

Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	1515 YOUNG ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 5411
Contact Phone:	1-214-6705216
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICON
Contact Address:	1515 YOUNG ST
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 5411
Contact Phone:	1-214-6705216
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Unit:</b>	
Unit No:	001
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	ACTIVE
Unit Regulatory Status:	Not reported
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrl Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	Not reported
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Not reported
Dt Last Changed:	Not reported
TNRCC Facility ID:	Not reported
Unit ID:	Not reported
Unit Description:	Not reported
WasteID:	,
<b>One Time Shipper Records Not Found for this RegNo/Year:</b>	
Receiver Type:	Not reported
Transporter for hire:	0
Transport own waste:	0
Eq 01, if transport waste type = 1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MAIN LIBRARY (Continued)**

**S103609656**

Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 322534  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: FGYP110H  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 281857  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CXG22191  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 281856  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CXFZ4061



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MAIN LIBRARY (Continued)**

**S103609656**

Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 281855  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CXYF3081  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 281854  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CXYF2051  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MAIN LIBRARY (Continued)**

**S103609656**

New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported
<b>Waste:</b>	
Waste ID:	281853
Waste Description:	Not reported
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	CXFW206H
Waste Code Status:	Not reported
Waste Form:	Not reported
Waste Classification:	H
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported
<b>Waste:</b>	
Waste ID:	281852
Waste Description:	Not reported
Desc of Waste:	Not reported
Texas Waste Code:	Not reported
Texas Waste Code 2:	CXFW2961
Waste Code Status:	Not reported
Waste Form:	Not reported
Waste Classification:	1
Waste is Radioactive:	No
Waste Treated Off Site:	Not reported
Standard Industrial Classification:	Not reported
Primary Source:	Not reported
Primary Measurement Point:	Not reported
Primary Origin:	Not reported
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	No
Company Waste ID:	Not reported
Primary NAICS Code:	Not reported
EPA Waste Form Code:	Not reported
Reason Waste Form No Longer Gen.:	Not reported
EPA Haz Waste:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

475 J ERICK JONSSSEN LIBRARY  
 1515 YOUNG ST  
 DALLAS, TX 75201

TX AST A100117762  
 N/A

AST:

Facility ID: 38632  
 Additional ID: 551430242003091  
 AI Number: 50406  
 Facility Type: OTHER  
 Facility Begin Date: 03/01/1990  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: N  
 Number of Active ASTs: 2  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75201  
 Contact Name/Title: RONALD PARKER/  
 J ERICK JONSSSEN LIBRARY  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact CityStateZip: Not reported  
 Contact Telephone: 2146718968  
 Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date on Earliest Reg Form: 02/26/1990  
 Signature First Name on Earliest Reg Form: THOMAS  
 Application Received Date on Earliest Reg Form: 02/28/1990  
 Signature Middle Name on Earliest Reg Form: Not reported  
 Signature Last Name on Earliest Reg Form: HENRY  
 Signature Title on Earliest Reg Form: BUILD MANAGER SUPT  
 Signature Role on Earliest Reg Form: Not reported  
 Signature Company on Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: N  
 Facility Not Inspectable Reason A: Not reported  
 Facility Not Inspectable Reason B: Not reported  
 Enforcement Action Date: Not reported

Facility:

Facility ID: 38632  
 Tank ID: 2  
 AST ID: 155192  
 AI Number: 50406  
 Install Date: 01/01/1981  
 Tank Registration Date: 02/28/1990  
 Mult Comp: N  
 Tank Status: IN USE  
 Tank Status Date: 01/01/1981  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 5000  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: Y  
 Fiber: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**J ERICK JONSSON LIBRARY (Continued)**

**A100117762**

Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	TWO POINT SYSTEM
Inst Stage Date:	01/01/1981
Facility ID:	38632
Tank ID:	1
AST ID:	155193
AI Number:	50406
Install Date:	01/01/1981
Tank Registration Date:	02/28/1990
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	01/01/1981
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	5000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	TWO POINT SYSTEM
Inst Stage Date:	01/01/1981

475

**CITY OF DALLAS  
 1515 YOUNG ST  
 DALLAS, TX 75201**

**RCRA NonGen / NLR**

**1000655719  
 TXD988056594**

RCRA NonGen / NLR:

Date form received by agency: 11/07/2006  
 Facility name: CITY OF DALLAS  
 Facility address: 1515 YOUNG ST  
 DALLAS, TX 75201  
 EPA ID: TXD988056594  
 Mailing address: YOUNG ST  
 DALLAS, TX 75201  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: YOUNG ST  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: 214-670-5216  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS (Continued)**

**1000655719**

Owner/Operator Summary:

Owner/operator name: CITY OF DALLAS  
 Owner/operator address: YOUNG ST  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-670-5216  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 10/30/2006  
 Owner/Op end date: Not reported

Owner/operator name: CITY OF DALLAS  
 Owner/operator address: YOUNG ST  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-670-5216  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 10/30/2006  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CITY OF DALLAS (Continued)**

**1000655719**

CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

- . Waste code: D003
- . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
- . Waste code: D007
- . Waste name: CHROMIUM

Historical Generators:

Date form received by agency: 09/26/2003  
 Site name: CITY OF DALLAS  
 Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
- . Waste code: D003
- . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
- . Waste code: D007
- . Waste name: CHROMIUM

Date form received by agency: 11/23/1991  
 Site name: CITY OF DALLAS MAIN LIBRARY  
 Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CITY OF DALLAS (Continued)**

**1000655719**

FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D007  
 . Waste name: CHROMIUM

Violation Status: No violations found

476

**FIRST PRESBYTERIAN CHURCH  
 1822 YOUNG ST  
 DALLAS, TX 75201**

**TX UST U001288322  
 N/A**

UST:

AI Number: 58660  
 Facility Type: UNKNOWN  
 Facility Begin Date: 07/02/1991  
 Facility Status: INACTIVE  
 Additional ID: 633527622002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: STEVE HINES,  
 FIRST PRESBYTERIAN CHURCH  
 Contact Organization Name:  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2147488051  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 06/15/1991  
 Signature Name/Title On Earliest Reg Form: MS LUCY DULIN,PRES  
 Application Received Date On Earliest Reg Form: 06/21/1991  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST PRESBYTERIAN CHURCH (Continued)**

**U001288322**

Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600822761
Owner Last Name:	FIRST PRESBYTERIAN CHURCH
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OT
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	643527612002062
Additional ID:	633527622002062
AI Number:	58660
Owner Effective Begin Date:	07/02/1991
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	06/21/1991
Number of Compartments:	1
Tank Capacity:	Not reported
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	139820
Facility ID:	65416
AI Number:	58660
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	05/03/1991
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FIRST PRESBYTERIAN CHURCH (Continued)**

**U001288322**

Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/06/1991
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	80918
UST ID:	139820
AI Number:	58660
Compartment ID:	A
Substance Stored1:	DISTILLATE FUEL OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST PRESBYTERIAN CHURCH (Continued)**

**U001288322**

PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	FIRST PRESBYTERIAN CHURCH
Contact Mailing Address (Delivery):	408 PARK AVE
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 5610
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	65416
Additional ID:	633527622002062
Princ ID:	643527612002062
AI Number:	58660
Facility Name:	FIRST PRESBYTERIAN CHURCH
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	LUCY DULIN/

477

**TUGWELL AUTOMOTIVE SERVICE**  
**1002 JACKSON**  
**DALLAS, TX**

EDR Hist Auto 1009351322  
 N/A

EDR Hist Auto

Year:	Name:	Type:
1936	TUGWELL AUTOMOTIVE SERVICE	AUTOMOBILE REPAIRING
1941	WARREN MALCOLM 0	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**478 CARRIER CENTER DALLAS  
 400 S AKARD ST STE 100  
 DALLAS, TX 75202**

**TX UST U003840053  
 N/A**

UST:

AI Number: 61935  
 Facility Type: RETAIL  
 Facility Begin Date: 12/09/1991  
 Facility Status: ACTIVE  
 Additional ID: 112108582002062  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202  
 Contact Name/Title: CINDI DOWNS,  
 Contact Organization Name: CARRIER CENTER DALLAS  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2147411250  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 12/06/1991  
 Signature Name/Title On Earliest Reg Form: JERRY L HEDRICK,VP  
 Application Received Date On Earliest Reg Form: 12/06/1991  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Operator:

Princ ID: 775498792005104  
 Additional ID: 112108582002062  
 Ai Number: 61935  
 Operator CN: CN602822066  
 Operator Name: DALLAS EXCHANGE LTD  
 Operator Effective Begin Date: 01/12/2003  
 Operator Type: OR  
 Operator Role: OPRCON  
 Contact Name: JEFFERY MEAD/  
 Contact Organization Name: DALLAS EXCHANGE LTD  
 Contact Mailing Address (Delivery): 400 S AKARD ST STE 100  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS TX 75202-5326  
 Contact Phone Country Code: 1  
 Contact Phone Area Code: 214  
 Contact Phone Number: 7411250  
 Contact Phone Extension: 0  
 Contact Fax Country Code: Not reported  
 Contact Fax Area Code: Not reported  
 Contact Fax Number: Not reported  
 Contact Fax Extension: Not reported  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CARRIER CENTER DALLAS (Continued)**

**U003840053**

Owner:

Owner CN: CN602822066  
 Owner Last Name: DALLAS EXCHANGE LTD  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: OR  
 Contact Mailing Address (Delivery): 400 S AKARD ST STE 100  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: DALLAS  
 Contact Mailing State: TX  
 Contact Mailing Zip: 75202  
 Contact Mailing Zip5: 5326  
 Contact Phone Number/Ext: 1 214 7411250/0  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Not reported  
 Princ ID: 775498792005104  
 Additional ID: 112108582002062  
 AI Number: 61935  
 Owner Effective Begin Date: 01/12/2003  
 State Tax ID: Not reported  
 Contact Role: OWNCON  
 Contact Name/Title: JEFFERY MEAD/  
 Contact Organization Name: DALLAS EXCHANGE LTD

Tank:

Install Date: 06/01/1958  
 Tank Registration Date: 12/06/1991  
 Number of Compartments: 1  
 Tank Capacity: 7000  
 Tank Singlewall: Y  
 Tank Doublewall: N  
 Pipe Type: S  
 UST ID: 144119  
 Facility ID: 92135  
 Ai Number: 61935  
 Tank Id: 1  
 Tank Status (Current): REMOVED FROM GROUND  
 Tank Status Date: 12/17/1999  
 Empty: N  
 Tank Regulatory Status: FULLY REGULATED  
 Tank Int Prot (Internal Tank Lining Date): Not reported  
 Piping Design (Single Wall): N  
 Piping Design (Double Wall): Y  
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N  
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N  
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N  
 Tank Material (Steel): Y  
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N  
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N  
 Tank Mat(Concrete): N  
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CARRIER CENTER DALLAS (Continued)**

**U003840053**

Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	06/01/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	7000
UST Comprt ID:	142283
UST ID:	144119
AI Number:	61935
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CARRIER CENTER DALLAS (Continued)**

**U003840053**

PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	24090
Cert ID:	148071
UST Comprt ID:	424222
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	264285
UST Comprt ID:	761243
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148070
UST Comprt ID:	424223
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148068
UST Comprt ID:	424225
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148073
UST Comprt ID:	424221
UST ID:	150271
AI Number:	61935

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CARRIER CENTER DALLAS (Continued)**

**U003840053**

Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148067
UST Comprt ID:	424224
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148078
UST Comprt ID:	424216
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	245604
UST Comprt ID:	706002
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148077
UST Comprt ID:	424217
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	295600
UST Comprt ID:	853694
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148079
UST Comprt ID:	424215
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148076
UST Comprt ID:	424218
UST ID:	150271
AI Number:	61935
Tank ID:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CARRIER CENTER DALLAS (Continued)**

**U003840053**

Compartment ID:	A
Self Cert ID:	24090
Cert ID:	278684
UST Comprt ID:	803438
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	228235
UST Comprt ID:	655033
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148075
UST Comprt ID:	424219
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148074
UST Comprt ID:	424220
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Self Cert ID:	24090
Cert ID:	148069
UST Comprt ID:	424226
UST ID:	150271
AI Number:	61935
Tank ID:	1
Compartment ID:	A
Construction Notification:	
NOC ID:	15274
Facility ID:	92135
AI Number:	61935
Application Received Date:	12/09/1999
Scheduled Construction Date:	12/14/1999
UST Improvement:	N
UST Installation:	N
UST Removal:	Y
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CARRIER CENTER DALLAS (Continued)**

**U003840053**

AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	991209001
Waiver Flag:	N
Late Filing Flag:	Y
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported
Signature Role:	Not reported
Owner Name At Time Of Construction:	Not reported
Owner CN At Time Of Construction:	Not reported
Owner AR At Time Of Construction:	53055
General Desc Of Proposed Construction:	Not reported
Contractor, Consultant and Installer:	
Cont/Cons/Installer ID:	16369
UST ID:	Not reported
NOC ID:	15274
AI Number:	61935
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP001300
Company Name:	Not reported
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Facility Billing Contacts:	
Contact Organization Name:	DALLAS EXCHANGE LTD
Contact Mailing Address (Delivery):	400 S AKARD ST STE 100
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75202 5326
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	92135
Additional ID:	112108582002062
Princ ID:	775498792005104
AI Number:	61935
Facility Name:	CARRIER CENTER DALLAS
AR Number:	64014

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CARRIER CENTER DALLAS (Continued)**

**U003840053**

AR UST Number Suffix: A  
 AR AST Number Suffix: U  
 Contact Name/Title: JEFFERY MEAD/

478

**LEVEL 3 - DALLAS - DLLSTXLD  
 400 S AKARD ST  
 DALLAS, TX 75202**

**TX TIER 2 S113678002  
 N/A**

TIER 2:

Facility Id/Name: FATR20122V06SD00PDN8/LEVEL 3 - DALLAS - DLLSTXLD  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/8/2013  
 Date Tier 2 Signed: 1/30/2013  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 50.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Chris Van Natta on behalf of Level 3 Communications  
 Latitude: 32.77832  
 Longitude: -96.79853  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/26/2007  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/9/2004  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTXLD (Continued)**

**S113678002**

Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact:

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Payton Michael  
 Title: Environmental Project Manager  
 Modification Date: 3/8/2013

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Emergency Contact  
 Contact Name: Payton Michael  
 Title: Environmental Project Manager  
 Modification Date: 3/8/2013

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Level 3 Communications N.O.C.  
 Title: Not reported  
 Modification Date: 3/8/2013

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Level 3 Communications N.O.C.  
 Title: Not reported  
 Modification Date: 3/8/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXLD (Continued)**

**S113678002**

Chemical Inventory:

Facility Id: FATR20122V06SD00PDN8  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20122V07JA019TYD  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 1,000 - 9,999 pounds  
 Max Daily Amount: 1,000 - 9,999 pounds  
 Max Amount In Largest Container: 21  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20122V07ST01C65B  
 Chemical Inventory Record Id: CVTR20122V07JA019TYD  
 Amt Of Sub Stored Or Transported: 984  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 5th Floor Battery Room  
 Last Modified: 3/8/2013

Record Key: CLTR20128CMN6J00E4GA  
 Chemical Inventory Record Id: CVTR20122V07JA019TYD  
 Amt Of Sub Stored Or Transported: 153  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B1 Meet Me Room LGN Cage  
 Last Modified: 3/8/2013

Record Key: CLTR20128CMN8200FFQR  
 Chemical Inventory Record Id: CVTR20122V07JA019TYD  
 Amt Of Sub Stored Or Transported: 6396  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Un-named location

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTXLD (Continued)**

**S113678002**

Last Modified: 3/8/2013

Facility Id: FATR20122V06SD00PDN8  
 Chemical Name: DIESEL FUEL  
 Chemical Inv Record Id: CVTR20122V07L101ABDP  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 21240  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20122V07NL01BJ7B  
 Chemical Inventory Record Id: CVTR20122V07L101ABDP  
 Amt Of Sub Stored Or Transported: 21240  
 Amount Units: pounds  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Under Generator  
 Last Modified: 3/8/2013

Facility Id: FATR20122V06SD00PDN8  
 Chemical Name: lead  
 Chemical Inv Record Id: CVTR20123JK0S3009DPT  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: Not reported  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 140  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/8/2013  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXLD (Continued)**

**S113678002**

Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123JLS040019YB  
 Chemical Inventory Record Id: CVTR20123JK0S3009DPT  
 Amt Of Sub Stored Or Transported: 6720  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 5th Floor Battery Room  
 Last Modified: 3/8/2013

Record Key: CLTR20128CMNEP00H6E8  
 Chemical Inventory Record Id: CVTR20123JK0S3009DPT  
 Amt Of Sub Stored Or Transported: 1226  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B1 Meet Me Room LGN Cage  
 Last Modified: 3/8/2013

Record Key: CLTR20128CMNFH00JW3X  
 Chemical Inventory Record Id: CVTR20123JK0S3009DPT  
 Amt Of Sub Stored Or Transported: 43680  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Un-named location  
 Last Modified: 3/8/2013

Notes: Not reported  
 Validation: Not reported

478

**DATABANK DALLAS  
 400 S AKARD ST STE 310  
 DALLAS, TX 75202**

**TX AST A100173830  
 N/A**

AST:

Facility ID: 129798  
 Additional ID: 476307952011299  
 AI Number: 84734  
 Facility Type: EMERGENCY GENERATOR  
 Facility Begin Date: 06/01/2004  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DATABANK DALLAS (Continued)**

**A100173830**

UST Financial Assurance Required:	N
Number of Active ASTs:	1
Site Location Description:	Not reported
Site Location (nearest city name):	Not reported
Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75202
Contact Name/Title:	DANNY ALLEN/
Contact Organization Name:	DATABANK DALLAS
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2145355929
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	DALLEN@DATABANK.COM
Signature Date on Earliest Reg Form:	05/11/2016
Signature First Name on Earliest Reg Form:	DANNY
Application Received Date on Earliest Reg Form:	05/11/2016
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	ALLEN
Signature Title on Earliest Reg Form:	Not reported
Signature Role on Earliest Reg Form:	Not reported
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	N
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
<b>Facility:</b>	
Facility ID:	129798
Tank ID:	DAL041
AST ID:	215686
AI Number:	84734
Install Date:	06/01/2004
Tank Registration Date:	10/24/2011
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	06/01/2004
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	1800
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DATABANK DALLAS (Continued)**

**A100173830**

Facility ID:	92135
Additional ID:	112108582002062
AI Number:	61935
Facility Type:	RETAIL
Facility Begin Date:	12/09/1991
Facility Status:	ACTIVE
Facility Exempt Status:	N
Records Off-Site:	N
UST Financial Assurance Required:	N
Number of Active ASTs:	4
Site Location Description:	Not reported
Site Location (nearest city name):	Not reported
Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75202
Contact Name/Title:	CINDI DOWNS/
Contact Organization Name:	CARRIER CENTER DALLAS
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2147411250
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	12/06/1991
Signature First Name on Earliest Reg Form:	JERRY L
Application Received Date on Earliest Reg Form:	12/06/1991
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	HEDRICK
Signature Title on Earliest Reg Form:	VP
Signature Role on Earliest Reg Form:	Not reported
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	92135
Tank ID:	1
AST ID:	194038
AI Number:	61935
Install Date:	06/15/1999
Tank Registration Date:	04/20/2000
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	06/15/1999
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	5000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DATABANK DALLAS (Continued)**

**A100173830**

Dike:	N
Liner:	Y
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	92135
Tank ID:	2
AST ID:	194039
AI Number:	61935
Install Date:	06/15/1999
Tank Registration Date:	04/20/2000
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	06/15/1999
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	5000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	92135
Tank ID:	3
AST ID:	204800
AI Number:	61935
Install Date:	01/12/2003
Tank Registration Date:	03/11/2005
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	01/12/2003
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	5000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DATABANK DALLAS (Continued)**

**A100173830**

Inst Stage Date:	Not reported
Facility ID:	92135
Tank ID:	4
AST ID:	204801
AI Number:	61935
Install Date:	01/12/2003
Tank Registration Date:	03/11/2005
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	01/12/2003
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	5000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	112441
Additional ID:	306578082002241
AI Number:	73775
Facility Type:	Not reported
Facility Begin Date:	08/31/1987
Facility Status:	ACTIVE
Facility Exempt Status:	N
Records Off-Site:	N
UST Financial Assurance Required:	N
Number of Active ASTs:	2
Site Location Description:	Not reported
Site Location (nearest city name):	Not reported
Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75202
Contact Name/Title:	JIM REESE/
Contact Organization Name:	DALLAS CARRIER CENTER
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	3038084861
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	12/21/2000
Signature First Name on Earliest Reg Form:	DUSTIN
Application Received Date on Earliest Reg Form:	12/29/2000
Signature Middle Name on Earliest Reg Form:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DATABANK DALLAS (Continued)**

**A100173830**

Signature Last Name on Earliest Reg Form:	LILJEHORN
Signature Title on Earliest Reg Form:	ENGINEER
Signature Role on Earliest Reg Form:	OWNER
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
<b>Facility:</b>	
Facility ID:	112441
Tank ID:	NORTH
AST ID:	195691
AI Number:	73775
Install Date:	01/15/2001
Tank Registration Date:	12/29/2000
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	01/15/2001
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	4000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	112441
Tank ID:	SOUTH
AST ID:	195692
AI Number:	73775
Install Date:	01/15/2001
Tank Registration Date:	12/28/2000
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	01/15/2001
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	4000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DATABANK DALLAS (Continued)**

**A100173830**

Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	116650
Additional ID:	780556572005244
AI Number:	76035
Facility Type:	FLEET REFUELING
Facility Begin Date:	08/31/1987
Facility Status:	ACTIVE
Facility Exempt Status:	N
Records Off-Site:	N
UST Financial Assurance Required:	N
Number of Active ASTs:	1
Site Location Description:	Not reported
Site Location (nearest city name):	Not reported
Site Location (county name):	DALLAS
Site Location (TCEQ region):	4
Site Location (location zip):	75202
Contact Name/Title:	JON LATUS/
Contact Organization Name:	WILTEL COMMUNICATIONS DLLSTX2W
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2149779274
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	09/08/2003
Signature First Name on Earliest Reg Form:	AMELIA
Application Received Date on Earliest Reg Form:	09/10/2003
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	LONDON
Signature Title on Earliest Reg Form:	Not reported
Signature Role on Earliest Reg Form:	OWNER
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	116650
Tank ID:	1
AST ID:	202057
AI Number:	76035
Install Date:	08/01/1999
Tank Registration Date:	09/08/2003
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	08/01/1999
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	3600
Substance:	DIESEL
Other Substance B:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DATABANK DALLAS (Continued)**

**A100173830**

Other Substance C: Not reported  
 Steel: Y  
 Fiber: N  
 Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: N  
 Contains CO: Y  
 Contains NO: N  
 Vapor Rec: Not reported  
 Inst Stage Date: Not reported

**478 WADDELL S SERVICE STATION  
 1400 YOUNG  
 DALLAS, TX**

**EDR Hist Auto 1009356593  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1936 WADDELL S SERVICE STATION GASOLINE AND OIL SERVICE STATIONS

**478 LEVEL 3 - DALLAS - DLLSTXLD  
 400 S AKARD - CARRIER CENTRAL  
 DALLAS, TX 75202**

**TX TIER 2 S111990566  
 N/A**

TIER 2:

Facility Id/Name: FATR20112V06SD00PDN8/LEVEL 3 - DALLAS - DLLSTXLD  
 Reporting Year: 2011  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 5/16/2012  
 Date Tier 2 Signed: 1-25-2012  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 700.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental Project Manager  
 Latitude: 32.778467  
 Longitude: -96.798678  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS - DLLSTXLD (Continued)**

**S111990566**

Facility Info:

Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/26/2007  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/9/2004  
 Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009

Chemical Inventory:

Facility Id: FATR20112V06SD00PDN8  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20112V07JA019TYD  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 20.5  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20112V07ST01C65B  
 Chemical Inventory Record Id: CVTR20112V07JA019TYD  
 Amt Of Sub Stored Or Transported: 11988  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Main Battery Room within batteries  
 Last Modified: 2/14/2012  
  
 Record Key: CLTR20118CMN6J00E4GA  
 Chemical Inventory Record Id: CVTR20112V07JA019TYD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXLD (Continued)**

**S111990566**

Amt Of Sub Stored Or Transported: 144  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B2-Level 3 Cage within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118CMN8200FFQR  
 Chemical Inventory Record Id: CVTR20112V07JA019TYD  
 Amt Of Sub Stored Or Transported: 153  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B1-Meeting Room Cage within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118CMN8D00GQWR  
 Chemical Inventory Record Id: CVTR20112V07JA019TYD  
 Amt Of Sub Stored Or Transported: 984  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 5th Floor within batteries  
 Last Modified: 2/14/2012

Mixture:

Record Key: CMTR201171AWCY001SYS  
 Chemical Inv Record Id: CVTR20112V07JA019TYD  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20112V06SD00PDN8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/14/2012

Facility Id: FATR20112V06SD00PDN8  
 Chemical Name: #2 Diesel Fuel  
 Chemical Inv Record Id: CVTR20112V07L101ABDP  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 26208  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXLD (Continued)**

**S111990566**

Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20112V07NL01BJ7B  
 Chemical Inventory Record Id: CVTR20112V07L101ABDP  
 Amt Of Sub Stored Or Transported: 3600  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Doublewalled AST located on pad near emergency generator  
 Last Modified: 2/14/2012

Facility Id: FATR20112V06SD00PDN8  
 Chemical Name: lead  
 Chemical Inv Record Id: CVTR20113JK0S3009DPT  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 170  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/14/2012  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113JLS040019YB  
 Chemical Inventory Record Id: CVTR20113JK0S3009DPT  
 Amt Of Sub Stored Or Transported: 116212  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Main battery room within batteries  
 Last Modified: 2/14/2012



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS - DLLSTXLD (Continued)**

**S111990566**

Record Key: CLTR20118CMNEP00H6E8  
 Chemical Inventory Record Id: CVTR20113JK0S3009DPT  
 Amt Of Sub Stored Or Transported: 1226  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B1-Cage within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118CMNFH00JW3X  
 Chemical Inventory Record Id: CVTR20113JK0S3009DPT  
 Amt Of Sub Stored Or Transported: 1410  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: B2-Cage within batteries  
 Last Modified: 2/14/2012

Record Key: CLTR20118CMNGF00KQ18  
 Chemical Inventory Record Id: CVTR20113JK0S3009DPT  
 Amt Of Sub Stored Or Transported: 6720  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: 5th Floor within batteries  
 Last Modified: 2/14/2012

Notes: Not reported  
 Validation: Not reported

478

**DATABANK**  
**400 S AKARD ST STE 100**  
**DALLAS, TX 75202**

**TX AST A100416742**  
**N/A**

AST:

Facility ID: 133562  
 Additional ID: 874492192016133  
 AI Number: 88447  
 Facility Type: EMERGENCY GENERATOR  
 Facility Begin Date: 01/01/2008  
 Facility Status: ACTIVE  
 Facility Exempt Status: N  
 Records Off-Site: N  
 UST Financial Assurance Required: Not reported  
 Number of Active ASTs: 6  
 Site Location Description: Not reported  
 Site Location (nearest city name): Not reported  
 Site Location (county name): DALLAS  
 Site Location (TCEQ region): 4  
 Site Location (location zip): 75202  
 Contact Name/Title: DANNY ALLEN/  
 Contact Organization Name: DATABANK  
 Contact Mailing Address1: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DATABANK (Continued)**

**A100416742**

Contact Mailing Address2:	Not reported
Contact CityStateZip:	Not reported
Contact Telephone:	2145355929
Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	DALLEN@DATABANK.COM
Signature Date on Earliest Reg Form:	04/11/2016
Signature First Name on Earliest Reg Form:	DANNY
Application Received Date on Earliest Reg Form:	04/15/2016
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	ALLEN
Signature Title on Earliest Reg Form:	Not reported
Signature Role on Earliest Reg Form:	Not reported
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	N
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	133562
Tank ID:	1A
AST ID:	221640
AI Number:	88447
Install Date:	01/01/2008
Tank Registration Date:	04/15/2016
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	01/01/2008
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	3800
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	N
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported
Facility ID:	
Facility ID:	133562
Tank ID:	1B
AST ID:	221641
AI Number:	88447
Install Date:	01/01/2008
Tank Registration Date:	04/15/2016
Mult Comp:	N
Tank Status:	IN USE
Tank Status Date:	01/01/2008
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	3800

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DATABANK (Continued)**

**A100416742**

Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: N  
 Fiber: N  
 Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: N  
 Contains CO: N  
 Contains NO: N  
 Vapor Rec: Not reported  
 Inst Stage Date: Not reported

Facility ID: 133562  
 Tank ID: 2A  
 AST ID: 221642  
 AI Number: 88447  
 Install Date: 06/01/2008  
 Tank Registration Date: 04/15/2016  
 Mult Comp: N  
 Tank Status: IN USE  
 Tank Status Date: 06/01/2008  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 3400  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: N  
 Fiber: N  
 Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: N  
 Contains CO: N  
 Contains NO: N  
 Vapor Rec: Not reported  
 Inst Stage Date: Not reported

Facility ID: 133562  
 Tank ID: 2B  
 AST ID: 221643  
 AI Number: 88447  
 Install Date: 06/01/2008  
 Tank Registration Date: 04/15/2016  
 Mult Comp: N  
 Tank Status: IN USE  
 Tank Status Date: 06/01/2008  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 3400  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: N  
 Fiber: N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DATABANK (Continued)**

**A100416742**

Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: N  
 Contains CO: N  
 Contains NO: N  
 Vapor Rec: Not reported  
 Inst Stage Date: Not reported

Facility ID: 133562  
 Tank ID: 3A  
 AST ID: 221644  
 AI Number: 88447  
 Install Date: 01/01/2009  
 Tank Registration Date: 04/15/2016  
 Mult Comp: N  
 Tank Status: IN USE  
 Tank Status Date: 01/01/2009  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 5000  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: N  
 Fiber: N  
 Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: N  
 Contains CO: N  
 Contains NO: N  
 Vapor Rec: Not reported  
 Inst Stage Date: Not reported

Facility ID: 133562  
 Tank ID: 3B  
 AST ID: 221645  
 AI Number: 88447  
 Install Date: 01/01/2009  
 Tank Registration Date: 04/15/2016  
 Mult Comp: N  
 Tank Status: IN USE  
 Tank Status Date: 01/01/2009  
 Tank Reg Status: FULLY REGULATED  
 Tank Capacity: 5000  
 Substance: DIESEL  
 Other Substance B: Not reported  
 Other Substance C: Not reported  
 Steel: N  
 Fiber: N  
 Aluminum: N  
 Metal: N  
 Concrete: N  
 Dike: N  
 Liner: N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

**DATABANK (Continued)**

**A100416742**

Contains CO:	N
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

**478 DALLAS CARRIER CENTER  
400 S AKARD ST  
DALLAS, TX 75202**

**FINDS 1011321899  
N/A**

**FINDS:**

Registry ID: 110034245225

**Environmental Interest/Information System**

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**478 LEVEL 3 DALLAS AKARD  
400 S AKARD - CARRIER CENTRAL  
DALLAS, TX 75202**

**TX TIER 2 S110400592  
N/A**

**TIER 2:**

Facility Id/Name:	FATR20092V06SD00PDN8/LEVEL 3 DALLAS AKARD
Reporting Year:	2009
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	5/24/2010
Date Tier 2 Signed:	2/18/2010
Mailing Address:	1025 Eldorado Blvd.
Mailing City/State/Country:	Broomfield, CO USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	850
Number Of Emploeyss On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Robert Gurdikian
Latitude:	32.778467
Longitude:	-96.798678
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 DALLAS AKARD (Continued)**

**S110400592**

Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/9/2004  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/26/2007

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Clint Thompson  
 Title: Sr. Director  
 Modification Date: 3/1/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd.  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications, LLC  
 Title: Not reported  
 Modification Date: 3/1/2010

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Type 3: Billing  
 Contact Name: Robert Gurdikian  
 Title: Env. Manager  
 Modification Date: 1/30/2008

Chemical Inventory:

Facility Id: FATR20092V06SD00PDN8

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 DALLAS AKARD (Continued)**

**S110400592**

Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20092V07JA019TYD  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 18.5  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20092V07ST01C65B  
 Chemical Inventory Record Id: CVTR20092V07JA019TYD  
 Amt Of Sub Stored Or Transported: 14829  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: On site in various battery rooms  
 Last Modified: 3/1/2010

Mixture:

Record Key: CMTR200971AWCY001SYS  
 Chemical Inv Record Id: CVTR20092V07JA019TYD  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20092V06SD00PDN8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 3/1/2010

Facility Id: FATR20092V06SD00PDN8  
 Chemical Name: #2 Diesel Fuel  
 Chemical Inv Record Id: CVTR20092V07L101ABDP  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 26208

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 DALLAS AKARD (Continued)**

**S110400592**

Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20092V07NL01BJ7B  
 Chemical Inventory Record Id: CVTR20092V07L101ABDP  
 Amt Of Sub Stored Or Transported: 3600  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Double lined diesel tank located on pad near the emergency generator  
 Last Modified: 3/1/2010

Facility Id: FATR20092V06SD00PDN8  
 Chemical Name: lead  
 Chemical Inv Record Id: CVTR20093JK0S3009DPT  
 CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 170  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 3/1/2010  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2009  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20093JLS040019YB



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 DALLAS AKARD (Continued)**

**S110400592**

Chemical Inventory Record Id: CVTR20093JK0S3009DPT  
 Amt Of Sub Stored Or Transported: 136104  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: contained in batteries inside bldg  
 Last Modified: 3/1/2010

Notes: Not reported

Validation: This facility passed all validation checks.

478

**DLLSTX2W  
 CARRIER CENTRAL 400 S AKARD  
 DALLAS, TX 75202**

**TX TIER 2 S108438657  
 N/A**

TIER 2:

Facility Id/Name: FATR20052V06SD00PDN8/DLLSTX2W  
 Reporting Year: 2005  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 2/27/2007  
 Date Tier 2 Signed: 1/17/2006  
 Mailing Address: One Technology Center  
 Mailing City/State/Country: Tulsa, OK USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 5  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Amelia London  
 Latitude: 32.778467  
 Longitude: -96.798678  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported

Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**478 LEVEL 3 - DALLAS AKARD  
 400 S AKARD - CARRIER CENTRAL  
 DALLAS, TX 75202**

**TX TIER 2 S111033777  
 N/A**

TIER 2:

Facility Id/Name: FATR20102V06SD00PDN8/LEVEL 3 - DALLAS AKARD  
 Reporting Year: 2010  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 1/24/2011  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 800.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Payton Michael - Environmental PM  
 Latitude: 32.778467  
 Longitude: -96.798678  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 51331  
 Id Type: NAICS  
 Description: Wired Telecommunications Carriers  
 Last Modified: 2/9/2009  
 Id: 4813  
 Id Type: SIC  
 Description: TELEPHONE COM, EXCEPT RADIO  
 Last Modified: 2/9/2004  
 Id: 073090917  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/26/2007

Contact:

Contact Email: Not reported  
 Contact Mail Address: Not reported  
 Contact City/State/Zip: Not reported  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Clint Thompson  
 Title: Sr. Director  
 Modification Date: 2/16/2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LEVEL 3 - DALLAS AKARD (Continued)**

**S111033777**

Contact:

Contact Email: payton.michael@level3.com  
 Contact Mail Address: 1025 Eldorado Blvd.  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Regulatory Point of Contact  
 Contact Type 2: Submitter  
 Contact Name: Payton Michael  
 Title: Environmental PM  
 Modification Date: 1/17/2011

Contact:

Contact Email: Not reported  
 Contact Mail Address: 1025 Eldorado Blvd.  
 Contact City/State/Zip: Broomfield, CO 80021  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Level 3 Communications, LLC  
 Title: Not reported  
 Modification Date: 2/16/2011

Chemical Inventory:

Facility Id: FATR20102V06SD00PDN8  
 Chemical Name: Sulfuric Acid  
 Chemical Inv Record Id: CVTR20102V07JA019TYD  
 CAS Number: 7664-93-9  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 18.5  
 Chronic Health Risks: T  
 EHS Substance: T  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: T  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20102V07ST01C65B  
 Chemical Inventory Record Id: CVTR20102V07JA019TYD  
 Amt Of Sub Stored Or Transported: 14829  
 Amount Units: pounds  
 Type Of Storage: Other

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS AKARD (Continued)**

**S111033777**

Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: On site in various battery rooms  
 Last Modified: 2/16/2011

**Mixture:**

Record Key: CMTR201071AWCY001SYS  
 Chemical Inv Record Id: CVTR20102V07JA019TYD  
 Mix Chemical: Sulfuric Acid in Electrolyte Solution  
 Percentage: 15  
 Facility Id: FATR20102V06SD00PDN8  
 Mixture Cas: 7664-93-9  
 Weight/Volume: Wt  
 Mixture Ehs: T  
 Mixture Last Modified: 2/16/2011

Facility Id: FATR20102V06SD00PDN8  
 Chemical Name: #2 Diesel Fuel  
 Chemical Inv Record Id: CVTR20102V07L101ABDP  
 CAS Number: 68476-30-2  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 10,000 - 99,999 pounds  
 Max Daily Amount: 10,000 - 99,999 pounds  
 Max Amount In Largest Container: 26208  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20102V07NL01BJ7B  
 Chemical Inventory Record Id: CVTR20102V07L101ABDP  
 Amt Of Sub Stored Or Transported: 3600  
 Amount Units: gallons  
 Type Of Storage: Above ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Double lined diesel tank located on pad near the emergency generator  
 Last Modified: 2/16/2011

Facility Id: FATR20102V06SD00PDN8  
 Chemical Name: lead  
 Chemical Inv Record Id: CVTR20103JK0S3009DPT

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS AKARD (Continued)**

**S111033777**

CAS Number: 7439-92-1  
 Chemical Same As Last Year: Not reported  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: 170  
 Chronic Health Risks: T  
 EHS Substance: Not reported  
 Last Modified: 2/16/2011  
 Days On Site: 365  
 Fire Hazard: Not reported  
 Gas: Not reported  
 Liquid: Not reported  
 Mixture Form: Not reported  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: T  
 Reactive Hazard: Not reported  
 Solid: T  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20103JLS040019YB  
 Chemical Inventory Record Id: CVTR20103JKOS3009DPT  
 Amt Of Sub Stored Or Transported: 136104  
 Amount Units: pounds  
 Type Of Storage: Other  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: contained in batteries inside bldg  
 Last Modified: 2/16/2011

Notes: Not reported  
 Validation: Not reported

478

**LEVEL 3 - DALLAS (DLLSTX2W)  
 CARRIER CENTRAL 400 S AKARD  
 DALLAS, TX 75202**

**TX TIER 2 S109188439  
 N/A**

TIER 2:

Facility Id/Name: FATR20082V06SD00PDN8/LEVEL 3 - DALLAS (DLLSTX2W)  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 2/10/2009  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 950  
 Number Of Employess On Site: 5  
 Site Map: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LEVEL 3 - DALLAS (DLLSTX2W) (Continued)**

**S109188439**

Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental PM  
 Latitude: 32.778467  
 Longitude: -96.798678  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Id/Name: FATR20072V06SD00PDN8/LEVEL 3 - DALLAS (DLLSTX2W)  
 Reporting Year: 2007  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 8/5/2008  
 Date Tier 2 Signed: 2/25/2008  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 5  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Robert Gurdikian, Environmental Project Manager  
 Latitude: 32.778467  
 Longitude: -96.798678  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Notes: Not reported

Validation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**478 DLLSTX2W  
 CARRIER CENTRAL 400 S AKARD  
 DALLAS, TX 75202**

**TX TIER 2 S108867806  
 N/A**

TIER 2:

Facility Id/Name: FATR20062V06SD00PDN8/DLLSTX2W  
 Reporting Year: 2006  
 Facility Country: USA  
 Facility Department: Not reported  
 Facility Date Modified: 10/10/2007  
 Date Tier 2 Signed: 1/26/2007  
 Mailing Address: 1025 Eldorado Blvd.  
 Mailing City/State/Country: Broomfield, CO USA  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: Not reported  
 Number Of Employess On Site: 5  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Jody White / Environmental Compliance  
 Latitude: 32.778467  
 Longitude: -96.798678  
 Lat/Long Location Desc: Not reported  
 Lat/Long Method: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported  
 Validation: Not reported

**479 WATSON AND CALDWELL  
 419 S AKARD  
 DALLAS, TX**

**EDR Hist Auto 1009372610  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	WATSON AND CALDWELL	AUTOMOBILE REPAIRING
1941	WATSON AND CALDWELL GARAGE	AUTOMOBILE REPAIRING
1946	WATSON AUTO SERVICE	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

<b>479</b>	<b>CARRIER CENTER DALLAS</b>	<b>FINDS</b>	<b>1011313868</b>
	<b>DALLAS, TX 75202</b>		<b>N/A</b>

FINDS:

Registry ID: 110034298374

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>480</b>	<b>HARMON TAILOR SHOP</b>	<b>EDR Hist Cleaner</b>	<b>1009347263</b>
	<b>617 S HARWOOD</b>		<b>N/A</b>
	<b>DALLAS, TX</b>		

EDR Hist Cleaner

Year:	Name:	Type:
1930	CARTER W B	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1941	HARMON TAILOR SHOP	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

<b>480</b>	<b>HARWOOD VILLAGE NORTH SHOPPING CENTER</b>	<b>FINDS</b>	<b>1010755524</b>
	<b>601 S HARWOOD ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

FINDS:

Registry ID: 110033923930

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

480 PICKENS ROBERT AUTO GARAGE EDR Hist Auto 1009378766  
 611 S HARWOOD ST N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1986 PICKENS ROBERT AUTO GARAGE AUTOMOBILE REPAIRING

480 DIXIE CLEANERS EDR Hist Cleaner 1009347079  
 609 S HARWOOD N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1925 C AND C CLEANING CO CLOTHES CLEANERS AND DYERS  
 1930 DIXIE CLEANERS CLOTHES PRESSERS, CLEANERS AND REPAIRERS

481 GEORGE ALLEN BUILDING TX ASBESTOS S121063034  
 600 COMMERCE N/A  
 DALLAS, TX 75202

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: Debbi Smith  
 Violation: Not reported  
 Complaint Date: 06/20/2017  
 Notification Number: 2017004223  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 06/02/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement  
 Notification Type: Original  
 Work Type Flag: A  
 Certification Statement Date: 06/02/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/19/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	06/27/2017
Notification Number:	2017004223
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/19/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	06/19/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/26/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	06/28/2017
Notification Number:	2017004223
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/26/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	06/26/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/27/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	06/29/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Notification Number:	2017004223
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/26/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	06/26/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/28/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	11/19/2017
Notification Number:	2017008197
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/03/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/03/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	9
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/17/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	12/03/2017
Notification Number:	2017008197
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/08/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	11/08/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	9
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/01/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	12/10/2017
Notification Number:	2017008197
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/30/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	11/30/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	9
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/08/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	10/09/2017
Notification Number:	2017006840
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	09/20/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	18
Is this a phased abatement project?:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/04/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	10/09/2017
Notification Number:	2017006840
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/03/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/03/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	18
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/06/2017
Date of inspection:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Reason for Inspection:	Debbie Smith
Violation:	Not reported
Complaint Date:	12/29/2017
Notification Number:	2017009451
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	12/13/2017
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/27/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbi Smith
Violation:	Not reported
Complaint Date:	02/14/2017
Notification Number:	2016010560
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/29/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	12/29/2016
Certification Statement Phone:	214-771-3977
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	01/14/2017
Date of inspection:	Not reported
Reason for Inspection:	Debbi Smith
Violation:	Not reported
Complaint Date:	02/21/2017
Notification Number:	2016010560
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/06/2017
Date Routed by Supervisor:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GEORGE ALLEN BUILDING (Continued)**

**S121063034**

Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 1  
 Notification Work Type: Abatement  
 Notification Type: Amendment  
 Work Type Flag: A  
 Certification Statement Date: 01/06/2017  
 Certification Statement Phone: 214-771-3977  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: HIGH  
 ARU: 2  
 Is this a phased abatement project?: Y  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: Y  
 High Profile: N  
 Ref Method: Full Containment with RFCI  
 Analytical Method: PLM  
 Start Date: 01/21/2017

481

**GOFF CLEANER  
 610 COMMERCE  
 DALLAS, TX**

**EDR Hist Cleaner 1009347088  
 N/A**

EDR Hist Cleaner

Year: Name:  
 1941 GOFF CLEANER

Type:  
 CLOTHES PRESSERS, CLEANERS AND REPAIRERS

482

**MIDW10  
 1100 JACKSON ST  
 DALLAS, TX 75202**

**TX UST U001293492  
 N/A**

UST:

AI Number: 50950  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 09/01/1987  
 Facility Status: INACTIVE  
 Additional ID: 431534892002138  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MIDW10 (Continued)**

**U001293492**

Site Location (Location Zip):	75202
Contact Name/Title:	,
Contact Organization Name:	MIDW10
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2145085361
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	02/27/1990
Signature Name/Title On Earliest Reg Form:	RONALD J EDINGTON,MGR
Application Received Date On Earliest Reg Form:	02/28/1990
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600845093
Owner Last Name:	FEDERAL DEPOSIT INSURANCE CORPORATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	31443472002064
Additional ID:	431534892002138
AI Number:	50950
Owner Effective Begin Date:	01/31/1995
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	02/28/1990
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	130526
Facility ID:	85703
AI Number:	50950
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MIDW10 (Continued)**

**U001293492**

Tank Status Date:	08/01/1990
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	10/21/1989
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	8000
UST Comprt ID:	132054
UST ID:	130526
AI Number:	50950
Compartment ID:	A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MIDW10 (Continued)**

**U001293492**

Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	02/28/1990
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	130527
Facility ID:	85703
Ai Number:	50950
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/01/1990
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MIDW10 (Continued)**

**U001293492**

Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	10/21/1989
Compartment Records:	
Tank ID:	2
Tank Capacity:	8000
UST Comprt ID:	132055
UST ID:	130527
AI Number:	50950
Compartment ID:	A
Substance Stored1:	UNKNOWN
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MIDW10 (Continued)**

**U001293492**

CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve) ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	FEDERAL DEPOSIT INSURANCE CORPORATION
Contact Mailing Address (Delivery):	1910 PACIFIC AVE STE 1300
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 4529
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	85703
Additional ID:	431534892002138
Princ ID:	31443472002064
AI Number:	50950
Facility Name:	MIDW10
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	SHARON K ALLEN/



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>482</b>	<b>JACKSON ST GARAGE</b> <b>1100 JACKSON ST</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009352990</b> <b>N/A</b>
------------	---	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1941	JACKSON S DOC GARAGE	AUTOMOBILE GARAGES
1946	JACKSON S DOC GARAGE	AUTOMOBILE REPAIRING
1951	JACKSON S DOC GARAGE	AUTOMOBILE REPAIRING

<b>482</b>	<b>JACKSON DOC GARAGE</b> <b>1016 JACKSON</b> <b>DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009351760</b> <b>N/A</b>
------------	---	----------------------	---------------------------------

EDR Hist Auto

Year:	Name:	Type:
1936	JACKSON DOC GARAGE	AUTOMOBILE GARAGES

<b>483</b>	<b>DALLAS SPORTS ARENA</b> <b>1726 YOUNG ST</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1016351329</b> <b>N/A</b>
------------	---	--------------	---------------------------------

FINDS:

Registry ID: 110039534821

Environmental Interest/Information System  
US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)  
is an federal online database for Brownfields Grantees to  
electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access  
additional FINDS: detail in the EDR Site Report.

<b>483</b>	<b>NW SERVICE CENTER-II</b> <b>1726 YOUNG ST</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1023621822</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID: 110060809399

Environmental Interest/Information System  
US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)  
is an federal online database for Brownfields Grantees to  
electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access  
additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>483</b>	<b>JEFFERSON AT KESSLER HEIGHTS</b>	<b>FINDS</b>	<b>1016351348</b>
	<b>1726 YOUNG ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

FINDS:

Registry ID: 110039535090

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>483</b>	<b>RIVER LEVEE</b>	<b>FINDS</b>	<b>1016351331</b>
	<b>1726 YOUNG ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

FINDS:

Registry ID: 110039534858

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>483</b>	<b>27 LOTS IN ST. MARY'S PROJECT</b>	<b>FINDS</b>	<b>1016351328</b>
	<b>1726 YOUNG ST</b>		<b>N/A</b>
	<b>DALLAS, TX 75201</b>		

FINDS:

Registry ID: 110039534803

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>483</b>	<b>FISHBURN CLEANERS</b> <b>1726 YOUNG ST</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1016351345</b> <b>N/A</b>
------------	---	--------------	---------------------------------

FINDS:

Registry ID: 110039535054

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>483</b>	<b>AUSTIN STREET BIKE TRAIL</b> <b>1726 YOUNG ST</b> <b>DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1016351335</b> <b>N/A</b>
------------	--	--------------	---------------------------------

FINDS:

Registry ID: 110039534938

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>483</b>	<b>TALLEY RANCH WWTP 1</b> <b>1.6 MILE NE INTX. SPRING HILL RD</b> <b>DALLAS, TX 00000</b>	<b>FINDS</b> <b>ECHO</b>	<b>1010345977</b> <b>N/A</b>
------------	--	-----------------------------	---------------------------------

FINDS:

Registry ID: 110030770921

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1010345977

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**TALLEY RANCH WWTP 1 (Continued)**

**1010345977**

Registry ID: 110030770921  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110030770921>

**484 ERVAY CLEANERS EDR Hist Cleaner 1009346134**  
**533 S ERVAY N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	OAK CLIFF CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1941	ERVAY CLEANERS	CLOTHES PRESSERS, CLEANERS AND REPAIRERS
1946	ERVAY CLEANERS	CLEANERS AND DYERS
1951	ERVAY CLEANERS	CLEANERS AND DYERS
1956	ERVAY CLEANERS	CLEANERS AND DYERS

**484 DAVIS W P CLEANING CO EDR Hist Cleaner 1009345989**  
**525 S ERVAY N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1930	DAVIS W P CLEANING CO	CLOTHES PRESSERS, CLEANERS AND REPAIRERS

**484 BENNETT MILLER HOMES STELLARIGA STAR ROW ADDITION FINDS 1010739204**  
**523 S ERVAY ST N/A**  
**DALLAS, TX 75203**

FINDS:

Registry ID: 110033517442

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

484 CENTURY CLEANING AND LAUNDRY CO NO 2 EDR Hist Cleaner 1009345656  
 511 S ERVAY N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1951 CENTURY CLEANING AND LAUNDRY CO CLEANERS AND DYERS

484 FRY E R EDR Hist Auto 1009358462  
 1604 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 FRY E R AUTOMOBILE REPAIRERS

484 EVERYBODY S OIL GAS CO EDR Hist Auto 1009386850  
 YOUNG & S ERVAY N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 EVERYBODY S OIL GAS CO AUTOMOBILE OILS AND GASOLINE

484 MILLER AUTOMOTIVE SERVICE EDR Hist Auto 1009359080  
 1701 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 BLACK AND WESSON SERVEE STATION GASOLINE AND OIL SERVICE STATIONS  
 1936 MILLER W F AUTOMOBILE REPAIRING  
 1946 JONES AUTOMOTIVE SERVICE AUTOMOBILE REPAIRING  
 1951 MILLER AUTOMOTIVE SERVICE GASOLINE STATIONS

484 JONES WM R EDR Hist Auto 1009359152  
 1703 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1941 JONES WM R AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

485 MC CLELLAN AUTO REPAIR AND SERVICE CO EDR Hist Auto 1009383201  
 809 JACKSON N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 MC CLELLAN AUTO REPAIR AND SERV AUTOMOBILE REPAIRERS

486 WINNING WAY LAUNDRY CLEANING CO EDR Hist Cleaner 1009344224  
 422 S AKARD N/A  
 DALLAS, TX

EDR Hist Cleaner

Year: Name: Type:  
 1941 WINNING WAY LAUNDRY CLEANING LAUNDRIES

486 MORNINGSTAR INC EDR Hist Cleaner 1018930081  
 400 S AKARD ST N/A  
 DALLAS, TX 75202

EDR Hist Cleaner

Year: Name: Type:  
 2010 MORNINGSTAR INC Laundry And Drycleaner Agents  
 2011 MORNINGSTAR INC Laundry And Drycleaner Agents

487 WOOD STREET GARAGE EDR Hist Auto 1009354435  
 1200 WOOD N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 WOOD STREET GARAGE AUTOMOBILE GARAGES

488 BAUMAN J W EDR Hist Auto 1009357732  
 1507 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1936 BAUMAN J W AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

489 **SCHOELLKOPF CO THE INC** EDR Hist Auto 1009383149  
**806 JACKSON**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1936 SCHOELLKOPF CO THE INC AUTOMOBILE OILS AND GASOLINE

490 **WILEOXSON AND HUGGINS GARAGE** EDR Hist Auto 1009380985  
**705 JACKSON**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1936 WILEOXSON AND HUGGINS GARAGE AUTOMOBILE REPAIRING  
 1941 JONES J E AUTOMOTIVE SERVICE AUTOMOBILE REPAIRING

491 **INTERURBAN AUTO STORAGE** EDR Hist Auto 1009357016  
**1417 YOUNG**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1941 RESERVE MOTOR GARAGE AUTOMOBILE REPAIRING

491 **YOUNG AND BROWDER GARAGE** EDR Hist Auto 1009357103  
**1421 YOUNG**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 YOUNG AND BROWDER GARAGE AUTOMOBILE GARAGES

491 **YOUNG AND BROWDER GARAGE** EDR Hist Auto 1009357057  
**1419 YOUNG**  
**DALLAS, TX** N/A

EDR Hist Auto

Year: Name: Type:  
 1930 YOUNG AND BROWDER GARAGE AUTOMOBILE GARAGES

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

491 YOUNG AND BROWDER GARAGE EDR Hist Auto 1009357137  
 1423 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 YOUNG AND BROWDER GARAGE AUTOMOBILE GARAGES

491 YOUNG AND BROWDER GARAGE EDR Hist Auto 1009357180  
 1427 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 YOUNG AND BROWDER GARAGE AUTOMOBILE GARAGES

491 YOUNG AND BROWDER GARAGE EDR Hist Auto 1009357163  
 1425 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1930 YOUNG AND BROWDER GARAGE AUTOMOBILE GARAGES

492 VACANT OFFICE/GARAGE TX ASBESTOS S121363504  
 1002 WOOD STREET N/A  
 DALLAS, TX 75202

ASBESTOS:

Date of inspection: 10/30/2017  
 Reason for Inspection: Ismelda Sarmiento  
 Violation: Not reported  
 Complaint Date: 11/30/2017  
 Notification Number: 2017006883  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 10/20/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VACANT OFFICE/GARAGE (Continued)

S121363504

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement/Demolition (Both)
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	10/20/2017
Certification Statement Phone:	972-780-5567
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	13
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/30/2017
Date of inspection:	10/30/2017
Reason for Inspection:	Ismelda Sarmiento
Violation:	Not reported
Complaint Date:	10/18/2017
Notification Number:	2017006883
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/20/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement/Demolition (Both)
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/20/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VACANT OFFICE/GARAGE (Continued)**

**S121363504**

Certification Statement Phone:	972-780-5567
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	13
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/05/2017
Date of inspection:	10/30/2017
Reason for Inspection:	Ismelda Sarmiento
Violation:	Not reported
Complaint Date:	10/18/2017
Notification Number:	2017006883
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/11/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement/Demolition (Both)
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/11/2017
Certification Statement Phone:	972-780-5567
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	13
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VACANT OFFICE/GARAGE (Continued)

S121363504

High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/05/2017
Date of inspection:	10/30/2017
Reason for Inspection:	Ismelda Sarmiento
Violation:	Not reported
Complaint Date:	10/18/2017
Notification Number:	2017006883
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/21/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement/Demolition (Both)
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	09/21/2017
Certification Statement Phone:	972-780-5567
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	13
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/05/2017
Date of inspection:	10/30/2017
Reason for Inspection:	Ismelda Sarmiento
Violation:	Not reported
Complaint Date:	11/17/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

VACANT OFFICE/GARAGE (Continued)

S121363504

Notification Number: 2017006883  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 09/21/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtn'd to Inspector Corrections: Not reported  
 Date Rcv'd Back: Not reported  
 Date Rtn'd to Inspector Corrections2: Not reported  
 Date Rcv'd Back 2: Not reported  
 Date Rtn'd to Inspector Corrections 3: Not reported  
 Date Rcv'd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Abatement/Demolition (Both)  
 Notification Type: Original  
 Work Type Flag: D  
 Certification Statement Date: 09/21/2017  
 Certification Statement Phone: 972-780-5567  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 13  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 10/19/2017

Date of inspection: 10/30/2017  
 Reason for Inspection: Ismelda Sarmiento  
 Violation: Not reported  
 Complaint Date: 11/24/2017  
 Notification Number: 2017006883  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VACANT OFFICE/GARAGE (Continued)**

**S121363504**

Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 10/11/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 1  
 Notification Work Type: Abatement/Demolition (Both)  
 Notification Type: Amendment  
 Work Type Flag: D  
 Certification Statement Date: 10/11/2017  
 Certification Statement Phone: 972-780-5567  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 13  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Full Containment  
 Analytical Method: PLM  
 Start Date: 10/23/2017

492

**VACANT BUILDING  
 1002 WOOD STREET  
 DALLAS, TX 75202**

**TX ASBESTOS S121363322  
 N/A**

ASBESTOS:  
 Date of inspection: Not reported  
 Reason for Inspection: ANTHONY LOHDEN  
 Violation: Not reported  
 Complaint Date: 10/26/2017  
 Notification Number: 2017006278  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Public  
 Inspector Name: Not reported  
 Date Report Received: 09/21/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

VACANT BUILDING (Continued)

S121363322

Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Cancelled
Amendo:	1
Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	08/31/2017
Certification Statement Phone:	214-942-7612
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	09/26/2017
Date of inspection:	Not reported
Reason for Inspection:	ANTHONY LOHDEN
Violation:	Not reported
Complaint Date:	10/08/2017
Notification Number:	2017006278
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/23/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VACANT BUILDING (Continued)**

**S121363322**

Date Rcvd Back 3: Not reported  
 Notification Status: Current/Has Amendment  
 Amendo: 0  
 Notification Work Type: Demolition  
 Notification Type: Original  
 Work Type Flag: D  
 Certification Statement Date: 08/23/2017  
 Certification Statement Phone: 214-942-7612  
 Is The Facility a School or K-12?: N  
 Region: 03  
 Priority: LOW  
 ARU: 0  
 Is this a phased abatement project?: N  
 Ordered: N  
 Is This Project an Emergency?: N  
 Is Building Occupied?: N  
 High Profile: N  
 Ref Method: Not reported  
 Analytical Method: PLM  
 Start Date: 09/08/2017

**493 MIRACLE SAFETY WHEEL SALES INC  
 301 S MARKET  
 DALLAS, TX**

**EDR Hist Auto 1009367264  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1951 MIRACLE SAFETY WHEEL SALES INC AUTOMOBILE REPAIRING

**494 JEFFERSON GARAGE  
 605 JACKSON  
 DALLAS, TX**

**EDR Hist Auto 1009378536  
 N/A**

EDR Hist Auto

Year: Name: Type:  
 1925 JEFFERSON GARAGE AUTOMOBILE GARAGES  
 1936 NEW PLAZA PARKING STATION AUTOMOBILE GARAGES

**495 OFFICE BUILDING  
 500 SOUTH ERAVY ST.  
 DALLAS, TX 75201**

**TX ASBESTOS S119152561  
 N/A**

ASBESTOS:  
 Date of inspection: 08/19/2013  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: Unknown  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**OFFICE BUILDING (Continued)**

**S119152561**

Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

495

**500 SOUTH ERVAY  
 DALLAS, TX 75201**

**ERNS 2015131550  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

495 OFFICE BUILDING  
 500 SOUTH ERVAY  
 DALLAS, TX 75201

TX ASBESTOS S119152562  
 N/A

ASBESTOS:  
 Date of inspection: 12/12/2012  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: 2012007181  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: 03  
 Init: JR  
 Seq: 01  
 Facility Type: Asbestos  
 Inspector Name: Frank Rodriguez  
 Date Report Received: 02/05/2013  
 Date Routed by Supervisor: 02/21/2013  
 Date Routed to PSQA: 02/28/2013  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date RtnD to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date RtnD to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date RtnD to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Not reported  
 Amendo: Not reported  
 Notification Work Type: Not reported  
 Notification Type: Not reported  
 Work Type Flag: Not reported  
 Certification Statement Date: Not reported  
 Certification Statement Phone: Not reported  
 Is The Facility a School or K-12?: Not reported  
 Region: Not reported  
 Priority: Not reported  
 ARU: Not reported  
 Is this a phased abatement project?: Not reported  
 Ordered: Not reported  
 Is This Project an Emergency?: Not reported  
 Is Building Occupied?: Not reported  
 High Profile: Not reported  
 Ref Method: Not reported  
 Analytical Method: Not reported  
 Start Date: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

495 SHEPPARD PRINTING CO INC RCRA NonGen / NLR 1000349416  
 500 S ERVAY FINDS TXD007352644  
 DALLAS, TX 75201 ECHO

RCRA NonGen / NLR:

Date form received by agency: 08/23/2001  
 Facility name: SHEPPARD PRINTING CO INC  
 Facility address: 500 S ERVAY  
 DALLAS, TX 75201  
 EPA ID: TXD007352644  
 Mailing address: S ERVAY  
 DALLAS, TX 75201  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: S ERVAY  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/27/1980  
 Site name: SHEPPARD PRINTING CO  
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110005034328

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SHEPPARD PRINTING CO INC (Continued)**

**1000349416**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000349416  
 Registry ID: 110005034328  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110005034328>

495

**SHEPPARD PRINTING  
 500 S ERVAY ST  
 DALLAS, TX 75201**

**TX Ind. Haz Waste  
 TX ASBESTOS**

**S102749494  
 N/A**

Ind. Haz Waste:

Registration Number: 65783  
 Registration Initial Notification Date: 08/23/2001  
 Registration Last Amendment Date: 08/23/2001  
 EPA Identification: TXD007352644  
 Primary NAICS Code: Not reported  
 Status Change Date: 20010823  
 Land Type: Not reported  
 Description of Facility Site Location: 500 S Ervay, Dallas, TX  
 Site Primary Standard Industrial Code: Not reported  
 Site Primary SIC Description: Not reported  
 Registration is Generator of Waste: Yes  
 Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: CLASS1  
 TNRCC Region: Not reported  
 Company Name: SHEPPARD PRINTING CO INC  
 Contact Name: Not reported  
 Contact Telephone Number: Not reported  
 Mailing Address: 500 S ERVAY ST  
 Mailing Address2: Not reported  
 Mailing City, St, Zip: DALLAS, TX 752016316  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 21197  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20100604  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

Owner:

Owner Mailing Address: 500 S ERVAY ST  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SHEPPARD PRINTING (Continued)**

**S102749494**

Owner City,St,Zip: DALLAS, TX 75201 6316  
 Owner Country: UNITED STA  
 Owner Phone Number: Not reported  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Unknown  
 Owner Tax Id: 17515541658  
 Owner Bankruptcy Code: Not reported

Operator Records Not Found for this RegNo/Year:

Contact:

Contact Name: Not reported  
 Contact Title: ENVIRONMENTAL MANAGER  
 Contact Role: PRICONT  
 Contact Address: 500 S ERVAY ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 6316  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Contact:

Contact Name: Not reported  
 Contact Title: Not reported  
 Contact Role: OWNCON  
 Contact Address: 500 S ERVAY ST  
 Contact Address2: Not reported  
 Contact City,St,Zip: DALLAS, TX 75201 6316  
 Contact Phone: Not reported  
 Contact Fax: Not reported  
 Contact Email: Not reported

Unit Records Not Found for this RegNo/Year:

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste Records Not Found for this RegNo/Year:

ASBESTOS:

Date of inspection: 03/05/2014  
 Reason for Inspection: Notified  
 Violation: No  
 Complaint Date: Not reported  
 Notification Number: 2014001367  
 ASB Priority: Low  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SHEPPARD PRINTING (Continued)**

**S102749494**

Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/06/2014
Date Routed by Supervisor:	11/06/2014
Date Routed to PSQA:	11/07/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	10/15/2012
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2012007181
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	02/05/2013
Date Routed by Supervisor:	02/21/2013
Date Routed to PSQA:	02/28/2013
Date Reviewed by PSQA:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SHEPPARD PRINTING (Continued)**

**S102749494**

Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Date of inspection:	09/27/2013
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2013005110
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	11/04/2014
Date Routed by Supervisor:	11/05/2014
Date Routed to PSQA:	11/06/2014
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SHEPPARD PRINTING (Continued)**

**S102749494**

Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported

496

**B AND C GARAGE REAR  
 1408 YOUNG  
 DALLAS, TX**

EDR Hist Auto

**1009356824  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1925	B AND C GARAGE REAR	AUTOMOBILE REPAIRERS
1925	B AND C GARAGE	AUTOMOBILE GARAGES

497

**GAS HOUSE THE  
 1900 CANTON  
 DALLAS, TX**

EDR Hist Auto

**1009360313  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	GAS HOUSE THE	GASOLINE AND OIL SERVICE STATIONS
1936	GAS HOUSE FILLING STATION THE	GASOLINE AND OIL SERVICE STATIONS
1941	GAS HOUSE THE	GASOLINE AND OIL SERVICE STATIONS

498

**BURKS GARAGE  
 1303 YOUNG  
 DALLAS, TX**

EDR Hist Auto

**1009355703  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1930	BOWMAN AUTO CO	AUTOMOBILE GARAGES
1936	BURKS GARAGE	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

498 AMERICAN AUTO CO EDR Hist Auto 1009355892  
 1313 YOUNG N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1925 AMERICAN AUTO CO AUTOMOBILE REPAIRERS

498 GSA BUILDING TX UST U001962152  
 1301 YOUNG ST N/A  
 DALLAS, TX 75202

UST:

AI Number: 65937  
 Facility Type: Not reported  
 Facility Begin Date: 01/01/1982  
 Facility Status: INACTIVE  
 Additional ID: 787683832002061  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75202  
 Contact Name/Title: ROBERT BELL,  
 GSA BUILDING  
 Contact Organization Name:  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2147601671  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 08/23/1994  
 Signature Name/Title On Earliest Reg Form: THOMAS L WILKINS,DIR. OF ADMIN. SERV.  
 Application Received Date On Earliest Reg Form: 08/25/1994  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported  
 Enforcement Action: Not reported  
 Facility Not Inspectable: No

Owner:

Owner CN: CN600804363  
 Owner Last Name: DHP LTD  
 Owner First Name: Not reported  
 Owner Middle Name: Not reported  
 Owner Type: PA  
 Contact Mailing Address (Delivery): Not reported  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City: Not reported  
 Contact Mailing State: Not reported  
 Contact Mailing Zip: Not reported  
 Contact Mailing Zip5: Not reported  
 Contact Phone Number/Ext: /  
 Contact Fax Country Code: Not reported  
 Contact Fax Number/Ext: /



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GSA BUILDING (Continued)**

**U001962152**

Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	778683822002061
Additional ID:	787683832002061
AI Number:	65937
Owner Effective Begin Date:	02/15/1995
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1982
Tank Registration Date:	08/25/1994
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	171838
Facility ID:	98350
Ai Number:	65937
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	10/05/1998
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GSA BUILDING (Continued)**

**U001962152**

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	163628
UST ID:	171838
AI Number:	65937
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GSA BUILDING (Continued)**

**U001962152**

Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: DHP LTD  
 Contact Mailing Address (Delivery): 1301 YOUNG ST  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75202 5433  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 98350  
 Additional ID: 787683832002061  
 Princ ID: 778683822002061  
 AI Number: 65937  
 Facility Name: GSA BUILDING  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: RBT BELL/

499

**GRIFFIN STREET AUTOPARK  
 1002 WOOD ST  
 DALLAS, TX 75201**

**TX UST U003419591  
 N/A**

UST:

AI Number: 71055  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 08/31/1987  
 Facility Status: INACTIVE  
 Additional ID: 964357722002063  
 Facility Exempt Status: N  
 Records Off-Site: No  
 UST Financial Assurance Required: No  
 Number Of Active UST: 0  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: VIC WHITLEY,  
 Contact Organization Name: GRIFFIN STREET AUTOPARK  
 Contact Mailing Address1: Not reported  
 Contact Mailing Address2: Not reported  
 Contact Mailing City/State/Zip: Not reported  
 Contact Telephone: 2144437412  
 Facility Contact Address Deliverable: Not reported  
 Contact Fax Number: Not reported  
 Contact Email Address: Not reported  
 Signature Date On Earliest Reg Form: 10/01/1998  
 Signature Name/Title On Earliest Reg Form: V L WHITLEY,PROP MGR  
 Application Received Date On Earliest Reg Form: 10/05/1998  
 Signature Role On Earliest Reg Form: Not reported  
 Signature Company On Earliest Reg Form: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRIFFIN STREET AUTOPARK (Continued)**

**U003419591**

Enforcement Action:	Not reported
Facility Not Inspectable:	No
<b>Owner:</b>	
Owner CN:	CN600832752
Owner Last Name:	GRIFFIN STREET AUTOPARK LTD
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OR
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	954357712002063
Additional ID:	964357722002063
AI Number:	71055
Owner Effective Begin Date:	08/31/1987
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
<b>Tank:</b>	
Install Date:	08/31/1987
Tank Registration Date:	10/05/1998
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	187761
Facility ID:	108197
AI Number:	71055
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/24/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRIFFIN STREET AUTOPARK (Continued)**

**U003419591**

Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	176632
UST ID:	187761
AI Number:	71055
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GRIFFIN STREET AUTOPARK (Continued)**

**U003419591**

PRDM(Mthly Piping Tightness Test) @.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag ):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	08/31/1987
Tank Registration Date:	10/05/1998
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	187762
Facility ID:	108197
Ai Number:	71055
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	06/24/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRIFFIN STREET AUTOPARK (Continued)**

**U003419591**

PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	550
UST Comprt ID:	176633
UST ID:	187762
AI Number:	71055
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRIFFIN STREET AUTOPARK (Continued)**

**U003419591**

SOPE(DelShut-Off Valve ): N  
 SOPE(FlowRestrictorValue: N  
 SOPE(Alarm (Set@<=90%) W/3a Or 3b: N  
 SOPE(N/A Deliveries To Tank<=25G): N  
 Compartment Release Det Compliance Flag: N  
 Piping Release Detection Compliance Flag ): N  
 Spill/OverfillPreventionCompliance Flag: N  
 Compartment Release Detection Variance: N  
 Piping Release Detection Variance: N  
 Spill And Overfill Prevention Variance: N  
 Stage I Vapor Recovery: Not reported  
 Stage 1 Installation Date: Not reported

Facility Billing Contacts:

Contact Organization Name: GRIFFIN STREET AUTOPARK LTD  
 Contact Mailing Address (Delivery): 4500 ROLAND AVE  
 Contact Mailing Address (Internal Delivery): Not reported  
 Contact Mailing City/State/Zip: DALLAS, TX 75219 1640  
 Phone Number/Ext: /  
 Contact Fax Number/Ext: /  
 Contact Email Address: Not reported  
 Contact Address Deliverable: Y  
 Facility ID: 108197  
 Additional ID: 964357722002063  
 Princ ID: 954357712002063  
 AI Number: 71055  
 Facility Name: GRIFFIN STREET AUTOPARK  
 AR Number: Not reported  
 AR UST Number Suffix: Not reported  
 AR AST Number Suffix: Not reported  
 Contact Name/Title: VIC WHITLEY/

**500 SOUTH AKARD GARAGE**  
**522 S AKARD**  
**DALLAS, TX**

**EDR Hist Auto 1009376379**  
**N/A**

EDR Hist Auto

Year: Name: Type:  
 1925 SOUTH AKARD GARAGE AUTOMOBILE REPAIRERS

**500 PAPAS P D**  
**520 S AKARD**  
**DALLAS, TX**

**EDR Hist Cleaner 1009345846**  
**N/A**

EDR Hist Cleaner

Year: Name: Type:  
 1930 PAPAS P D HAT CLEANERS AND BLOCKERS



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>500</b>	<b>COMMERCIAL METALS CO. 512 S. AKARD DALLAS, TX</b>	<b>LEAD SMELTERS</b>	<b>1014201401 N/A</b>
------------	--	----------------------	---------------------------

Lead Smelter Sites:

Site number:	138
Street map and/or aerial photo:	Y (Office?)
Sanborn fire ins map ref.:	Dallas 1921-7 v.1 # 51, 52
Comments:	SMD1950, 1963
DJS match to SMD 48-49:	Not reported

<b>500</b>	<b>BUNN JACK SERVICE STATION 500 S AKARD DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009375262 N/A</b>
------------	---	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1941	BUNN JACK SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

<b>501</b>	<b>VAUGHAN AND MC DANIEL GARAGE 410 S LAMAR DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009372158 N/A</b>
------------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1936	VAUGHAN AND MC DANIEL GARAGE	AUTOMOBILE REPAIRING

<b>502</b>	<b>PICKENS GARAGE 702 S ERVAY DALLAS, TX</b>	<b>EDR Hist Auto</b>	<b>1009380887 N/A</b>
------------	--	----------------------	---------------------------

EDR Hist Auto

Year:	Name:	Type:
1930	PICKENS GARAGE	AUTOMOBILE GARAGES
1930	WHISENHUNT A L	AUTOMOBILE REPAIRERS

<b>502</b>	<b>CENTRAL BLDG MGMT DIVISION 1500 MARILLA ST DALLAS, TX 75201</b>	<b>TX Ind. Haz Waste</b>	<b>S104854850 N/A</b>
------------	--	--------------------------	---------------------------

Ind. Haz Waste:

Registration Number:	76868
Registration Initial Notification Date:	06/18/1992
Registration Last Amendment Date:	08/23/2001
EPA Identification:	TXD988001095
Primary NAICS Code:	Not reported
Status Change Date:	19920618
Land Type:	Not reported
Description of Facility Site Location:	1500 Marilla Dr, Dallas, TX
Site Primary Standard Industrial Code:	Not reported
Site Primary SIC Description:	Not reported
Registration is Generator of Waste:	Yes

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**S104854850**

Registration is Receivers of Waste: No  
 Registration is Transporter of Waste: No  
 Registration is Transfer Facility: No  
 Facility is STEERS Reporter: No  
 Required to Submit Annual Waste Summary: No  
 Facility Involved In Recycling: No  
 Revcr Has Monthly Reporting Requirement: 0  
 Mexican Facility: Not reported  
 Type of Generator: NON INDUS, SQG  
 TNRCC Region: Not reported  
 Company Name: CITY OF DALLAS  
 Contact Name: JAKE CARR  
 Contact Telephone Number: 214-6703824  
 Mailing Address: 1500 MARILLA ST DEPT L2FN  
 Mailing Address2: DEPT L2FN  
 Mailing City,St,Zip: DALLAS, TX 752016318  
 Mailing County: UNITED STATES  
 Facility Country: UNITED STATES  
 TNRCC Facility ID: 31175  
 Site Owner Tax ID: 0  
 Site Location Latitude: -00.000  
 Site Location Longitude: -000.000  
 Last Update to NOR Data: 20030526  
 Ind. waste permit Number: Not reported  
 Mun waste permit Number: Not reported  
 Non Notifier: No

Business Records Not Found for this RegNo/Year:

**Owner:**

Owner Mailing Address: 1500 MARILLA ST DEPT L2FN  
 Owner Mailing Address2: Not reported  
 Owner Mailing Address3: Not reported  
 Owner City,St,Zip: DALLAS, TX 75201 6318  
 Owner Country: UNITED STA  
 Owner Phone Number: 1-214-6703824  
 Owner Fax Number: Not reported  
 Owner Email Address: Not reported  
 Owner Business Type: Not reported  
 Owner Tax Id: Not reported  
 Owner Bankruptcy Code: Not reported

**Operator:**

Operator Last Name: CITY OF DALLAS  
 Operator First Name: Not reported  
 Operator Name: CITY OF DALLAS  
 Operator Mailing Address: 1500 MARILLA ST DEPT L2FN  
 Operator Mailing Address 2: Not reported  
 Operator Mailing City,St,Zip: DALLAS, TX 75201 6318  
 Operator Country: UNITED STA  
 Operator Phone: 1-214-6703824  
 Operator Fax: Not reported  
 Operator Email: Not reported  
 Operator Business Type: Not reported  
 Operator Tax Id: 17560005088  
 Operator Bankruptcy Code: Not reported

**Contact:**

Contact Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**S104854850**

Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	1500 MARILLA ST DEPT L2FN
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 6318
Contact Phone:	1-214-6703824
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	1500 MARILLA ST DEPT L2FN
Contact Address2:	Not reported
Contact City,St,Zip:	DALLAS, TX 75201 6318
Contact Phone:	1-214-6703824
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Contact:</b>	
Contact Name:	JAKE CARR
Contact Title:	ENVIRONMENTAL MANAGER
Contact Role:	PRICONT
Contact Address:	1500 MARILLA ST DEPT L2FN
Contact Address2:	DEPT L2FN
Contact City,St,Zip:	DALLAS, TX 75201 6318
Contact Phone:	1-214-6703824
Contact Fax:	Not reported
Contact Email:	Not reported
<b>Unit:</b>	
Unit No:	001
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Type Code:	22
Unit Type:	Not reported
Unit Status:	ACTIVE
Unit Regulatory Status:	Not reported
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	No
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Indstrial Sld Wst:	Not reported
System Type Code:	Not reported
System Type:	Not reported
System Type Code 1:	Not reported
System Type 1:	Not reported
System Type Code 2:	Not reported
System Type 2:	Not reported
System Type Code 3:	Not reported
System Type 3:	Not reported
System Type Code 4:	Not reported
System Type 4:	Not reported
Permit Seq #:	Not reported
Unit Description on NOR:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL BLDG MGMT DIVISION (Continued)**

**S104854850**

Dt Last Changed: Not reported  
 TNRCC Facility ID: Not reported  
 Unit ID: Not reported  
 Unit Description: Not reported  
 WastelD: ,

One Time Shipper Records Not Found for this RegNo/Year:

Receiver Type: Not reported  
 Transporter for hire: 0  
 Transport own waste: 0  
 Eq 01, if transport waste type = 1: Not reported  
 Eq 02, if transport waste type = 2: Not reported  
 Eq 03, if transport waste type = 3: Not reported  
 Eq 04, if transport waste type = H: Not reported  
 Target TCEQ unique facid for discarded(merged) facility: Not reported

Waste:

Waste ID: 295909  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CYX93081  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 295908  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CYX81191  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL BLDG MGMT DIVISION (Continued)**

**S104854850**

Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 282264  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CXX6209H  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 282263  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CXX5209H  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 282262  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CXX44061

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**S104854850**

Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: 1  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

Waste:

Waste ID: 282261  
 Waste Description: Not reported  
 Desc of Waste: Not reported  
 Texas Waste Code: Not reported  
 Texas Waste Code 2: CXX3206H  
 Waste Code Status: Not reported  
 Waste Form: Not reported  
 Waste Classification: H  
 Waste is Radioactive: No  
 Waste Treated Off Site: Not reported  
 Standard Industrial Classification: Not reported  
 Primary Source: Not reported  
 Primary Measurement Point: Not reported  
 Primary Origin: Not reported  
 Primary System Type: Not reported  
 New Chemical Substance: 0  
 Audit Performed: No  
 Company Waste ID: Not reported  
 Primary NAICS Code: Not reported  
 EPA Waste Form Code: Not reported  
 Reason Waste Form No Longer Gen.: Not reported  
 EPA Haz Waste: Not reported

502

**1500 MARILLA STREET  
 DALLAS, TX 75201**

**ERNS 2013056507  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**502 CITY OF DALLAS - CITY HALL  
 1500 MARILLA STREET  
 DALLAS, TX 75201**

**TX TIER 2 S109705125  
 N/A**

TIER 2:

Facility Id/Name: FATR20086AYM7G031H5J/CITY OF DALLAS - CITY HALL  
 Reporting Year: 2008  
 Facility Country: USA  
 Facility Department: Equipment and Building Services  
 Facility Date Modified: 6/30/2009  
 Date Tier 2 Signed: 02/26/2009  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: Not reported  
 State Fees Total: 100.00  
 Number Of Employess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Liza Bustamante, REM  
 Latitude: 32.7770  
 Longitude: 96.7956  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

**502 CENTRAL BLDG MGMT DIVISION  
 1500 MARILLA ST  
 DALLAS, TX 75201**

**TX UST U001264590  
 N/A**

UST:

AI Number: 31230  
 Facility Type: FLEET REFUELING  
 Facility Begin Date: 01/01/1974  
 Facility Status: ACTIVE  
 Additional ID: 997323662002117  
 Facility Exempt Status: N  
 Records Off-Site: Yes  
 UST Financial Assurance Required: Yes  
 Number Of Active UST: 2  
 Site Location Description: Not reported  
 Site Location (Nearest City Name): Not reported  
 Site Location (County Name): DALLAS  
 Site Location (Tceq Region): 4  
 Site Location (Location Zip): 75201  
 Contact Name/Title: LIZA BUSTAMANTE,

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Contact Organization Name:	CENTRAL BLDG MGMT DIVISION
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2146708728
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/18/2017
Signature Name/Title On Earliest Reg Form:	JILL JORDAN,ASST CITY MGR
Application Received Date On Earliest Reg Form:	06/01/2017
Signature Role On Earliest Reg Form:	LEGAL AUTH REP OWNER
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No
<b>Operator:</b>	
Princ ID:	925533122001297
Additional ID:	997323662002117
Ai Number:	31230
Operator CN:	CN600331730
Operator Name:	CITY OF DALLAS
Operator Effective Begin Date:	05/12/1986
Operator Type:	CI
Operator Role:	OPRCON
Contact Name:	/
Contact Organization Name:	CITY OF DALLAS
Contact Mailing Address (Delivery):	1500 MARILLA ST DEPT L2FN
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS TX 75201-6318
Contact Phone Country Code:	1
Contact Phone Area Code:	214
Contact Phone Number:	6703824
Contact Phone Extension:	0
Contact Fax Country Code:	Not reported
Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
<b>Owner:</b>	
Owner CN:	CN600331730
Owner Last Name:	CITY OF DALLAS
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	CI
Contact Mailing Address (Delivery):	2505 VALLERIA DR
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75211
Contact Mailing Zip5:	8310
Contact Phone Number/Ext:	1 214 3304631/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Contact Address Deliverable:	Not reported
Princ ID:	925533122001297
Additional ID:	997323662002117
AI Number:	31230
Owner Effective Begin Date:	05/12/1986
State Tax ID:	Not reported
Contact Role:	OWNCON
Contact Name/Title:	/
Contact Organization Name:	CITY OF DALLAS
Self Certification:	
Self Cert ID:	38559
Cert ID:	288581
AI Number:	31230
Self Certification Date:	05/18/2017
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2018
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	38559
Cert ID:	270780
AI Number:	31230
Self Certification Date:	05/27/2016
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2017
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	38559
Cert ID:	253358
AI Number:	31230
Self Certification Date:	05/13/2015
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	38559
Cert ID:	238037
AI Number:	31230
Self Certification Date:	05/22/2014
Signature Name/Title:	JILL JORDAN PE ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2015
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	38559
Cert ID:	220601
AI Number:	31230
Self Certification Date:	05/22/2013
Signature Name/Title:	JILL JORDAN ASST CITY MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2014
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	N
Self Cert ID:	38559
Cert ID:	2383
AI Number:	31230
Self Certification Date:	05/25/2012
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2382
AI Number:	31230
Self Certification Date:	05/25/2011
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2381
AI Number:	31230
Self Certification Date:	05/26/2010
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2380
AI Number:	31230
Self Certification Date:	05/06/2009
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2379
AI Number:	31230
Self Certification Date:	05/29/2008
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2378
AI Number:	31230
Self Certification Date:	05/29/2007
Signature Name/Title:	JILL JORDAN ACM
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2377
AI Number:	31230
Self Certification Date:	06/08/2006
Signature Name/Title:	JILL JORDAN ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2376
AI Number:	31230
Self Certification Date:	07/13/2005
Signature Name/Title:	DAVID COOK ASST CITY MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2375
AI Number:	31230
Self Certification Date:	05/25/2004
Signature Name/Title:	REGINALD SANDERFER FUEL MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2374
AI Number:	31230
Self Certification Date:	06/18/2003
Signature Name/Title:	REGINALD SANDERFER FUEL MANAGER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2373
AI Number:	31230
Self Certification Date:	05/29/2002
Signature Name/Title:	THOMAS R NUNLIST SAFETY OFFICER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2003
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	38559
Cert ID:	2372
AI Number:	31230
Self Certification Date:	01/19/2001
Signature Name/Title:	ROBIN DICKENS UST PROJECT MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	06/30/2002
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Tank:	
Install Date:	01/01/1983
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

UST ID:	82051
Facility ID:	38559
Ai Number:	31230
Tank Id:	2
Tank Status (Current):	IN USE
Tank Status Date:	01/01/1983
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	Y
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	Y
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
Compartment Records:	
Tank ID:	2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Tank Capacity:	10000
UST Comprt ID:	2236
UST ID:	82051
AI Number:	31230
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	Y
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	Y
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	Y
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	EXEMPT BY TCEQ RULE
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1974
Tank Registration Date:	05/12/1986
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	82052
Facility ID:	38559
AI Number:	31230
Tank Id:	1
Tank Status (Current):	IN USE
Tank Status Date:	01/01/1974
Empty:	N
Tank Regulatory Status:	FULLY REGULATED



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	Y
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	Y
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	Y
Installation Signature Date:	08/08/1990
<b>Compartment Records:</b>	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	2237
UST ID:	82052
AI Number:	31230
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	Y
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	Y
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	Y
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	Y
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve ):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag ):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	EXEMPT BY TCEQ RULE
Stage 1 Installation Date:	Not reported

**Construction Notification:**

NOC ID:	32276
Facility ID:	38559
AI Number:	31230
Application Received Date:	12/05/2017
Scheduled Construction Date:	12/05/2017
UST Improvement:	N
UST Installation:	N
UST Removal:	N
UST Repair:	N
UST Return To Service:	N
UST Replacement:	Y
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	Not reported
Waiver Flag:	Not reported
Late Filing Flag:	Y
Form Received Date:	12/05/2017
Signature Date On Form:	12/05/2017
Signature Name On Form:	HARRY WILSON
Signature Company On Form:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Signature Title On Form: Not reported  
 Signature Role: Not reported  
 Owner Name At Time Of Construction: CITY OF DALLAS  
 Owner CN At Time Of Construction: CN600331730  
 Owner AR At Time Of Construction: 476  
 General Desc Of Proposed Construction: AMENDING PREVIOUS NOC NEW DATE - REMOVE AND REPLACE TWO 10,000 GAL UST'S AND ASSOCIATED PIPING AND TANK LEAK DETECTION SYSTEM

NOC ID: 31073  
 Facility ID: 38559  
 AI Number: 31230  
 Application Received Date: 03/10/2017  
 Scheduled Construction Date: 05/15/2017  
 UST Improvement: N  
 UST Installation: Y  
 UST Removal: Y  
 UST Repair: N  
 UST Return To Service: N  
 UST Replacement: N  
 UST Abandonment: N  
 UST Stage I: N  
 AST Installation: N  
 AST Stage I: N  
 Historical Tracking Number: Not reported  
 Waiver Flag: Not reported  
 Late Filing Flag: N  
 Form Received Date: 12/05/2017  
 Signature Date On Form: 12/05/2017  
 Signature Name On Form: HARRY WILSON  
 Signature Company On Form: Not reported  
 Signature Title On Form: Not reported  
 Signature Role: Not reported  
 Owner Name At Time Of Construction: CITY OF DALLAS  
 Owner CN At Time Of Construction: CN600331730  
 Owner AR At Time Of Construction: 476  
 General Desc Of Proposed Construction: REMOVE AND REPLACE (2) 10K UST'S AND ASSOCIATED PIPING AND TANK LEAK DETECTION SYSTEM.

NOC ID: 28517  
 Facility ID: 38559  
 AI Number: 31230  
 Application Received Date: 11/16/2015  
 Scheduled Construction Date: 11/17/2015  
 UST Improvement: N  
 UST Installation: N  
 UST Removal: N  
 UST Repair: Y  
 UST Return To Service: N  
 UST Replacement: N  
 UST Abandonment: N  
 UST Stage I: N  
 AST Installation: N  
 AST Stage I: N  
 Historical Tracking Number: Not reported  
 Waiver Flag: Not reported  
 Late Filing Flag: Y  
 Form Received Date: 12/05/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Signature Date On Form: 12/05/2017  
 Signature Name On Form: HARRY WILSON  
 Signature Company On Form: Not reported  
 Signature Title On Form: Not reported  
 Signature Role: Not reported  
 Owner Name At Time Of Construction: CITY OF DALLAS  
 Owner CN At Time Of Construction: CN600331730  
 Owner AR At Time Of Construction: 476  
 General Desc Of Proposed Construction: REPLACE ONE SPILL BUCKET

NOC ID: 175  
 Facility ID: 38559  
 AI Number: 31230  
 Application Received Date: 01/04/2010  
 Scheduled Construction Date: 02/22/2010  
 UST Improvement: Y  
 UST Installation: N  
 UST Removal: N  
 UST Repair: N  
 UST Return To Service: N  
 UST Replacement: N  
 UST Abandonment: N  
 UST Stage I: N  
 AST Installation: N  
 AST Stage I: N  
 Historical Tracking Number: NONE  
 Waiver Flag: N  
 Late Filing Flag: N  
 Form Received Date: 12/05/2017  
 Signature Date On Form: 12/05/2017  
 Signature Name On Form: HARRY WILSON  
 Signature Company On Form: Not reported  
 Signature Title On Form: Not reported  
 Signature Role: Not reported  
 Owner Name At Time Of Construction: Not reported  
 Owner CN At Time Of Construction: Not reported  
 Owner AR At Time Of Construction: 476  
 General Desc Of Proposed Construction: PROVIDE SERVICES TO REMOVE AND REPLACE ONE SPILL BUCKET.

Contractor, Consultant and Installer:  
 Cont/Cons/Installer ID: 207  
 UST ID: Not reported  
 NOC ID: 175  
 AI Number: 31230  
 Type Of Contact: CONSULTANT  
 Contractor CRP Number Or Installer ILP Number: Not reported  
 Company Name: SIGMA ENVIRONMENTAL SOLUTIONS INC  
 Representative Name: CLAUDE BROWN  
 Mailing Address (Delivery): 5801 MARVIN D LOVE FWY  
 Mailing Address (Internal Delivery): STE 310  
 Mailing City: DALLAS  
 Mailing State: TX  
 Mailing Zip: 75237  
 Mailing Foreign Postal Code: Not reported  
 Mailing County Code: Not reported  
 Phone Number Country Code: 1  
 Phone Number Area Code: 972

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Phone Number:	5721400
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	76245
UST ID:	Not reported
NOC ID:	32276
AI Number:	31230
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000970
Company Name:	UNIFIED SERVICES OF TEXAS INCORPORATED
Representative Name:	Not reported
Mailing Address (Delivery):	2110 GREENBRIAR DR
Mailing Address (Internal Delivery):	Not reported
Mailing City:	SOUTHLAKE
Mailing State:	TX
Mailing Zip:	76092
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	817
Phone Number:	4819510
Phone Number Extension:	0
Fax Number Country Code:	1
Fax Number Area Code:	817
Fax Number:	4881729
Email Address:	ACCOUNTS@UST-INC.COM
Cont/Cons/Installer ID:	67087
UST ID:	Not reported
NOC ID:	28517
AI Number:	31230
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	Not reported
Company Name:	UNITED PUMP SUPPLY
Representative Name:	JEFF BUCKNAM
Mailing Address (Delivery):	721 N GREAT SW PKWY
Mailing Address (Internal Delivery):	Not reported
Mailing City:	ARLINGTON
Mailing State:	TX
Mailing Zip:	76011
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	817
Phone Number:	5301917
Phone Number Extension:	Not reported
Fax Number Country Code:	1
Fax Number Area Code:	817
Fax Number:	6956701
Email Address:	Not reported
Cont/Cons/Installer ID:	206
UST ID:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

NOC ID:	175
AI Number:	31230
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP001437
Company Name:	ENVIRONMENTAL LOGISTICS COMPANY LLC
Representative Name:	MARK GILB BRETH
Mailing Address (Delivery):	PO BOX 3238
Mailing Address (Internal Delivery):	Not reported
Mailing City:	MC KINNEY
Mailing State:	TX
Mailing Zip:	75070
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	469
Phone Number:	7429981
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	73603
UST ID:	Not reported
NOC ID:	31073
AI Number:	31230
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000970
Company Name:	UNIFIED SERVICES OF TEXAS INCORPORATED
Representative Name:	MICHAEL BLANKENSHIP
Mailing Address (Delivery):	2110 GREENBRIAR DR
Mailing Address (Internal Delivery):	Not reported
Mailing City:	SOUTHLAKE
Mailing State:	TX
Mailing Zip:	76092
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	817
Phone Number:	4819510
Phone Number Extension:	0
Fax Number Country Code:	1
Fax Number Area Code:	817
Fax Number:	4881729
Email Address:	ACCOUNTS@UST-INC.COM
Cont/Cons/Installer ID:	76246
UST ID:	Not reported
NOC ID:	32276
AI Number:	31230
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	Not reported
Company Name:	Not reported
Representative Name:	MICHAEL BLANKENSHIP
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CENTRAL BLDG MGMT DIVISION (Continued)**

**U001264590**

Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	208
UST ID:	Not reported
NOC ID:	175
AI Number:	31230
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP001437
Company Name:	Not reported
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Facility Billing Contacts:	
Contact Organization Name:	CITY OF DALLAS
Contact Mailing Address (Delivery):	1500 MARILLA ST RM 7AN
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75201 6318
Phone Number/Ext:	214 6701200/0
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	38559
Additional ID:	997323662002117
Princ ID:	925533122001297
AI Number:	31230
Facility Name:	CENTRAL BLDG MGMT DIVISION
AR Number:	476
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	U
Contact Name/Title:	JILL JORDAN/ASST CITY MGR

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>502</b>	<b>EASTSIDE WATER PLANT 1500 MARILLA ST RM 4A DALLAS, TX 75201</b>	<b>FINDS</b>	<b>1011305709 N/A</b>
------------	--	--------------	---------------------------

FINDS:

Registry ID: 110034195699

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

<b>502</b>	<b>CITY OF DALLAS 1500 MARILLA DR DALLAS, TX 75201</b>	<b>RCRA NonGen / NLR FINDS ECHO</b>	<b>1004604033 TXD988001095</b>
------------	--	---	------------------------------------

RCRA NonGen / NLR:

Date form received by agency: 08/23/2001  
 Facility name: CITY OF DALLAS  
 Facility address: 1500 MARILLA DR  
 DALLAS, TX 75201  
 EPA ID: TXD988001095  
 Mailing address: MARILLA DR DEPT L2FN  
 DALLAS, TX 75201  
 Contact: JAKE CARR  
 Contact address: MARILLA DR DEPT L2FN  
 DALLAS, TX 75201  
 Contact country: US  
 Contact telephone: 214-670-3824  
 Contact email: Not reported  
 EPA Region: 06  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CITY OF DALLAS  
 Owner/operator address: MARILLA DR DEPT L2FN  
 DALLAS, TX 75201  
 Owner/operator country: US  
 Owner/operator telephone: 214-670-3824  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Owner  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported  
 Owner/operator name: CITY OF DALLAS  
 Owner/operator address: MARILLA DR DEPT L2FN



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS (Continued)**

**1004604033**

DALLAS, TX 75201

Owner/operator country: US  
 Owner/operator telephone: 214-670-3824  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Not reported  
 Owner/Operator Type: Operator  
 Owner/Op start date: 08/23/2001  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

. Waste code: D001  
 . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
 . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
 . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

Historical Generators:

Date form received by agency: 08/12/1997  
 Site name: CITY OF DALLAS CITY HALL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS (Continued)**

**1004604033**

- Classification: Conditionally Exempt Small Quantity Generator
- . Waste code: D001
  - . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
  - . Waste code: D002
  - . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
  - . Waste code: D003
  - . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
- Violation Status: No violations found

**FINDS:**

Registry ID: 110002047623

**Environmental Interest/Information System**

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

**CITY OF DALLAS (Continued)**

**1004604033**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1004604033
Registry ID:	110002047623
DFR URL:	<a href="http://echo.epa.gov/detailed-facility-report?fid=110002047623">http://echo.epa.gov/detailed-facility-report?fid=110002047623</a>

**502 CENTRAL BLDG MGMT DIVISION  
1500 MARILLA ST  
DALLAS, TX 75201**

**FINDS 1011343889  
N/A**

FINDS:

Registry ID: 110034572763

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**502 CITY HALL  
1500 MARILLA  
DALLAS, TX 75201**

**TX TIER 2 S108865306  
N/A**

TIER 2:

Facility Id/Name:	FATR20075N68Q202E0RP/CITY HALL
Reporting Year:	2007
Facility Country:	USA
Facility Department:	EBS
Facility Date Modified:	8/5/2008
Date Tier 2 Signed:	2/21/2008
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	100.00
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Liza Bustamante, REM
Latitude:	32.7770
Longitude:	96.7956
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A1 - Address Matching (House Number)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY HALL (Continued)**

**S108865306**

Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20064Z15S101CRB1/CITY HALL
Reporting Year:	2006
Facility Country:	USA
Facility Department:	EBS
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	02/27/2007
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	Not reported
Number Of Emploess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Ramiro Lopez
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

Notes: Not reported  
 Validation: Not reported

Notes: Not reported  
 Validation: Not reported

502

**DALLAS, CITY OF  
 1500 MARILLA  
 DALLAS, TX 75201**

**FTTS 1009513149  
 HIST FTTS N/A**

FTTS:  
 Case Number: Not reported  
 Docket Number: VI-493C  
 Complaint Issue Date: 05/29/91  
 Abatement Amount: 0.0000  
 Proposed Penalty: 80000.0000  
 Final Assessment: 36500.0000  
 Final Order Date: 06/16/92

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DALLAS, CITY OF (Continued)**

**1009513149**

Close Date: / /  
 Violations(s): PCB, Failure to Maintain Records  
 PCB, Use  
 PCB, Storage  
 PCB, Label or Marking  
 PCB, Failure to Report

**FTTS INSP:**

Inspection Number: 1990091019840 1  
 Region: 06  
 Inspection Date: 09/10/90  
 Inspector: MCLAUGHLIN  
 Violation occurred: Yes  
 Investigation Type: Section 6 PCB Federal Conducted  
 Investigation Reason: For Cause, Private Citizen/Press Complaint  
 Legislation Code: TSCA  
 Facility Function: User

**HIST FTTS:**

Case Number: Not reported  
 Docket Number: VI-493C  
 Complaint Issue Date: 05/29/1991  
 Abatement Amount: 0.0000  
 Proposed Penalty: 80000.0000  
 Final Assessment: 36500.0000  
 Final Order Date: 06/16/1992  
 Close Date: / /  
 Violations(s): PCB, Failure to Maintain Records  
 PCB, Use  
 PCB, Storage  
 PCB, Label or Marking  
 PCB, Failure to Report

**HIST FTTS INSP:**

Inspection Number: 1990091019840 1  
 Region: 06  
 Inspection Date: Not reported  
 Inspector: MCLAUGHLIN  
 Violation occurred: Yes  
 Investigation Type: Section 6 PCB Federal Conducted  
 Investigation Reason: For Cause, Private Citizen/Press Complaint  
 Legislation Code: TSCA  
 Facility Function: User

502

**CITY OF DALLAS - CITY HALL  
 1500 MARILLA  
 DALLAS, TX 75201**

**TX TIER 2 S111044242  
 N/A**

**TIER 2:**

Facility Id/Name: FATR20126ZYDBX01L1HD/CITY OF DALLAS - CITY HALL  
 Reporting Year: 2012  
 Facility Country: USA  
 Facility Department: Equipment and Building Services  
 Facility Date Modified: 5/8/2013

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS - CITY HALL (Continued)**

**S111044242**

Date Tier 2 Signed:	02/26/2013
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	100.00
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Liza Bustamante, REM
Latitude:	32.7770
Longitude:	96.7956
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A1 - Address Matching (House Number)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20116ZYDBX01L1HD/CITY OF DALLAS - CITY HALL
Reporting Year:	2011
Facility Country:	USA
Facility Department:	Equipment and Building Services
Facility Date Modified:	5/16/2012
Date Tier 2 Signed:	1/13/2012
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	100.00
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Liza Bustamante, REM
Latitude:	32.7770
Longitude:	96.7956
Lat/Long Location Desc:	AB - Administrative Building
Lat/Long Method:	A1 - Address Matching (House Number)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id/Name:	FATR20106ZYDBX01L1HD/CITY OF DALLAS - CITY HALL
Reporting Year:	2010
Facility Country:	USA
Facility Department:	Equipment and Building Services

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS - CITY HALL (Continued)**

**S111044242**

Facility Date Modified: 6/1/2011  
 Date Tier 2 Signed: 01/04/2011  
 Mailing Address: Not reported  
 Mailing City/State/Country: Not reported  
 Dikes/Other Safeguard Meas Emp: Not reported  
 All Chemicals Same As Last Year: True  
 State Fees Total: 100.00  
 Number Of Emploeyess On Site: Not reported  
 Site Map: Not reported  
 Fire District: Not reported  
 Submitted By: Liza Bustamante, REM  
 Latitude: 32.7770  
 Longitude: 96.7956  
 Lat/Long Location Desc: AB - Administrative Building  
 Lat/Long Method: A1 - Address Matching (House Number)  
 Site Coordinate Abbr Submitted: Not reported  
 Number Of Emp. Required: Not reported  
 Fail Valid: Not reported  
 Site Coordinate Abbr Submitted: Not reported  
 Mail Address: Not reported  
 Mail City: Not reported  
 Mail State Req.: Not reported  
 Fire District: Not reported  
 Additional Mail Addr: Not reported

Facility Info:

Id: 9199  
 Id Type: SIC  
 Description: GENERAL GOVERNMENT, NEC  
 Last Modified: 1/28/2010  
 Id: 92119  
 Id Type: NAICS  
 Description: All Other General Government  
 Last Modified: 1/28/2010  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/28/2010

Contact:

Contact Email: mary.bustamante@dallascityhall.com  
 Contact Mail Address: 3202 Canton Street  
 Contact City/State/Zip: Dallas, TX 75226  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Liza Bustamante, REM  
 Title: Manager  
 Modification Date: 3/8/2013

Contact:

Contact Email: jeff.glover@dallascityhall.com  
 Contact Mail Address: 3202 Canton Street  
 Contact City/State/Zip: Dallas, TX 75226  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CITY OF DALLAS - CITY HALL (Continued)**

**S111044242**

Contact Name: Jeff Glover  
 Title: Supervisor  
 Modification Date: 3/8/2013

Chemical Inventory:

Facility Id: FATR20126ZYDBX01L1HD  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR20126ZYDEZ01UPKF  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 3/7/2013  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2012  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20126ZYDGB01VUY4  
 Chemical Inventory Record Id: CVTR20126ZYDEZ01UPKF  
 Amt Of Sub Stored Or Transported: 20000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room  
 Last Modified: 3/7/2013

Mixture:

Record Key: CMTR20126ZYDHF01WTAB  
 Chemical Inv Record Id: CVTR20126ZYDEZ01UPKF  
 Mix Chemical: Diesel Fuel  
 Percentage: 100  
 Facility Id: FATR20126ZYDBX01L1HD  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Vol  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 3/7/2013

Notes: Not reported  
 Validation: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CITY OF DALLAS - CITY HALL (Continued)**

**S111044242**

Facility Info:

Id: 92119  
 Id Type: NAICS  
 Description: All Other General Government  
 Last Modified: 1/28/2010  
 Id: 9199  
 Id Type: SIC  
 Description: GENERAL GOVERNMENT, NEC  
 Last Modified: 1/28/2010  
 Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/28/2010

Contact:

Contact Email: mary.bustamante@dallascityhall.com  
 Contact Mail Address: 3202 Canton Street  
 Contact City/State/Zip: Dallas, TX 75226  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Liza Bustamante, REM  
 Title: Manager  
 Modification Date: 2/6/2012

Contact:

Contact Email: jeff.glover@dallascityhall.com  
 Contact Mail Address: 3202 Canton Street  
 Contact City/State/Zip: Dallas, TX 75226  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Jeff Glover  
 Title: Supervisor  
 Modification Date: 2/6/2012

Chemical Inventory:

Facility Id: FATR20116ZYDBX01L1HD  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR20116ZYDEZ01UPKF  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 2/6/2012  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS - CITY HALL (Continued)**

**S111044242**

Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2011  
 Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20116ZYDGB01VUY4  
 Chemical Inventory Record Id: CVTR20116ZYDEZ01UPKF  
 Amt Of Sub Stored Or Transported: 20000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room  
 Last Modified: 2/6/2012

Mixture:

Record Key: CMTR20116ZYDHF01WTAB  
 Chemical Inv Record Id: CVTR20116ZYDEZ01UPKF  
 Mix Chemical: Diesel Fuel  
 Percentage: 100  
 Facility Id: FATR20116ZYDBX01L1HD  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Vol  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 2/6/2012

Notes: Not reported  
 Validation: Not reported

Facility Info:

Id: Not reported  
 Id Type: Dun & Bradstreet  
 Description: Not reported  
 Last Modified: 1/28/2010  
 Id: 92119  
 Id Type: NAICS  
 Description: All Other General Government  
 Last Modified: 1/28/2010  
 Id: 9199  
 Id Type: SIC  
 Description: GENERAL GOVERNMENT, NEC  
 Last Modified: 1/28/2010

Contact:

Contact Email: mary.bustamante@dallascityhall.com  
 Contact Mail Address: 3202 Canton Street  
 Contact City/State/Zip: Dallas, TX 75226  
 Contact Mail Country: USA  
 Contact Type 1: Emergency Contact  
 Contact Name: Liza Bustamante, REM  
 Title: Manager

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CITY OF DALLAS - CITY HALL (Continued)**

**S111044242**

Modification Date: 4/4/2011

**Contact:**

Contact Email: jeff.glover@dallascityhall.com  
 Contact Mail Address: 501 E. Leatherneck Place  
 Contact City/State/Zip: Grand Prairie, TX 75211  
 Contact Mail Country: USA  
 Contact Type 1: Owner / Operator  
 Contact Name: Jeff Glover  
 Title: Supervisor  
 Modification Date: 4/4/2011

**Chemical Inventory:**

Facility Id: FATR20106ZYDBX01L1HD  
 Chemical Name: Diesel Fuel  
 Chemical Inv Record Id: CVTR20106ZYDEZ01UPKF  
 CAS Number: 68476-34-6  
 Chemical Same As Last Year: T  
 Acute Health Risks: T  
 Average Daily Amount: 100,000 - 999,999 pounds  
 Max Daily Amount: 100,000 - 999,999 pounds  
 Max Amount In Largest Container: Not reported  
 Chronic Health Risks: Not reported  
 EHS Substance: Not reported  
 Last Modified: 4/3/2011  
 Days On Site: 365  
 Fire Hazard: T  
 Gas: Not reported  
 Liquid: T  
 Mixture Form: T  
 Sudden Release Of Pressure Haz: Not reported  
 Pure Form: Not reported  
 Reactive Hazard: Not reported  
 Solid: Not reported  
 Trade Secret: Not reported  
 Contact Label: Not reported  
 Label Code: TX2010  
 Trade Secret: Not reported

**Chemical Inventory Location:**

Record Key: CLTR20106ZYDGB01VUY4  
 Chemical Inventory Record Id: CVTR20106ZYDEZ01UPKF  
 Amt Of Sub Stored Or Transported: 20000  
 Amount Units: gallons  
 Type Of Storage: Below ground tank  
 Number Code/Storage Pressure: 1  
 Number Code/Storage Temperature: 4  
 Desc of Loc(Or Transported) Subs: Generator Room  
 Last Modified: 4/3/2011

**Mixture:**

Record Key: CMTR20106ZYDHF01WTAB  
 Chemical Inv Record Id: CVTR20106ZYDEZ01UPKF  
 Mix Chemical: Diesel Fuel

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS - CITY HALL (Continued)**

**S111044242**

Percentage: 100  
 Facility Id: FATR20106ZYDBX01L1HD  
 Mixture Cas: 68476-34-6  
 Weight/Volume: Vol  
 Mixture Ehs: Not reported  
 Mixture Last Modified: 4/3/2011

Notes: Not reported  
 Validation: Not reported

**502 ROBINION AND GREBE EDR Hist Auto 1009358431**  
**1603 MARILLA N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1925 ROBINION AND GREBE AUTOMOBILE REPAIRERS

**503 ERNIE S SERVICE STATION EDR Hist Auto 1009356167**  
**1330 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1951 ERNIE S SERVICE STATION GASOLINE STATIONS  
 1956 M AND W SERVICE STATION GASOLINE STATIONS

**503 SIMMS OIL CO SERVICE STATION NO 8 EDR Hist Auto 1009356197**  
**1332 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1930 SIMMS OIL CO SERVICE STATION NO GASOLINE AND OIL SERVICE STATIONS

**504 SHORT H W EDR Hist Auto 1009351961**  
**1021 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year: Name: Type:  
 1925 SHORT H W AUTOMOBILE REPAIRERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**505 FRANK AND BUCK SERVICE STATION EDR Hist Auto 1009385209**  
**915 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	RAMSAY SERVICE STATION	AUTOMOBILLE SERVICE STATIONS
1925	RAMSAY SERVICE STATION	AUTOMOBILE OILS AND GASOLINE
1930	EDWARDS FRANK AND FRED OIL CO	GASOLINE AND OIL SERVICE STATIONS
1936	FRANK AND BUCK SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	FRANK AND BUCK SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1946	FRANK AND BUCK SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

**506 WEST DISINFECTING CO OF TEXAS THE EDR Hist Cleaner 1009334640**  
**1200 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1925	WEST DISINFECTING CO OF TEXAS T	CLEANERS AND DYERS SUPPLIES

**507 MAGNOLIA PETROLEUM CO NO 137 EDR Hist Auto 1009386849**  
**YOUNG & LAMAR N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	MAGNOLIA PETROLEUM CO NO 137	AUTOMOBILE OILS AND GASOLINE

**507 LACY L . SERVICE STATION EDR Hist Auto 1009383419**  
**815 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1941	SHARP CHAS SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1951	SHARP CHARLES SERVICE S TATION	GASOLINE STATIONS
1956	MC DANIEL SERVICE STATION	GASOLINE STATIONS
1961	LACY L . SERVICE STATION	GASOLINE STATIONS

**507 LUBBENS PLAZA EAST PARKING LOT TX LPST S104876466**  
**815 YOUNG ST N/A**  
**DALLAS, TX 75202**

LPST:

Facility ID:	Not reported
LPST Id:	107700
Facility Location:	NW CORNER OF LAMAR & 815 YOUNG ST
TCEQ Region# and City:	4
Region City:	ARLINGTON
Reported Date:	01/04/2001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LUBBENS PLAZA EAST PARKING LOT (Continued)**

**S104876466**

Entered Date: 02/14/1994  
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS  
 Program: 1P - PRIVATIZATION CONTRACTOR  
 CA Status: 6A - FINAL CONCURRENCE ISSUED  
 Priority Description: Groundwater is affected.  
**Status: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING**  
 Coordinators Primary: 1P/1/2  
 Coordinators RPR: VYF  
 Responsible Party Name: A H BELO CORP  
 Responsible Party Contact: HAROLD GAAR  
 Responsible Party Address: PO BOX 655237  
 Responsible Party City,St,Zip: DALLAS, TX 75254 5237  
 Responsible Party Telephone: 214/977-7650  
 Reported Date: 01/14/1994  
 Case Start Date: 08/19/2014

**507 YOUNG AND LAMAR GARAGE EDR Hist Auto 1009384996**  
**909 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1930	YOUNG AND LAMAR GARAGE	AUTOMOBILE REPAIRERS

**507 DOWNTOWN SERVICE STATION WE HONOR STANDARD EDR Hist Auto 1009384783**  
**901 YOUNG N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1936	BAILEY S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	DOWNTOWN SERVICE STATION WE HON	GASOLINE AND OIL SERVICE STATIONS
1941	YOUNG AND LAMAR SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

**508 CITY CLEANERS AND BARBER SHOP EDR Hist Cleaner 1009345822**  
**519 S AKARD N/A**  
**DALLAS, TX**

EDR Hist Cleaner

Year:	Name:	Type:
1956	CITY CLEANERS AND BARBER SHOP	CLEANERS AND DYERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

508 JENSEN FOUNTAIN SERVICE EDR Hist Auto 1009376193  
 519 S AKARD N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1951 JENSEN FOUNTAIN SERVICE REPAIR SHOPS

508 JENSEN FOUNTAIN SERVICE EDR Hist Auto 1009376325  
 521 S AKARD N/A  
 DALLAS, TX

EDR Hist Auto

Year: Name: Type:  
 1951 JENSEN FOUNTAIN SERVICE REPAIR SHOPS

509 CITY OF DALLAS MS4 TX NPDES S120704562  
 THIS PERMIT COVERS ALL PORTIONS OF THE CITY OF DALLAS MUNICI N/A  
 DALLAS, TX

NPDES:

Al: WQ0004396000  
 Facility Id: 1597  
 Facility Operational Status: ACTIVE  
 Facility Disposal Method: DISCHARGE  
 EPA Id: TXS000701  
 EPA Fac Class: MAJOR  
 Auth Type: MS4 PHI  
 Approval Date: 10/06/2011  
 Original Approval Date: 03/28/1997  
 Expiration Date: 10/05/2016  
 Auth Status: ACTIVE  
 Tpdess State: TPDES  
 Permittee Name: CITY OF DALLAS  
 Permittee Address: 1500 MARILLA ST DALLAS, TX 75201-6318  
 Region: REGION 04 - DFW METROPLEX  
 Secondary Region/County: Not reported  
 Site Location: THIS PERMIT COVERS ALL PORTIONS OF THE CITY OF DALLAS MUNICIPAL  
 SEPARATE STORM SEWER SYSTEM MS4 OWNED OR OPERATED BY A PERMITTEE  
 LISTED ABOVE TO WATERS OF THE UNITED STATES, DALLAS, TX  
 Permit Authority: STATE  
 Compliance Authority: STATE  
 Pretreatment Facility Design: Not reported  
 Facility Toxic Rating: 2  
 Facility Average Design Flow: Not reported  
 Loc In Coast Zone: N  
 Instit Of High Learn: N  
 Bio Energy Facility: N  
 Primary Sic Code: 9111  
 Secondary Sic Code: Not reported  
 Primary Naics Code: 921110  
 Secondary Naics Code: Not reported  
 Segment: 0805  
 Basin: 08  
 Animal Type/Count: Not reported  
 Latitude: 32.776700

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MS4 (Continued)**

**S120704562**

Longitude: -96.797000

510

**CITY OF DALLAS MS4  
 CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203**

**ICIS 1018288652  
 N/A**

ICIS:

Enforcement Action ID: 06-N00023346  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Other  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

Enforcement Action Type: Agency Enforcement Review  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Informal  
 EA Type Code: AER  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-N00023227  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Letter Of Violation/Warning  
 Letter  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

Enforcement Action Type: Letter of Violation/ Warning Letter  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Informal  
 EA Type Code: LOVWL  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-N00023078  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Admin Action Planned  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

Enforcement Action Type: Agency Enforcement Review  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Informal



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MS4 (Continued)**

**1018288652**

EA Type Code: AER  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-N00023076  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) No Current Action Warranted  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

Enforcement Action Type: Agency Enforcement Review  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Informal  
 EA Type Code: AER  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-N00023030  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Admin Action Planned  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

Enforcement Action Type: Agency Enforcement Review  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Informal  
 EA Type Code: AER  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-N00023001  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Letter Of Violation/Warning  
 Letter  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MS4 (Continued)**

**1018288652**

Enforcement Action Type: Letter of Violation/ Warning Letter  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Informal  
 EA Type Code: LOVWL  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-N00022831  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Letter Of Violation/Warning Letter

Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

Enforcement Action Type: Letter of Violation/ Warning Letter  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Informal  
 EA Type Code: LOVWL  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-N00022760  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Letter Of Violation/Warning Letter

Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

Enforcement Action Type: Letter of Violation/ Warning Letter  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Informal  
 EA Type Code: LOVWL  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-2006-N085

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MS4 (Continued)**

**1018288652**

FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Consent Decree  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203  
 Enforcement Action Type: Civil Judicial Action  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Judicial  
 EA Type Code: CIV  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-2004-N297  
 FRS ID: 110002047623  
 Action Name: CITY OF DALLAS MS4 (Permit TXS000701) Administrative Order  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203  
 Enforcement Action Type: CWA 309A AO For Compliance  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 309A  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Enforcement Action ID: 06-2004-1911  
 FRS ID: 110002047623  
 Action Name: Dallas, City of  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203  
 Enforcement Action Type: CWA 309A AO For Compliance  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 309A  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF DALLAS MS4 (Continued)**

**1018288652**

Tribal Land Code: Not reported

Enforcement Action ID: 06-2004-1911  
 FRS ID: 110002047623  
 Action Name: Dallas, City of  
 Facility Name: CITY OF DALLAS MS4  
 Facility Address: CITY OF DALLAS CORPORATE BOUND  
 DALLAS, TX 75203

Enforcement Action Type: RCRA 3008A AO For Comp And/Or Penalty  
 Facility County: DALLAS  
 Program System Acronym: NPDES  
 Enforcement Action Forum Desc: Administrative - Formal  
 EA Type Code: 3008A  
 Facility SIC Code: 9111  
 Federal Facility ID: Not reported  
 Latitude in Decimal Degrees: 32.776552  
 Longitude in Decimal Degrees: -96.797496  
 Permit Type Desc: NPDES Individual Permit  
 Program System Acronym: TXS000701  
 Facility NAICS Code: Not reported  
 Tribal Land Code: Not reported

Facility Name: CITY OF DALLAS MS4  
 Address: 1500 MARILLA STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: 9111

Facility Name: CITY OF DALLAS MS4  
 Address: 1500 MARILLA STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: 9111

Facility Name: CITY OF DALLAS MS4  
 Address: 1500 MARILLA STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: 9111

Facility Name: CITY OF DALLAS MS4  
 Address: 1500 MARILLA STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: 9111

Facility Name: CITY OF DALLAS MS4  
 Address: 1500 MARILLA STREET  
 Tribal Indicator: N  
 Fed Facility: No  
 NAIC Code: Not reported  
 SIC Code: 9111

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**CITY OF DALLAS MS4 (Continued)**

**1018288652**

Facility Name:	CITY OF DALLAS MS4
Address:	1500 MARILLA STREET
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	9111

**510 FIRE TRAINING ACADEMY @ 5000 DOLPHIN ROAD, DALLAS  
FIRE TRAINING ACADEMY @ 5000 DOLPHIN ROAD, DALLAS  
DALLAS, TX**

**TX SPILLS S106989100  
N/A**

**SPILLS:**

Spill Address:	FIRE TRAINING ACADEMY @ 5000 DOLPHIN ROAD, DALLAS
Incident Number:	Not reported
Facility Id:	Not reported
Date of Spill:	10/06/1987
Seq Num:	8
Responsible Party Name:	CITY OF DALLAS
Responsible Party Address:	1500 MARILLA, ROOM 1CN
Responsible Party City:	DALLAS
Responsible Party State:	TX
Responsible Party Zip:	75201
Responsible Party Telephone:	2146704930
Substance:	GASOLINE
Material Code:	1011
Media Affected:	NO
Permit Number:	NONE
District:	04
Origin:	UST
Cause:	002
Basin Code:	UNKNOWN
Notify Date:	Not reported
Adequate Clean:	NO
Classification:	003
Basin Name:	TRINITY
Water Affected:	UNKNOWN
Amnt Spilled:	100 GAL
Amnt in Water:	UNKNOWN
Latitude:	3250
Longitude:	09650
Inspected By:	NONE
Interim Report:	X
Enforce:	Not reported
Information Final:	Not reported
Coordinator:	D. FAWN
Time Reported:	Not reported
Spill Time:	Not reported
Incident Type:	Not reported
Near City Name:	Not reported
Importance Level:	Not reported
Received Date:	Not reported
Start Date:	Not reported
Status Date:	Not reported
Media Name:	Not reported
Customer:	Not reported
Effect:	Not reported
Num Complaining:	Not reported
Frequency:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRE TRAINING ACADEMY @ 5000 DOLPHIN ROAD, DALLAS (Continued)**

**S106989100**

Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

**510 2411 VALDERIA, DALLAS, SOUTHWEST SERVICE CENTER  
 2411 VALDERIA, DALLAS, SOUTHWEST SERVICE CENTER  
 DALLAS, TX**

**TX SPILLS S106999603  
 N/A**

**SPILLS:**

Spill Address: 2411 VALDERIA, DALLAS, SOUTHWEST SERVICE CENTER  
 Incident Number: Not reported  
 Facility Id: Not reported  
 Date of Spill: 10/25/1991  
 Seq Num: Not reported  
 Responsible Party Name: CITY OF DALLAS  
 Responsible Party Address: 1500 MARILLA, 6BN  
 Responsible Party City: DALLAS  
 Responsible Party State: TX  
 Responsible Party Zip: 75201  
 Responsible Party Telephone: 2146703878  
 Substance: DIESEL  
 Material Code: 1040  
 Media Affected: YES  
 Permit Number: NONE  
 District: 04  
 Origin: 001  
 Cause: 003  
 Basin Code: 0827  
 Notify Date: Not reported  
 Adequate Clean: 001  
 Classification: 003  
 Basin Name: TRINITY  
 Water Affected: FIVE MILE CREEK  
 Amnt Spilled: 50 GAL  
 Amnt in Water: 10 GAL  
 Latitude: Not reported  
 Longitude: Not reported  
 Inspected By: NONE  
 Interim Report: Not reported  
 Enforce: Not reported  
 Information Final: X  
 Coordinator: C. CHILES  
 Time Reported: Not reported  
 Spill Time: Not reported  
 Incident Type: Not reported  
 Near City Name: Not reported  
 Importance Level: Not reported  
 Received Date: Not reported  
 Start Date: Not reported  
 Status Date: Not reported  
 Media Name: Not reported  
 Customer: Not reported  
 Effect: Not reported  
 Num Complaining: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

---

**2411 VALDERIA, DALLAS, SOUTHWEST SERVICE CENTER (Continued)**

**S106999603**

Frequency:	Not reported
Nature:	Not reported
Watertext:	Not reported
Air Text:	Not reported
Incident Status:	Not reported
Disputed Status:	Not reported
Disputed Date:	Not reported
Comments:	Not reported

**510**

**8900 ALDORA, DALLAS  
8900 ALDORA, DALLAS  
DALLAS, TX**

**TX SPILLS S106988977  
N/A**

**SPILLS:**

Spill Address:	8900 ALDORA, DALLAS
Incident Number:	Not reported
Facility Id:	Not reported
Date of Spill:	09/14/1987
Seq Num:	5
Responsible Party Name:	CITY OF DALLAS
Responsible Party Address:	1500 MARILLA, SUITE ICN
Responsible Party City:	DALLAS
Responsible Party State:	TX
Responsible Party Zip:	75277
Responsible Party Telephone:	2146704930
Substance:	GASOLINE
Material Code:	1011
Media Affected:	NO
Permit Number:	NONE
District:	04
Origin:	UST
Cause:	002
Basin Code:	UNKNOWN
Notify Date:	Not reported
Adequate Clean:	NONE
Classification:	001
Basin Name:	TRINITY
Water Affected:	UNKNOWN
Amnt Spilled:	UNKNOWN
Amnt in Water:	UNKNOWN
Latitude:	3255
Longitude:	09645
Inspected By:	DFD
Interim Report:	X
Enforce:	Not reported
Information Final:	Not reported
Coordinator:	D. FAWN/K. COPELAND
Time Reported:	Not reported
Spill Time:	Not reported
Incident Type:	Not reported
Near City Name:	Not reported
Importance Level:	Not reported
Received Date:	Not reported
Start Date:	Not reported
Status Date:	Not reported
Media Name:	Not reported
Customer:	Not reported
Effect:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**8900 ALDORA, DALLAS (Continued)**

**S106988977**

Num Complaining: Not reported  
 Frequency: Not reported  
 Nature: Not reported  
 Watertext: Not reported  
 Air Text: Not reported  
 Incident Status: Not reported  
 Disputed Status: Not reported  
 Disputed Date: Not reported  
 Comments: Not reported

511

**U S SERVICE STATION  
 1102 YOUNG  
 DALLAS, TX**

**EDR Hist Auto**

**1009353149  
 N/A**

EDR Hist Auto

Year:	Name:	Type:
1936	U S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS
1941	FI S SERVICE STATION	GASOLINE AND OIL SERVICE STATIONS

512

**A M SMITH FB  
 525 S GRIFFIN ST  
 DALLAS, TX 75202**

**TX ASBESTOS**

**S121062196  
 N/A**

ASBESTOS:

Date of inspection: Not reported  
 Reason for Inspection: CHARLES COLE  
 Violation: Not reported  
 Complaint Date: 06/18/2017  
 Notification Number: 2017004395  
 ASB Priority: Not reported  
 PIF State: Not reported  
 Detained: Not reported  
 Product Name: Not reported  
 Time Spent: Not reported  
 Travel Time: Not reported  
 Mileage: Not reported  
 Reg: Not reported  
 Init: Not reported  
 Seq: Not reported  
 Facility Type: Federal  
 Inspector Name: Not reported  
 Date Report Received: 06/09/2017  
 Date Routed by Supervisor: Not reported  
 Date Routed to PSQA: Not reported  
 Date Reviewed by PSQA: Not reported  
 Date Routed by Supervisor1: Not reported  
 Date Rtd to Inspector Corrections: Not reported  
 Date Rcvd Back: Not reported  
 Date Rtd to Inspector Corrections2: Not reported  
 Date Rcvd Back 2: Not reported  
 Date Rtd to Inspector Corrections 3: Not reported  
 Date Rcvd Back 3: Not reported  
 Notification Status: Current  
 Amendo: 0  
 Notification Work Type: Abatement



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**A M SMITH FB (Continued)**

**S121062196**

Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	06/02/2017
Certification Statement Phone:	817-978-4055
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	06/17/2017
Date of inspection:	02/02/2017
Reason for Inspection:	JENNIFER ZENUCH
Violation:	Not reported
Complaint Date:	01/29/2017
Notification Number:	2017000236
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Federal
Inspector Name:	Not reported
Date Report Received:	01/24/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	01/19/2017
Certification Statement Phone:	504-415-9463
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**A M SMITH FB (Continued)**

**S121062196**

Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	01/21/2017
Date of inspection:	02/02/2017
Reason for Inspection:	CHARLES E COLE
Violation:	Not reported
Complaint Date:	01/31/2017
Notification Number:	2017000236
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Federal
Inspector Name:	Not reported
Date Report Received:	01/09/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/05/2017
Certification Statement Phone:	817-978-4055
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	01/23/2017

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

Database(s)

EDR ID Number  
 EPA ID Number

**513**      **DALLAS CONVENTION CENTER HOTEL**      **FINDS**      **1011995789**  
**800 YOUNG STREET**      **N/A**  
**DALLAS, TX 75202**

FINDS:

Registry ID:                      110038207179

Environmental Interest/Information System

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**514**      **KEY S GARAGE**      **EDR Hist Auto**      **1009355941**  
**1317 MARILLA**      **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1941	KEY S GARAGE	AUTOMOBILE REPAIRING
1951	KEY S GARAGE	AUTOMOBILE REPAIRING

**515**      **SANGER BROS GARAGE**      **EDR Hist Auto**      **1009357004**  
**1416 MARILLA**      **N/A**  
**DALLAS, TX**

EDR Hist Auto

Year:	Name:	Type:
1925	SANGER BROS GARAGE	AUTOMOBILE GARAGES

## ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
DALLAS	S120803192	COMMERCIAL PROPERTY	3001, 3011, & 3015 GASTON AVE AND 3014 & 3016 FLOYD STREET A		TX MSD
DALLAS	S118368285	BROADSTONE FARMERS MARKET	1200 & 1204 S CESAR CHAVEZ BLVD. AND 802 & 835 GOOD LATIMER		TX MSD
DALLAS	S118719765	**AMENDED APP FOR VCP 2809	1025,1323 & 1333 N STEMMONS FWY, 1530 INSPIRATION DR, 1300 &	75207	TX VCP
DALLAS	S109688375	BEK, AT&T, AND THE COCA COLA COMPANY PROPERTIES	1602, 1615, 1621, 1631, 1700, 1805, 1840, AND 1901 RECORD CR		TX MSD
DALLAS	S116702075	ARA	3403 HWY 183		TX LPST
DALLAS	S121363431	VACANT COMMERCIAL BUILDING	2701 & 1907 HARWOOD & PAYNE	75201	TX ASBESTOS
DALLAS	1009630224	LONE STAR GAS CO	100 & 200 BLK. HOUSTON STREET		DOT OPS
DALLAS	S118501735	DALLAS HOUSING AUTHORITY CENTRAL MAINTENANCE	2055 & 2075 WEST COMMERCE STREET		TX MSD
DALLAS	S110149260	LAWS STREET LOTS (2201 - 2225)	2201, 2213, 2217, 2221, - LAWS STREET		TX GCC
DALLAS	S118855738	STORAGE CHOICE	2409 & 2425 CANTON ST		TX GCC
DALLAS	S110149376	MOCKINGBIRD PROPERTIES	2301 - 2449 MOCKINGBIRD, EMPIRE CENTRAL		TX GCC
DALLAS	S108962535	JEFFERSON AT ARTS DISTRICT	2603, 2613, 2623, ROSS AVENUE		TX MSD
DALLAS	S108996540	CHARTER HAMPTON	2601, 2611, 2631, 2649 S HAMPTON AND 2498 W ILLINOIS		TX MSD
DALLAS	S116679096	HAMPTON VILLAGE SHOPPING CENTER	2601 2611 26312641 S. HAMPTON		TX GCC
DALLAS	S117842702	THE OLD MONK	2841 & 2847 N HENDERSON AVENUE		TX MSD
DALLAS	S108530760	BLACKBURN CENTRAL HOLDINGS	3601 & 3605 MCKINNEY AND 3128 EAST LEMMON AVENUE		TX MSD
DALLAS	S119146455	FUTURE 7- ELEVEN STORE	4301 & 4315 ROSS AVE.	75204	TX ASBESTOS
DALLAS	S120803217	4801,5003,5019 & 5029 S LAMAR ST PROPERTY	4801,5003,5019 & 5029 SOUTH LAMAR STREET		TX GCC
DALLAS	S109362158	MAPLE AVENUE PROPERTIES	6102, 5925, 5919, AND 6010 FOREST PARK ROAD		TX MSD
DALLAS	S112009840	ARBORETUM VILLAGE	7301, 7305, 7315, 7331 GASTON AVE		TX VCP
DALLAS	1008377391	US 75 DALLAS FUEL SPILL	US 75 & WOODALL ROGERS		SEMS
DALLAS	S121404971	400 S HALL ST	400 AND 514 S. HALL ST & 2830 JEFFRIES ST.		TX MSD
DALLAS	S115122704		AORIX. 600 FT.N OF MAIN INTERS. W.NORTHWEST HWY & I-35		TX RGA LF
DALLAS	S103258211	JAME BOWEN	APPROX ONE MILE S OF I-30 ON FM551 ON E SIDE OF RD		TX CLI
DALLAS	1017764642	NORTHWEST ANNA-OAK RIDGE TREATMENT PLANT	APPROX 1000 FT S AND 1996 W INTX OF CR 285	00000	FINDS, ECHO
DALLAS	S115125815	HOME & HEARTH INC	APPROXIMATELY 600 FEET N OF MAIN INTERSECTION WITH NORTHWEST		TX RGA LF
DALLAS	U001292517	DART RIGHT OF WAY	ASH LN & TRUNK AVE		TX UST
DALLAS	S105050066	ASHLAND STREET PROPERTY	ASHLAND ST	75201	TX LPST
DALLAS	1009648897		BOLL AND THOMAS INTERSECTION	00000	DOT OPS
DALLAS	S113912287	FARMERS MARKET SITE	CANTON N CENTRAL MARILLA AND PEARL		TX GCC
DALLAS	S111380813	FARMERS MARKET SITE	CANTON, N CENTRAL, MARILLA AND PEARL		TX GCC
DALLAS	S110148873	FIRST BANK AND TRUST	321 NORTH CENTRAL EXPRESSWAY		TX GCC
DALLAS	S110149614	RATHON (DIVERSEY CHEM CO. -DUBOIS)	CENTRAL FREEWAY @ RIVER OAKS		TX GCC
DALLAS	S118368286	1128 S. CENTRAL EXPRESSWAY	1128 S. CENTRAL EXPRESSWAY		TX MSD
DALLAS	S111381160	RATHON (DIVERSEY CHEM CO. - DUBOIS)	CENTRAL FREEWAY @ RIVER OAKS		TX GCC
DALLAS	S110507649	FARMERS MARKET	CITY BLOCK BOUNDED BY CANTON STREET, N CENTRAL EXPRESSWAY, M		TX MSD

## ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
DALLAS	S116697888	DART RR R O W	CLARENDON EWING SE CORNER		TX LPST
DALLAS	S108530756	BAYLOR HEALTH CARE SYSTEM	3307, 3309 COLBY; 2817, 2821 FLORENCE, 1207 FLORIDE, 3100, 3		TX MSD
DALLAS	S116698529	PARKING LOT	COMMERCE ST INDUSTRIAL BLVD SW CORNER		TX LPST
DALLAS	S115126806		NW COR. OF I-35E (STEMMONS FWY)& MANANA DR W/IN DALLAS C.LIM		TX RGA LF
DALLAS	1012103945	DART DEEP ELLUM GATEWAY ART PROJECT	CORNER OF GOOD LATIMER AND GASTON	75226	FINDS
DALLAS	S116382907	ROSS AVE & HARWOOD ST PARKING LOT	SE CORNER OF ROSS AVENUE AND HARWOOD STREET	75202	TX APAR
DALLAS	S110148920	FORMER ROACH PAINT FACILITY	NW CORNER OF FIELD AND WOODALL ROGERSFR		TX GCC
DALLAS	S114409618	APPROXIMATE 0.839 ACRE TRACT OF LAND	NORTHWEST CORNER OF RECORD STREET & PACIFIC AVENUE	75202	TX IHW CORR ACTION
DALLAS	S111380840	FORMER ROACH PAINT FACILITY	NW CORNER OF FIELD AND WOODALL ROGERS FR		TX GCC
DALLAS	S116695095	FORMER EXXON 60875	SW CORNER HASKELL CENTRAL FRWY		TX LPST
DALLAS	S116753809	EL MERCADO	DALLAS		TX SWF/LF
DALLAS	S107004003	DART CONSTRUCTION STRUCTURE #1, CLARENDON @ MOORE ST., DALLA	DART CONSTRUCTION STRUCTURE #1, CLARENDON @ MOORE ST., DALLA		TX SPILLS
DALLAS	1006800045	TRINITY RAIL EXPRESSWAY RETAINING WALLS AND ROADBED	DART RIGHT OF WAY FROM CONTINENTAL TO HI-LINE	75202	ICIS, FINDS, ECHO
DALLAS	S115125271		E.OF I-35 & W.OF FINNEL ST.APPROX.540 FT N OR NW HWY IN DALL		TX RGA LF
DALLAS	1007490810	ANDREWS TRANSPORT	I-30 EASTBOUND & LARMAR ST.		SEMS
DALLAS	S113912950	WESTDALE ASSET MANAGEMENT	ELM-N TRUNK-MAIN-HALL		TX GCC
DALLAS	S110150153	WESTDALE ASSET MANAGEMENT	ELM-NORTH TRUNK-MAIN-HALL		TX GCC
DALLAS	1003875347	DALLAS GAS AND FUEL COMPANY	WEST END OF PACIFIC STREET	75202	SEMS-ARCHIVE
DALLAS	S119152558	OFFICE BUILDING	500 S. ERVRY ST.	75201	TX ASBESTOS
DALLAS	S119152559	OFFICE BUILDING	500 S. EVARY ST.	75201	TX ASBESTOS
DALLAS	S115127777	STEMMONS MANANA CORPORATION	EXTENSION OF GOODNIGHT LANE FROM MANANA RD TO WALNUT HILL LA		TX RGA LF
DALLAS	S115123761	CITY OF DALLAS TRANSFER STATION FACILITY	7677 FAIR OAK		TX RGA LF
DALLAS	1004600395	UPTOWN PARK	FIELD AND RIVERS	75202	ICIS, FINDS, ECHO
DALLAS	S103495518	ROACH PAINT CO	FIELD	75201	TX LPST
DALLAS	S115127132	PRPOSED OFFICE	FINNEL STREET, DALLAS, TX		TX RGA LF
DALLAS	S108530741	CROW-BILLINGSLEY #17	FLOURA AT ROUTH STREETS		TX MSD
DALLAS	1006877160	DALLAS AREA RAPID TRANSIT	FLOYD BRANCH OF COTTONWOOD CREEK	75202	ICIS, FINDS, ECHO
DALLAS	S112288193	FOREST LANE CLEANERS	3518 FOREST LANE AND 3624 FOREST LANE		TX MSD
DALLAS	S113912849	TEXAS INSTRUMENTS, INC. - FOREST LANE	FOREST LANE		TX GCC
DALLAS	S111381279	TEXAS INSTRUMENTS INC - FOREST LANE	FOREST LANE		TX GCC
DALLAS	S116699086	APARTMENT COMPLEX DEVELOPMENT	GABLES PEARL RD		TX LPST
DALLAS	U001266401	EDDIE WIMAN	GASTON & HASKELL		TX UST
DALLAS	U001266386	VACANT LAND FORMERLY ED MAX	GASTON PKWY & KNOB OAK		TX UST
DALLAS	1012043023	DOWNTOWN ACID	GRIFFIN & HORD PARKING LOT	75202	SEMS
DALLAS	1023703192	BRYAN HEIGHTS	GRIGSBY AVENUE AT BRYAN AVENUE	75204	FINDS, ECHO
DALLAS	S119138604	ATOMS BUILDING	301 HARWOOD ST.	75201	TX ASBESTOS
DALLAS	S121361772	NORTH DALLAS HIGH SCHOOL	3701 S HASKELL	75204	TX ASBESTOS
DALLAS	S119142876	DFW TERMINAL B 11-28	2124 S. INTERNATINOTINAL PKWY	75201	TX ASBESTOS
DALLAS	S117355194	UT SOUTHWESTERN MEDICAL CENTER - WILLIAM CLEMENTS	NORTHWEST INTERSECTION OF HARRY HINES BOULEVARD AND RECORD C		TX LPST
DALLAS	S110150173	WILLIAMSO N PROPERTY	INTERSECTION RIVER AND GRIFFIN STREETS		TX GCC

## ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
DALLAS	S116697404	PARKLT PROPERTY	W INTERSECTION OF CORBIN ST MAGNOLIA ST		TX LPST
DALLAS	S121363814	WILMER CHURCH OF CHRIST	905 N INTERSTATE 45 WILMER, TEXAS	75204	TX ASBESTOS
DALLAS	S115121544		275FT S INTRSC SOUTHWELL/GOODNIGHT STS, ADJ W SIDE GOODNIGHT		TX RGA LF
DALLAS	S116704037	DALLAS NAVAL AIR STATION	8100 W JEFFERSON BLVD		TX LPST
DALLAS	S116703859	HENSLEY FIELD 136TH TAW TANG	8100 W JEFFERSON BLVD		TX LPST
DALLAS	S109145834	MU HI LINE DRIVE PROPERTY - NORTH TRACT	HI LINE DRIVE WEST OF ALAMO STREET		TX AUL
DALLAS	S120803195	DALLAS FLOODWAY (PRAA)	LOCATED SE OF THE CONFLUENCE OF THE ELM FORCE AND WEST FORK		TX MSD
DALLAS	S115123993	CITY OF GUN BARREL CITY TRANSFER STATION FACILITY	LOCATED ON LUTHER LANE 1.2 MILES S OF STATE ROUTE 85 IN GUN		TX RGA LF
DALLAS	S115125699	GUN BARREL CITY TRANSFER STATION	LOCATED ON LUTHER LN 1.2 MI S OF STATE RT 85 IN GUN BARREL C		TX RGA LF
DALLAS	S111381212	SIMPLINS SITE	S LOOP 12 AND PEMBERTON HILL ROAD		TX GCC
DALLAS	S105121746	LOVE FIELD GATE 41	LOVE FIELD GATE 41		TX LPST
DALLAS	S118501733	LOVE FIELD AIRPORT	LOVE FIELD AIRPORT		TX MSD
DALLAS	S121360262	DALLAS COUNTY COURTHOUSE, ANNEX & RECORD BUILDINGS	501,509, 500 MAIN AND ELM STREETS	75202	TX ASBESTOS
DALLAS	S115127618	SENTRY ENVIRONMENTAL LANDFILL	1.9 MILE W OF INTERSECTION OF FM 407 & STATE HIGHWAY 35W SE		TX RGA LF
DALLAS	S115127619	SENTRY ENVIRONMENTAL LANDFILL	1.9 MILE W OF INTERSECTION OF FM 407 & STATE HIGHWAY 35W SE		TX RGA LF
DALLAS	S110652778	TEXAS INSTRUMENTS - GARLAND	2623 NATIONAL CIR GARLAND FOREST LANE		TX GCC
DALLAS	S103258444	GRAPEVINE DISPOSAL SITE	6 MI NE OF GRAPEVINE ON HWY 121		TX CLI
DALLAS	S103453040	16-ACRE TRACT (DALLAS)	NEC PARK CENTRAL DRIVE/BANNER DRIVE		TX VCP
DALLAS	S120803211	18.466 ACRE TRACT OF LAND (CENTENNIAL PLAZA)	NEC OF IH-35 AND WEST NW HIGHWAY		TX GCC
DALLAS	S110148102	18.466 ACRE TRACT OF LAND (CENTENNIA L PLAZA)	NEC OF IH- 35 AND WEST NW HIGHWAY		TX GCC
DALLAS	S103452870	ROACH PAINT FACILITY	NWC OF FIELD AND WOODALL ROGERS FREEWAY		TX AUL, TX VCP
DALLAS	S109145820	DALLAS GAS AND FUEL COMPANY (RRR)	NWC OF ROSS AND RECORD STREET		TX AUL
DALLAS	S110148637	DALLAS GAS AND FUEL COMPANY	NWC OF ROSS AND RECORD STREET		TX GCC
DALLAS	S110149762	SOURCE PROPERTY/M KINNEY TRACT 1	NWC MCKINNEY AND LEMMON AVENUE		TX GCC
DALLAS	S116383294	WHITE SWAN BLDG	NWC LAMAR AND BROOM STS	75202	TX APAR
DALLAS	S121359376	ALAMO POOL	1940 OAKLAND ST	75226	TX ASBESTOS
DALLAS	1024032885	EPIC TOWER FORTIFICATION	SE OF PACIFIC AVE AND HAWKINS ST.	75226	ECHO
DALLAS	S109145837	HOUSTON STREET/UP NORTH PROPERTY	NORTH OF INTERSECTION FLYNN AND ALAMO		TX AUL
DALLAS	S120803846	SOUTH PROPERTY	NORTH OF CONTINENTAL AND EAST OF HOUSTON		TX GCC
DALLAS	S109145838	HOUSTON STREET/UP SOUTH PROPERTY	NORTH OF WOODALL ROGERS/MCKINNEY		TX AUL
DALLAS	S110150095	VICTORY NORTH RESIDENTIA L PROPERTY	NORTH OF WICHITA/HA RRY HINES/IH-35		TX GCC
DALLAS	S110652867	VICTORY NORTH RESIDENTIAL PROPERTY	NORTH OF WICHITA/HA RRY HINES/IH-35		TX GCC
DALLAS	1024032889	EPIC TOWER FORTIFICATION	SE OF PACIFIC AVE AND HAWKINS STREET	75226	ECHO
DALLAS	S103258436	DE SOTO	N ON GRAVEL ROAD OFF BELTLINE/25 MI W IH 35 BY OLD SEWAGE PL		TX CLI
DALLAS	S107014254	PACIFIC ST., 150 E. OF ACKERD DOWNTOWN DALLAS AREA- DART RAI	PACIFIC ST., 150 E. OF ACKERD DOWNTOWN DALLAS AREA- DART RAI		TX SPILLS
DALLAS	S116696574	PALMER ESTATE	PARK LANE AND TWIN HIL	75201	TX LPST

## ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
DALLAS	S119140980	CHASE BANK	N. PEARL ST.	75201	TX ASBESTOS
DALLAS	1009396058	DUPRE TRANSPORT TRUCK FIRE	POSTAL ADDRESS IS UNAVAILABLE FOR THE SITE		SEMS
DALLAS	1014915110	UPS DALLAS CHLOROFORM RELEASE	POSTAL ADDRESS IS UNAVAILABLE FOR THE SITE		SEMS
DALLAS	S112288192	ROSS & HARWOOD	2010-2020 ROSS AVE, 820 N. HARWOOD ST., 2013 & 2021 SAN JACI		TX MSD
DALLAS	1009514319	FAIRMONT HOTEL	ROSS AT AKARD	75201	FTTS, HIST FTTS
DALLAS	1012150580	LIGHT RANCH WWTF	2000 FT S CR 50 & CR 7., 6500	00000	FINDS, ECHO
DALLAS	1017762481	KNOX FUEL STOP AT HILLSBORO	500 FT S INTX OF FM 310	00000	FINDS, ECHO
DALLAS	S104876395	PARKING LOT	SAN JACINTO	75202	TX LPST
DALLAS	1017765125	PARKER CREEK ESTATES WWTP	5200 S SE OF INTX OF FM 548	00000	FINDS, ECHO
DALLAS	S109145836	HOUSTON STREET/UP CENTRAL PROPERTY	SEC FLYNN AND ALAMO		TX AUL
DALLAS	S109145818	THREE TRACTS - FLORA, LEONARD AND ROSS	SEC FLORA & LEONARD/2301-2318 ROSS		TX AUL
DALLAS	S110149714	SEVEN TRACTS OF LAND	SEC GREENVILLE AVENUE AND LOVERS LANE		TX GCC
DALLAS	S109145751	THREE TRACTS - FLORA, LEONARD AND ROSS	SEC FLORA & LEONARD/2301-2318 ROSS		TX VCP
DALLAS	S110149953	THREE TRACTS - FLORA, LEONARD AND ROSS	SEC FLORA & LEONARD/23 01-2318 ROSS		TX GCC
DALLAS	1006259934	AMERICAN AIRLINES ARENA	NE SIDE OF THE INTX OF WOODALL ROGERS FRWY & I-35	75201	ICIS, FINDS, ECHO
DALLAS	S118191001	FEIZY RUGS	N SIDE OF HI LINE DR DEAD-END	75207	TX APAR
DALLAS	S115127130	PROPOSED GOLF COURSE & CLUB	SPANGLER RD & WALNUT HILL LANE DALLAS TX		TX RGA LF
DALLAS	S116704622	NEUHOFF ASSET 910 VCP 712	STEMMONS		TX LPST
DALLAS	S104275402	CHEVRON TRACT/ANA PROPERTIES	SWC KNOX STREET AND CENTRAL EXPRESSWAY		TX AUL, TX VCP, TX GCC
DALLAS	S120803302	CHEVRON TRACT / ANA PROPERTIES	SWC KNOX STREET AND CENTRAL EXPRESSWAY		TX GCC
DALLAS	S118151268	DALLAS CASA SITE	2715 SWISS AVENUE & 2708 FLORENCE STREET		TX GCC
DALLAS	A100386011	UPPER CHAIN OF WETLANDS CELL B&C	TRINITY RIVER I 45 & OVERTON		TX AST
DALLAS	1009648105		VAN WINKLE AT RECORD CROSSING	00000	DOT OPS
DALLAS	1014201685	LEAD PRODUCTS CO. TXD008080715	709 N. VELASCO		LEAD SMELTERS
DALLAS	S105786468	HI TECH TS	1000 S WILDWOOD	75201	TX Ind. Haz Waste
DALLAS	S112163609	COMMERCIAL PARKING PROPERTY	1714 WOOD ST, 408 SOUTH ERVAY ST., 1715 & 1717 YOUNG ST.		TX MSD
DALLAS	1006380024	HOUSTON STREET EXTENSION	WOODALL RODGERS AND I-35	00000	FINDS, ECHO
DALLAS COUNTY	S120691644	BECKLEY AND OREGON PARCELS	1902 1912 & 1916 N BECKLEY AVE AND 119 121 123 125 129 & 211		TX APAR
DALLAS COUNTY	M300005444	S & R SAND & GRAVEL	S & R SAND & GRAVEL		US MINES
DALLAS COUNTY	S118719200	STORAGE CHOICE	2409 & 2425 CANTON ST		TX APAR
DALLAS COUNTY	S118903980	CHILDRESS PROPERTIES	2600, 2604, 2608, AND 2612 S GOOD-LATIMER EXPWY, DALLAS, TX		TX APAR
DALLAS COUNTY	S118903986	COMMERCIAL PROPERTY	3001 3011 3015 GASTON AVE AND 3014 3016 FLOYD ST		TX APAR
DALLAS COUNTY	S120803915	VACANT LOTS AND CAR WASH PROPERTY	4836, 4838, 4842 GASTON AVE & 4835 JUNIUS ST		TX GCC
DALLAS COUNTY	S121946325	ALEXANDER STREET PLANT	1233 S ALEXANDER AVE		TX AIRS
DALLAS COUNTY	S120704575	TXDOT DALLAS DISTRICT	ALL AREAS BUT AG LAND WITHIN THE CORPORATE BOUNDARY OF THE C		TX NPDES
DALLAS COUNTY	S120803213	2917, 2921, AND 2923 FAIRMOUNT STREET	2917, 2921, AND 2923 FAIRMOUNT ST		TX GCC
DALLAS COUNTY	S120827426	JB KUSTOMS	2800 S BECKLEY AVE		TX AIRS
DALLAS COUNTY	S121946250	SUNBELT XL SERVICES	719 N BRITAIN RD		TX AIRS
DALLAS COUNTY	S116679068	FAST QUALITY CLEANERS	1544 S BUCKNE		TX GCC
DALLAS COUNTY	S121958886	GRAND EXXON TIGER MART 62662	2075 S BUCKNER BLVD		TX AIRS
DALLAS COUNTY	S121954352	RAS 6 3402	7700 N CENTRAL EXPY		TX AIRS
DALLAS COUNTY	S116679173	PROPOSED CHICK FIL A RESTAURANT 3177	1521 N COCKRELL HILL RD		TX GCC
DALLAS COUNTY	S121946459	DALLAS SERVICE CENTER	5115 S COCKRELL HILL RD		TX AIRS

## ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
DALLAS COUNTY	S118904031	ROSS AVENUE DEVELOPMENT PARCELS	NW CORNER OF ROSS AVE AND HALL ST - DALLAS		TX APAR
DALLAS COUNTY	S116678918	16-STORY OFFICE BUILDING/GARAGE-ELM BUILDING	1505 ELM STREET DALLAS		TX GCC
DALLAS COUNTY	S110148315	BROCKWAY STANDARD	FARMERS BRANCH		TX GCC
DALLAS COUNTY	S121946552	BEST CHOICE AUTO AND BODY	13680 FLOYD CIR		TX AIRS
DALLAS COUNTY	S120802899	THE UNION AT CARROLLTON SQUARE	FROM DALLAS, TAKE I-35E NORTH TO BELT LINE AND TURN RIGHT TH		TX APAR
DALLAS COUNTY	S113911991	BYRD PROPERTIES	GRAND AVENUE AND MALCOLM X BOULEVARD		TX GCC
DALLAS COUNTY	S118151269	DALLAS ISD (BYRD PROPERTIES)	GRAND AVENUE & MALCOLM X BOULEVARD		TX GCC
DALLAS COUNTY	S109253055	MARTINS DRY CLEAN EXPRESS	155 HOWELL STREET		TX GCC
DALLAS COUNTY	S118241126	SOLARA DOORS AND LIGHTING	142 HOWELL ST		TX AIRS
DALLAS COUNTY	S109253056	FMR GAINES CLEANERS	2450 JOE FIELD ROAD		TX GCC
DALLAS COUNTY	S110149657	RODGER MEIER CADILLAC	4707 LBJ FREEWAY, FARMERS BRANCH		TX GCC
DALLAS COUNTY	S118719206	UTL	LOCATION-1508 W. MOCKINGBIRD LANE		TX APAR
DALLAS COUNTY	S110652155	FORMER HOLIDAY CLEANING AND LAUNDRY	5712 LOVERS LANE		TX GCC
DALLAS COUNTY	S118072043	FRANKLIN PAINT AND BODY	3917 MAIN ST		TX AIRS
DALLAS COUNTY	S110148216	B&B CLEANERS	1105 E MAIN STREET		TX GCC
DALLAS COUNTY	S110148480	CITY OF GRAND PRAIRIE LANDFILL (PRE-SUBTITLE D AND SUBTITLE	.5 MILES E OF MYERS ROAD 750 FEET N OF IH 30 IN GRAND PRAIRI		TX GCC
DALLAS COUNTY	S120803317	CITY OF GRAND PRAIRIE LANDFILL (PRE-SUBTITLE D AND SUBTITLE	0.5 MILES E OF MYERS ROAD 750 FEET N OF IH 30 IN GRAND PRAIR		TX GCC
DALLAS COUNTY	S110149587	PROPOSED FIRE STATION NO. 3	NEC HUTTON DRIVE AND VALLEY VIEW LANE, FARMERS BRANCH		TX GCC
DALLAS COUNTY	S110150089	VALLEY VIEW TECH CENTER II	NEC VALLEY BRANCH AND SPRINGLAKE ROAD, FARMERS BRANCH		TX GCC
DALLAS COUNTY	S118719185	OIL DEPOT AND FORMER STAR CLEANERS	6464 E NORTHWEST HWY AND 5835 ABRAHMS RD		TX APAR
DALLAS COUNTY	S121358937	PACIFIC PLAZA	1901 PACIFIC AVE 300 306 308 312 322 350 N ST PAUL ST AND 40		TX APAR
DALLAS COUNTY	S120690793	EXCALIBUR COLLISION CENTER	822 S PEAK ST		TX AIRS
DALLAS COUNTY	S121963685	POST OAK GRINDING FACILITY DBA GREEN CHOICE ORGANICS	2600 POST OAK RD		TX AIRS
DALLAS COUNTY	S121964740	FRITZ INDUSTRIES	500 N SAM HOUSTON RD		TX AIRS
DALLAS COUNTY	S119135188	1312 1316 SLOCUM ST AND 1300 1500 INSPIRATION DRIVE	1312 1316 SLOCUM ST AND 1300 1500 INSPIRATION DR		TX APAR
DALLAS COUNTY	S121944919	GUARDIAN AUTOMOTIVE	1050 S STATE HIGHWAY 161		TX AIRS
DALLAS COUNTY	S116679013	DALLAS CASA SITE	2715-2723 SWISS AVENUE AND 2708-2724 FLORENCE STREET		TX GCC
DALLAS COUNTY	S120704563	NORTH TEXAS TOLLWAY AUTHORITY	THIS PERMIT COVERS ALL PORTIONS OF THE PERMITTEES MUNICIPAL		TX NPDES
DALLAS COUNTY	S120704599	CITY OF IRVING MS4	THIS PERMIT COVERS ALL AREAS (EXCEPT AG LAND) OF THE CITY OF		TX NPDES
DALLAS COUNTY	S110148981	GNB INC - FARMERS BRANCH	1880 VALLEY VIEW RD., FARMER'S BRANCH		TX GCC
DALLAS COUNTY	S116679006	COUNTRY CLUB CLEANERS	2901 VALLEY VIEW LANE		TX GCC
DALLAS COUNTY	S113912425	JOYCE CLEANERS	2503 VALLEY VIEW LANE FARMERS BRANCH		TX GCC
DALLAS COUNTY	S121962529	BAGHOUSE DUST REMELT FURNACE	2828 N WESTMORELAND RD		TX AIRS
DALLAS COUNTY	S120802864	DALLAS FLOODWAY PRAA	1001 N WESTMORELAND RD & 200 W MOCKINGBIRD LN		TX APAR
DALLAS COUNTY	S121946214	CONTINENTAL BATTERY MANUFACTURING	4919 WOODALL ST		TX AIRS
DALLAS COUNTY	S121952969	EXXON RS 62325	2242 S ZANG BLVD		TX AIRS
DENISON	S119149794	LANAS SALON & DAY SPA	4610 TEXOMA PARK	75201	TX ASBESTOS
HENDERSON COUNTY	1022931587	CHEROKEE SHORES WWTP	0.3 M S. STHWY 198 AND 1.5M W. ST HWY 198 AND	75201	ECHO



Count: 194 records

ORPHAN SUMMARY

<u>City</u>	<u>EDR ID</u>	<u>Site Name</u>	<u>Site Address</u>	<u>Zip</u>	<u>Database(s)</u>
TATUM	1017413708	LIBERTY LIGNITE MINING AREA	8 MILES SW OF TATUM, TEXAS ON FM 2658	75201	FINDS, ECHO

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## FEDERAL RECORDS

### NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 05/13/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: N/A
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 05/30/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 07/16/2018
	Data Release Frequency: Quarterly

### NPL Site Boundaries

#### Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)  
Telephone: 202-564-7333

EPA Region 1  
Telephone 617-918-1143

EPA Region 6  
Telephone: 214-655-6659

EPA Region 3  
Telephone 215-814-5418

EPA Region 7  
Telephone: 913-551-7247

EPA Region 4  
Telephone 404-562-8033

EPA Region 8  
Telephone: 303-312-6774

EPA Region 5  
Telephone 312-886-6686

EPA Region 9  
Telephone: 415-947-4246

EPA Region 10  
Telephone 206-553-8665

### Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 05/13/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: N/A
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 05/30/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 07/16/2018
	Data Release Frequency: Quarterly

### Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 05/13/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: N/A
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 05/30/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 07/16/2018
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

## SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 05/18/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: 800-424-9346
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 05/30/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 07/30/2018
	Data Release Frequency: Quarterly

## SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 05/18/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: 800-424-9346
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 05/30/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 07/30/2018
	Data Release Frequency: Quarterly

## LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 05/13/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/30/2018	Telephone: 202-564-6023
Date Made Active in Reports: 06/29/2018	Last EDR Contact: 05/30/2018
Number of Days to Update: 30	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Semi-Annually

## CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/01/2018	Source: EPA
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-424-9346
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 214-665-6444
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

### RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 214-665-6444
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

### RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 214-665-6444
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

### RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: 214-665-6444
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

### RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/01/2018  
Date Data Arrived at EDR: 03/28/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 86

Source: Environmental Protection Agency  
Telephone: 214-665-6444  
Last EDR Contact: 06/28/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 02/13/2018  
Date Data Arrived at EDR: 02/27/2018  
Date Made Active in Reports: 05/11/2018  
Number of Days to Update: 73

Source: Environmental Protection Agency  
Telephone: 703-603-0695  
Last EDR Contact: 05/29/2018  
Next Scheduled EDR Contact: 09/10/2018  
Data Release Frequency: Varies

## US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 02/13/2018  
Date Data Arrived at EDR: 02/27/2018  
Date Made Active in Reports: 05/11/2018  
Number of Days to Update: 73

Source: Environmental Protection Agency  
Telephone: 703-603-0695  
Last EDR Contact: 05/29/2018  
Next Scheduled EDR Contact: 09/10/2018  
Data Release Frequency: Varies

## ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/19/2018  
Date Data Arrived at EDR: 03/27/2018  
Date Made Active in Reports: 06/08/2018  
Number of Days to Update: 73

Source: National Response Center, United States Coast Guard  
Telephone: 202-267-2180  
Last EDR Contact: 06/27/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 03/26/2018  
Date Data Arrived at EDR: 03/27/2018  
Date Made Active in Reports: 06/08/2018  
Number of Days to Update: 73

Source: U.S. Department of Transportation  
Telephone: 202-366-4555  
Last EDR Contact: 03/27/2018  
Next Scheduled EDR Contact: 07/09/2018  
Data Release Frequency: Quarterly

## DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012  
Date Data Arrived at EDR: 08/07/2012  
Date Made Active in Reports: 09/18/2012  
Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety  
Telephone: 202-366-4595  
Last EDR Contact: 05/03/2018  
Next Scheduled EDR Contact: 08/13/2018  
Data Release Frequency: Varies

## US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/22/2018  
Date Data Arrived at EDR: 03/01/2018  
Date Made Active in Reports: 05/11/2018  
Number of Days to Update: 71

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 05/30/2018  
Next Scheduled EDR Contact: 09/10/2018  
Data Release Frequency: Quarterly

## US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 03/19/2018  
Date Data Arrived at EDR: 03/21/2018  
Date Made Active in Reports: 06/08/2018  
Number of Days to Update: 79

Source: Environmental Protection Agency  
Telephone: 202-566-2777  
Last EDR Contact: 06/20/2018  
Next Scheduled EDR Contact: 10/01/2018  
Data Release Frequency: Semi-Annually

## DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 11/10/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 62

Source: USGS  
Telephone: 888-275-8747  
Last EDR Contact: 04/13/2018  
Next Scheduled EDR Contact: 07/23/2018  
Data Release Frequency: Semi-Annually

## FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015  
Date Data Arrived at EDR: 07/08/2015  
Date Made Active in Reports: 10/13/2015  
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers  
Telephone: 202-528-4285  
Last EDR Contact: 05/25/2018  
Next Scheduled EDR Contact: 09/03/2018  
Data Release Frequency: Varies

## LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 02/16/2018  
Date Data Arrived at EDR: 02/22/2018  
Date Made Active in Reports: 05/11/2018  
Number of Days to Update: 78

Source: Department of the Navy  
Telephone: 843-820-7326  
Last EDR Contact: 05/09/2018  
Next Scheduled EDR Contact: 08/27/2018  
Data Release Frequency: Varies

## CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 03/31/2018  
Date Data Arrived at EDR: 04/16/2018  
Date Made Active in Reports: 06/29/2018  
Number of Days to Update: 74

Source: Department of Justice, Consent Decree Library  
Telephone: Varies  
Last EDR Contact: 06/22/2018  
Next Scheduled EDR Contact: 10/01/2018  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 05/13/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: 703-416-0223
Date Made Active in Reports: 06/29/2018	Last EDR Contact: 05/30/2018
Number of Days to Update: 30	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Annually

## UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017	Source: Department of Energy
Date Data Arrived at EDR: 10/11/2017	Telephone: 505-845-0011
Date Made Active in Reports: 11/03/2017	Last EDR Contact: 05/18/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 09/03/2018
	Data Release Frequency: Varies

## ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

## DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 04/18/2018
Number of Days to Update: 137	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: No Update Planned

## US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005	Source: USGS
Date Data Arrived at EDR: 02/29/2008	Telephone: 703-648-7709
Date Made Active in Reports: 04/18/2008	Last EDR Contact: 05/30/2018
Number of Days to Update: 49	Next Scheduled EDR Contact: 09/10/2018
	Data Release Frequency: Varies

## US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/03/2018	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 05/31/2018	Telephone: 303-231-5959
Date Made Active in Reports: 06/29/2018	Last EDR Contact: 05/31/2018
Number of Days to Update: 29	Next Scheduled EDR Contact: 09/10/2018
	Data Release Frequency: Semi-Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011	Source: USGS
Date Data Arrived at EDR: 06/08/2011	Telephone: 703-648-7709
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 05/30/2018
Number of Days to Update: 97	Next Scheduled EDR Contact: 09/10/2018
	Data Release Frequency: Varies

## TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016	Source: EPA
Date Data Arrived at EDR: 01/10/2018	Telephone: 202-566-0250
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 05/25/2018
Number of Days to Update: 2	Next Scheduled EDR Contact: 09/03/2018
	Data Release Frequency: Annually

## TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016	Source: EPA
Date Data Arrived at EDR: 06/21/2017	Telephone: 202-260-5521
Date Made Active in Reports: 01/05/2018	Last EDR Contact: 06/22/2018
Number of Days to Update: 198	Next Scheduled EDR Contact: 10/01/2018
	Data Release Frequency: Every 4 Years

## FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

## FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

## HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006  
Date Data Arrived at EDR: 03/01/2007  
Date Made Active in Reports: 04/10/2007  
Number of Days to Update: 40

Source: Environmental Protection Agency  
Telephone: 202-564-2501  
Last EDR Contact: 12/17/2007  
Next Scheduled EDR Contact: 03/17/2008  
Data Release Frequency: No Update Planned

## HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006  
Date Data Arrived at EDR: 03/01/2007  
Date Made Active in Reports: 04/10/2007  
Number of Days to Update: 40

Source: Environmental Protection Agency  
Telephone: 202-564-2501  
Last EDR Contact: 12/17/2008  
Next Scheduled EDR Contact: 03/17/2008  
Data Release Frequency: No Update Planned

## SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009  
Date Data Arrived at EDR: 12/10/2010  
Date Made Active in Reports: 02/25/2011  
Number of Days to Update: 77

Source: EPA  
Telephone: 202-564-4203  
Last EDR Contact: 04/09/2018  
Next Scheduled EDR Contact: 08/06/2018  
Data Release Frequency: Annually

## ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016  
Date Data Arrived at EDR: 11/23/2016  
Date Made Active in Reports: 02/10/2017  
Number of Days to Update: 79

Source: Environmental Protection Agency  
Telephone: 202-564-2501  
Last EDR Contact: 04/09/2018  
Next Scheduled EDR Contact: 07/23/2018  
Data Release Frequency: Quarterly

## PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 06/01/2017  
Date Data Arrived at EDR: 06/09/2017  
Date Made Active in Reports: 10/13/2017  
Number of Days to Update: 126

Source: EPA  
Telephone: 202-566-0500  
Last EDR Contact: 04/13/2018  
Next Scheduled EDR Contact: 07/23/2018  
Data Release Frequency: Annually

## MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016  
Date Data Arrived at EDR: 09/08/2016  
Date Made Active in Reports: 10/21/2016  
Number of Days to Update: 43

Source: Nuclear Regulatory Commission  
Telephone: 301-415-7169  
Last EDR Contact: 05/03/2018  
Next Scheduled EDR Contact: 08/20/2018  
Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/03/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/05/2018	Telephone: 202-343-9775
Date Made Active in Reports: 06/29/2018	Last EDR Contact: 04/05/2018
Number of Days to Update: 85	Next Scheduled EDR Contact: 07/16/2018
	Data Release Frequency: Quarterly

## FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/21/2018	Source: EPA
Date Data Arrived at EDR: 02/23/2018	Telephone: (214) 665-2200
Date Made Active in Reports: 03/23/2018	Last EDR Contact: 06/06/2018
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Quarterly

## RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

## RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 11/02/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/17/2017	Telephone: 202-564-8600
Date Made Active in Reports: 12/08/2017	Last EDR Contact: 04/20/2018
Number of Days to Update: 21	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

## BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2015  
Date Data Arrived at EDR: 02/22/2017  
Date Made Active in Reports: 09/28/2017  
Number of Days to Update: 218

Source: EPA/NTIS  
Telephone: 800-424-9346  
Last EDR Contact: 06/28/2018  
Next Scheduled EDR Contact: 09/03/2018  
Data Release Frequency: Biennially

## PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 05/24/2017  
Date Data Arrived at EDR: 11/30/2017  
Date Made Active in Reports: 12/15/2017  
Number of Days to Update: 15

Source: Environmental Protection Agency  
Telephone: 202-566-0517  
Last EDR Contact: 04/27/2018  
Next Scheduled EDR Contact: 08/06/2018  
Data Release Frequency: Varies

## FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 02/20/2018  
Date Data Arrived at EDR: 02/21/2018  
Date Made Active in Reports: 03/23/2018  
Number of Days to Update: 30

Source: EPA  
Telephone: 800-385-6164  
Last EDR Contact: 05/23/2018  
Next Scheduled EDR Contact: 09/03/2018  
Data Release Frequency: Quarterly

## ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 02/25/2018  
Date Data Arrived at EDR: 03/17/2018  
Date Made Active in Reports: 06/08/2018  
Number of Days to Update: 83

Source: Environmental Protection Agency  
Telephone: 202-564-2280  
Last EDR Contact: 06/06/2018  
Next Scheduled EDR Contact: 09/17/2018  
Data Release Frequency: Quarterly

## ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 03/08/2018  
Date Data Arrived at EDR: 03/13/2018  
Date Made Active in Reports: 06/08/2018  
Number of Days to Update: 87

Source: Department of Interior  
Telephone: 202-208-2609  
Last EDR Contact: 06/20/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Quarterly

## DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 01/04/2018  
Date Data Arrived at EDR: 01/19/2018  
Date Made Active in Reports: 04/13/2018  
Number of Days to Update: 84

Source: Environmental Protection Agency  
Telephone: 202-564-0527  
Last EDR Contact: 06/01/2018  
Next Scheduled EDR Contact: 09/10/2018  
Data Release Frequency: Varies

## 2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/22/2013  
Date Data Arrived at EDR: 03/03/2015  
Date Made Active in Reports: 03/09/2015  
Number of Days to Update: 6

Source: Environmental Protection Agency  
Telephone: 703-308-4044  
Last EDR Contact: 05/08/2018  
Next Scheduled EDR Contact: 08/20/2018  
Data Release Frequency: Varies

## LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 05/13/2018  
Date Data Arrived at EDR: 05/30/2018  
Date Made Active in Reports: 06/29/2018  
Number of Days to Update: 30

Source: Environmental Protection Agency  
Telephone: 703-603-8787  
Last EDR Contact: 05/30/2018  
Next Scheduled EDR Contact: 07/16/2018  
Data Release Frequency: Varies

## LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001  
Date Data Arrived at EDR: 10/27/2010  
Date Made Active in Reports: 12/02/2010  
Number of Days to Update: 36

Source: American Journal of Public Health  
Telephone: 703-305-6451  
Last EDR Contact: 12/02/2009  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013  
Date Data Arrived at EDR: 10/17/2014  
Date Made Active in Reports: 10/20/2014  
Number of Days to Update: 3

Source: EPA  
Telephone: 202-564-6023  
Last EDR Contact: 05/30/2018  
Next Scheduled EDR Contact: 08/20/2018  
Data Release Frequency: Quarterly

## UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 09/30/2016  
Date Data Arrived at EDR: 10/31/2017  
Date Made Active in Reports: 01/12/2018  
Number of Days to Update: 73

Source: Department of Defense  
Telephone: 703-704-1564  
Last EDR Contact: 04/13/2018  
Next Scheduled EDR Contact: 07/30/2018  
Data Release Frequency: Varies

## US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 02/22/2018  
Date Data Arrived at EDR: 03/01/2018  
Date Made Active in Reports: 05/11/2018  
Number of Days to Update: 71

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 05/30/2018  
Next Scheduled EDR Contact: 09/10/2018  
Data Release Frequency: No Update Planned

## IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014  
Date Data Arrived at EDR: 08/06/2014  
Date Made Active in Reports: 01/29/2015  
Number of Days to Update: 176

Source: Department of Health & Human Services, Indian Health Service  
Telephone: 301-443-1452  
Last EDR Contact: 05/04/2018  
Next Scheduled EDR Contact: 08/13/2018  
Data Release Frequency: Varies

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/03/2017	Telephone: 615-532-8599
Date Made Active in Reports: 04/07/2017	Last EDR Contact: 05/15/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 08/27/2018
	Data Release Frequency: Varies

### FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017	Source: FEMA
Date Data Arrived at EDR: 05/30/2017	Telephone: 202-646-5797
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 04/13/2018
Number of Days to Update: 136	Next Scheduled EDR Contact: 07/23/2018
	Data Release Frequency: Varies

### COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 06/04/2018
Number of Days to Update: 40	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Varies

### FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/07/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/05/2017	Telephone: 703-603-8704
Date Made Active in Reports: 04/07/2017	Last EDR Contact: 04/06/2018
Number of Days to Update: 92	Next Scheduled EDR Contact: 07/16/2018
	Data Release Frequency: Varies

### COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 06/07/2018
Number of Days to Update: 76	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Varies

### US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016	Source: EPA
Date Data Arrived at EDR: 10/26/2016	Telephone: 202-564-2496
Date Made Active in Reports: 02/03/2017	Last EDR Contact: 09/26/2017
Number of Days to Update: 100	Next Scheduled EDR Contact: 01/08/2018
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016  
Date Data Arrived at EDR: 10/26/2016  
Date Made Active in Reports: 02/03/2017  
Number of Days to Update: 100

Source: EPA  
Telephone: 202-564-2496  
Last EDR Contact: 09/26/2017  
Next Scheduled EDR Contact: 01/08/2018  
Data Release Frequency: Annually

## US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 03/01/2018  
Date Data Arrived at EDR: 03/27/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 87

Source: Environmental Protection Agency  
Telephone: 202-566-1917  
Last EDR Contact: 06/27/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013  
Date Data Arrived at EDR: 03/21/2014  
Date Made Active in Reports: 06/17/2014  
Number of Days to Update: 88

Source: Environmental Protection Agency  
Telephone: 617-520-3000  
Last EDR Contact: 05/07/2018  
Next Scheduled EDR Contact: 08/20/2018  
Data Release Frequency: Quarterly

## FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 12/23/2016  
Date Data Arrived at EDR: 12/27/2016  
Date Made Active in Reports: 02/17/2017  
Number of Days to Update: 52

Source: Department of Energy  
Telephone: 202-586-3559  
Last EDR Contact: 05/07/2018  
Next Scheduled EDR Contact: 08/20/2018  
Data Release Frequency: Varies

## STATE AND LOCAL RECORDS

### SHWS: State Superfund Registry

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 03/31/2018  
Date Data Arrived at EDR: 05/02/2018  
Date Made Active in Reports: 05/09/2018  
Number of Days to Update: 7

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5680  
Last EDR Contact: 06/20/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Semi-Annually

### IOP: Innocent Owner/Operator Program

Contains information on all sites that are in the IOP. An IOP is an innocent owner or operator whose property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/02/2018  
Date Data Arrived at EDR: 04/05/2018  
Date Made Active in Reports: 06/11/2018  
Number of Days to Update: 67

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5894  
Last EDR Contact: 06/29/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Quarterly

## SWF/LF: Permitted Solid Waste Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 04/25/2018  
Date Data Arrived at EDR: 04/25/2018  
Date Made Active in Reports: 06/12/2018  
Number of Days to Update: 48

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6706  
Last EDR Contact: 04/20/2018  
Next Scheduled EDR Contact: 08/06/2018  
Data Release Frequency: Quarterly

## DEBRIS: DEBRIS

A listing of temporary debris management sites and MSW landfills for debris resulting from Hurricane Harvey.

Date of Government Version: 03/27/2018  
Date Data Arrived at EDR: 04/04/2018  
Date Made Active in Reports: 06/08/2018  
Number of Days to Update: 65

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6840  
Last EDR Contact: 06/08/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Varies

## CLI: Closed Landfill Inventory

Closed and abandoned landfills (permitted as well as unauthorized) across the state of Texas. For current information regarding any of the sites included in this database, contact the appropriate Council of Governments agency.

Date of Government Version: 08/30/1999  
Date Data Arrived at EDR: 09/28/2000  
Date Made Active in Reports: 10/30/2000  
Number of Days to Update: 32

Source: Texas Commission on Environmental Quality  
Telephone: N/A  
Last EDR Contact: 06/29/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Varies

## NCTCOG LI: North Central Landfill Inventory

North Central Texas Council of Governments landfill database.

Date of Government Version: 04/05/2018  
Date Data Arrived at EDR: 04/10/2018  
Date Made Active in Reports: 06/11/2018  
Number of Days to Update: 62

Source: North Central Texas Council of Governments  
Telephone: 817-695-9223  
Last EDR Contact: 06/29/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Varies

## H-GAC CLI: Houston-Galveston Closed Landfill Inventory

Closed Landfill Inventory for the Houston-Galveston Area Council Region. In 1993, the Texas Legislature passed House Bill (HB) 2537, which required Councils of Governments (COGs) to develop an inventory of closed municipal solid waste landfills for their regional solid waste management plans.

Date of Government Version: 10/31/2017  
Date Data Arrived at EDR: 11/01/2017  
Date Made Active in Reports: 12/11/2017  
Number of Days to Update: 40

Source: Houston-Galveston Area Council  
Telephone: 832-681-2518  
Last EDR Contact: 04/06/2018  
Next Scheduled EDR Contact: 07/16/2018  
Data Release Frequency: Varies

## NPDES: NPDES Facility List

Permitted wastewater outfalls.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/15/2018  
Date Data Arrived at EDR: 05/17/2018  
Date Made Active in Reports: 06/11/2018  
Number of Days to Update: 25

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-4591  
Last EDR Contact: 05/17/2018  
Next Scheduled EDR Contact: 08/27/2018  
Data Release Frequency: Varies

## CAPCOG LI: Capitol Area Landfill Inventory

Permitted and unpermitted landfills for the CAPCOG region. Serving Bastrop, Blanco, Burnet, Caldwell, Fayette, Hays, Lee, Llano, Travis, and Williamson Counties.

Date of Government Version: 01/06/2017  
Date Data Arrived at EDR: 01/10/2017  
Date Made Active in Reports: 03/15/2017  
Number of Days to Update: 64

Source: Capital Area Council of Governments  
Telephone: 512-916-6000  
Last EDR Contact: 04/06/2018  
Next Scheduled EDR Contact: 07/16/2018  
Data Release Frequency: Varies

## UIC: Underground Injection Wells Database Listing

Class V injection wells regulated by the TCEQ. Class V wells are used to inject non-hazardous fluids underground. Most Class V wells are used to dispose of wastes into or above underground sources of drinking water and can pose a threat to ground water quality, if not managed properly.

Date of Government Version: 05/01/2018  
Date Data Arrived at EDR: 05/01/2018  
Date Made Active in Reports: 05/09/2018  
Number of Days to Update: 8

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-6627  
Last EDR Contact: 04/12/2018  
Next Scheduled EDR Contact: 07/30/2018  
Data Release Frequency: Varies

## SWRCY: Recycling Facility Listing

A listing of recycling facilities in the state.

Date of Government Version: 02/16/2018  
Date Data Arrived at EDR: 02/20/2018  
Date Made Active in Reports: 04/09/2018  
Number of Days to Update: 48

Source: TCEQ  
Telephone: 512-239-6700  
Last EDR Contact: 05/14/2018  
Next Scheduled EDR Contact: 08/27/2018  
Data Release Frequency: Varies

## WASTE MGMT: Commercial Hazardous & Solid Waste Management Facilities

This list contains commercial recycling facilities and facilities permitted or authorized (interim status) by the Texas Natural Resource Conservation Commission.

Date of Government Version: 02/02/2018  
Date Data Arrived at EDR: 04/06/2018  
Date Made Active in Reports: 06/13/2018  
Number of Days to Update: 68

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2920  
Last EDR Contact: 04/03/2018  
Next Scheduled EDR Contact: 07/16/2018  
Data Release Frequency: Varies

## LPST: Leaking Petroleum Storage Tank Database

An inventory of reported leaking petroleum storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 03/08/2018  
Date Data Arrived at EDR: 03/29/2018  
Date Made Active in Reports: 04/09/2018  
Number of Days to Update: 11

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2200  
Last EDR Contact: 06/20/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## UST: Petroleum Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/01/2018  
Date Data Arrived at EDR: 03/28/2018  
Date Made Active in Reports: 04/10/2018  
Number of Days to Update: 13

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2160  
Last EDR Contact: 06/28/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## LIENS: Environmental Liens Listing

The listing covers TCEQ liens placed against either State Superfund sites or Federal Superfund sites to recover cost incurred by TCEQ.

Date of Government Version: 04/04/2018  
Date Data Arrived at EDR: 04/13/2018  
Date Made Active in Reports: 06/12/2018  
Number of Days to Update: 60

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2209  
Last EDR Contact: 06/29/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Varies

## AST: Petroleum Storage Tank Database

Registered Aboveground Storage Tanks.

Date of Government Version: 03/01/2018  
Date Data Arrived at EDR: 03/28/2018  
Date Made Active in Reports: 04/10/2018  
Number of Days to Update: 13

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2160  
Last EDR Contact: 06/28/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## DEL SHWS: Deleted Superfund Registry Sites

Sites have been deleted from the state Superfund registry in accordance with the Act, ?361.189

Date of Government Version: 03/31/2018  
Date Data Arrived at EDR: 05/02/2018  
Date Made Active in Reports: 05/09/2018  
Number of Days to Update: 7

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-0666  
Last EDR Contact: 06/20/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## SPILLS: Spills Database

Spills reported to the Emergency Response Division.

Date of Government Version: 04/30/2018  
Date Data Arrived at EDR: 05/04/2018  
Date Made Active in Reports: 06/12/2018  
Number of Days to Update: 39

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-2507  
Last EDR Contact: 04/12/2018  
Next Scheduled EDR Contact: 07/30/2018  
Data Release Frequency: Quarterly

## AUL: Sites with Controls

Activity and use limitations include both engineering controls and institutional controls.

Date of Government Version: 04/04/2018  
Date Data Arrived at EDR: 04/13/2018  
Date Made Active in Reports: 06/07/2018  
Number of Days to Update: 55

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5891  
Last EDR Contact: 06/29/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Varies

## VCP TCEQ: Voluntary Cleanup Program Database

The Texas Voluntary Cleanup Program was established to provide administrative, technical, and legal incentives to encourage the cleanup of contaminated sites in Texas.

Date of Government Version: 04/02/2018  
Date Data Arrived at EDR: 04/05/2018  
Date Made Active in Reports: 06/11/2018  
Number of Days to Update: 67

Source: Texas Commission on Environmental Quality  
Telephone: 512-239-5891  
Last EDR Contact: 06/29/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## VCP RRC: Voluntary Cleanup Program Sites

The Voluntary Cleanup Program (RRC-VCP) provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination. Applicants to the program receive a release of liability to the state in exchange for a successful cleanup.

Date of Government Version: 02/21/2018	Source: Railroad Commission of Texas
Date Data Arrived at EDR: 04/05/2018	Telephone: 512-463-6969
Date Made Active in Reports: 06/12/2018	Last EDR Contact: 04/05/2018
Number of Days to Update: 68	Next Scheduled EDR Contact: 07/16/2018
	Data Release Frequency: Varies

## PRIORITY CLEANERS: Dry Cleaner Remediation Program Prioritization List

A listing of dry cleaner related contaminated sites.

Date of Government Version: 03/01/2018	Source: Texas Commision on Environmenatl Quality
Date Data Arrived at EDR: 03/08/2018	Telephone: 512-239-5658
Date Made Active in Reports: 04/09/2018	Last EDR Contact: 06/08/2018
Number of Days to Update: 32	Next Scheduled EDR Contact: 06/18/2108
	Data Release Frequency: Varies

## DRYCLEANERS: Drycleaner Registration Database Listing

A listing of drycleaning facilities.

Date of Government Version: 02/02/2018	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 02/28/2018	Telephone: 512-239-2160
Date Made Active in Reports: 04/09/2018	Last EDR Contact: 05/31/2018
Number of Days to Update: 40	Next Scheduled EDR Contact: 09/10/2018
	Data Release Frequency: Varies

## BROWNFIELDS: Brownfields Site Assessments

Brownfield site assessments that are being cleaned under EPA grant monies.

Date of Government Version: 04/02/2018	Source: TCEQ
Date Data Arrived at EDR: 04/03/2018	Telephone: 512-239-5872
Date Made Active in Reports: 06/07/2018	Last EDR Contact: 04/02/2018
Number of Days to Update: 65	Next Scheduled EDR Contact: 07/16/2018
	Data Release Frequency: Semi-Annually

## ENFORCEMENT: Notice of Violations Listing

A listing of permit violations.

Date of Government Version: 04/18/2018	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/24/2018	Telephone: 512-239-6012
Date Made Active in Reports: 06/11/2018	Last EDR Contact: 06/29/2018
Number of Days to Update: 48	Next Scheduled EDR Contact: 10/15/2018
	Data Release Frequency: Semi-Annually

## CDL: Clandestine Drug Site Locations Listing

A listing of former clandestine drug site locations

Date of Government Version: 08/07/2017	Source: Department of Public Safety
Date Data Arrived at EDR: 08/15/2017	Telephone: 512-424-2144
Date Made Active in Reports: 05/11/2018	Last EDR Contact: 04/30/2018
Number of Days to Update: 269	Next Scheduled EDR Contact: 08/13/2018
	Data Release Frequency: Varies

## Ind. Haz Waste: Industrial & Hazardous Waste Database

Summary reports reported by waste handlers, generators and shippers in Texas.

Date of Government Version: 03/01/2018	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/18/2018	Telephone: 512-239-0985
Date Made Active in Reports: 06/11/2018	Last EDR Contact: 04/18/2018
Number of Days to Update: 54	Next Scheduled EDR Contact: 07/30/2018
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ED AQUIF: Edwards Aquifer Permits

A listing of permits in the Edwards Aquifer Protection Program database. The information provided is for the counties located in the Austin Region (Hays, Travis, and Williamson counties).

Date of Government Version: 04/04/2018	Source: Texas Commission on Environmental Quality, Austin Region
Date Data Arrived at EDR: 05/17/2018	Telephone: 512-339-2929
Date Made Active in Reports: 06/08/2018	Last EDR Contact: 06/20/2018
Number of Days to Update: 22	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Varies

## AIRS: Current Emission Inventory Data

The database lists by company, along with their actual emissions, the TNRCC air accounts that emit EPA criteria pollutants.

Date of Government Version: 03/21/2018	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/10/2018	Telephone: N/A
Date Made Active in Reports: 06/07/2018	Last EDR Contact: 06/08/2018
Number of Days to Update: 58	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Semi-Annually

## TIER 2: Tier 2 Chemical Inventory Reports

A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

Date of Government Version: 12/31/2012	Source: Department of State Health Services
Date Data Arrived at EDR: 06/07/2013	Telephone: 512-834-6603
Date Made Active in Reports: 07/22/2013	Last EDR Contact: 05/18/2018
Number of Days to Update: 45	Next Scheduled EDR Contact: 09/03/2018
	Data Release Frequency: Annually

## MSD: Municipal Settings Designations Database

An MSD is an official state designation given to property within a municipality or its extraterritorial jurisdiction that certifies that designated groundwater at the property is not use as potable water, and is prohibited from future use as potatable water because that groundwater is contaminated in excess of the applicable potable-water protective concentration level.

Date of Government Version: 04/30/2018	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 05/02/2018	Telephone: 512-239-4982
Date Made Active in Reports: 06/11/2018	Last EDR Contact: 04/30/2018
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/13/2018
	Data Release Frequency: Varies

## HIST LIENS: Environmental Liens Listing

This listing contains information fields that are no longer tracked in the LIENS database.

Date of Government Version: 03/23/2007	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/23/2007	Telephone: 512-239-2209
Date Made Active in Reports: 05/02/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

## ASBESTOS: Asbestos Notification Listing

A listing of asbestos notification site locations.

Date of Government Version: 02/27/2018	Source: Department of State Health Services
Date Data Arrived at EDR: 03/01/2018	Telephone: 512-834-6787
Date Made Active in Reports: 04/09/2018	Last EDR Contact: 06/11/2018
Number of Days to Update: 39	Next Scheduled EDR Contact: 09/03/2018
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## RWS: Radioactive Waste Sites

Sites in the State of Texas that have been designated as Radioactive Waste sites.

Date of Government Version: 07/24/2006	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 12/14/2006	Telephone: 512-239-0859
Date Made Active in Reports: 01/23/2007	Last EDR Contact: 05/18/2018
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/27/2018
	Data Release Frequency: Semi-Annually

## LEAD: Lead Inspection Listing

Lead inspection sites

Date of Government Version: 12/21/2017	Source: Department of State Health Services
Date Data Arrived at EDR: 01/04/2018	Telephone: 512-834-6600
Date Made Active in Reports: 05/11/2018	Last EDR Contact: 05/21/2018
Number of Days to Update: 127	Next Scheduled EDR Contact: 09/03/2018
	Data Release Frequency: Varies

## APAR: Affected Property Assessment Report Site Listing

Listing of Sites That Have Received an APAR (Affected Property Assessment Report)

Date of Government Version: 01/09/2018	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 01/19/2018	Telephone: 512-239-5872
Date Made Active in Reports: 02/13/2018	Last EDR Contact: 04/09/2018
Number of Days to Update: 25	Next Scheduled EDR Contact: 07/23/2018
	Data Release Frequency: Varies

## COAL ASH: Coal Ash Disposal Sites

A listing of facilities that use surface impoundments or landfills to dispose of coal ash.

Date of Government Version: 05/02/2018	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 05/07/2018	Telephone: 512-239-6624
Date Made Active in Reports: 06/07/2018	Last EDR Contact: 04/30/2018
Number of Days to Update: 31	Next Scheduled EDR Contact: 08/13/2018
	Data Release Frequency: Varies

## IHW CORR ACTION: IHW CORR ACTION

Industrial hazardous waste facilities with corrective actions.

Date of Government Version: 03/23/2018	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/06/2018	Telephone: 512-239-5872
Date Made Active in Reports: 06/11/2018	Last EDR Contact: 06/29/2018
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/15/2018
	Data Release Frequency: Varies

## GCC: Groundwater Contamination Cases

Texas Water Code, Section 26.406 requires the annual report to describe the current status of groundwater monitoring activities conducted or required by each agency at regulated facilities or associated with regulated activities.

The report is required to contain a description of each case of groundwater contamination documented during the previous calendar year. Also to be included, is a description of each case of contamination documented during previous periods for which voluntary clean up action was incomplete at the time the preceding report was issued.

The report is also required to indicate the status of enforcement action for each listed case.

Date of Government Version: 12/31/2016	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 09/08/2017	Telephone: 512-239-5690
Date Made Active in Reports: 09/11/2017	Last EDR Contact: 06/01/2018
Number of Days to Update: 3	Next Scheduled EDR Contact: 09/10/2018
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## TRIBAL RECORDS

### INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014	Source: USGS
Date Data Arrived at EDR: 07/14/2015	Telephone: 202-208-3710
Date Made Active in Reports: 01/10/2017	Last EDR Contact: 04/11/2018
Number of Days to Update: 546	Next Scheduled EDR Contact: 07/23/2018
	Data Release Frequency: Semi-Annually

### INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 01/30/2018
Number of Days to Update: 52	Next Scheduled EDR Contact: 05/14/2018
	Data Release Frequency: Varies

### INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 09/30/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/23/2018	Telephone: 415-972-3372
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

### INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/14/2017	Source: EPA Region 1
Date Data Arrived at EDR: 01/23/2018	Telephone: 617-918-1313
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

### INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 01/06/2018	Source: EPA Region 6
Date Data Arrived at EDR: 01/23/2018	Telephone: 214-665-6597
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

### INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 10/12/2017	Source: EPA Region 7
Date Data Arrived at EDR: 01/23/2018	Telephone: 913-551-7003
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

### INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/12/2017	Source: EPA Region 8
Date Data Arrived at EDR: 01/23/2018	Telephone: 303-312-6271
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land  
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 10/14/2017	Source: EPA Region 4
Date Data Arrived at EDR: 01/23/2018	Telephone: 404-562-8677
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/16/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land  
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/16/2017	Source: EPA, Region 5
Date Data Arrived at EDR: 01/23/2018	Telephone: 312-886-7439
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land  
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 10/24/2017	Source: EPA Region 10
Date Data Arrived at EDR: 01/23/2018	Telephone: 206-553-2857
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land  
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 10/24/2017	Source: EPA Region 10
Date Data Arrived at EDR: 01/23/2018	Telephone: 206-553-2857
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land  
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 09/30/2017	Source: EPA Region 9
Date Data Arrived at EDR: 01/23/2018	Telephone: 415-972-3368
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land  
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/12/2017	Source: EPA Region 8
Date Data Arrived at EDR: 01/23/2018	Telephone: 303-312-6137
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land  
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/13/2018	Source: EPA Region 7
Date Data Arrived at EDR: 01/23/2018	Telephone: 913-551-7003
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

## INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/24/2017	Source: EPA Region 6
Date Data Arrived at EDR: 07/27/2017	Telephone: 214-665-7591
Date Made Active in Reports: 12/08/2017	Last EDR Contact: 05/18/2018
Number of Days to Update: 134	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

## INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations).

Date of Government Version: 10/14/2017	Source: EPA Region 4
Date Data Arrived at EDR: 01/23/2018	Telephone: 404-562-9424
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/16/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

## INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 10/16/2017	Source: EPA Region 5
Date Data Arrived at EDR: 01/23/2018	Telephone: 312-886-6136
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

## INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/14/2017	Source: EPA, Region 1
Date Data Arrived at EDR: 01/23/2018	Telephone: 617-918-1313
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 05/18/2018
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/06/2018
	Data Release Frequency: Varies

## INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 06/22/2018
Number of Days to Update: 142	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Varies

## INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/20/2008  
Date Data Arrived at EDR: 04/22/2008  
Date Made Active in Reports: 05/19/2008  
Number of Days to Update: 27

Source: EPA, Region 7  
Telephone: 913-551-7365  
Last EDR Contact: 04/20/2009  
Next Scheduled EDR Contact: 07/20/2009  
Data Release Frequency: Varies

## EDR PROPRIETARY RECORDS

### EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

### EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

### EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

### RGH HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Texas Commission of Environmental Quality in Texas formerly known as Texas Natural Resources Conservation Commission which changed in 2002.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A  
Date Data Arrived at EDR: 07/01/2013  
Date Made Active in Reports: 12/26/2013  
Number of Days to Update: 178

Source: Texas Commission on Environmental Quality  
Telephone: N/A  
Last EDR Contact: 06/01/2012  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

## RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Texas Commission of Environmental Quality in Texas formerly known as Texas Natural Resources Conservation Commission which changed in 2002.

Date of Government Version: N/A  
Date Data Arrived at EDR: 07/01/2013  
Date Made Active in Reports: 01/13/2014  
Number of Days to Update: 196

Source: Texas Commission on Environmental Quality  
Telephone: N/A  
Last EDR Contact: 06/01/2012  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

## COUNTY RECORDS

### TRAVIS COUNTY:

#### Historic Tank Records

A listing of historic records from the City of Austin.

Date of Government Version: 06/25/2012  
Date Data Arrived at EDR: 06/29/2012  
Date Made Active in Reports: 08/23/2012  
Number of Days to Update: 55

Source: Department of Planning & Development Review  
Telephone: 512-974-2715  
Last EDR Contact: 06/01/2018  
Next Scheduled EDR Contact: 09/17/2018  
Data Release Frequency: Varies

## OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

### CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 01/03/2018  
Date Data Arrived at EDR: 02/14/2018  
Date Made Active in Reports: 03/22/2018  
Number of Days to Update: 36

Source: Department of Energy & Environmental Protection  
Telephone: 860-424-3375  
Last EDR Contact: 05/18/2018  
Next Scheduled EDR Contact: 08/27/2018  
Data Release Frequency: No Update Planned

### NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2016  
Date Data Arrived at EDR: 04/11/2017  
Date Made Active in Reports: 07/27/2017  
Number of Days to Update: 107

Source: Department of Environmental Protection  
Telephone: N/A  
Last EDR Contact: 04/23/2018  
Next Scheduled EDR Contact: 07/23/2018  
Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 04/30/2018  
Date Data Arrived at EDR: 05/03/2018  
Date Made Active in Reports: 06/07/2018  
Number of Days to Update: 35

Source: Department of Environmental Conservation  
Telephone: 518-402-8651  
Last EDR Contact: 05/03/2018  
Next Scheduled EDR Contact: 08/13/2018  
Data Release Frequency: Quarterly

## PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2016  
Date Data Arrived at EDR: 07/25/2017  
Date Made Active in Reports: 09/25/2017  
Number of Days to Update: 62

Source: Department of Environmental Protection  
Telephone: 717-783-8990  
Last EDR Contact: 04/12/2018  
Next Scheduled EDR Contact: 07/30/2018  
Data Release Frequency: Annually

## RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2017  
Date Data Arrived at EDR: 02/23/2018  
Date Made Active in Reports: 04/09/2018  
Number of Days to Update: 45

Source: Department of Environmental Management  
Telephone: 401-222-2797  
Last EDR Contact: 05/21/2018  
Next Scheduled EDR Contact: 09/03/2018  
Data Release Frequency: Annually

## VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 05/16/2018  
Date Data Arrived at EDR: 05/23/2018  
Date Made Active in Reports: 07/03/2018  
Number of Days to Update: 41

Source: Department of Environmental Conservation  
Telephone: 802-241-3443  
Last EDR Contact: 04/16/2018  
Next Scheduled EDR Contact: 07/30/2018  
Data Release Frequency: Annually

## WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2016  
Date Data Arrived at EDR: 04/13/2017  
Date Made Active in Reports: 07/14/2017  
Number of Days to Update: 92

Source: Department of Natural Resources  
Telephone: N/A  
Last EDR Contact: 06/11/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Annually

## Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

## Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

### Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

### Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

### Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

### Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

### Daycare Centers: Child Care Facility List

Source: Department of Protective & Regulatory Services

Telephone: 512-438-3269

**Flood Zone Data:** This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Wetland Inventory

Source: Texas General Land Office

Telephone: 512-463-0745

**Earthquake Fault Lines:** The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.